

53140-1

KENTUCKY
CABINET FOR HUMAN RESOURCES

1981

ANNUAL VITAL STATISTICS REPORT

STATE CENTER FOR HEALTH STATISTICS

Bureau for Health Services
Health and Vital Statistics Office
February 1983

TABLE OF CONTENTS

INTRODUCTION	1
SOURCES OF DATA	3
DEFINITIONS AND RATE FORMULAE	5
LEADING CAUSES OF MALE DEATHS	6
LEADING CAUSES OF FEMALE DEATHS	7
KENTUCKY MAP SHOWING OFFICIAL BOUNDARIES OF AREA DEVELOPMENT DISTRICTS	9
SECTION I - POPULATION	11
STATEWIDE	13
DISTRICT 1 - PURCHASE. Counties: Ballard, Calloway, Carlisle, Fulton, Graves, Hickman, McCracken, Marshall	15
DISTRICT 2 - PENNYRILE. Counties: Caldwell, Christian, Crittenden, Hopkins, Livingston, Lyon, Muhlenberg, Todd, Trigg	25
DISTRICT 3 - GREEN RIVER. Counties: Daviess, Hancock, Henderson, McLean, Ohio, Union, Webster	37
DISTRICT 4 - BARREN RIVER. Counties: Allen, Barren, Butler, Edmonson, Hart, Logan, Metcalfe, Monroe, Simpson, Warren	47
DISTRICT 5 - LINCOLN TRAIL. Counties: Breckinridge, Grayson, Hardin, Larue, Marion, Meade, Nelson, Washington	59
DISTRICT 6 - KENTUCKIANA. Counties: Bullitt, Henry, Jefferson, Oldham, Shelby, Spencer, Trimble	69
DISTRICT 7 - NORTHERN KENTUCKY. Counties: Boone, Campbell, Carroll, Gallatin, Grant, Kenton, Owen, Pendleton	79
DISTRICT 8 - BUFFALO TRACE. Counties: Bracken, Fleming, Lewis, Mason, Robertson	89
DISTRICT 9 - GATEWAY. Counties: Bath, Menifee, Montgomery, Morgan, Rowan	97
DISTRICT 10 - FIVCO. Counties: Boyd, Carter, Elliott, Greenup, Lawrence	105
DISTRICT 11 - BIG SANDY. Counties: Floyd, Johnson, Magoffin, Martin, Pike	113
DISTRICT 12 - KENTUCKY RIVER. Counties: Breathitt, Knott, Lee, Leslie, Letcher, Owsley, Perry, Wolfe	121
DISTRICT 13 - CUMBERLAND VALLEY. Counties: Bell, Clay, Harlan, Jackson, Knox, Laurel, Rockcastle, Whitley	131
DISTRICT 14 - LAKE CUMBERLAND. Counties: Adair, Casey, Clinton, Cumberland, Green, McCreary, Pulaski, Russell, Taylor, Wayne	141
DISTRICT 15 - BLUEGRASS. Counties: Anderson, Bourbon, Boyle, Clark, Estill, Fayette, Franklin, Garrard, Harrison, Jessamine, Lincoln, Madison, Nicholas, Powell, Scott, Woodford	153
SECTION II - BIRTH AND DEATH VITAL STATISTICS	173
STATEWIDE	174
DISTRICT 1 - PURCHASE	177
DISTRICT 2 - PENNYRILE	197
DISTRICT 3 - GREEN RIVER	219
DISTRICT 4 - BARREN RIVER	237
DISTRICT 5 - LINCOLN TRAIL	261
DISTRICT 6 - KENTUCKIANA	281
DISTRICT 7 - NORTHERN KENTUCKY	299
DISTRICT 8 - BUFFALO TRACE	319
DISTRICT 9 - GATEWAY	333
DISTRICT 10 - FIVCO	347
DISTRICT 11 - BIG SANDY	361
DISTRICT 12 - KENTUCKY RIVER	375
DISTRICT 13 - CUMBERLAND VALLEY	395
DISTRICT 14 - LAKE CUMBERLAND	415
DISTRICT 15 - BLUEGRASS	439

SECTION III - SELECTED CANCER DEATHS	477
STATEWIDE	478
DISTRICT 1 - PURCHASE	479
DISTRICT 2 - PENNYRILE	489
DISTRICT 3 - GREEN RIVER	501
DISTRICT 4 - BARREN RIVER	511
DISTRICT 5 - LINCOLN TRAIL	523
DISTRICT 6 - KENTUCKIANA	533
DISTRICT 7 - NORTHERN KENTUCKY	543
DISTRICT 8 - BUFFALO TRACE	553
DISTRICT 9 - GATEWAY	561
DISTRICT 10 - FIVCO	569
DISTRICT 11 - BIG SANDY	577
DISTRICT 12 - KENTUCKY RIVER	585
DISTRICT 13 - CUMBERLAND VALLEY	595
DISTRICT 14 - LAKE CUMBERLAND	605
DISTRICT 15 - BLUEGRASS	617
SECTION IV - TOPICAL VITAL STATISTICS	637
Occurrence Births by Race	639
Occurrence Births by Legitimacy, Race and Sex	641
Resident Births by Mother's Age Group	645
Resident Births by Legitimacy, Race and Sex	649
Resident Stillbirths by Legitimacy and Race	653
Resident Deaths by Race	657
Resident Deaths: Birth-related and Infant Deaths	661
Marriages and Dissolutions by Race	665

ALPHABETICAL INDEX OF COUNTIES

COUNTY	DISTRICT	PAGE NUMBERS		
		SECTION		
		I	II	III
Adair	14	143	418	607
Allen	4	49	240	513
Anderson	15	155	442	619
Ballard	1	17	180	481
Barren	4	50	242	514
Bath	9	99	336	563
Bell	13	133	398	597
Boone	7	81	302	545
Bourbon	15	156	444	620
Boyd	10	107	350	571
Boyle	15	157	446	621
Bracken	8	91	322	555
Breathitt	12	123	378	587
Breckinridge	5	61	264	525
Bullitt	6	71	284	535
Butler	4	51	244	515
Caldwell	2	27	200	491
Calloway	1	18	182	482
Campbell	7	82	304	546
Carlisle	1	19	184	483
Carroll	7	83	306	547
Carter	10	108	352	572
Casey	14	144	420	608
Christian	2	28	202	492
Clark	15	158	448	622
Clay	13	134	400	598
Clinton	14	145	422	609
Crittenden	2	29	204	493
Cumberland	14	146	424	610
Daviess	3	39	222	503
Edmonson	4	52	246	516
Elliot	10	109	354	573
Estill	15	159	450	623
Fayette	15	160	452	624
Fleming	8	92	324	556
Floyd	11	113	364	579
Franklin	15	161	454	625
Fulton	1	20	186	484
Gallatin	7	84	308	548
Garrard	15	162	456	626
Grant	7	85	310	549
Graves	1	21	188	485
Grayson	5	62	266	526
Green	14	147	426	611
Greenup	10	110	356	574
Hancock	3	40	224	504
Hardin	5	63	268	527
Harlan	13	135	402	599
Harrison	15	163	458	627
Hart	4	53	248	517
Henderson	3	41	226	505
Henry	6	72	286	536
Hickman	1	22	190	486
Hopkins	2	30	206	494
Jackson	13	136	404	600
Jefferson	6	73	288	537
Jessamine	15	164	460	628
Johnson	11	116	366	580
Kenton	7	86	312	550
Knott	12	124	380	588

COUNTY	DISTRICT	PAGE NUMBERS		
		SECTION		
		I	II	III
Knox	13	137	406	601
Larue	5	64	270	528
Laurel	13	138	408	602
Lawrence	10	111	358	575
Lee	12	125	382	589
Leslie	12	126	384	590
Letcher	12	127	386	591
Lewis	8	93	326	557
Lincoln	15	165	462	629
Livingston	2	31	208	495
Logan	4	54	250	518
Lyon	2	32	210	496
McCracken	1	23	192	487
McCreary	14	148	428	612
McLean	3	42	228	506
Madison	15	166	464	630
Magoffin	11	117	368	581
Marion	5	65	272	529
Marshall	1	24	194	488
Martin	11	118	370	582
Mason	8	94	328	558
Meade	5	66	274	530
Menifee	9	100	338	564
Mercer	15	167	466	631
Metcalf	4	55	252	519
Monroe	4	56	254	520
Montgomery	9	101	340	565
Morgan	9	102	342	566
Muhlenberg	2	33	212	497
Nelson	5	67	276	531
Nicholas	15	168	468	632
Ohio	3	43	230	507
Oldham	6	74	290	538
Owen	7	87	314	551
Owsley	12	128	388	592
Pendleton	7	88	316	552
Perry	12	129	390	593
Pike	11	119	372	583
Powell	15	169	470	633
Pulaski	14	149	430	613
Robertson	8	95	330	559
Rockcastle	13	139	410	603
Rowan	9	103	344	567
Russell	14	150	432	614
Scott	15	170	472	634
Shelby	6	75	292	539
Simpson	4	57	256	521
Spencer	6	76	294	540
Taylor	14	151	434	615
Todd	2	34	214	498
Trigg	2	35	216	499
Trimble	6	77	296	541
Union	3	44	232	508
Warren	4	58	258	522
Washington	5	68	278	532
Wayne	14	152	436	616
Webster	3	45	234	509
Whitley	13	140	412	604
Wolfe	12	130	392	594
Woodford	15	171	474	635

INTRODUCTION

Vital Statistics data used to prepare this report are taken from birth, death, stillbirth, marriage and divorce certificates of these events occurring in calendar year 1981 and filed in the office of the Kentucky Registrar of Vital Statistics prior to April 1, 1982. Vital events occurring to Kentucky residents in other states and recorded in the office of the Registrar by June 30, 1982 are also included in totals by residence.

All statistics contain variations which are the result of chance. This characteristic is of particular importance when dealing with small numbers of events. In such cases small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in their corresponding rates. For this reason, rates for counties with small population or other small bases should be used or considered cautiously.

Our plans for a newly designed data system have been temporarily delayed. This is partly due to budgetary constraints and partly to other plans for a major revision in the entire data processing network within the Cabinet for Human Resources. While the end results may require additional time to be realized, they should be greatly improved in efficiency and quality when they are achieved.

Suggestions and comments on alternate methods of data presentation are welcome. Please forward any suggestions to the address below.

State Center for Health Statistics
Department for Health Services
Cabinet for Human Resources
275 East Main Street
Frankfort, Kentucky 40621
502/564-2757

SOURCES OF DATA

POPULATION -

1980 State, District and County totals and disaggregations represent U.S. Bureau of the Census figures and were furnished by the State Data Center operated by the Urban Studies Center of the University of Louisville. For further information concerning population, contact:

Population Research Division
Urban Studies Center
University of Louisville
Gardencourt, Alta Vista Road
Louisville, Kentucky 40292
(502) 588-6626

BIRTH, STILLBIRTH, DEATH,

MARRIAGE AND DISSOLUTION DATA - Kentucky certificates from calendar year 1981 entered into the Automated Vital Statistics Information System.

The Health and Vital Statistics Office publishes only a relatively small portion of the vital statistics data available. Those items included in this Report have been determined over the years and through surveys of users to be that data of most interest to the majority of users. Should you have need of more detailed analysis or of data not included here, please contact:

Data Analysis Section
Health and Vital Statistics Office
First Floor East - CHR Building
275 East Main Street
Frankfort, Kentucky 40621
(502) 564-2757

Many unpublished data elements are immediately available through standard computer reports and can be furnished free of charge, however, should your request for data require a special computer run, there may be a charge involved.

FOR DATA PREVIOUSLY FOUND IN THIS PUBLICATION

Past editions of this publication included some data elements which were not vital statistics data and which were obtained from secondary sources. The agencies responsible for collecting these data elements frequently publish their own reports with much greater comprehensiveness and with more current data. Consequently, the Annual Vital Statistics Report will no longer include these items. The original sources are provided for those who desire these data.

HEALTH FACILITY AND HEALTH MANPOWER DATA -

Systems Analysis Section
Health and Vital Statistics Office
First Floor East - CHR Building
275 East Main Street
Frankfort, Kentucky 40621
(502) 564-2757

PUBLIC ASSISTANCE DATA -

Center for Program Development
Department for Social Insurance
Kentucky Cabinet for Human Resources
275 East Main Street
Frankfort, Kentucky 40621
(502) 564-3556

SCHOOL ABSENTEES -

Office of Computer Services
Kentucky Department of Education
Twelfth Floor, Capital Plaza Tower
Frankfort, Kentucky 40601
(502) 564-3423

UNEMPLOYMENT DATA -

Labor Market Research and Analysis Branch
Department for Manpower Services
Kentucky Cabinet for Human Resources
275 East Main Street
Frankfort, Kentucky 40621
(502) 564-7976

FREQUENTLY REQUESTED DATA NOT AVAILABLE FROM THIS OFFICE

ACCIDENT AND CRIME DATA -

Administrative Division
Bureau of State Police
Kentucky Department of Justice
State Office Building
Frankfort, Kentucky 40601
(502) 564-3706

DATA ON THE AGED POPULATION -

Division for Aging Services
Department for Social Services
275 East Main Street
Frankfort, Kentucky 40621
(502) 564-6930

DATA ON THE BLIND AND OTHER HANDICAPPED -

Center for Program Development
Department for Social Insurance
Kentucky Cabinet for Human Resources
275 East Main Street
Frankfort, Kentucky 40621
(502) 564-3556

ECONOMIC DATA (e.g., per capita income, personal income, poverty levels, etc.) -

Division of Research and Planning
Kentucky Department of Commerce
Twenty-third Floor, Capital Plaza Tower
Frankfort, Kentucky 40601
(502) 564-4886

MORBIDITY DATA (incidence of diseases) -

Division of Epidemiology
Department for Health Services
Kentucky Cabinet for Human Resources
275 East Main Street
Frankfort, Kentucky 40621
(502) 564-3418

MEDICARE/MEDICAID DATA -

Division for Medical Assistance
Department for Social Insurance
Kentucky Cabinet for Human Resources
275 East Main Street
Frankfort, Kentucky 40621
(502) 564-4321

DEFINITIONS AND RATES

TOTAL BIRTHS: Live Births and Stillbirths.

LIVE BIRTH: A live birth is the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy, which, after such separation, breaths or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

STILLBIRTH (FETAL DEATH): Death prior to the complete expulsion or extraction from its mother of a product of conception, having passed through at least the 20th week of gestation; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

RESIDENCE: Usual place of residence for person to whom event occurred. For births and stillbirths residence is defined as the mother's usual place of residence.

OCCURRENCE: Place where the event actually occurred.

RACE: Race of mother, father, or descendant is as stated on certificate. Race of child is determined from the race of the parents.

PREMATURE (LOW-WEIGHT BIRTH): Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs., 8 oz).

ILLEGITIMATE BIRTH: Birth wherein there is no marital tie between mother and father.

INFANT DEATH: Death occurring to individual of less than 1 year of age.

NEONATAL DEATH: Death occurring to individual less than 28 days of age.

PERINATAL DEATH: Stillbirth or a death under 1 week of age.

MATERNAL DEATHS: Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.

BIRTH RATE = Number of Resident Live Births X 1,000 divided by Total Resident Population.

DEATH RATE = Number of Resident Deaths X 1,000 divided by Total Resident Population.

AGE-SPECIFIC BIRTH RATE = Number of Resident Live Births for a Specific Age of Mother X 1,000 divided by Total Female Population of Specific Age.

STILLBIRTH RATE = Number of Resident Stillbirths X 1,000 divided by Total Resident Live Births.

ILLEGITIMACY RATE = Number of Total Resident Illegitimate Births X 1,000 divided by Total Resident Births.

INFANT DEATH RATE = Number of Infant Deaths X 1,000 divided by Total Resident Live Births.

NEONATAL DEATH RATE = Number of Neonatal Deaths X 1,000 divided by Total Resident Live Births.

PERINATAL DEATH RATE = Number of Perinatal Deaths X 1,000 divided by Total Resident Live Births and Resident Stillbirths.

MATERNAL DEATH RATE = Number of Maternal Deaths X 10,000 divided by Total Resident Live Births.

AGE-SPECIFIC DEATH RATE = Number of Deaths in Specific Age Group X 100,000 divided by Total Resident Population in Specific Age Group.

MARRIAGE RATE = Number of Persons Married X 1,000 divided by Total Resident Population.

DISSOLUTION RATE = Number of Persons (Divorces and Annulments) X 1,000 divided by Total Resident Population.

FIRST BIRTHS = First Births X 100 divided by Live Births.

FOURTH AND OVER = Fourth and Over Births X 100 divided by Live Births.


FERTILITY RATE = Number Live Births X 1,000 divided by number of women aged 15-44.

SYMBOLS: - None
0.0 Less than 0.05
NA Not Available

LEADING CAUSES OF MALE DEATHS

KENTUCKY, 1981

WHITE MALES	
NUMBER	RATE
TOTAL DEATHS	
16,899	1023.3
HEART	
6,502	393.7
MALIGNANT NEOPLASMS	
3,536	214.1
ACCIDENTS	
1,239	75.0
CEREBROVASCULAR DISEASE	
1,156	70.0
INFLUENZA & PNEUMONIA	
469	28.4
SUICIDE	
329	19.9
CIRRHOSIS OF LIVER	
221	13.4
HOMICIDE	
213	12.9
DIABETES MELLITUS	
210	12.7
OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	
189	11.4




NON-WHITE MALES	
NUMBER	RATE
TOTAL DEATHS	
1,383	1096.2
HEART	
476	377.3
MALIGNANT NEOPLASMS	
339	268.7
CEREBROVASCULAR DISEASE	
109	86.4
ACCIDENTS	
62	49.1
INFLUENZA & PNEUMONIA	
46	36.5
HOMICIDE	
40	31.7
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	
33	26.2
CIRRHOSIS OF LIVER	
27	21.4
DIABETES MELLITUS	
21	16.6
NEPHRITIS AND NEPHROSIS	
15	11.9

LEADING CAUSES OF FEMALE DEATHS

KENTUCKY, 1981

WHITE FEMALES		NON-WHITE FEMALES	
NUMBER	RATE	NUMBER	RATE
TOTAL DEATHS		TOTAL DEATHS	
13,795	798.5	1,183	887.4
HEART		HEART	
5,420	313.7	435	326.3
MALIGNANT NEOPLASMS		MALIGNANT NEOPLASMS	
2,850	165.0	248	186.0
CEREBROVASCULAR DISEASE		CEREBROVASCULAR DISEASE	
1,601	92.7	131	98.3
ACCIDENTS		DIABETES MELLITUS	
474	27.4	42	31.5
INFLUENZA & PNEUMONIA		INFLUENZA & PNEUMONIA	
458	26.5	31	23.3
DIABETES MELLITUS		CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	
348	20.1	27	20.3
ARTERIOSCLEROSIS		ACCIDENTS	
273	15.8	22	16.5
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY		ARTERIOSCLEROSIS	
126	7.3	21	15.8
NEPHRITIS AND NEPHROSIS		NEPHRITIS AND NEPHROSIS	
111	6.4	17	12.8
CIRRHOSIS OF LIVER		CIRRHOSIS OF LIVER	
103	6.0	17	12.8

OFFICIAL BOUNDARIES OF THE KENTUCKY AREA DEVELOPMENT DISTRICTS



SECTION I

1980


POPULATION

KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=STATEWIDE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	59,679	53,860	27,509	26,351	5,819	2,915	2,904
01	56,511	50,985	26,360	24,625	5,526	2,770	2,756
02	55,962	50,941	26,265	24,676	5,021	2,476	2,545
03	55,764	50,635	25,970	24,665	5,129	2,593	2,536
04	54,815	49,853	25,396	24,457	4,962	2,525	2,437
05	55,006	50,135	25,705	24,430	4,871	2,437	2,434
06	54,336	49,541	25,399	24,142	4,795	2,397	2,398
07	57,214	52,083	26,756	25,327	5,131	2,587	2,544
08	59,396	54,186	27,923	26,263	5,210	2,638	2,572
09	63,459	58,067	29,775	28,292	5,392	2,736	2,656
10	61,200	56,110	28,912	27,198	5,090	2,615	2,475
11	59,261	54,399	27,743	26,656	4,862	2,474	2,388
12	58,230	53,475	27,416	26,059	4,755	2,297	2,458
13	60,389	55,607	28,523	27,084	4,782	2,480	2,302
14	62,665	57,595	29,681	27,914	5,070	2,548	2,522
15	68,339	62,862	32,221	30,641	5,477	2,751	2,726
16	69,454	63,464	32,499	30,965	5,990	3,147	2,843
17	71,050	64,334	33,926	30,408	6,716	3,744	2,972
18	71,432	63,931	32,799	31,132	7,501	4,407	3,094
19	74,164	66,278	33,859	32,419	7,886	4,540	3,346
20	72,837	65,031	32,916	32,115	7,806	4,442	3,364
21	70,178	62,781	31,135	31,646	7,397	4,141	3,256
22	69,532	62,779	31,419	31,360	6,753	3,605	3,148
23	67,273	61,038	30,378	30,660	6,235	3,315	2,920
24	66,299	60,403	30,064	30,339	5,896	3,049	2,847
25-29	309,338	284,110	141,480	142,630	25,228	12,233	12,995
30-34	276,288	257,847	128,051	129,796	18,441	8,673	9,768
35-39	217,968	204,656	101,295	103,361	13,312	6,134	7,178
40-44	186,552	175,112	85,981	89,131	11,440	5,117	6,323
45-49	174,422	163,556	79,867	83,689	10,866	4,863	6,003
50-54	179,830	168,639	81,189	87,450	11,191	4,971	6,220
55-59	178,333	167,342	79,440	87,902	10,991	4,920	6,071
60	32,111	29,932	13,900	16,032	2,179	961	1,218
61	32,098	30,179	14,108	16,071	1,919	852	1,067
62	30,092	28,314	13,142	15,172	1,778	794	984
63	29,085	27,343	12,664	14,679	1,742	758	984
64	30,387	28,494	12,977	15,517	1,893	853	1,040
65-69	138,938	129,962	57,989	71,973	8,976	3,847	5,129
70-74	110,050	102,886	43,586	59,300	7,164	2,975	4,189
75-79	78,771	73,559	28,758	44,801	5,212	2,086	3,126
80-84	47,033	44,082	15,949	28,133	2,951	1,122	1,829
85 +	35,036	32,620	10,497	22,123	2,416	829	1,587
< 6	337,737	306,409	157,205	149,204	31,328	15,716	15,612
06-18	816,425	745,654	383,573	362,081	70,771	36,821	33,950
16-64	2,308,723	2,135,563	1,053,089	1,082,474	173,160	85,519	87,641
16+	2,718,551	2,518,672	1,209,868	1,308,804	199,879	96,378	103,501
18+	2,578,047	2,390,874	1,143,443	1,247,431	187,173	89,487	97,686
65+	409,828	383,109	156,779	226,330	26,719	10,859	15,860
TOTAL	3,660,777	3,379,006	1,651,422	1,727,584	281,771	137,617	144,154

DISTRICT 1 - PURCHASE



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=01 PURCHASE -----							
AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	2,445	2,222	1,113	1,109	223	112	111
01	2,353	2,131	1,101	1,030	222	105	117
02	2,409	2,208	1,114	1,094	201	95	106
03	2,368	2,156	1,110	1,046	212	101	111
04	2,288	2,072	1,106	966	216	120	96
05	2,300	2,105	1,126	979	195	98	97
06	2,286	2,098	1,071	1,027	188	97	91
07	2,487	2,241	1,165	1,076	246	124	122
08	2,584	2,365	1,200	1,165	219	120	99
09	2,625	2,398	1,246	1,152	227	131	96
10	2,710	2,473	1,237	1,236	237	131	106
11	2,508	2,311	1,136	1,175	197	101	96
12	2,424	2,229	1,113	1,116	195	101	94
13	2,642	2,417	1,269	1,148	225	120	105
14	2,663	2,431	1,254	1,177	232	103	129
15	3,065	2,818	1,476	1,342	247	106	141
16	3,087	2,850	1,494	1,356	237	119	118
17	3,128	2,866	1,440	1,426	262	115	147
18	3,410	3,132	1,525	1,607	278	128	150
19	3,615	3,337	1,607	1,730	278	136	142
20	3,437	3,149	1,537	1,612	288	142	146
21	3,368	3,087	1,476	1,611	281	129	152
22	3,199	2,956	1,425	1,531	243	119	124
23	2,937	2,689	1,405	1,284	248	125	123
24	2,769	2,576	1,294	1,282	193	99	94
25-29	13,421	12,473	6,222	6,251	948	443	505
30-34	12,423	11,689	5,848	5,841	734	313	421
35-39	10,903	10,418	5,077	5,341	485	212	273
40-44	9,170	8,741	4,321	4,420	429	197	232
45-49	8,704	8,301	4,031	4,270	403	169	234
50-54	9,227	8,754	4,150	4,604	473	201	272
55-59	9,916	9,434	4,449	4,985	482	204	278
60	1,869	1,770	763	1,007	99	41	58
61	1,977	1,889	888	1,001	88	35	53
62	1,808	1,721	750	971	87	51	36
63	1,786	1,706	793	913	80	26	54
64	1,841	1,751	783	968	90	44	46
65-69	9,388	8,884	3,990	4,894	504	214	290
70-74	7,409	7,044	2,946	4,098	365	145	220
75-79	5,583	5,281	2,045	3,236	302	113	189
80-84	3,284	3,110	1,059	2,051	174	83	91
85 +	2,532	2,381	726	1,655	151	54	97
< 6	14,163	12,894	6,670	6,224	1,269	631	638
06-18	35,619	32,629	16,626	16,003	2,990	1,496	1,494
16-64	111,995	105,289	51,278	54,011	6,706	3,048	3,658
16+	140,191	131,989	62,044	69,945	8,202	3,657	4,545
18+	133,976	126,273	59,110	67,163	7,703	3,423	4,280
65+	28,196	26,700	10,766	15,934	1,496	609	887
TOTAL	180,348	168,664	80,881	87,783	11,684	5,422	6,262

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=004-BALLARD -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	122	117	52	65	5	2	3
01	107	103	54	49	4	1	3
02	134	131	65	66	3	0	3
03	118	107	55	52	11	6	5
04	123	116	58	58	7	5	2
05	102	98	53	45	4	1	3
06	109	105	48	57	4	2	2
07	132	124	69	55	8	5	3
08	153	144	73	71	9	5	4
09	135	124	62	62	11	8	3
10	152	149	77	72	3	2	1
11	138	132	76	56	6	2	4
12	122	114	61	53	8	3	5
13	126	115	58	57	11	7	4
14	170	161	84	77	9	4	5
15	149	139	65	74	10	3	7
16	174	164	88	76	10	6	4
17	149	145	81	64	4	0	4
18	132	126	63	63	6	4	2
19	123	119	57	62	4	1	3
20	124	117	61	56	7	3	4
21	115	109	52	57	6	4	2
22	125	121	58	63	4	3	1
23	120	112	59	53	8	5	3
24	123	120	58	62	3	2	1
25-29	607	590	303	287	17	7	10
30-34	617	598	295	303	19	8	11
35-39	528	515	252	263	13	8	5
40-44	483	466	237	229	17	11	6
45-49	397	384	182	202	13	6	7
50-54	478	467	219	248	11	6	5
55-59	432	417	200	217	15	4	11
60	103	100	39	61	3	2	1
61	82	81	37	44	1	1	0
62	102	99	42	57	3	3	0
63	88	85	34	51	3	0	3
64	85	81	41	40	4	1	3
65-69	481	464	222	242	17	7	10
70-74	392	380	169	211	12	5	7
75-79	282	274	104	170	8	3	5
80-84	205	197	71	126	8	2	6
85 +	159	153	56	97	6	2	4
< 6	706	672	337	335	34	15	19
06-18	1,841	1,742	905	837	99	51	48
16-64	5,187	5,016	2,458	2,558	171	85	86
16+	6,706	6,484	3,080	3,404	222	104	118
18+	6,383	6,175	2,911	3,264	208	98	110
65+	1,519	1,468	622	846	51	19	32
TOTAL	8,798	8,463	4,090	4,373	335	160	175

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=018-CALLOWAY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	329	313	144	169	16	8	8
01	331	319	170	149	12	7	5
02	346	332	175	157	14	4	10
03	345	328	183	145	17	9	8
04	306	293	157	136	13	9	4
05	289	279	146	133	10	4	6
06	303	295	137	158	8	1	7
07	350	341	175	166	9	4	5
08	364	355	173	182	9	3	6
09	364	352	183	169	12	6	6
10	351	337	164	173	14	4	10
11	371	361	183	178	10	4	6
12	351	345	167	178	6	4	2
13	373	361	192	169	12	5	7
14	349	339	183	156	10	8	2
15	430	410	207	203	20	9	11
16	443	429	227	202	14	9	5
17	460	437	217	220	23	16	7
18	1,006	950	434	516	56	24	32
19	1,240	1,159	536	623	81	47	34
20	1,262	1,179	533	646	83	45	38
21	1,166	1,093	524	569	73	39	34
22	913	868	418	450	45	25	20
23	608	573	325	248	35	20	15
24	503	473	236	237	30	18	12
25-29	2,149	2,047	1,018	1,029	102	60	42
30-34	1,915	1,869	929	940	46	19	27
35-39	1,734	1,703	840	863	31	17	14
40-44	1,390	1,353	671	682	37	18	19
45-49	1,189	1,158	587	571	31	13	18
50-54	1,285	1,262	573	689	23	11	12
55-59	1,471	1,434	674	760	37	13	24
60	278	269	122	147	9	3	6
61	311	299	148	151	12	2	10
62	252	248	111	137	4	1	3
63	282	275	121	154	7	5	2
64	268	260	125	135	8	6	2
65-69	1,438	1,389	628	761	49	18	31
70-74	1,173	1,161	518	643	12	8	4
75-79	906	898	369	529	8	2	6
80-84	489	478	190	288	11	5	6
85 +	348	340	108	232	8	2	6
< 6	1,946	1,864	975	889	82	41	41
06-18	5,515	5,312	2,642	2,670	203	97	106
16-64	20,125	19,338	9,369	9,969	787	411	376
16+	24,479	23,604	11,182	12,422	875	446	429
18+	23,576	22,738	10,738	12,000	838	421	417
65+	4,354	4,266	1,813	2,453	88	35	53
TOTAL	30,031	28,964	13,921	15,043	1,067	535	532

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=020-CARLISLE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	57	56	30	26	1	0	1
01	74	74	32	42	0	0	0
02	64	64	39	25	0	0	0
03	67	66	32	34	1	1	0
04	85	83	44	39	2	2	0
05	82	81	46	35	1	0	1
06	76	75	45	30	1	1	0
07	70	70	33	37	0	0	0
08	98	97	55	42	1	1	0
09	79	77	41	36	2	2	0
10	100	100	49	51	0	0	0
11	76	75	38	37	1	0	1
12	76	75	43	32	1	1	0
13	90	89	45	44	1	0	1
14	105	105	62	43	0	0	0
15	101	100	61	39	1	1	0
16	92	92	45	47	0	0	0
17	90	86	48	38	4	2	2
18	84	84	47	37	0	0	0
19	84	84	52	32	0	0	0
20	75	74	35	39	1	1	0
21	82	81	39	42	1	1	0
22	75	75	42	33	0	0	0
23	77	76	31	45	1	0	1
24	71	69	37	32	2	1	1
25-29	355	354	168	186	1	1	0
30-34	332	331	175	156	1	0	1
35-39	307	304	146	158	3	1	2
40-44	281	278	139	139	3	0	3
45-49	300	298	133	165	2	1	1
50-54	301	297	158	139	4	2	2
55-59	311	309	138	171	2	1	1
60	51	51	22	29	0	0	0
61	67	66	28	38	1	1	0
62	48	48	22	26	0	0	0
63	60	58	28	30	2	0	2
64	64	63	25	38	1	1	0
65-69	343	338	152	186	5	1	4
70-74	258	255	117	138	3	1	2
75-79	166	164	66	98	2	0	2
80-84	118	118	49	69	0	0	0
85 +	95	94	31	63	1	0	1
< 6	429	424	223	201	5	3	2
06-18	1,137	1,125	612	513	12	8	4
16-64	3,207	3,178	1,558	1,620	29	13	16
16+	4,187	4,147	1,973	2,174	40	15	25
18+	4,005	3,969	1,880	2,089	36	13	23
65+	980	969	415	554	11	2	9
TOTAL	5,487	5,434	2,668	2,766	53	24	29

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=038-FULTON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	140	97	53	44	43	17	26
01	125	98	47	51	27	11	16
02	115	87	42	45	28	12	16
03	112	80	39	41	32	17	15
04	124	95	48	47	29	15	14
05	95	68	46	22	27	13	14
06	130	102	52	50	28	15	13
07	136	95	49	46	41	17	24
08	143	118	57	61	25	14	11
09	146	109	62	47	37	21	16
10	145	107	48	59	38	22	16
11	147	111	52	59	36	12	24
12	152	120	67	53	32	14	18
13	175	131	63	68	44	26	18
14	154	115	59	56	39	17	22
15	176	133	71	62	43	20	23
16	175	137	73	64	38	20	18
17	171	137	64	73	34	20	14
18	150	110	43	67	40	18	22
19	120	97	55	44	23	9	14
20	145	116	55	61	29	15	14
21	110	84	46	38	26	10	16
22	119	89	41	48	30	15	15
23	143	114	67	47	29	12	17
24	130	110	56	54	20	10	10
25-29	593	485	238	247	108	45	63
30-34	518	436	215	221	82	30	52
35-39	480	419	211	208	61	21	40
40-44	413	363	159	204	50	27	23
45-49	408	365	193	172	43	23	20
50-54	403	345	160	185	58	22	36
55-59	486	428	188	240	58	26	32
60	78	69	28	41	9	2	7
61	102	93	33	60	9	1	8
62	98	87	34	53	11	6	5
63	107	101	42	59	6	3	3
64	96	85	35	50	11	5	6
65-69	514	452	180	272	62	27	35
70-74	467	415	161	254	52	17	35
75-79	344	303	103	200	41	17	24
80-84	221	195	48	147	26	12	14
85 +	165	153	40	113	12	2	10
< 6	711	525	275	250	186	85	101
06-18	2,000	1,525	760	765	475	236	239
16-64	5,045	4,270	2,034	2,236	775	340	435
16+	6,756	5,788	2,566	3,222	968	415	553
18+	6,410	5,514	2,429	3,085	896	375	521
65+	1,711	1,518	532	986	193	75	118
TOTAL	8,971	7,454	3,421	4,033	1,517	678	839

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=042-GRAVES -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	444	424	208	216	20	12	8
01	446	412	204	208	34	12	22
02	440	418	213	205	22	6	16
03	450	421	215	206	29	15	14
04	435	411	231	180	24	12	12
05	469	445	237	208	24	10	14
06	445	420	225	195	25	12	13
07	430	406	206	200	24	15	9
08	465	438	240	198	27	15	12
09	497	468	244	224	29	14	15
10	495	465	240	225	30	17	13
11	487	458	232	226	27	12	17
12	448	417	204	213	31	12	19
13	542	507	271	236	35	21	14
14	494	460	230	230	34	18	16
15	614	579	293	286	35	17	18
16	617	586	321	265	31	15	16
17	610	575	291	284	35	15	20
18	558	529	271	258	29	16	13
19	508	478	240	238	30	14	16
20	464	433	220	213	31	17	14
21	500	468	222	246	32	16	16
22	513	480	231	249	33	13	20
23	528	489	245	244	39	23	16
24	459	442	215	227	17	9	8
25-29	2,428	2,327	1,187	1,140	101	40	61
30-34	2,314	2,219	1,128	1,091	95	42	53
35-39	2,076	2,018	981	1,037	58	23	35
40-44	1,754	1,690	854	836	64	29	35
45-49	1,614	1,553	787	766	61	26	35
50-54	1,644	1,579	705	874	65	29	36
55-59	1,993	1,925	876	1,049	68	19	49
60	378	361	151	210	17	6	11
61	410	395	188	207	15	7	8
62	375	358	155	203	17	12	5
63	350	338	166	172	12	6	6
64	401	384	180	204	17	9	8
65-69	1,927	1,842	861	981	85	34	51
70-74	1,504	1,444	599	845	60	28	32
75-79	1,244	1,176	461	715	68	25	43
80-84	752	718	231	487	34	15	19
85 +	527	500	157	343	27	11	16
< 6	2,684	2,531	1,308	1,223	153	67	86
06-18	6,702	6,308	3,268	3,040	394	199	195
16-64	20,494	19,627	9,614	10,013	867	386	481
16+	26,448	25,307	11,923	13,384	1,141	499	642
18+	25,221	24,146	11,311	12,835	1,075	469	606
65+	5,954	5,680	2,309	3,371	274	113	161
TOTAL	34,049	32,456	15,616	16,840	1,593	719	874

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=053-HICKMAN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	96	83	47	36	13	6	7
01	77	61	34	27	16	8	8
02	70	64	31	33	6	2	4
03	72	68	32	36	4	1	3
04	77	69	37	32	8	5	3
05	85	79	46	33	6	3	3
06	84	72	39	33	12	5	7
07	94	81	42	39	13	6	7
08	79	70	32	38	9	5	4
09	69	56	26	30	13	9	4
10	103	85	37	48	18	10	8
11	88	77	39	38	11	4	7
12	86	66	31	35	20	11	9
13	96	84	46	38	12	6	6
14	100	79	46	33	21	9	12
15	102	83	51	32	19	7	12
16	106	91	45	46	15	9	6
17	127	110	57	53	17	8	9
18	94	78	36	42	16	8	8
19	85	75	33	42	10	4	6
20	99	85	39	46	14	8	6
21	74	56	29	27	18	11	7
22	99	88	53	35	11	7	4
23	96	85	41	44	11	2	9
24	77	67	37	30	10	4	6
25-29	380	346	174	172	34	21	13
30-34	418	372	193	179	46	16	30
35-39	330	303	142	161	27	12	15
40-44	336	310	160	150	26	10	16
45-49	284	258	112	146	26	11	15
50-54	280	253	129	124	27	11	16
55-59	344	323	154	169	21	15	6
60	55	48	20	28	7	1	6
61	76	72	34	38	4	1	3
62	65	60	25	35	5	2	3
63	65	57	27	30	8	2	6
64	64	60	27	33	4	4	0
65-69	375	352	159	193	23	12	11
70-74	285	262	111	151	23	11	12
75-79	237	219	77	142	18	7	11
80-84	124	112	40	72	12	7	5
85 +	112	110	34	76	2	1	1
< 6	477	424	227	197	53	25	28
06-18	1,228	1,032	527	505	196	97	99
16-64	3,554	3,197	1,567	1,630	357	167	190
16+	4,687	4,252	1,988	2,264	435	205	230
18+	4,454	4,051	1,886	2,165	403	188	215
65+	1,133	1,055	421	634	78	38	40
TOTAL	6,065	5,429	2,604	2,825	636	302	334

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=073-MCCRACKEN -----


AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	901	778	394	384	123	67	56
01	861	733	378	355	128	66	62
02	871	745	345	400	126	69	57
03	891	774	400	374	117	52	65
04	800	668	341	327	132	72	60
05	871	749	383	366	122	67	55
06	803	694	350	344	109	60	49
07	940	789	409	380	151	77	74
08	929	790	386	404	139	77	62
09	948	825	427	398	123	71	52
10	988	855	430	425	133	75	58
11	834	730	347	383	104	67	37
12	818	721	360	361	97	56	41
13	849	739	389	350	110	55	55
14	889	770	378	392	119	47	72
15	1,010	892	476	416	118	49	69
16	1,025	898	461	437	127	59	68
17	1,070	925	448	477	145	54	91
18	987	856	430	426	131	58	73
19	1,042	914	441	473	128	60	68
20	885	764	394	370	121	52	69
21	969	845	398	447	124	47	77
22	960	841	400	441	119	56	63
23	970	845	436	409	125	63	62
24	1,012	902	463	439	110	54	56
25-29	5,025	4,444	2,187	2,257	581	268	313
30-34	4,596	4,155	2,065	2,090	441	197	244
35-39	3,815	3,528	1,706	1,822	287	128	159
40-44	2,983	2,757	1,365	1,392	226	98	128
45-49	3,076	2,854	1,335	1,519	222	87	135
50-54	3,465	3,185	1,519	1,666	280	118	162
55-59	3,431	3,153	1,517	1,636	278	125	153
60	645	591	251	340	54	27	27
61	644	599	286	313	45	21	24
62	586	539	238	301	47	27	20
63	579	537	245	292	42	10	32
64	590	546	226	320	44	18	26
65-69	2,980	2,719	1,150	1,569	261	114	147
70-74	2,282	2,080	791	1,289	202	75	127
75-79	1,698	1,544	567	977	154	58	96
80-84	993	910	278	632	83	42	41
85 +	799	705	191	514	94	36	58
< 6	5,195	4,447	2,241	2,206	748	393	355
06-18	12,090	10,484	5,291	5,193	1,606	805	801
16-64	38,355	34,678	16,811	17,867	3,677	1,627	2,050
16+	47,107	42,636	19,788	22,848	4,471	1,952	2,519
18+	45,012	40,813	18,879	21,934	4,199	1,839	2,360
65+	8,752	7,958	2,977	4,981	794	325	469
TOTAL	61,310	54,888	25,981	28,907	6,422	2,979	3,443

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=079-MARSHALL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	356	354	185	169	2	0	2
01	332	331	182	149	1	0	1
02	369	367	204	163	2	2	0
03	313	312	154	158	1	0	1
04	338	337	190	147	1	0	1
05	307	306	169	137	1	0	1
06	336	335	175	160	1	1	0
07	335	335	182	153	0	0	0
08	353	353	184	169	0	0	0
09	387	387	201	186	0	0	0
10	376	375	192	183	1	1	0
11	367	367	169	198	0	0	0
12	371	371	180	191	0	0	0
13	391	391	205	186	0	0	0
14	402	402	212	190	0	0	0
15	483	482	252	230	1	0	1
16	455	453	234	219	2	1	1
17	451	451	234	217	0	0	0
18	399	399	201	198	0	0	0
19	413	411	195	216	2	1	1
20	383	381	200	181	2	1	1
21	352	351	166	185	1	1	0
22	395	394	182	212	1	0	1
23	395	395	201	194	0	0	0
24	394	393	192	201	1	1	0
25-29	1,884	1,880	947	933	4	1	3
30-34	1,713	1,709	848	861	4	1	3
35-39	1,633	1,628	799	829	5	2	3
40-44	1,530	1,524	736	788	6	4	2
45-49	1,436	1,431	702	729	5	2	3
50-54	1,371	1,366	687	679	5	2	3
55-59	1,448	1,445	702	743	3	1	2
60	281	281	130	151	0	0	0
61	285	284	134	150	1	1	0
62	282	282	123	159	0	0	0
63	255	255	130	125	0	0	0
64	273	272	124	148	1	0	1
65-69	1,330	1,328	638	690	2	1	1
70-74	1,048	1,047	480	567	1	0	1
75-79	706	703	298	405	3	1	2
80-84	382	382	152	230	0	0	0
85 +	327	326	109	217	1	0	1
< 6	2,015	2,007	1,084	923	8	2	6
06-18	5,106	5,101	2,621	2,480	5	3	2
16-64	16,028	15,985	7,867	8,118	43	19	24
16+	19,821	19,771	9,544	10,227	50	21	29
18+	18,915	18,867	9,076	9,791	48	20	28
65+	3,793	3,786	1,677	2,109	7	2	5
TOTAL	25,637	25,576	12,580	12,996	61	25	36

DISTRICT 2 - PENNYRILE



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=02 PENNYRILE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	3,424	2,791	1,381	1,410	633	302	331
01	3,217	2,628	1,399	1,229	589	264	325
02	3,197	2,647	1,386	1,261	550	254	296
03	3,206	2,641	1,372	1,269	565	277	288
04	3,055	2,561	1,294	1,267	494	251	243
05	3,181	2,668	1,330	1,338	513	251	262
06	3,057	2,525	1,326	1,199	532	254	278
07	3,102	2,629	1,380	1,249	473	238	235
08	3,183	2,685	1,397	1,288	498	253	245
09	3,314	2,826	1,472	1,354	488	233	255
10	3,301	2,821	1,464	1,357	480	260	220
11	3,066	2,608	1,348	1,260	458	227	231
12	3,129	2,682	1,423	1,259	447	205	242
13	3,195	2,745	1,396	1,349	450	249	201
14	3,285	2,771	1,464	1,307	514	255	259
15	3,496	2,974	1,543	1,431	522	253	269
16	3,599	3,043	1,576	1,467	556	286	270
17	3,675	3,059	1,596	1,463	616	335	281
18	3,783	2,964	1,629	1,335	819	534	285
19	4,356	3,333	1,938	1,395	1,023	728	295
20	4,690	3,491	2,097	1,394	1,199	883	316
21	4,470	3,328	1,913	1,415	1,142	826	316
22	4,393	3,384	1,847	1,537	1,009	691	318
23	4,020	3,135	1,709	1,426	885	568	317
24	3,832	3,040	1,614	1,426	792	498	294
25-29	17,107	14,493	7,461	7,032	2,614	1,435	1,179
30-34	14,707	13,136	6,724	6,412	1,571	788	783
35-39	11,760	10,711	5,468	5,243	1,049	511	538
40-44	9,999	9,086	4,475	4,611	913	411	502
45-49	9,241	8,389	4,134	4,255	852	387	465
50-54	9,183	8,288	3,955	4,333	895	386	509
55-59	9,569	8,749	4,189	4,560	820	362	458
60	1,918	1,733	795	938	185	86	99
61	1,858	1,716	779	937	142	57	85
62	1,726	1,590	758	832	136	47	89
63	1,678	1,535	697	838	143	62	81
64	1,896	1,725	800	925	171	82	89
65-69	8,608	7,842	3,553	4,289	766	353	413
70-74	6,990	6,295	2,755	3,540	695	289	406
75-79	5,000	4,453	1,750	2,703	547	212	335
80-84	3,021	2,715	967	1,748	306	131	175
85 +	2,450	2,165	660	1,505	285	104	181
< 6	19,280	15,936	8,162	7,774	3,344	1,599	1,745
06-18	43,185	36,332	19,014	17,318	6,853	3,582	3,271
16-64	127,460	109,928	56,154	53,774	17,532	9,963	7,569
16+	153,529	133,398	65,839	67,559	20,131	11,052	9,079
18+	146,255	127,296	62,667	64,629	18,959	10,431	8,528
65+	26,069	23,470	9,685	13,785	2,599	1,089	1,510
TOTAL	204,937	176,600	88,214	88,386	28,337	15,078	13,259

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=017-CALDWELL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	168	151	79	72	17	7	10
01	197	179	88	91	18	8	10
02	158	147	79	68	11	4	7
03	164	149	78	71	15	6	9
04	138	128	63	65	10	7	3
05	160	153	75	78	7	4	3
06	183	168	96	72	15	7	8
07	191	177	92	85	14	8	6
08	181	163	90	73	18	10	8
09	221	203	114	89	18	8	10
10	220	201	93	108	19	14	5
11	189	174	94	80	15	10	5
12	201	189	106	83	12	5	7
13	201	189	106	83	12	6	6
14	209	187	94	93	22	9	13
15	233	214	107	107	19	9	10
16	235	211	101	110	24	13	11
17	225	200	103	97	25	11	14
18	192	180	91	89	12	8	4
19	204	185	87	98	19	5	14
20	194	173	98	75	21	10	11
21	184	168	85	83	16	4	12
22	198	186	83	103	12	9	3
23	204	186	83	103	18	10	8
24	198	181	94	87	17	11	6
25-29	944	902	463	439	42	17	25
30-34	906	870	420	450	36	12	24
35-39	770	739	364	375	31	17	14
40-44	649	619	307	312	30	10	20
45-49	733	694	317	377	39	23	16
50-54	706	658	305	353	48	22	26
55-59	764	737	341	396	27	8	19
60	169	158	72	86	11	6	5
61	143	134	57	77	9	3	6
62	144	134	64	70	10	4	6
63	131	121	54	67	10	5	5
64	153	139	64	75	14	5	9
65-69	780	748	320	428	32	11	21
70-74	648	602	264	338	46	25	21
75-79	456	426	152	274	30	11	19
80-84	287	267	97	170	20	9	11
85 +	242	227	81	146	15	4	11
< 6	985	907	462	445	78	36	42
06-18	2,681	2,456	1,287	1,169	225	118	107
16-64	8,046	7,575	3,653	3,922	471	213	258
16+	10,459	9,845	4,567	5,278	614	273	341
18+	9,999	9,434	4,363	5,071	565	249	316
65+	2,413	2,270	914	1,356	143	60	83
TOTAL	13,473	12,617	6,021	6,596	856	395	461

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=024-CHRISTIAN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	1,374	890	442	448	484	242	242
01	1,229	781	422	359	448	200	248
02	1,220	813	423	390	407	194	213
03	1,184	782	397	385	402	196	206
04	1,109	756	357	399	353	184	169
05	1,157	781	385	396	376	184	192
06	1,099	728	374	354	371	181	190
07	1,033	717	372	345	316	153	163
08	1,025	686	355	331	339	174	165
09	1,108	770	402	368	338	168	170
10	1,060	740	384	356	320	179	141
11	984	674	333	341	310	154	156
12	953	648	341	307	305	141	164
13	938	649	327	322	289	160	129
14	980	666	352	314	314	153	161
15	1,095	795	422	373	300	141	159
16	1,055	743	384	359	312	149	163
17	1,196	846	449	397	350	184	166
18	1,615	1,048	675	373	567	383	184
19	2,139	1,331	922	409	808	604	204
20	2,467	1,491	1,035	456	976	763	213
21	2,379	1,423	989	434	956	736	220
22	2,108	1,255	807	448	853	607	246
23	1,829	1,097	677	420	732	487	245
24	1,666	1,028	614	414	638	427	211
25-29	6,419	4,411	2,416	1,995	2,008	1,129	879
30-34	4,723	3,668	1,920	1,748	1,055	528	527
35-39	3,532	2,859	1,505	1,354	673	329	344
40-44	2,863	2,288	1,124	1,164	575	259	316
45-49	2,594	2,075	1,043	1,032	519	235	284
50-54	2,447	1,939	911	1,028	508	209	299
55-59	2,300	1,861	888	973	439	207	232
60	455	357	160	197	98	45	53
61	428	365	184	181	63	27	36
62	405	333	158	175	72	24	48
63	363	294	133	161	69	28	41
64	437	350	160	190	87	47	40
65-69	1,951	1,545	676	869	406	175	231
70-74	1,530	1,198	520	678	332	135	197
75-79	1,151	885	339	546	266	109	157
80-84	703	567	184	383	136	55	81
85 +	575	441	140	301	134	45	89
< 6	7,273	4,803	2,426	2,377	2,470	1,200	1,270
06-18	14,141	9,710	5,170	4,540	4,431	2,320	2,111
16-64	43,420	31,062	17,154	13,908	12,358	7,407	4,951
16+	49,330	35,698	19,013	16,685	13,632	7,926	5,706
18+	47,079	34,109	18,180	15,929	12,970	7,593	5,377
65+	5,910	4,636	1,859	2,777	1,274	519	755
TOTAL	66,878	47,574	25,101	22,473	19,304	10,730	8,574

KENTUCKY POPULATION - 1980
BY COUNTY

COUNTY=028-CRITTENDEN

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	123	122	60	62	1	1	0
01	132	132	67	65	0	0	0
02	103	102	47	55	1	0	1
03	117	116	57	59	1	1	0
04	117	117	65	52	0	0	0
05	133	132	62	70	1	1	0
06	109	109	66	43	0	0	0
07	135	134	76	58	1	1	0
08	153	153	65	88	0	0	0
09	143	142	72	70	1	1	0
10	139	139	74	65	0	0	0
11	144	143	71	72	1	1	0
12	145	144	82	62	1	0	1
13	143	142	71	71	1	0	1
14	142	142	67	75	0	0	0
15	146	144	76	68	2	1	1
16	161	158	88	70	3	1	2
17	165	163	68	95	2	1	1
18	145	141	66	75	4	1	3
19	167	166	73	93	1	0	1
20	133	132	71	61	1	0	1
21	124	124	58	66	0	0	0
22	160	158	88	70	2	1	1
23	136	136	75	61	0	0	0
24	116	116	64	52	0	0	0
25-29	635	634	314	320	1	0	1
30-34	651	645	330	315	6	3	3
35-39	614	609	294	315	5	2	3
40-44	481	478	228	250	3	0	3
45-49	413	411	219	192	2	0	2
50-54	418	415	195	220	3	2	1
55-59	481	476	231	245	5	1	4
60	97	97	41	56	0	0	0
61	114	112	47	65	2	0	2
62	94	91	46	45	3	2	1
63	95	94	47	47	1	1	0
64	118	116	54	62	2	1	1
65-69	513	503	229	274	10	6	4
70-74	428	420	181	239	8	2	6
75-79	325	317	113	204	8	1	7
80-84	155	152	52	100	3	0	3
85 +	144	141	37	104	3	1	2
< 6	725	721	358	363	4	3	1
06-18	1,870	1,854	942	912	16	7	9
16-64	5,518	5,472	2,697	2,775	46	16	30
16+	7,083	7,005	3,309	3,696	78	26	52
18+	6,757	6,684	3,153	3,531	73	24	49
65+	1,565	1,533	612	921	32	10	22
TOTAL	9,207	9,118	4,387	4,731	89	33	56

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=054-HOPKINS -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	702	655	334	321	47	25	22
01	669	614	323	291	55	27	28
02	712	653	355	298	59	20	39
03	752	673	346	327	79	40	39
04	731	676	342	334	55	27	28
05	718	647	316	331	71	35	36
06	726	660	341	319	66	33	33
07	731	668	357	311	63	33	30
08	715	667	366	301	48	23	25
09	754	704	360	344	50	24	26
10	765	712	367	345	53	27	26
11	716	663	352	311	53	19	34
12	757	703	369	334	54	27	27
13	807	744	365	379	63	39	24
14	785	717	362	355	68	38	30
15	826	741	372	369	85	54	31
16	848	771	397	374	77	43	34
17	786	717	380	337	69	35	34
18	697	629	309	320	68	32	36
19	733	672	345	327	61	32	29
20	733	685	334	351	48	21	27
21	735	674	303	371	61	21	40
22	788	736	362	374	52	20	32
23	797	744	362	382	53	26	27
24	791	730	337	393	61	21	40
25-29	3,844	3,614	1,770	1,844	230	107	123
30-34	3,512	3,309	1,660	1,649	203	107	96
35-39	2,701	2,561	1,297	1,264	140	62	78
40-44	2,450	2,299	1,101	1,198	151	67	84
45-49	2,160	2,047	986	1,061	113	50	63
50-54	2,153	2,003	965	1,038	150	67	83
55-59	2,292	2,151	993	1,158	141	63	78
60	467	435	205	230	32	12	20
61	436	405	183	222	31	10	21
62	415	392	183	209	23	8	15
63	402	382	165	217	20	7	13
64	440	411	182	229	29	8	21
65-69	1,923	1,778	803	975	145	78	67
70-74	1,618	1,478	614	864	140	59	81
75-79	1,171	1,055	391	664	116	41	75
80-84	760	694	245	449	66	30	36
85 +	656	590	151	439	66	25	41
< 6	4,284	3,918	2,016	1,902	366	174	192
06-18	9,913	9,096	4,697	4,399	817	427	390
16-64	28,180	26,367	12,819	13,548	1,813	819	994
16+	34,308	31,962	15,023	16,939	2,346	1,052	1,294
18+	32,674	30,474	14,246	16,228	2,200	974	1,226
65+	6,128	5,595	2,204	3,391	533	233	300
TOTAL	46,174	42,859	20,650	22,209	3,315	1,543	1,772

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=070-LIVINGSTON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	111	110	62	48	1	0	1
01	132	131	76	55	1	0	1
02	139	139	77	62	0	0	0
03	140	140	72	68	0	0	0
04	119	118	67	51	1	1	0
05	154	154	79	75	0	0	0
06	117	117	59	58	0	0	0
07	122	122	66	56	0	0	0
08	161	159	88	71	2	1	1
09	140	140	68	72	0	0	0
10	132	132	73	59	0	0	0
11	161	160	83	77	1	1	0
12	137	137	70	67	0	0	0
13	144	144	75	69	0	0	0
14	139	139	68	71	0	0	0
15	130	130	66	64	0	0	0
16	175	175	97	78	0	0	0
17	155	155	77	78	0	0	0
18	135	134	76	58	1	0	1
19	141	140	76	64	1	1	0
20	147	147	81	66	0	0	0
21	120	119	57	62	1	1	0
22	140	140	64	76	0	0	0
23	144	143	73	70	1	1	0
24	161	161	76	85	0	0	0
25-29	748	744	364	380	4	2	2
30-34	672	666	336	330	6	2	4
35-39	602	600	315	285	2	1	1
40-44	489	489	236	253	0	0	0
45-49	486	484	241	243	2	1	1
50-54	466	463	227	236	3	1	2
55-59	450	449	228	221	1	0	1
60	96	96	39	57	0	0	0
61	94	94	43	51	0	0	0
62	98	97	46	51	1	0	1
63	105	105	50	55	0	0	0
64	103	103	49	54	0	0	0
65-69	468	467	216	251	1	1	0
70-74	374	373	173	200	1	0	1
75-79	223	222	112	110	1	0	1
80-84	133	130	44	86	3	2	1
85 +	116	115	33	82	1	0	1
< 6	795	792	433	359	3	1	2
06-18	1,848	1,844	966	878	4	2	2
16-64	5,727	5,704	2,851	2,853	23	10	13
16+	7,041	7,011	3,429	3,582	30	13	17
18+	6,711	6,681	3,255	3,426	30	13	17
65+	1,314	1,307	578	729	7	3	4
TOTAL	9,219	9,183	4,578	4,605	36	16	20

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=072-LYON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	82	80	46	34	2	0	2
01	70	70	37	33	0	0	0
02	56	56	29	27	0	0	0
03	54	52	29	23	2	1	1
04	49	49	31	18	0	0	0
05	68	68	29	39	0	0	0
06	56	53	27	26	3	3	0
07	65	61	32	29	4	3	1
08	64	62	36	26	2	0	2
09	67	65	35	30	2	0	2
10	82	82	36	46	0	0	0
11	81	79	37	42	2	1	1
12	73	73	42	31	0	0	0
13	85	81	50	31	4	1	3
14	79	75	42	33	4	0	4
15	103	94	46	48	9	5	4
16	105	101	56	45	4	1	3
17	88	84	45	39	4	1	3
18	94	91	50	41	3	2	1
19	99	93	56	37	6	6	0
20	108	95	65	30	13	11	2
21	112	105	73	32	7	6	1
22	122	107	70	37	15	13	2
23	128	115	80	35	13	13	0
24	127	110	69	41	17	16	1
25-29	575	519	352	167	56	53	3
30-34	512	468	285	183	44	42	2
35-39	427	396	221	175	31	27	4
40-44	373	361	195	166	12	9	3
45-49	332	323	189	134	9	7	2
50-54	335	321	162	159	14	8	6
55-59	393	379	188	191	14	7	7
60	84	83	40	43	1	1	0
61	74	73	34	39	1	0	1
62	67	67	34	33	0	0	0
63	65	64	26	38	1	0	1
64	92	86	54	32	6	4	2
65-69	363	351	164	187	12	7	5
70-74	330	314	139	175	16	8	8
75-79	174	164	77	87	10	6	4
80-84	105	102	41	61	3	0	3
85 +	72	69	24	45	3	3	0
< 6	379	375	201	174	4	1	3
06-18	1,042	1,001	534	467	41	17	24
16-64	4,312	4,041	2,344	1,697	271	227	44
16+	5,356	5,041	2,789	2,252	315	251	64
18+	5,163	4,856	2,688	2,168	307	249	58
65+	1,044	1,000	445	555	44	24	20
TOTAL	6,490	6,141	3,373	2,768	349	265	84

KENTUCKY POPULATION - 1980
BY COUNTY

COUNTY=089-MUHLENBERG

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	554	526	245	281	28	12	16
01	486	464	247	217	22	11	11
02	507	481	247	234	26	15	11
03	519	490	257	233	29	18	11
04	490	458	243	215	32	16	16
05	506	481	251	230	25	11	14
06	464	438	231	207	26	8	18
07	526	501	273	228	25	11	14
08	558	528	276	252	30	18	12
09	546	514	273	241	32	16	16
10	540	512	268	244	28	9	19
11	483	458	245	213	25	12	13
12	494	482	247	235	12	4	8
13	517	493	247	246	24	11	13
14	542	513	283	230	29	20	9
15	570	533	284	249	37	18	19
16	614	547	279	268	67	41	26
17	656	557	297	260	99	68	31
18	587	474	228	246	113	82	31
19	558	476	229	247	82	59	23
20	578	491	265	226	87	54	33
21	500	445	221	224	55	36	19
22	562	523	253	270	39	24	15
23	491	462	225	237	29	12	17
24	483	461	244	217	22	11	11
25-29	2,494	2,389	1,150	1,239	105	47	58
30-34	2,346	2,256	1,143	1,113	90	44	46
35-39	1,922	1,863	929	934	59	25	34
40-44	1,598	1,542	758	784	56	28	28
45-49	1,475	1,429	697	732	46	22	24
50-54	1,542	1,499	720	779	43	18	25
55-59	1,654	1,587	761	826	67	28	39
60	301	290	129	161	11	6	5
61	333	319	146	173	14	5	9
62	288	277	121	156	11	3	8
63	293	276	130	146	17	7	10
64	300	291	131	160	9	4	5
65-69	1,480	1,437	665	772	43	15	28
70-74	1,170	1,119	501	618	51	22	29
75-79	812	783	300	483	29	9	20
80-84	518	496	190	306	22	9	13
85 +	381	360	121	239	21	5	16
< 6	3,062	2,900	1,490	1,410	162	83	79
06-18	7,097	6,550	3,431	3,119	547	318	229
16-64	19,575	18,454	9,056	9,398	1,121	624	497
16+	23,936	22,649	10,833	11,816	1,287	684	603
18+	22,666	21,545	10,257	11,288	1,121	575	546
65+	4,361	4,195	1,777	2,418	166	60	106
TOTAL	32,238	30,521	14,950	15,571	1,717	894	823

KENTUCKY POPULATION - 1980
BY COUNTY


----- COUNTY=110-TODD -----							
AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	187	156	65	91	31	11	20
01	199	166	86	80	33	14	19
02	174	152	75	77	22	13	9
03	153	137	80	57	16	7	9
04	171	154	80	74	17	4	13
05	166	146	77	69	20	9	11
06	162	138	63	75	24	11	13
07	179	150	64	86	29	20	9
08	185	148	67	81	37	16	21
09	197	171	83	88	26	11	15
10	208	171	100	71	37	21	16
11	186	160	82	78	26	14	12
12	195	161	81	80	34	15	19
13	204	171	88	83	33	16	17
14	213	175	106	69	38	22	16
15	231	189	96	93	42	17	25
16	230	197	108	89	33	18	15
17	236	196	107	89	40	20	20
18	177	156	74	82	21	12	9
19	194	168	93	75	26	11	15
20	202	173	90	83	29	13	16
21	182	164	70	94	18	8	10
22	202	182	81	101	20	12	8
23	186	168	84	84	18	7	11
24	180	157	79	78	23	4	19
25-29	811	721	354	367	90	41	49
30-34	776	703	361	342	73	27	46
35-39	656	600	307	293	56	25	31
40-44	577	538	277	261	39	15	24
45-49	562	507	239	268	55	21	34
50-54	596	522	261	261	74	35	39
55-59	622	548	272	276	74	25	49
60	130	115	59	56	15	10	5
61	127	114	51	63	13	7	6
62	122	112	55	57	10	4	6
63	118	105	45	60	13	9	4
64	127	110	52	58	17	10	7
65-69	586	519	235	284	67	35	32
70-74	494	433	195	238	61	20	41
75-79	419	361	155	206	58	21	37
80-84	211	169	64	105	42	22	20
85 +	141	113	37	76	28	14	14
< 6	1,050	911	463	448	139	58	81
06-18	2,603	2,183	1,119	1,064	420	213	207
16-64	7,013	6,256	3,119	3,137	757	334	423
16+	8,864	7,851	3,805	4,046	1,013	446	567
18+	8,398	7,458	3,590	3,868	940	408	532
65+	1,851	1,595	686	909	256	112	144
TOTAL	11,874	10,396	5,098	5,298	1,478	667	811

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=111-TRIGG -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	123	101	48	53	22	4	18
01	103	91	53	38	12	4	8
02	128	104	54	50	24	8	16
03	123	102	56	46	21	8	13
04	131	105	46	59	26	12	14
05	119	106	56	50	13	7	6
06	141	114	69	45	27	11	16
07	120	99	48	51	21	9	12
08	141	119	54	65	22	11	11
09	138	117	65	52	21	5	16
10	155	132	69	63	23	10	13
11	122	97	51	46	25	15	10
12	174	145	85	60	29	13	16
13	156	132	67	65	24	16	8
14	196	157	90	67	39	13	26
15	162	134	74	60	28	8	20
16	176	140	66	74	36	20	16
17	168	141	70	71	27	15	12
18	141	111	60	51	30	14	16
19	121	102	57	45	19	10	9
20	128	104	58	46	24	11	13
21	134	106	57	49	28	14	14
22	113	97	39	58	16	5	11
23	105	84	50	34	21	12	9
24	110	96	37	59	14	8	6
25-29	637	559	278	281	78	39	39
30-34	609	551	269	282	58	23	35
35-39	536	484	236	248	52	23	29
40-44	519	472	249	223	47	23	24
45-49	486	419	203	216	67	28	39
50-54	520	468	209	259	52	24	28
55-59	613	561	287	274	52	23	29
60	119	102	50	52	17	6	11
61	109	100	34	66	9	5	4
62	93	87	51	36	6	2	4
63	106	94	47	47	12	5	7
64	126	119	54	65	7	3	4
65-69	544	494	245	249	50	25	25
70-74	398	358	168	190	40	18	22
75-79	269	240	111	129	29	14	15
80-84	149	138	50	88	11	4	7
85 +	123	109	36	73	14	7	7
< 6	727	609	313	296	118	43	75
06-18	1,990	1,638	868	770	352	160	192
16-64	5,669	4,997	2,461	2,536	672	313	359
16+	7,152	6,336	3,071	3,265	816	381	435
18+	6,808	6,055	2,935	3,120	753	346	407
65+	1,483	1,339	610	729	144	68	76
TOTAL	9,384	8,191	4,056	4,135	1,193	535	658

DISTRICT 3 - GREEN RIVER



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=03 GREEN RIVER -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	3,281	3,086	1,545	1,541	195	110	85
01	3,172	2,968	1,552	1,416	204	107	97
02	3,085	2,923	1,495	1,428	162	76	86
03	3,049	2,865	1,467	1,398	184	88	96
04	2,951	2,777	1,421	1,356	174	82	92
05	2,958	2,774	1,405	1,369	184	92	92
06	3,000	2,822	1,399	1,423	178	90	88
07	3,068	2,901	1,425	1,476	167	85	82
08	3,298	3,078	1,583	1,495	220	111	109
09	3,510	3,310	1,712	1,598	200	103	97
10	3,328	3,140	1,616	1,524	188	91	97
11	3,329	3,154	1,603	1,551	175	89	86
12	3,297	3,112	1,621	1,491	185	81	104
13	3,313	3,117	1,614	1,503	196	104	92
14	3,402	3,193	1,636	1,557	209	97	112
15	3,689	3,470	1,785	1,685	219	114	105
16	4,092	3,629	1,852	1,777	463	310	153
17	4,254	3,614	1,842	1,772	640	473	167
18	3,983	3,343	1,639	1,704	640	450	190
19	3,745	3,170	1,539	1,631	575	390	185
20	3,635	3,144	1,548	1,596	491	308	183
21	3,582	3,194	1,495	1,699	388	244	144
22	3,550	3,324	1,629	1,695	226	110	116
23	3,351	3,175	1,573	1,602	176	89	87
24	3,356	3,193	1,573	1,620	163	79	84
25-29	16,156	15,380	7,709	7,671	776	346	430
30-34	14,467	13,898	6,790	7,108	569	261	308
35-39	11,746	11,312	5,669	5,643	434	207	227
40-44	9,940	9,535	4,651	4,884	405	180	225
45-49	9,655	9,269	4,473	4,796	386	166	220
50-54	9,844	9,453	4,553	4,900	391	174	217
55-59	10,015	9,597	4,524	5,073	418	181	237
60	1,767	1,682	758	924	85	39	46
61	1,837	1,752	770	982	85	37	48
62	1,636	1,576	757	819	60	21	39
63	1,544	1,478	675	803	66	32	34
64	1,619	1,556	708	848	63	20	43
65-69	7,803	7,415	3,343	4,072	388	173	215
70-74	6,179	5,873	2,472	3,401	306	135	171
75-79	4,659	4,428	1,778	2,650	231	82	149
80-84	2,789	2,625	922	1,703	164	56	108
85 +	2,114	1,985	648	1,337	129	46	83
< 6	18,496	17,393	8,885	8,508	1,103	555	548
06-18	45,563	41,883	21,327	20,556	3,680	2,198	1,482
16-64	123,774	116,274	56,727	59,547	7,500	4,117	3,383
16+	147,318	138,600	65,890	72,710	8,718	4,609	4,109
18+	138,972	131,357	62,196	69,161	7,615	3,826	3,789
65+	23,544	22,326	9,163	13,163	1,218	492	726
TOTAL	199,048	187,290	90,769	96,521	11,758	6,129	5,629

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=030-DAVIESS -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	1,504	1,411	702	709	93	54	39
01	1,347	1,267	664	603	80	47	33
02	1,320	1,254	669	585	66	32	34
03	1,296	1,208	613	595	88	39	49
04	1,246	1,168	574	594	78	38	40
05	1,323	1,243	631	612	80	38	42
06	1,288	1,223	603	620	65	33	32
07	1,282	1,216	596	620	66	31	35
08	1,430	1,333	672	661	97	48	49
09	1,527	1,444	749	695	83	43	40
10	1,460	1,394	722	672	66	33	33
11	1,500	1,431	724	707	69	34	35
12	1,445	1,377	705	672	68	29	39
13	1,441	1,365	716	649	76	37	39
14	1,486	1,407	720	687	79	34	45
15	1,586	1,506	813	693	80	42	38
16	1,721	1,641	819	822	80	32	48
17	1,729	1,655	836	819	74	38	36
18	1,650	1,565	755	810	85	47	38
19	1,577	1,496	747	749	81	42	39
20	1,539	1,460	719	741	79	35	44
21	1,557	1,478	701	777	79	41	38
22	1,609	1,549	721	828	60	28	32
23	1,572	1,503	764	739	69	38	31
24	1,549	1,482	754	728	67	25	42
25-29	6,988	6,675	3,342	3,333	313	136	177
30-34	6,400	6,160	2,995	3,165	240	117	123
35-39	5,072	4,878	2,396	2,482	194	88	106
40-44	4,458	4,290	2,095	2,195	168	71	97
45-49	4,393	4,232	1,998	2,234	161	74	87
50-54	4,415	4,255	2,042	2,213	160	73	87
55-59	4,359	4,188	1,899	2,289	171	72	99
60	761	727	326	401	34	22	12
61	723	691	296	395	32	12	20
62	730	704	334	370	26	10	16
63	648	626	278	348	22	9	13
64	664	647	276	371	17	5	12
65-69	3,267	3,135	1,357	1,778	132	57	75
70-74	2,419	2,307	925	1,382	112	54	58
75-79	1,767	1,704	633	1,071	63	18	45
80-84	1,076	1,027	345	682	49	15	34
85 +	825	791	236	555	34	6	28
< 6	8,036	7,551	3,853	3,698	485	248	237
06-18	19,545	18,557	9,430	9,127	988	481	507
16-64	54,114	51,902	25,093	26,809	2,212	1,015	1,197
16+	63,468	60,866	28,589	32,277	2,602	1,165	1,437
18+	60,018	57,570	26,934	30,636	2,448	1,095	1,353
65+	9,354	8,964	3,496	5,468	390	150	240
TOTAL	85,949	82,113	39,462	42,651	3,836	1,777	2,059

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=046-HANCOCK -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	123	118	60	58	5	1	4
01	167	161	89	72	6	2	4
02	126	124	63	61	2	1	1
03	140	139	72	67	1	1	0
04	124	123	66	57	1	0	1
05	122	122	61	61	0	0	0
06	132	131	61	70	1	0	1
07	157	154	88	66	3	1	2
08	148	148	73	75	0	0	0
09	150	149	68	81	1	0	1
10	147	147	79	68	0	0	0
11	130	128	62	66	2	2	0
12	154	152	86	66	2	0	2
13	150	148	83	65	2	0	2
14	155	152	81	71	3	2	1
15	160	159	84	75	1	1	0
16	166	164	84	80	2	1	1
17	157	157	67	90	0	0	0
18	145	142	68	74	3	0	3
19	123	120	54	66	3	2	1
20	131	130	57	73	1	1	0
21	139	137	62	75	2	2	0
22	119	117	72	45	2	1	1
23	107	106	41	65	1	1	0
24	117	115	56	59	2	0	2
25-29	604	591	310	281	13	8	5
30-34	651	641	314	327	10	2	8
35-39	531	522	280	242	9	7	2
40-44	366	358	189	169	8	2	6
45-49	373	371	192	179	2	2	0
50-54	340	336	164	172	4	2	2
55-59	348	343	168	175	5	1	4
60	46	42	20	22	4	3	1
61	54	54	28	26	0	0	0
62	50	50	21	29	0	0	0
63	48	47	20	27	1	1	0
64	53	53	31	22	0	0	0
65-69	261	254	129	125	7	2	5
70-74	224	214	112	102	10	5	5
75-79	158	155	64	91	3	0	3
80-84	72	72	28	44	0	0	0
85 +	74	71	36	35	3	3	0
< 6	802	787	411	376	15	5	10
06-18	1,951	1,931	984	947	20	7	13
16-64	4,668	4,596	2,298	2,298	72	36	36
16+	5,457	5,362	2,667	2,695	95	46	49
18+	5,134	5,041	2,516	2,525	93	45	48
65+	789	766	369	397	23	10	13
TOTAL	7,742	7,617	3,843	3,774	125	57	68

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=051-HENDERSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	695	637	331	306	58	38	20
01	663	603	325	278	60	27	33
02	642	590	299	291	52	20	32
03	607	558	290	268	49	28	21
04	586	539	279	260	47	19	28
05	535	478	229	249	57	32	25
06	630	566	277	289	64	31	33
07	626	573	309	264	53	33	20
08	668	600	334	266	68	40	28
09	725	661	342	319	64	29	35
10	719	649	339	310	70	34	36
11	662	609	311	298	53	25	28
12	686	621	324	297	65	28	37
13	671	608	309	299	63	38	25
14	667	590	308	282	77	37	40
15	769	686	334	352	83	44	39
16	772	704	355	349	68	37	31
17	797	730	376	354	67	37	30
18	704	642	331	311	62	33	29
19	692	628	293	335	64	29	35
20	689	623	324	299	66	34	32
21	719	661	307	354	58	23	35
22	734	676	347	329	58	18	40
23	676	618	298	320	58	32	26
24	726	671	304	367	55	33	22
25-29	3,537	3,282	1,649	1,633	255	116	139
30-34	3,061	2,887	1,408	1,479	174	74	100
35-39	2,549	2,415	1,200	1,215	134	67	67
40-44	2,031	1,910	925	985	121	52	69
45-49	2,031	1,894	929	965	137	55	82
50-54	2,099	1,966	934	1,032	133	61	72
55-59	2,115	1,989	966	1,023	126	52	74
60	354	331	147	184	23	6	17
61	383	360	165	195	23	9	14
62	317	302	152	150	15	6	9
63	325	298	145	153	27	17	10
64	342	325	138	187	17	4	13
65-69	1,551	1,412	624	788	139	58	81
70-74	1,200	1,096	464	632	104	42	62
75-79	927	844	328	516	83	36	47
80-84	551	503	161	342	48	18	30
85 +	416	371	105	266	45	22	23
< 6	3,728	3,405	1,753	1,652	323	164	159
06-18	9,096	8,239	4,249	3,990	857	446	411
16-64	25,653	23,912	11,693	12,219	1,741	795	946
16+	30,298	28,138	13,375	14,763	2,160	971	1,189
18+	28,729	26,704	12,644	14,060	2,025	897	1,128
65+	4,645	4,226	1,682	2,544	419	176	243
TOTAL	40,849	37,706	18,315	19,391	3,143	1,474	1,669

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=075-MCLEAN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	155	155	85	70	0	0	0
01	110	107	58	49	3	2	1
02	156	156	74	82	0	0	0
03	155	153	73	80	2	0	2
04	143	139	69	70	4	2	2
05	146	142	73	69	4	0	4
06	140	138	68	70	2	1	1
07	139	138	60	78	1	1	0
08	160	157	80	77	3	3	0
09	204	201	111	90	3	2	1
10	156	153	73	80	3	1	2
11	172	171	90	81	1	1	0
12	167	165	91	74	2	0	2
13	161	160	75	85	1	1	0
14	191	190	98	92	1	1	0
15	188	187	98	89	1	1	0
16	175	175	96	79	0	0	0
17	190	190	108	82	0	0	0
18	149	148	73	75	1	1	0
19	141	141	63	78	0	0	0
20	129	129	64	65	0	0	0
21	162	160	68	92	2	2	0
22	155	151	76	75	4	3	1
23	140	140	70	70	0	0	0
24	157	157	79	78	0	0	0
25-29	775	766	364	402	9	4	5
30-34	753	744	373	371	9	3	6
35-39	678	676	344	332	2	2	0
40-44	525	523	260	263	2	1	1
45-49	454	449	226	223	5	4	1
50-54	482	480	238	242	2	0	2
55-59	577	576	280	296	1	0	1
60	99	97	49	48	2	0	2
61	102	102	36	66	0	0	0
62	98	97	44	53	1	0	1
63	74	73	22	51	1	1	0
64	105	105	53	52	0	0	0
65-69	463	461	232	229	2	2	0
70-74	381	381	167	214	0	0	0
75-79	313	311	139	172	2	1	1
80-84	171	170	72	98	1	0	1
85 +	99	99	35	64	0	0	0
< 6	865	852	432	420	13	4	9
06-18	2,192	2,173	1,121	1,052	19	13	6
16-64	6,120	6,079	2,986	3,093	41	21	20
16+	7,547	7,501	3,631	3,870	46	24	22
18+	7,182	7,136	3,427	3,709	46	24	22
65+	1,427	1,422	645	777	5	3	2
TOTAL	10,090	10,013	4,907	5,106	77	40	37

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=092-OHIO -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	313	307	150	157	6	2	4
01	377	369	192	177	8	5	3
02	326	322	150	172	4	3	1
03	357	350	175	175	7	4	3
04	371	368	194	174	3	2	1
05	347	342	181	161	5	2	3
06	339	337	177	160	2	0	2
07	382	375	182	193	7	3	4
08	387	381	191	190	6	2	4
09	359	357	176	181	2	2	0
10	345	339	170	169	6	3	3
11	350	346	171	175	4	2	2
12	368	364	181	183	4	1	3
13	367	363	185	178	4	3	1
14	375	366	189	177	9	4	5
15	399	391	177	214	8	2	6
16	421	414	231	183	7	4	3
17	376	361	174	187	15	11	4
18	349	346	180	166	3	2	1
19	354	346	169	177	8	3	5
20	354	350	164	186	4	2	2
21	319	317	167	150	2	1	1
22	322	318	154	164	4	2	2
23	335	331	162	169	4	1	3
24	310	305	137	168	5	1	4
25-29	1,710	1,693	830	863	17	8	9
30-34	1,579	1,554	766	788	25	8	17
35-39	1,292	1,278	650	628	14	5	9
40-44	1,114	1,097	536	561	17	9	8
45-49	1,003	994	494	500	9	6	3
50-54	1,043	1,028	505	523	15	8	7
55-59	1,081	1,067	512	555	14	5	9
60	211	210	97	113	1	0	1
61	246	241	106	135	5	2	3
62	180	179	89	90	1	0	1
63	190	189	88	101	1	0	1
64	198	196	102	94	2	1	1
65-69	960	947	470	477	13	7	6
70-74	815	811	355	456	4	2	2
75-79	594	585	271	314	9	3	6
80-84	370	360	135	225	10	4	6
85 +	277	273	102	171	4	0	4
< 6	2,091	2,058	1,042	1,016	33	18	15
06-18	4,817	4,740	2,384	2,356	77	39	38
16-64	12,987	12,814	6,313	6,501	173	79	94
16+	16,003	15,790	7,646	8,144	213	95	118
18+	15,206	15,015	7,241	7,774	191	80	111
65+	3,016	2,976	1,333	1,643	40	16	24
TOTAL	21,765	21,467	10,487	10,980	298	135	163

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=113-UNION -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	267	245	116	129	22	8	14
01	285	256	122	134	29	16	13
02	265	246	133	113	19	12	7
03	275	251	131	120	24	12	12
04	275	250	140	110	25	15	10
05	266	242	120	122	24	12	12
06	261	230	119	111	31	19	12
07	260	230	103	127	30	13	17
08	264	241	127	114	23	9	14
09	301	274	150	124	27	20	7
10	261	234	121	113	27	15	12
11	269	247	136	111	22	13	9
12	258	230	122	108	28	12	16
13	260	232	123	109	28	15	13
14	281	256	123	133	25	12	13
15	316	287	148	139	29	18	11
16	582	300	153	147	282	225	57
17	739	271	152	119	468	380	88
18	743	275	126	149	468	361	107
19	650	240	122	118	410	307	103
20	549	224	113	111	325	226	99
21	466	234	96	138	232	172	60
22	336	254	128	126	82	51	31
23	284	250	125	125	34	14	20
24	259	241	124	117	18	10	8
25-29	1,367	1,255	651	604	112	45	67
30-34	1,119	1,045	499	546	74	39	35
35-39	833	781	399	382	52	27	25
40-44	710	655	319	336	55	28	27
45-49	716	673	318	355	43	15	28
50-54	759	718	335	383	41	16	25
55-59	764	716	350	366	48	25	23
60	136	127	70	57	9	6	3
61	161	148	62	86	13	10	3
62	135	126	65	61	9	2	7
63	120	113	56	57	7	1	6
64	130	115	54	61	15	5	10
65-69	604	558	226	332	46	25	21
70-74	510	468	199	269	42	17	25
75-79	376	346	139	207	30	12	18
80-84	242	214	80	134	28	11	17
85 +	167	151	57	94	16	6	10
< 6	1,633	1,490	762	728	143	75	68
06-18	4,795	3,307	1,703	1,604	1,488	1,112	376
16-64	11,558	8,761	4,317	4,444	2,797	1,965	832
16+	13,457	10,498	5,018	5,480	2,959	2,036	923
18+	12,136	9,927	4,713	5,214	2,209	1,431	778
65+	1,899	1,737	701	1,036	162	71	91
TOTAL	17,821	14,449	7,052	7,397	3,372	2,257	1,115

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=117-WEBSTER -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	224	213	101	112	11	7	4
01	223	205	102	103	18	8	10
02	250	231	107	124	19	8	11
03	219	206	113	93	13	4	9
04	206	190	99	91	16	6	10
05	219	205	110	95	14	8	6
06	210	197	94	103	13	6	7
07	222	215	87	128	7	3	4
08	241	218	106	112	23	9	14
09	244	224	116	108	20	7	13
10	240	224	112	112	16	5	11
11	246	222	109	113	24	12	12
12	219	203	112	91	16	11	5
13	263	241	123	118	22	10	12
14	247	232	117	115	15	7	8
15	271	254	131	123	17	6	11
16	255	231	114	117	24	11	13
17	266	250	129	121	16	7	9
18	243	225	106	119	18	6	12
19	208	199	91	108	9	7	2
20	244	228	107	121	16	10	6
21	220	207	94	113	13	3	10
22	275	259	131	128	16	7	9
23	237	227	113	114	10	3	7
24	238	222	119	103	16	10	6
25-29	1,175	1,118	563	555	57	29	28
30-34	904	867	435	432	37	18	19
35-39	791	762	400	362	29	11	18
40-44	736	702	327	375	34	17	17
45-49	685	656	316	340	29	10	19
50-54	706	670	335	335	36	14	22
55-59	771	718	349	369	53	26	27
60	160	148	49	99	12	2	10
61	168	156	77	79	12	4	8
62	126	118	52	66	8	3	5
63	139	132	66	66	7	3	4
64	127	115	54	61	12	5	7
65-69	697	648	305	343	49	22	27
70-74	630	596	250	346	34	15	19
75-79	524	483	204	279	41	12	29
80-84	307	279	101	178	28	8	20
85 +	256	229	77	152	27	9	18
< 6	1,341	1,250	632	618	91	41	50
06-18	3,167	2,936	1,456	1,480	231	100	131
16-64	8,674	8,210	4,027	4,183	464	206	258
16+	11,088	10,445	4,964	5,481	643	272	371
18+	10,567	9,964	4,721	5,243	603	254	349
65+	2,414	2,235	937	1,298	179	66	113
TOTAL	14,832	13,925	6,703	7,222	907	389	518

DISTRICT 4 - BARREN RIVER



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=04 BARREN RIVER -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	3,391	3,108	1,608	1,500	283	142	141
01	3,240	2,979	1,516	1,463	261	124	137
02	3,157	2,911	1,481	1,430	246	129	117
03	3,090	2,846	1,436	1,410	244	99	145
04	3,029	2,786	1,382	1,404	243	121	122
05	3,048	2,807	1,519	1,288	241	130	111
06	3,134	2,920	1,452	1,468	214	107	107
07	3,200	2,954	1,558	1,396	246	133	113
08	3,357	3,107	1,582	1,525	250	128	122
09	3,494	3,260	1,680	1,580	234	117	117
10	3,303	3,071	1,562	1,509	232	117	115
11	3,273	3,046	1,515	1,531	227	119	108
12	3,193	2,962	1,484	1,478	231	107	124
13	3,359	3,101	1,552	1,549	258	131	127
14	3,561	3,266	1,698	1,568	295	153	142
15	3,823	3,511	1,793	1,718	312	151	161
16	4,059	3,738	1,937	1,801	321	175	146
17	4,032	3,672	1,929	1,743	360	190	170
18	4,606	4,150	2,043	2,107	456	248	208
19	5,040	4,523	2,136	2,387	517	256	261
20	4,901	4,459	2,155	2,304	442	219	223
21	4,729	4,330	2,138	2,192	399	203	196
22	4,072	3,742	1,826	1,916	330	170	160
23	3,861	3,548	1,789	1,759	313	161	152
24	3,750	3,482	1,732	1,750	268	128	140
25-29	16,825	15,683	7,804	7,879	1,142	552	590
30-34	15,299	14,443	7,114	7,329	856	409	447
35-39	12,953	12,288	6,029	6,259	665	301	364
40-44	11,286	10,672	5,227	5,445	614	282	332
45-49	10,503	9,929	4,824	5,105	574	278	296
50-54	10,377	9,807	4,827	4,980	570	253	317
55-59	10,666	10,061	4,744	5,317	605	286	319
60	2,040	1,933	897	1,036	107	48	59
61	2,129	1,998	946	1,052	131	64	67
62	1,946	1,821	802	1,019	125	56	69
63	1,798	1,709	819	890	89	41	48
64	2,002	1,894	893	1,001	108	49	59
65-69	9,296	8,755	3,952	4,803	541	220	321
70-74	7,575	7,127	3,170	3,957	448	209	239
75-79	5,241	4,899	1,953	2,946	342	165	177
80-84	3,056	2,904	1,161	1,743	152	62	90
85 +	2,347	2,199	766	1,433	148	51	97
< 6	18,955	17,437	8,942	8,495	1,518	745	773
06-18	46,394	42,758	21,785	20,973	3,636	1,876	1,760
16-64	136,874	127,882	62,611	65,271	8,992	4,369	4,623
16+	164,389	153,766	73,613	80,153	10,623	5,076	5,547
18+	156,298	146,356	69,747	76,609	9,942	4,711	5,231
65+	27,515	25,884	11,002	14,882	1,631	707	924
TOTAL	217,041	202,401	98,431	103,970	14,640	7,084	7,556

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=002-ALLEN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	227	226	127	99	1	1	0
01	206	204	102	102	2	1	1
02	176	176	96	80	0	0	0
03	199	198	101	97	1	1	0
04	189	188	86	102	1	1	0
05	181	180	104	76	1	1	0
06	202	199	111	88	3	0	3
07	207	206	108	98	1	0	1
08	214	212	102	110	2	1	1
09	173	170	90	80	3	1	2
10	190	187	97	90	3	0	3
11	246	245	121	124	1	0	1
12	194	192	94	98	2	1	1
13	240	237	117	120	3	2	1
14	233	230	121	109	3	0	3
15	268	264	134	130	4	2	2
16	265	261	137	124	4	2	2
17	247	243	118	125	4	3	1
18	233	228	118	110	5	3	2
19	217	215	108	107	2	1	1
20	238	234	121	113	4	2	2
21	207	201	106	95	6	4	2
22	220	216	116	100	4	1	3
23	189	187	102	85	2	1	1
24	188	183	96	87	5	5	0
25-29	956	945	470	475	11	6	5
30-34	927	915	433	482	12	4	8
35-39	839	833	403	430	6	3	3
40-44	794	784	393	391	10	4	6
45-49	746	733	350	383	13	4	9
50-54	749	739	351	388	10	3	7
55-59	856	845	424	421	11	4	7
60	139	138	64	74	1	0	1
61	162	161	89	72	1	0	1
62	157	154	75	79	3	2	1
63	147	144	65	79	3	1	2
64	142	141	70	71	1	0	1
65-69	716	705	327	378	11	6	5
70-74	623	618	273	345	5	3	2
75-79	421	411	169	242	10	4	6
80-84	257	250	84	166	7	4	3
85 +	148	144	55	89	4	3	1
< 6	1,178	1,172	616	556	6	5	1
06-18	2,912	2,874	1,468	1,406	38	15	23
16-64	8,618	8,500	4,209	4,291	118	53	65
16+	10,783	10,628	5,117	5,511	155	73	82
18+	10,271	10,124	4,862	5,262	147	68	79
65+	2,165	2,128	908	1,220	37	20	17
TOTAL	14,128	13,942	6,828	7,114	186	85	101

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=005-BARREN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	512	487	247	240	25	13	12
01	462	439	235	204	23	8	15
02	461	439	217	222	22	9	13
03	458	429	206	223	29	9	20
04	481	455	219	236	26	11	15
05	476	447	246	201	29	16	13
06	491	465	237	228	26	12	14
07	519	492	247	245	27	18	9
08	547	511	255	256	36	16	20
09	554	535	279	265	19	6	13
10	549	523	267	256	26	8	18
11	529	507	242	265	22	13	9
12	522	493	239	254	29	12	17
13	530	507	237	270	23	10	13
14	570	531	294	237	39	16	23
15	627	590	314	276	37	18	19
16	643	593	295	298	50	33	17
17	596	549	292	257	47	26	21
18	559	519	265	254	40	27	13
19	513	459	215	244	54	30	24
20	521	489	238	251	32	16	16
21	517	477	231	246	40	19	21
22	557	529	250	279	28	14	14
23	541	509	256	253	32	16	16
24	577	544	267	277	33	13	20
25-29	2,632	2,507	1,278	1,229	125	58	67
30-34	2,407	2,349	1,176	1,173	58	32	26
35-39	2,074	1,992	967	1,025	82	34	48
40-44	1,820	1,737	817	920	83	37	46
45-49	1,773	1,683	791	892	90	49	41
50-54	1,765	1,682	807	875	83	33	50
55-59	1,766	1,694	798	896	72	37	35
60	348	332	163	169	16	5	11
61	373	352	165	187	21	11	10
62	314	295	124	171	19	9	10
63	294	285	128	157	9	4	5
64	339	328	153	175	11	5	6
65-69	1,611	1,519	693	826	92	41	51
70-74	1,291	1,205	532	673	86	38	48
75-79	933	874	348	526	59	26	33
80-84	524	502	201	301	22	11	11
85 +	433	407	130	277	26	6	20
< 6	2,850	2,696	1,370	1,326	154	66	88
06-18	7,236	6,815	3,454	3,361	421	215	206
16-64	20,929	19,904	9,676	10,228	1,025	508	517
16+	25,721	24,411	11,580	12,831	1,310	630	680
18+	24,482	23,269	10,993	12,276	1,213	571	642
65+	4,792	4,507	1,904	2,603	285	122	163
TOTAL	34,009	32,261	15,552	16,709	1,748	825	923

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=016-BUTLER -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	169	169	96	73	0	0	0
01	170	170	76	94	0	0	0
02	172	171	89	82	1	0	1
03	193	193	102	91	0	0	0
04	160	160	88	72	0	0	0
05	146	145	67	78	1	1	0
06	167	167	71	96	0	0	0
07	168	168	98	70	0	0	0
08	170	170	87	83	0	0	0
09	180	179	84	95	1	1	0
10	190	189	108	81	1	0	1
11	162	161	88	73	1	0	1
12	173	171	86	85	2	2	0
13	179	178	87	91	1	1	0
14	199	196	105	91	3	2	1
15	227	222	107	115	5	5	0
16	247	245	144	101	2	2	0
17	221	216	121	95	5	4	1
18	213	212	102	110	1	1	0
19	187	186	108	78	1	0	1
20	159	159	74	85	0	0	0
21	169	169	90	79	0	0	0
22	175	175	78	97	0	0	0
23	181	180	81	99	1	0	1
24	183	180	87	93	3	2	1
25-29	813	813	415	398	0	0	0
30-34	765	760	375	385	5	0	5
35-39	699	695	352	343	4	4	0
40-44	580	577	289	288	3	2	1
45-49	489	485	243	242	4	1	3
50-54	494	493	256	237	1	0	1
55-59	564	561	268	293	3	3	0
60	102	101	46	55	1	0	1
61	116	116	55	61	0	0	0
62	94	93	48	45	1	0	1
63	89	87	40	47	2	1	1
64	99	98	52	46	1	1	0
65-69	498	496	215	281	2	1	1
70-74	433	428	197	231	5	2	3
75-79	315	312	147	165	3	1	2
80-84	204	201	85	116	3	1	2
85 +	150	147	56	91	3	1	2
< 6	1,010	1,008	518	490	2	1	1
06-18	2,496	2,474	1,288	1,186	22	18	4
16-64	6,639	6,601	3,324	3,277	38	21	17
16+	8,239	8,185	4,024	4,161	54	27	27
18+	7,771	7,724	3,759	3,965	47	21	26
65+	1,600	1,584	700	884	16	6	10
TOTAL	11,064	10,994	5,463	5,531	70	39	31

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=031-EDMONSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	149	149	81	68	0	0	0
01	149	146	72	74	3	3	0
02	149	148	68	80	1	0	1
03	162	158	93	65	4	2	2
04	167	166	84	82	1	1	0
05	170	170	82	88	0	0	0
06	147	147	68	79	0	0	0
07	159	157	84	73	2	0	2
08	171	169	87	82	2	2	0
09	177	176	85	91	1	0	1
10	175	174	89	85	1	1	0
11	171	170	90	80	1	1	0
12	169	168	67	101	1	0	1
13	174	173	92	81	1	0	1
14	173	171	86	85	2	2	0
15	155	154	79	75	1	0	1
16	227	213	112	101	14	12	2
17	226	195	103	92	31	30	1
18	204	175	106	69	29	28	1
19	175	153	85	68	22	21	1
20	162	154	80	74	8	8	0
21	150	144	69	75	6	6	0
22	132	130	61	69	2	2	0
23	156	156	80	76	0	0	0
24	136	136	74	62	0	0	0
25-29	693	684	315	369	9	4	5
30-34	705	703	347	356	2	1	1
35-39	682	672	328	344	10	4	6
40-44	520	514	262	252	6	3	3
45-49	504	503	254	249	1	1	0
50-54	492	490	238	252	2	1	1
55-59	516	511	254	257	5	1	4
60	86	83	32	51	3	0	3
61	79	79	47	32	0	0	0
62	83	82	39	43	1	1	0
63	94	93	45	48	1	1	0
64	102	101	51	50	1	0	1
65-69	422	416	203	213	6	4	2
70-74	376	373	175	198	3	2	1
75-79	222	222	85	137	0	0	0
80-84	120	118	51	67	2	1	1
85 +	81	80	29	51	1	0	1
< 6	946	937	480	457	9	6	3
06-18	2,328	2,242	1,148	1,094	86	76	10
16-64	6,124	5,971	2,982	2,989	153	124	29
16+	7,345	7,180	3,525	3,655	165	131	34
18+	6,892	6,772	3,310	3,462	120	89	31
65+	1,221	1,209	543	666	12	7	5
TOTAL	9,962	9,776	4,832	4,944	186	143	43

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=050-HART -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	233	214	100	114	19	11	8
01	225	211	100	111	14	5	9
02	211	192	93	99	19	10	9
03	228	208	111	97	20	9	11
04	192	176	81	95	16	5	11
05	231	217	123	94	14	10	4
06	235	217	111	106	18	6	12
07	240	216	111	105	24	11	13
08	252	234	128	106	18	9	9
09	255	229	120	109	26	16	10
10	255	230	105	125	25	17	8
11	229	202	99	103	27	18	9
12	232	210	108	102	22	11	11
13	262	240	137	103	22	7	15
14	316	284	143	141	32	15	17
15	320	290	149	141	30	15	15
16	332	295	156	139	37	15	22
17	324	292	140	152	32	19	13
18	266	234	123	111	32	18	14
19	265	234	107	127	31	18	13
20	263	233	113	120	30	14	16
21	247	219	108	111	28	15	13
22	208	177	84	93	31	18	13
23	242	223	113	110	19	10	9
24	216	195	103	92	21	9	12
25-29	1,051	977	480	497	74	34	40
30-34	1,035	979	482	497	56	25	31
35-39	924	876	421	455	48	17	31
40-44	793	726	357	369	67	29	38
45-49	803	748	359	389	55	28	27
50-54	777	715	349	366	62	30	32
55-59	888	800	392	408	88	41	47
60	164	153	78	75	11	6	5
61	193	179	77	102	14	9	5
62	150	137	67	70	13	6	7
63	154	145	82	63	9	2	7
64	163	153	76	77	10	5	5
65-69	723	678	319	359	45	21	24
70-74	567	529	241	288	38	17	21
75-79	381	350	134	216	31	16	15
80-84	201	195	86	109	6	3	3
85 +	156	149	56	93	7	2	5
< 6	1,320	1,218	608	610	102	50	52
06-18	3,518	3,173	1,630	1,543	345	177	168
16-64	9,458	8,690	4,267	4,423	768	368	400
16+	11,486	10,591	5,103	5,488	895	427	468
18+	10,830	10,004	4,807	5,197	826	393	433
65+	2,028	1,901	836	1,065	127	59	68
TOTAL	15,402	14,161	6,922	7,239	1,241	602	639

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=071-LOGAN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	386	346	159	187	40	22	18
01	373	321	176	145	52	22	30
02	362	312	165	147	50	27	23
03	353	311	151	160	42	21	21
04	333	303	156	147	30	14	16
05	363	312	167	145	51	29	22
06	346	309	154	155	37	18	19
07	391	346	164	182	45	26	19
08	371	329	156	173	42	23	19
09	402	371	203	168	31	19	12
10	354	314	162	152	40	19	21
11	384	340	176	164	44	23	21
12	371	326	166	160	45	17	28
13	373	315	158	157	58	28	30
14	380	336	159	177	44	25	19
15	418	369	192	177	49	22	27
16	493	441	230	211	52	26	26
17	496	440	230	210	56	22	34
18	417	364	188	176	53	27	26
19	419	368	194	174	51	24	27
20	407	365	194	171	42	24	18
21	378	346	178	168	32	17	15
22	361	328	166	162	33	10	23
23	386	343	169	174	43	17	26
24	346	320	165	155	26	11	15
25-29	1,642	1,511	753	758	131	56	75
30-34	1,642	1,488	724	764	154	76	78
35-39	1,509	1,386	668	718	123	52	71
40-44	1,300	1,214	603	611	86	38	48
45-49	1,222	1,147	580	567	75	37	38
50-54	1,199	1,103	555	548	96	46	50
55-59	1,238	1,134	485	649	104	44	60
60	277	253	128	125	24	15	9
61	264	249	107	142	15	8	7
62	236	217	92	125	19	6	13
63	211	205	97	108	6	1	5
64	246	226	105	121	20	7	13
65-69	1,143	1,050	488	562	93	42	51
70-74	972	880	407	473	92	36	56
75-79	658	587	249	338	71	32	39
80-84	404	371	158	213	33	13	20
85 +	312	287	102	185	25	7	18
< 6	2,170	1,905	974	931	265	135	130
06-18	5,196	4,600	2,338	2,262	596	295	301
16-64	14,689	13,448	6,611	6,837	1,241	564	677
16+	18,178	16,623	8,015	8,608	1,555	694	861
18+	17,189	15,742	7,555	8,187	1,447	646	801
65+	3,489	3,175	1,404	1,771	314	130	184
TOTAL	24,138	21,883	10,679	11,204	2,255	1,049	1,206

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=085-METCALFE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	167	164	90	74	3	0	3
01	111	108	50	58	3	2	1
02	136	135	63	72	1	0	1
03	124	122	73	49	2	0	2
04	116	114	62	52	2	0	2
05	127	123	68	55	4	2	2
06	136	135	62	73	1	1	0
07	144	140	84	56	4	3	1
08	128	125	73	52	3	2	1
09	170	164	95	69	6	4	2
10	169	164	71	93	5	3	2
11	142	132	64	68	10	5	5
12	158	151	78	73	7	4	3
13	172	161	79	82	11	9	2
14	185	181	95	86	4	2	2
15	162	150	75	75	12	6	6
16	182	175	91	84	7	3	4
17	204	193	117	76	11	6	5
18	136	130	77	53	6	3	3
19	147	139	70	69	8	4	4
20	175	167	83	84	8	5	3
21	169	163	84	79	6	4	2
22	132	128	63	65	4	3	1
23	143	138	68	70	5	2	3
24	126	124	58	66	2	1	1
25-29	641	629	310	319	12	6	6
30-34	613	607	281	326	6	3	3
35-39	555	542	291	251	13	4	9
40-44	539	518	236	282	21	9	12
45-49	523	506	249	257	17	13	4
50-54	492	472	251	221	20	8	12
55-59	510	499	232	267	11	7	4
60	84	83	42	41	1	1	0
61	112	108	47	61	4	1	3
62	94	93	45	48	1	1	0
63	80	78	39	39	2	1	1
64	107	103	42	61	4	0	4
65-69	449	439	204	235	10	2	8
70-74	390	374	168	206	16	8	8
75-79	278	266	116	150	12	8	4
80-84	163	160	78	82	3	3	0
85 +	93	92	32	60	1	1	0
< 6	781	766	406	360	15	4	11
06-18	2,088	2,001	1,061	940	87	51	36
16-64	5,764	5,595	2,776	2,819	169	85	84
16+	7,137	6,926	3,374	3,552	211	107	104
18+	6,751	6,558	3,166	3,392	193	98	95
65+	1,373	1,331	598	733	42	22	20
TOTAL	9,484	9,195	4,556	4,639	289	150	139

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=086-MONROE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	172	170	80	90	2	1	1
01	206	204	104	100	2	1	1
02	166	163	91	72	3	1	2
03	171	162	71	91	9	5	4
04	163	159	85	74	4	3	1
05	157	151	80	71	6	3	3
06	190	178	90	88	12	7	5
07	201	191	97	94	10	7	3
08	201	198	86	112	3	1	2
09	178	170	85	85	8	5	3
10	183	177	94	83	6	4	2
11	204	194	90	104	10	7	3
12	212	205	102	103	7	5	2
13	206	198	94	104	8	6	2
14	229	206	102	104	23	14	9
15	234	221	111	110	13	8	5
16	234	225	116	109	9	5	4
17	242	237	131	106	5	2	3
18	206	197	113	84	9	9	0
19	206	199	107	92	7	5	2
20	219	207	101	106	12	3	9
21	184	178	79	99	6	0	6
22	156	149	74	75	7	6	1
23	192	189	109	80	3	2	1
24	187	180	93	87	7	3	4
25-29	841	836	408	428	5	2	3
30-34	821	792	389	403	29	12	17
35-39	742	722	353	369	20	7	13
40-44	669	655	317	338	14	11	3
45-49	646	629	310	319	17	10	7
50-54	631	614	283	331	17	10	7
55-59	626	614	293	321	12	7	5
60	118	114	50	64	4	1	3
61	127	123	61	62	4	1	3
62	135	129	58	71	6	1	5
63	117	115	53	62	2	1	1
64	134	130	54	76	4	1	3
65-69	631	617	281	336	14	5	9
70-74	525	512	238	274	13	7	6
75-79	361	352	150	202	9	7	2
80-84	178	173	79	94	5	1	4
85 +	152	144	57	87	8	3	5
< 6	1,035	1,009	511	498	26	14	12
06-18	2,720	2,597	1,311	1,286	123	80	43
16-64	7,433	7,234	3,552	3,682	199	99	100
16+	9,280	9,032	4,357	4,675	248	122	126
18+	8,804	8,570	4,110	4,460	234	115	119
65+	1,847	1,798	805	993	49	23	26
TOTAL	12,353	11,979	5,819	6,160	374	200	174

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=107-SIMPSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	230	193	96	97	37	18	19
01	254	216	119	97	38	22	16
02	251	215	109	106	36	22	14
03	226	180	88	92	46	22	24
04	235	194	106	88	41	22	19
05	191	156	86	70	35	14	21
06	238	199	99	100	39	20	19
07	223	194	102	92	29	16	13
08	261	220	121	99	41	19	22
09	265	232	118	114	33	18	15
10	239	202	97	105	37	19	18
11	240	220	103	117	20	8	12
12	236	206	102	104	30	13	17
13	247	213	116	97	34	16	18
14	270	232	120	112	38	23	15
15	312	271	144	127	41	19	22
16	254	220	110	110	34	16	18
17	277	241	124	117	36	17	19
18	261	218	132	86	43	17	26
19	243	198	101	97	45	23	22
20	236	204	100	104	32	17	15
21	252	209	95	114	43	23	20
22	218	190	95	95	28	12	16
23	211	180	87	93	31	16	15
24	217	187	85	102	30	14	16
25-29	1,119	944	458	486	175	80	95
30-34	1,056	923	443	480	133	72	61
35-39	876	811	389	422	65	34	31
40-44	740	674	322	352	66	26	40
45-49	687	605	288	317	82	32	50
50-54	711	642	319	323	69	29	40
55-59	748	675	309	366	73	33	40
60	128	116	46	70	12	9	3
61	149	131	63	68	18	5	13
62	153	138	56	82	15	9	6
63	129	112	58	54	17	9	8
64	149	135	66	69	14	9	5
65-69	663	592	244	348	71	27	44
70-74	510	457	206	251	53	27	26
75-79	360	325	127	198	35	18	17
80-84	232	214	77	137	18	9	9
85 +	176	163	64	99	13	5	8
< 6	1,387	1,154	604	550	233	120	113
06-18	3,323	2,868	1,488	1,380	455	221	234
16-64	8,814	7,753	3,746	4,007	1,061	502	559
16+	10,755	9,504	4,464	5,040	1,251	588	663
18+	10,224	9,043	4,230	4,813	1,181	555	626
65+	1,941	1,751	718	1,033	190	86	104
TOTAL	14,673	12,847	6,190	6,657	1,826	879	947

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=114-WARREN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	1,146	990	532	458	156	76	80
01	1,084	960	482	478	124	60	64
02	1,073	960	490	470	113	60	53
03	976	885	440	445	91	30	61
04	993	871	415	456	122	64	58
05	1,006	906	496	410	100	54	46
06	982	904	449	455	78	43	35
07	948	844	463	381	104	52	52
08	1,042	939	487	452	103	55	48
09	1,140	1,034	530	504	106	47	59
10	999	911	472	439	58	46	42
11	966	875	442	433	91	44	47
12	926	840	442	398	86	42	44
13	976	879	435	444	97	52	45
14	1,006	899	473	426	107	54	53
15	1,100	980	488	492	120	56	64
16	1,182	1,070	546	524	112	61	51
17	1,199	1,066	553	513	133	61	72
18	2,111	1,873	819	1,054	238	115	123
19	2,668	2,372	1,041	1,331	296	130	166
20	2,521	2,247	1,051	1,196	274	130	144
21	2,456	2,224	1,098	1,126	232	115	117
22	1,913	1,720	839	881	193	104	89
23	1,620	1,443	724	719	177	97	80
24	1,574	1,433	704	729	141	70	71
25-29	6,437	5,837	2,917	2,920	600	306	294
30-34	5,328	4,927	2,464	2,463	401	184	217
35-39	4,053	3,759	1,857	1,902	294	142	152
40-44	3,531	3,273	1,631	1,642	258	123	135
45-49	3,110	2,890	1,400	1,490	220	103	117
50-54	3,067	2,857	1,418	1,439	210	93	117
55-59	2,954	2,728	1,289	1,439	226	109	117
60	594	560	248	312	34	11	23
61	554	500	235	265	54	29	25
62	530	483	198	285	47	21	26
63	483	445	212	233	38	20	18
64	521	479	224	255	42	21	21
65-69	2,440	2,243	978	1,265	197	71	126
70-74	1,888	1,751	733	1,018	137	69	68
75-79	1,312	1,200	428	772	112	53	59
80-84	773	720	262	458	53	16	37
85 +	646	586	185	401	60	23	37
< 6	6,278	5,572	2,855	2,717	706	344	362
06-18	14,577	13,114	6,599	6,515	1,463	728	735
16-64	48,406	44,186	21,468	22,718	4,220	2,045	2,175
16+	55,465	50,686	24,054	26,632	4,779	2,277	2,502
18+	53,084	48,550	22,955	25,595	4,534	2,155	2,379
65+	7,059	6,500	2,586	3,914	559	232	327
TOTAL	71,828	65,363	31,590	33,773	6,465	3,112	3,353

DISTRICT 5 - LINCOLN TRAIL



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=05 LINCOLN -----

AGE	TOTAL	WHITE	MALE	F. MALE	NONWHITE	_MALE_	_FEMALE_
00	4,159	3,670	1,863	1,807	489	242	247
01	3,830	3,375	1,733	1,642	455	241	214
02	3,651	3,287	1,741	1,546	364	180	184
03	3,637	3,261	1,658	1,603	376	215	161
04	3,495	3,135	1,608	1,527	360	193	167
05	3,430	3,062	1,591	1,471	368	186	182
06	3,317	2,976	1,528	1,448	341	175	166
07	3,386	3,060	1,560	1,500	326	152	174
08	3,525	3,238	1,652	1,586	287	146	141
09	3,716	3,360	1,711	1,649	356	195	161
10	3,639	3,316	1,677	1,639	323	170	153
11	3,497	3,173	1,602	1,571	324	159	165
12	3,400	3,098	1,592	1,506	302	139	163
13	3,517	3,223	1,699	1,524	294	164	130
14	3,831	3,525	1,769	1,756	306	154	152
15	4,182	3,842	2,003	1,839	340	168	172
16	4,320	3,977	2,004	1,973	343	172	171
17	6,039	5,352	3,454	1,898	687	517	170
18	6,464	5,442	3,738	1,704	1,022	845	177
19	6,484	5,320	3,602	1,718	1,164	925	239
20	5,801	4,761	2,983	1,778	1,040	794	246
21	5,128	4,134	2,498	1,636	994	747	247
22	5,078	4,211	2,438	1,773	867	621	246
23	4,506	3,750	2,058	1,692	756	511	245
24	4,210	3,622	1,966	1,656	588	383	205
25-29	18,945	16,813	8,800	8,013	2,132	1,242	890
30-34	15,827	14,493	7,501	6,992	1,334	646	688
35-39	12,439	11,410	5,699	5,711	1,029	513	516
40-44	10,298	9,607	4,792	4,815	691	332	359
45-49	9,303	8,710	4,365	4,345	593	272	321
50-54	8,900	8,426	4,108	4,318	474	218	256
55-59	8,439	8,029	3,877	4,152	410	189	221
60	1,545	1,479	730	749	66	34	32
61	1,658	1,585	779	806	73	36	37
62	1,387	1,329	605	724	58	29	29
63	1,419	1,371	667	704	48	23	25
64	1,515	1,460	717	743	55	31	24
65-69	6,938	6,682	3,109	3,573	256	105	151
70-74	5,211	5,026	2,290	2,736	185	69	116
75-79	3,688	3,527	1,420	2,107	161	66	95
80-84	2,302	2,192	838	1,354	110	44	66
85 +	1,610	1,534	551	983	76	21	55
< 6	22,202	19,790	10,194	9,596	2,412	1,257	1,155
06-18	52,833	47,582	25,989	21,593	5,251	3,156	2,095
16-64	139,705	125,281	67,381	57,900	14,424	9,080	5,344
16+	159,454	144,242	75,589	68,653	15,212	9,385	5,827
18+	149,095	134,913	70,131	64,782	14,182	8,696	5,486
65+	19,749	18,961	8,208	10,753	788	305	483
TOTAL	217,666	196,843	102,576	94,267	20,823	12,264	8,559

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=014-BRECKINRIDGE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	280	272	144	128	8	5	3
01	240	229	123	106	11	8	3
02	266	257	130	127	9	2	7
03	263	246	133	113	17	12	5
04	270	259	137	122	11	9	2
05	235	220	115	105	15	10	5
06	248	236	124	112	12	6	6
07	250	238	126	112	12	7	5
08	284	273	138	135	11	6	5
09	289	270	150	120	19	7	12
10	310	297	150	147	13	7	6
11	278	264	119	145	14	9	5
12	251	237	130	107	14	6	8
13	263	254	134	120	9	7	2
14	331	326	150	176	5	1	4
15	349	335	176	159	14	5	9
16	371	357	175	182	14	8	6
17	341	321	162	159	20	10	10
18	292	283	141	142	9	6	3
19	280	264	138	126	16	11	5
20	267	256	133	123	11	5	6
21	242	227	112	115	15	6	9
22	268	255	121	134	13	4	9
23	259	247	127	120	12	5	7
24	242	230	111	119	12	4	8
25-29	1,245	1,196	597	599	49	25	24
30-34	1,199	1,163	583	580	36	20	16
35-39	983	955	459	496	28	10	18
40-44	827	795	410	385	32	13	19
45-49	768	741	355	386	27	13	14
50-54	822	795	380	415	27	17	10
55-59	891	859	434	425	32	17	15
60	141	139	68	71	2	1	1
61	182	178	89	89	4	2	2
62	146	141	69	72	5	3	2
63	168	164	80	84	4	2	2
64	176	169	94	75	7	5	2
65-69	808	787	359	428	21	7	14
70-74	631	615	296	319	16	9	7
75-79	469	452	214	238	17	8	9
80-84	257	249	117	132	8	3	5
85 +	179	174	69	105	5	1	4
< 6	1,554	1,483	782	701	71	46	25
06-18	3,857	3,691	1,875	1,816	166	85	81
16-64	10,110	9,735	4,838	4,897	375	187	188
16+	12,454	12,012	5,893	6,119	442	215	227
18+	11,742	11,334	5,556	5,778	408	197	211
65+	2,344	2,277	1,055	1,222	67	28	39
TOTAL	16,861	16,225	8,072	8,153	636	322	314

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=043-GRAYSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	325	323	158	165	2	0	2
01	303	300	153	147	3	2	1
02	313	312	160	152	1	0	1
03	329	328	168	160	1	1	0
04	328	327	162	165	1	0	1
05	333	331	173	158	2	2	0
06	281	279	135	144	2	1	1
07	343	343	174	169	0	0	0
08	372	371	200	171	1	1	0
09	350	347	164	183	3	2	1
10	382	382	205	177	0	0	0
11	342	339	165	174	3	2	1
12	348	346	183	163	2	1	1
13	374	371	211	160	3	0	3
14	355	352	172	180	3	2	1
15	430	426	223	203	4	4	0
16	401	401	224	177	0	0	0
17	415	410	212	198	5	4	1
18	356	350	189	161	6	2	4
19	342	340	171	169	2	0	2
20	338	337	178	159	1	1	0
21	321	317	163	154	4	1	3
22	322	317	146	171	5	1	4
23	304	303	151	152	1	0	1
24	344	340	181	159	4	2	2
25-29	1,557	1,548	762	786	9	4	5
30-34	1,424	1,419	686	733	5	0	5
35-39	1,215	1,212	623	589	3	2	1
40-44	1,030	1,029	499	530	1	1	0
45-49	970	962	498	464	8	3	5
50-54	1,035	1,028	479	549	7	2	5
55-59	1,078	1,074	529	545	4	2	2
60	206	205	109	96	1	1	0
61	220	220	104	116	0	0	0
62	203	202	87	115	1	0	1
63	200	198	100	98	2	0	2
64	210	210	110	100	0	0	0
65-69	959	954	482	472	5	4	1
70-74	806	800	397	403	6	4	2
75-79	566	564	228	336	2	1	1
80-84	297	291	125	166	6	0	6
85 +	227	224	86	138	3	1	2
< 6	1,931	1,921	974	947	10	5	5
06-18	4,749	4,717	2,457	2,260	32	19	13
16-64	12,491	12,422	6,201	6,221	69	26	43
16+	15,346	15,255	7,519	7,736	91	36	55
18+	14,530	14,444	7,083	7,361	86	32	54
65+	2,855	2,833	1,318	1,515	22	10	12
TOTAL	20,854	20,732	10,325	10,407	122	54	68

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=047-HARDIN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	1,689	1,383	675	708	306	145	161
01	1,593	1,333	688	645	260	138	122
02	1,414	1,231	662	569	183	93	90
03	1,459	1,240	642	598	219	122	97
04	1,359	1,153	581	572	206	104	102
05	1,350	1,140	627	513	210	100	110
06	1,261	1,075	569	506	186	93	93
07	1,282	1,114	553	561	168	75	93
08	1,295	1,157	581	576	138	70	68
09	1,343	1,172	610	562	171	104	67
10	1,306	1,151	586	565	155	85	70
11	1,243	1,084	543	541	159	71	88
12	1,198	1,059	559	500	139	63	76
13	1,205	1,058	549	509	147	80	67
14	1,355	1,193	597	596	162	79	83
15	1,437	1,268	646	622	169	82	87
16	1,501	1,326	669	657	175	85	90
17	3,323	2,827	2,157	670	496	412	84
18	4,154	3,298	2,613	685	856	775	81
19	4,211	3,204	2,511	693	1,007	846	161
20	3,540	2,665	1,926	739	875	723	152
21	3,079	2,236	1,542	694	843	687	156
22	2,869	2,167	1,443	724	702	551	151
23	2,425	1,812	1,101	711	613	454	159
24	2,071	1,619	951	668	452	324	128
25-29	8,181	6,779	3,726	3,053	1,402	904	498
30-34	6,136	5,381	2,867	2,514	755	384	371
35-39	4,935	4,330	2,154	2,176	605	308	297
40-44	4,010	3,606	1,810	1,796	404	197	207
45-49	3,645	3,321	1,692	1,629	324	139	185
50-54	3,129	2,949	1,444	1,505	180	86	94
55-59	2,652	2,527	1,216	1,311	125	50	75
60	477	452	219	233	25	13	12
61	473	451	228	223	22	10	12
62	387	371	171	200	16	11	5
63	417	403	208	195	14	6	8
64	402	385	172	213	17	9	8
65-69	1,902	1,834	864	970	68	29	39
70-74	1,320	1,278	580	698	42	15	27
75-79	916	875	343	532	41	21	20
80-84	577	560	212	348	17	9	8
85 +	396	377	124	253	19	7	12
< 6	8,864	7,480	3,875	3,605	1,384	702	682
06-18	21,903	18,782	11,232	7,550	3,121	2,074	1,047
16-64	62,017	52,109	30,820	21,289	9,908	6,974	2,934
16+	67,128	57,033	32,943	24,090	10,095	7,055	3,040
18+	62,304	52,880	30,117	22,763	9,424	6,558	2,866
65+	5,111	4,924	2,123	2,801	187	81	106
TOTAL	88,917	75,844	42,611	33,233	13,073	8,559	4,514

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=062-LARUE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	169	159	87	72	10	4	6
01	182	172	78	94	10	3	7
02	154	146	85	61	8	5	3
03	181	167	87	80	14	8	6
04	161	157	94	63	4	2	2
05	163	156	80	76	7	6	1
06	186	177	96	81	9	4	5
07	157	154	77	77	3	1	2
08	188	175	92	83	13	6	7
09	193	182	99	83	11	5	6
10	173	167	86	81	6	2	4
11	188	176	94	82	12	3	9
12	178	165	78	87	13	11	2
13	171	162	91	71	9	6	3
14	205	195	80	115	10	5	5
15	219	206	108	98	13	8	5
16	270	253	127	126	17	9	8
17	245	224	123	101	21	14	7
18	179	169	79	90	10	3	7
19	224	218	121	97	6	4	2
20	188	178	80	98	10	6	4
21	178	166	91	75	12	2	10
22	170	156	77	79	14	4	10
23	183	170	73	97	13	4	9
24	163	158	85	73	5	3	2
25-29	904	871	456	415	33	18	15
30-34	791	764	372	392	27	13	14
35-39	664	638	292	346	26	16	10
40-44	716	676	339	337	40	19	21
45-49	621	595	289	306	26	12	14
50-54	613	587	308	279	26	14	12
55-59	596	571	277	294	25	9	16
60	130	124	64	60	6	4	2
61	132	125	64	61	7	4	3
62	126	122	46	76	4	2	2
63	102	99	42	57	3	1	2
64	124	120	52	68	4	2	2
65-69	589	556	263	293	33	14	19
70-74	475	457	201	256	18	4	14
75-79	336	323	141	182	13	7	6
80-84	196	188	66	122	8	1	7
85 +	139	133	54	79	6	1	5
< 6	1,010	957	511	446	53	28	25
06-18	2,552	2,405	1,230	1,175	147	77	70
16-64	7,319	6,984	3,457	3,527	335	163	172
16+	9,054	8,641	4,182	4,459	413	190	223
18+	8,539	8,164	3,932	4,232	375	167	208
65+	1,735	1,657	725	932	78	27	51
TOTAL	11,922	11,357	5,594	5,763	565	269	296

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=078-MARION -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	342	317	149	168	25	14	11
01	344	309	160	149	35	22	13
02	297	267	135	132	30	13	17
03	292	267	131	136	25	20	5
04	306	278	143	135	28	16	12
05	264	249	125	124	15	11	4
06	282	260	131	129	22	11	11
07	257	239	126	113	18	11	7
08	281	255	122	133	26	15	11
09	342	301	134	167	41	22	19
10	343	306	154	152	37	21	16
11	356	317	152	165	39	18	21
12	339	306	154	152	33	11	22
13	356	323	161	162	33	19	14
14	423	389	203	186	34	17	17
15	466	421	242	179	45	17	28
16	454	414	211	203	40	20	20
17	432	389	192	197	43	26	17
18	356	327	189	138	29	10	19
19	335	309	157	152	26	15	11
20	309	268	134	134	41	16	25
21	300	274	146	128	26	13	13
22	308	277	144	133	31	17	14
23	263	238	115	123	25	12	13
24	294	276	138	138	18	7	11
25-29	1,361	1,260	655	605	101	43	58
30-34	1,240	1,153	575	578	87	33	54
35-39	976	887	444	443	89	43	46
40-44	819	774	368	406	45	18	27
45-49	772	728	347	381	44	24	20
50-54	857	799	377	422	58	19	39
55-59	746	678	338	340	68	35	33
60	133	126	64	62	7	4	3
61	153	144	54	90	9	3	6
62	125	113	52	61	12	2	10
63	130	124	63	61	6	1	5
64	153	142	72	70	11	6	5
65-69	738	694	309	385	44	19	25
70-74	570	534	237	297	36	15	21
75-79	357	334	112	222	23	9	14
80-84	275	258	81	177	17	8	9
85 +	164	154	56	98	10	3	7
< 6	1,845	1,687	843	844	158	96	62
06-18	4,687	4,247	2,171	2,076	440	218	222
16-64	10,516	9,700	4,835	4,865	816	367	449
16+	12,620	11,674	5,630	6,044	946	421	525
18+	11,734	10,871	5,227	5,644	863	375	488
65+	2,104	1,974	795	1,179	130	54	76
TOTAL	17,910	16,478	8,052	8,426	1,432	679	753

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=082-MEADE -----							
AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	645	571	309	262	74	41	33
01	544	464	244	220	80	39	41
02	528	455	249	206	73	35	38
03	499	442	221	221	57	24	33
04	472	409	205	204	63	34	29
05	510	445	217	228	65	31	34
06	470	423	209	214	47	28	19
07	493	426	225	201	67	34	33
08	476	430	233	197	46	22	24
09	490	450	226	224	40	20	20
10	420	379	194	185	41	19	22
11	410	381	223	158	29	14	15
12	349	315	163	152	34	14	20
13	388	354	188	166	34	19	15
14	361	342	173	169	19	11	8
15	439	418	215	203	21	12	9
16	411	383	190	193	28	15	13
17	391	367	199	168	24	16	8
18	384	355	177	178	29	9	20
19	409	368	193	175	41	19	22
20	405	367	178	189	38	11	27
21	403	359	174	185	44	20	24
22	429	378	183	195	51	21	30
23	422	376	179	197	46	17	29
24	492	436	205	231	56	19	37
25-29	2,695	2,367	1,210	1,157	328	156	172
30-34	2,273	2,014	1,098	916	259	117	142
35-39	1,484	1,338	695	643	146	79	67
40-44	1,017	961	505	456	56	30	26
45-49	789	761	388	373	28	16	12
50-54	760	734	375	359	26	6	20
55-59	703	673	321	352	30	16	14
60	119	118	57	61	1	0	1
61	144	140	82	58	4	2	2
62	101	100	51	49	1	1	0
63	86	84	48	36	2	2	0
64	121	120	62	58	1	1	0
65-69	489	476	219	257	13	4	9
70-74	364	357	159	198	7	3	4
75-79	221	215	81	134	6	0	6
80-84	126	121	52	69	5	2	3
85 +	122	115	49	66	7	3	4
< 6	3,198	2,786	1,445	1,341	412	204	208
06-18	5,482	5,023	2,615	2,408	459	233	226
16-64	14,038	12,799	6,570	6,229	1,239	573	666
16+	15,360	14,083	7,130	6,953	1,277	585	692
18+	14,558	13,333	6,741	6,592	1,225	554	671
65+	1,322	1,284	560	724	38	12	26
TOTAL	22,854	20,787	10,624	10,163	2,067	982	1,085

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=090-NELSON -----


AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	523	484	254	230	39	22	17
01	448	412	202	210	36	17	19
02	494	455	248	207	39	22	17
03	467	440	207	233	27	19	8
04	455	425	226	199	30	18	12
05	423	389	193	196	34	16	18
06	421	388	195	193	33	16	17
07	439	402	204	198	37	15	22
08	462	432	213	219	30	17	13
09	537	492	257	235	45	23	22
10	530	489	229	260	41	20	21
11	505	463	229	234	42	26	16
12	529	487	230	257	42	18	24
13	554	530	274	256	24	12	12
14	590	544	288	256	46	25	21
15	583	548	279	269	35	16	19
16	672	637	297	340	35	17	18
17	667	617	310	307	50	21	29
18	541	493	263	230	48	20	28
19	496	456	231	225	40	18	22
20	543	504	260	244	39	19	20
21	448	412	200	212	36	14	22
22	509	480	233	247	29	16	13
23	484	454	244	210	30	13	17
24	462	432	215	217	30	21	9
25-29	2,245	2,107	1,048	1,059	138	58	80
30-34	2,064	1,949	982	967	115	58	57
35-39	1,590	1,513	754	759	77	33	44
40-44	1,329	1,254	622	632	75	34	41
45-49	1,249	1,172	599	573	77	36	41
50-54	1,173	1,070	521	549	103	49	54
55-59	1,223	1,139	517	622	84	41	43
60	236	219	103	116	17	8	9
61	233	217	110	107	16	11	5
62	203	192	94	98	11	6	5
63	223	211	93	118	12	6	6
64	210	201	102	99	9	3	6
65-69	945	896	386	510	49	16	33
70-74	672	641	277	364	31	10	21
75-79	561	515	193	322	46	15	31
80-84	383	355	117	238	28	15	13
85 +	263	249	82	167	14	3	11
< 6	2,810	2,605	1,330	1,275	205	114	91
06-18	7,030	6,522	3,268	3,254	508	246	262
16-64	16,800	15,729	7,798	7,931	1,071	502	569
16+	19,624	18,385	8,853	9,532	1,239	561	678
18+	18,285	17,131	8,246	8,885	1,154	523	631
65+	2,824	2,656	1,055	1,601	168	59	109
TOTAL	27,584	25,765	12,581	13,184	1,819	863	956

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=115-WASHINGTON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	186	161	87	74	25	11	14
01	176	156	85	71	20	12	8
02	185	164	72	92	21	10	11
03	147	131	69	62	16	9	7
04	144	127	60	67	17	10	7
05	152	132	61	71	20	10	10
06	168	133	69	69	30	16	14
07	165	144	75	69	21	9	12
08	167	145	73	72	22	9	13
09	172	146	71	75	26	12	14
10	175	145	73	72	30	16	14
11	175	149	77	72	25	16	10
12	208	183	95	88	25	15	10
13	206	171	91	80	35	21	14
14	211	184	106	78	27	14	13
15	259	220	114	106	39	24	15
16	240	206	111	95	34	18	16
17	225	197	99	98	28	14	14
18	202	167	87	80	35	20	15
19	187	161	80	81	26	12	14
20	211	186	94	92	25	13	12
21	157	143	70	73	14	4	10
22	203	181	91	90	22	7	15
23	166	150	68	82	16	6	10
24	142	131	80	51	11	3	8
25-29	757	685	346	339	72	34	38
30-34	700	650	338	312	50	21	29
35-39	592	537	278	259	55	22	33
40-44	550	512	239	273	38	20	18
45-49	489	430	197	233	59	29	30
50-54	511	464	224	240	47	25	22
55-59	550	508	245	263	42	19	23
60	103	96	46	50	7	3	4
61	121	110	48	62	11	4	7
62	96	88	35	53	8	4	4
63	93	83	33	55	5	5	0
64	119	113	53	60	6	5	1
65-69	508	485	227	258	23	12	11
70-74	373	344	143	201	29	9	20
75-79	262	249	108	141	13	5	8
80-84	191	170	68	102	21	6	15
85 +	120	108	31	77	12	2	10
< 6	990	871	434	437	119	62	57
06-18	2,573	2,195	1,141	1,054	378	204	174
16-64	6,414	5,803	2,862	2,941	611	288	323
16+	7,868	7,159	3,439	3,720	709	322	387
18+	7,403	6,756	3,229	3,527	647	290	357
65+	1,454	1,356	577	779	98	34	64
TOTAL	10,764	9,655	4,717	4,938	1,109	536	573

DISTRICT 6 - KENTUCKIANA



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=06 NORTH CENTRAL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	12,508	9,950	5,118	4,832	2,558	1,271	1,287
01	11,828	9,367	4,861	4,506	2,461	1,246	1,215
02	11,622	9,386	4,817	4,569	2,236	1,105	1,131
03	11,561	9,304	4,732	4,572	2,257	1,137	1,120
04	11,495	9,228	4,748	4,480	2,267	1,153	1,114
05	11,507	9,356	4,750	4,606	2,151	1,076	1,075
06	11,467	9,280	4,735	4,545	2,187	1,095	1,092
07	11,981	9,539	4,849	4,690	2,442	1,223	1,219
08	12,621	10,131	5,217	4,914	2,490	1,256	1,234
09	13,932	11,349	5,789	5,560	2,583	1,264	1,319
10	13,239	10,826	5,614	5,212	2,413	1,193	1,220
11	12,543	10,271	5,201	5,070	2,272	1,167	1,105
12	12,200	10,018	5,134	4,884	2,182	1,081	1,101
13	12,389	10,322	5,354	4,968	2,067	1,064	1,003
14	12,986	10,788	5,488	5,300	2,198	1,097	1,101
15	14,437	12,087	6,134	5,953	2,350	1,212	1,138
16	15,323	12,722	6,470	6,252	2,601	1,304	1,297
17	15,295	12,753	6,543	6,210	2,542	1,289	1,253
18	14,179	11,642	5,877	5,765	2,537	1,309	1,228
19	14,306	11,814	5,946	5,868	2,492	1,203	1,289
20	14,349	11,810	5,903	5,907	2,539	1,189	1,350
21	13,966	11,564	5,708	5,856	2,402	1,129	1,273
22	14,754	12,324	6,037	6,287	2,430	1,095	1,335
23	15,244	12,909	6,340	6,569	2,335	1,078	1,257
24	15,297	12,900	6,296	6,604	2,397	1,096	1,301
25-29	72,581	61,448	30,461	30,987	11,133	5,043	6,090
30-34	64,095	55,530	27,655	27,875	8,565	4,000	4,565
35-39	49,137	43,073	21,267	21,806	6,064	2,748	3,316
40-44	41,513	36,259	17,630	18,629	5,254	2,311	2,943
45-49	40,451	35,349	17,070	18,279	5,102	2,228	2,874
50-54	43,734	38,478	18,435	20,043	5,256	2,348	2,908
55-59	42,329	37,236	17,658	19,578	5,093	2,298	2,795
60	7,446	6,419	3,009	3,410	1,027	458	569
61	7,155	6,305	3,033	3,272	850	372	478
62	6,619	5,851	2,684	3,167	768	356	412
63	6,433	5,648	2,598	3,050	785	326	459
64	6,471	5,638	2,475	3,163	833	367	466
65-69	28,782	25,045	10,731	14,314	3,737	1,572	2,165
70-74	23,105	20,133	7,830	12,303	2,972	1,210	1,762
75-79	16,490	14,412	5,079	9,333	2,078	801	1,277
80-84	9,755	8,651	2,680	5,971	1,104	384	720
85 +	7,270	6,494	1,656	4,838	776	241	535
< 6	70,521	56,591	29,026	27,565	13,930	6,988	6,942
06-18	172,592	141,728	72,405	69,323	30,864	15,554	15,310
16-64	520,677	447,672	219,095	228,577	73,005	33,547	39,458
16+	606,079	522,407	247,071	275,336	83,672	37,755	45,917
18+	575,461	496,932	234,058	262,874	78,529	35,162	43,367
65+	85,402	74,735	27,976	46,759	10,667	4,208	6,459
TOTAL	804,395	683,609	329,612	353,997	120,786	56,395	64,391

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=015-BULLITT -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	701	699	364	335	2	0	2
01	709	704	364	340	5	1	4
02	670	667	326	341	3	1	2
03	751	748	374	374	3	0	3
04	747	740	376	364	7	6	1
05	851	845	427	418	6	4	2
06	832	827	429	398	5	2	3
07	917	909	425	484	8	4	4
08	988	976	497	479	12	7	5
09	1,094	1,085	577	508	9	6	3
10	1,076	1,067	552	515	9	2	7
11	981	975	461	514	6	3	3
12	947	942	519	423	5	1	4
13	995	988	536	452	7	2	5
14	986	974	490	484	12	5	7
15	1,018	1,011	501	510	7	1	6
16	1,035	1,028	519	509	7	4	3
17	950	943	485	458	7	4	3
18	799	795	407	388	4	2	2
19	747	740	375	365	7	3	4
20	678	672	336	336	6	4	2
21	672	664	325	339	8	5	3
22	618	615	305	310	3	2	1
23	729	724	340	384	5	3	2
24	678	677	332	345	1	0	1
25-29	3,495	3,475	1,620	1,855	20	7	13
30-34	4,193	4,164	1,994	2,170	29	15	14
35-39	3,342	3,325	1,699	1,626	17	4	13
40-44	2,538	2,518	1,301	1,217	20	10	10
45-49	2,019	2,004	1,063	941	15	6	9
50-54	1,712	1,696	881	815	16	3	13
55-59	1,500	1,480	762	718	20	12	8
60	225	223	113	110	2	0	2
61	225	223	116	107	2	2	0
62	242	237	114	123	5	3	2
63	211	209	94	115	2	1	1
64	214	211	96	115	3	0	3
65-69	809	798	379	419	11	5	6
70-74	602	591	280	311	11	3	8
75-79	464	460	195	265	4	3	1
80-84	229	225	88	137	4	1	3
85 +	157	153	50	103	4	1	3
< 6	4,429	4,403	2,231	2,172	26	12	14
06-18	12,618	12,520	6,398	6,122	98	43	55
16-64	26,822	26,623	13,277	13,346	199	90	109
16+	29,083	28,850	14,269	14,581	233	103	130
18+	27,098	26,879	13,265	13,614	219	95	124
65+	2,261	2,227	992	1,235	34	13	21
TOTAL	43,346	43,007	21,487	21,520	339	148	191

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=052-HENRY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	206	193	107	86	13	6	7
01	157	143	75	68	14	8	6
02	161	150	73	77	11	4	7
03	152	139	68	71	13	8	5
04	164	158	81	77	6	2	4
05	170	159	93	66	11	4	7
06	177	162	78	84	15	8	7
07	207	195	109	86	12	11	1
08	193	180	94	86	13	9	4
09	232	219	114	105	13	11	2
10	194	182	93	89	12	8	4
11	211	199	92	107	12	7	5
12	225	213	100	113	12	5	7
13	204	193	90	103	11	10	1
14	219	216	110	106	3	2	1
15	246	234	112	122	12	5	7
16	259	247	125	122	12	7	5
17	248	234	125	109	14	4	10
18	208	198	105	93	10	4	6
19	196	182	103	79	14	6	8
20	194	184	93	91	10	6	4
21	170	160	82	78	10	4	6
22	178	167	82	85	11	5	6
23	191	183	96	87	8	3	5
24	202	191	99	92	11	6	5
25-29	921	851	437	414	70	36	34
30-34	931	878	426	452	53	23	30
35-39	854	811	409	402	43	19	24
40-44	695	669	338	331	26	11	15
45-49	627	600	303	297	27	10	17
50-54	657	624	314	310	33	16	17
55-59	710	669	327	342	41	16	25
60	131	125	63	62	6	4	2
61	116	108	48	60	8	6	2
62	135	125	68	57	10	6	4
63	124	115	56	59	9	3	6
64	143	139	67	72	4	4	0
65-69	577	548	248	300	29	10	19
70-74	449	436	212	224	13	6	7
75-79	354	336	140	196	18	4	14
80-84	213	201	81	120	12	7	5
85 +	139	128	43	85	11	6	5
< 6	1,010	942	497	445	68	32	36
06-18	2,823	2,672	1,347	1,325	151	91	60
16-64	7,890	7,460	3,766	3,694	430	199	231
16+	9,622	9,109	4,490	4,619	513	232	281
18+	9,115	8,628	4,240	4,388	487	221	266
65+	1,732	1,649	724	925	83	33	50
TOTAL	12,740	12,044	5,979	6,065	696	340	356

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=056-JEFFERSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	10,689	8,196	4,193	4,003	2,493	1,241	1,252
01	10,033	7,642	3,968	3,674	2,391	1,205	1,186
02	9,867	7,689	3,969	3,720	2,178	1,082	1,096
03	9,766	7,577	3,876	3,701	2,189	1,102	1,087
04	9,668	7,461	3,887	3,574	2,207	1,126	1,081
05	9,547	7,461	3,793	3,668	2,086	1,044	1,042
06	9,484	7,359	3,786	3,573	2,125	1,062	1,063
07	9,824	7,452	3,806	3,646	2,372	1,185	1,187
08	10,360	7,953	4,093	3,860	2,407	1,210	1,197
09	11,355	8,853	4,501	4,352	2,502	1,215	1,287
10	10,717	8,399	4,379	4,020	2,318	1,155	1,163
11	10,209	8,017	4,118	3,899	2,192	1,133	1,059
12	9,898	7,797	3,955	3,842	2,101	1,044	1,057
13	10,060	8,086	4,164	3,922	1,974	1,017	957
14	10,660	8,547	4,350	4,197	2,113	1,054	1,059
15	11,929	9,675	4,913	4,762	2,254	1,162	1,092
16	12,753	10,283	5,222	5,061	2,470	1,222	1,248
17	12,814	10,430	5,338	5,092	2,384	1,195	1,189
18	12,075	9,696	4,836	4,860	2,379	1,206	1,173
19	12,273	9,972	4,957	5,015	2,301	1,085	1,216
20	12,386	10,033	4,957	5,076	2,353	1,066	1,287
21	12,144	9,908	4,854	5,054	2,236	1,019	1,217
22	12,945	10,668	5,170	5,498	2,277	988	1,289
23	13,314	11,093	5,414	5,679	2,221	999	1,222
24	13,398	11,122	5,394	5,728	2,276	1,019	1,257
25-29	62,911	52,349	25,976	26,373	10,562	4,655	5,907
30-34	53,025	44,846	22,408	22,438	8,179	3,770	4,409
35-39	39,922	34,166	16,694	17,472	5,756	2,584	3,172
40-44	34,561	29,562	14,071	15,491	4,999	2,189	2,810
45-49	34,793	29,916	14,214	15,702	4,877	2,110	2,767
50-54	38,624	33,571	15,930	17,641	5,053	2,254	2,799
55-59	37,462	32,582	15,318	17,264	4,880	2,191	2,689
60	6,604	5,620	2,624	2,996	984	439	545
61	6,324	5,508	2,646	2,862	816	352	464
62	5,759	5,028	2,274	2,754	731	335	396
63	5,689	4,942	2,256	2,686	747	313	434
64	5,659	4,856	2,105	2,751	803	349	454
65-69	25,332	21,752	9,202	12,550	3,580	1,506	2,074
70-74	20,536	17,670	6,666	11,004	2,866	1,161	1,705
75-79	14,592	12,612	4,338	8,274	1,980	754	1,226
80-84	8,600	7,552	2,234	5,318	1,048	358	690
85 +	6,443	5,705	1,381	4,324	738	226	512
< 6	59,570	46,026	23,686	22,340	13,544	6,800	6,744
06-18	142,138	112,547	57,461	55,086	29,591	14,860	14,731
16-64	445,435	376,151	182,658	193,493	69,284	31,340	37,944
16+	520,938	441,442	206,479	234,963	79,496	35,345	44,151
18+	495,371	420,729	195,919	224,810	74,642	32,928	41,714
65+	75,503	65,291	23,821	41,470	10,212	4,005	6,207
TOTAL	685,004	569,606	272,230	297,376	115,398	53,382	62,016

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=093-OLDHAM -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	387	379	203	176	8	2	6
01	436	426	212	214	10	7	3
02	437	426	219	207	11	3	8
03	388	371	183	188	17	10	7
04	416	402	178	224	14	4	10
05	437	427	210	217	10	4	6
06	445	435	221	214	10	5	5
07	501	488	246	242	13	3	10
08	509	491	267	224	18	11	7
09	643	627	306	321	16	7	9
10	635	617	309	308	18	2	16
11	573	557	267	290	16	3	13
12	547	536	286	250	11	6	5
13	518	503	275	228	15	5	10
14	502	485	241	244	17	7	10
15	558	538	260	278	20	11	9
16	531	504	255	249	27	20	7
17	486	466	224	242	20	13	7
18	448	428	241	187	20	14	6
19	477	425	261	164	52	47	5
20	466	397	259	138	69	62	7
21	461	401	248	153	60	56	4
22	490	414	256	158	76	69	7
23	502	447	263	184	55	52	3
24	488	435	244	191	53	47	6
25-29	2,616	2,325	1,268	1,057	291	257	34
30-34	3,083	2,927	1,513	1,414	156	128	28
35-39	2,583	2,474	1,301	1,173	109	80	29
40-44	1,742	1,674	958	716	68	47	21
45-49	1,239	1,176	677	499	63	42	21
50-54	982	937	510	427	45	29	16
55-59	900	866	436	430	34	21	13
60	161	156	71	85	5	3	2
61	166	163	78	85	3	2	1
62	168	165	95	70	3	1	2
63	118	109	56	53	9	2	7
64	155	147	72	75	8	5	3
65-69	627	604	292	312	23	9	14
70-74	416	399	196	203	17	7	10
75-79	266	247	95	152	19	13	6
80-84	177	172	58	114	5	2	3
85 +	115	108	28	80	7	4	3
< 6	2,501	2,431	1,205	1,226	70	30	40
06-18	6,896	6,675	3,398	3,277	221	107	114
16-64	18,262	17,036	9,286	7,750	1,226	997	229
16+	19,863	18,566	9,955	8,611	1,297	1,032	265
18+	18,846	17,596	9,476	8,120	1,250	999	251
65+	1,601	1,530	669	861	71	35	36
TOTAL	27,795	26,274	13,838	12,436	1,521	1,122	399

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=106-SHELBY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	330	288	150	138	42	22	20
01	340	300	149	151	40	24	16
02	305	274	141	133	31	14	17
03	323	288	140	148	35	17	18
04	306	274	128	146	32	15	17
05	315	278	133	145	37	19	18
06	319	287	107	180	32	18	14
07	330	293	165	128	37	20	17
08	363	324	158	166	39	19	20
09	408	367	184	183	41	23	18
10	392	338	155	183	54	24	30
11	361	317	160	157	44	20	24
12	355	304	159	145	51	23	28
13	381	323	158	165	58	29	29
14	390	337	187	150	53	29	24
15	475	421	232	189	54	30	24
16	495	415	222	193	80	46	34
17	562	449	248	201	113	72	41
18	460	340	175	165	120	82	38
19	426	314	157	157	112	61	51
20	415	321	164	157	94	49	45
21	351	270	123	147	81	41	40
22	334	278	137	141	56	26	30
23	324	281	136	145	43	21	22
24	359	303	141	162	56	24	32
25-29	1,730	1,550	738	812	180	81	99
30-34	1,871	1,728	831	897	143	63	80
35-39	1,613	1,482	741	741	131	58	73
40-44	1,294	1,169	608	561	125	48	77
45-49	1,199	1,090	535	555	109	53	56
50-54	1,133	1,035	514	521	98	41	57
55-59	1,143	1,030	479	551	113	56	57
60	223	194	95	99	29	11	18
61	209	189	93	96	20	10	10
62	192	178	79	99	14	11	3
63	200	184	93	91	16	7	9
64	193	178	87	91	15	9	6
65-69	976	893	392	501	83	37	46
70-74	717	659	294	365	58	29	29
75-79	557	507	202	305	50	21	29
80-84	363	334	139	195	29	14	15
85 +	296	282	114	168	14	4	10
< 6	1,919	1,702	841	861	217	111	106
06-18	5,291	4,515	2,310	2,205	776	435	341
16-64	14,726	12,978	6,396	6,582	1,748	870	878
16+	17,635	15,653	7,537	8,116	1,982	975	1,007
18+	16,578	14,789	7,067	7,722	1,789	857	932
65+	2,909	2,675	1,141	1,534	234	105	129
TOTAL	23,328	20,666	10,043	10,623	2,662	1,321	1,341

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=108-SPENCER -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	96	96	45	51	0	0	0
01	76	75	49	26	1	1	0
02	86	84	39	45	2	1	1
03	83	83	45	38	0	0	0
04	97	96	54	42	1	0	1
05	101	100	52	48	1	1	0
06	93	93	52	41	0	0	0
07	100	100	45	55	0	0	0
08	110	109	59	50	1	0	1
09	75	73	41	32	2	2	0
10	122	120	68	52	2	2	0
11	84	83	48	35	1	0	1
12	113	111	54	57	2	2	0
13	108	107	60	47	1	0	1
14	127	127	60	67	0	0	0
15	113	110	63	47	3	3	0
16	127	122	63	59	5	5	0
17	117	113	63	50	4	1	3
18	83	79	44	35	4	1	3
19	96	90	50	40	6	1	5
20	115	108	49	59	7	2	5
21	75	68	32	36	7	4	3
22	98	91	41	50	7	5	2
23	91	89	42	47	2	0	2
24	88	88	48	40	0	0	0
25-29	451	443	217	226	8	6	2
30-34	451	448	207	241	3	1	2
35-39	412	404	216	188	8	3	5
40-44	327	311	169	142	16	6	10
45-49	290	279	139	140	11	7	4
50-54	308	297	143	154	11	5	6
55-59	295	290	163	127	5	2	3
60	59	58	29	29	1	1	0
61	53	52	26	26	1	0	1
62	59	54	27	27	5	0	5
63	40	38	13	25	2	0	2
64	47	47	14	33	0	0	0
65-69	216	205	100	105	11	5	6
70-74	191	184	93	91	7	4	3
75-79	119	112	48	64	7	6	1
80-84	89	83	37	46	6	2	4
85 +	48	46	19	27	2	0	2
< 6	539	534	284	250	5	3	2
06-18	1,372	1,347	720	627	25	16	9
16-64	3,682	3,569	1,795	1,774	113	50	63
16+	4,345	4,199	2,092	2,107	146	67	79
18+	4,101	3,964	1,966	1,998	137	61	76
65+	663	630	297	333	33	17	16
TOTAL	5,929	5,766	2,926	2,840	163	79	84


KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=112-TRIMBLE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	99	99	56	43	0	0	0
01	77	77	44	33	0	0	0
02	96	96	50	46	0	0	0
03	98	98	46	52	0	0	0
04	97	97	44	53	0	0	0
05	86	86	42	44	0	0	0
06	117	117	62	55	0	0	0
07	102	102	53	49	0	0	0
08	98	98	49	49	0	0	0
09	125	125	66	59	0	0	0
10	103	103	58	45	0	0	0
11	124	123	55	68	1	1	0
12	115	115	61	54	0	0	0
13	123	122	71	51	1	1	0
14	102	102	50	52	0	0	0
15	98	98	53	45	0	0	0
16	123	123	64	59	0	0	0
17	118	118	60	58	0	0	0
18	106	106	69	37	0	0	0
19	91	91	43	48	0	0	0
20	95	95	45	50	0	0	0
21	93	93	44	49	0	0	0
22	91	91	46	45	0	0	0
23	93	92	49	43	1	0	1
24	84	84	38	46	0	0	0
25-29	457	455	205	250	2	1	1
30-34	541	539	276	263	2	0	2
35-39	411	411	207	204	0	0	0
40-44	356	356	185	171	0	0	0
45-49	284	284	139	145	0	0	0
50-54	318	318	143	175	0	0	0
55-59	319	319	173	146	0	0	0
60	43	43	14	29	0	0	0
61	62	62	26	36	0	0	0
62	64	64	27	37	0	0	0
63	51	51	30	21	0	0	0
64	60	60	34	26	0	0	0
65-69	245	245	118	127	0	0	0
70-74	194	194	89	105	0	0	0
75-79	138	138	61	77	0	0	0
80-84	84	84	43	41	0	0	0
85 +	72	72	21	51	0	0	0
< 6	553	553	282	271	0	0	0
06-18	1,454	1,452	771	681	2	2	0
16-64	3,860	3,855	1,917	1,938	5	1	4
16+	4,593	4,588	2,249	2,339	5	1	4
18+	4,352	4,347	2,125	2,222	5	1	4
65+	733	733	332	401	0	0	0
TOTAL	6,253	6,246	3,109	3,137	7	3	4

DISTRICT 7

NORTHERN KENTUCKY



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=07 NORTHERN KY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	5,566	5,406	2,756	2,650	160	79	81
01	5,177	5,015	2,598	2,417	162	80	82
02	5,059	4,927	2,535	2,392	132	65	67
03	4,977	4,833	2,518	2,315	144	75	69
04	4,776	4,649	2,365	2,284	127	65	62
05	4,816	4,685	2,354	2,331	131	52	79
06	4,606	4,496	2,333	2,163	110	60	50
07	4,966	4,834	2,463	2,371	132	64	68
08	5,078	4,954	2,571	2,383	124	57	67
09	5,678	5,559	2,859	2,700	119	69	50
10	5,408	5,262	2,721	2,541	146	79	67
11	5,344	5,227	2,690	2,537	117	68	49
12	5,342	5,214	2,676	2,538	128	59	69
13	5,491	5,373	2,685	2,688	118	52	66
14	5,689	5,545	2,844	2,701	144	71	73
15	6,096	5,957	3,101	2,856	139	68	71
16	6,208	6,061	3,068	2,993	147	73	74
17	6,090	5,941	3,027	2,914	149	87	62
18	5,444	5,317	2,663	2,654	127	63	64
19	5,617	5,496	2,737	2,759	121	51	70
20	5,479	5,327	2,602	2,725	152	86	66
21	5,336	5,224	2,518	2,706	112	52	60
22	5,594	5,458	2,663	2,795	136	70	66
23	5,637	5,508	2,725	2,783	129	60	69
24	5,564	5,417	2,616	2,801	147	69	78
25-29	26,208	25,641	12,708	12,933	567	270	297
30-34	23,549	23,119	11,295	11,824	430	198	232
35-39	18,338	17,969	8,805	9,164	369	158	211
40-44	15,930	15,645	7,525	8,120	285	130	155
45-49	14,864	14,594	7,175	7,419	270	145	125
50-54	16,214	15,941	7,622	8,319	273	111	162
55-59	15,631	15,370	7,143	8,227	261	118	143
60	2,737	2,696	1,236	1,460	41	17	24
61	2,732	2,701	1,222	1,479	31	15	16
62	2,608	2,573	1,132	1,441	35	12	23
63	2,448	2,410	1,111	1,299	38	19	19
64	2,598	2,553	1,121	1,432	45	17	28
65-69	11,473	11,225	4,882	6,343	248	118	130
70-74	9,360	9,149	3,680	5,469	211	96	115
75-79	6,743	6,606	2,436	4,170	137	54	83
80-84	4,133	4,048	1,377	2,671	85	30	55
85 +	2,946	2,876	854	2,022	70	30	40
< 6	30,371	29,515	15,126	14,389	856	416	440
06-18	71,440	69,740	35,701	34,039	1,700	870	830
16-64	194,826	190,961	92,714	98,247	3,865	1,821	2,044
16+	229,481	224,865	105,943	118,922	4,616	2,149	2,467
18+	217,183	212,863	99,848	113,015	4,320	1,989	2,331
65+	34,655	33,904	13,229	20,675	751	328	423
TOTAL	313,550	306,801	148,012	158,789	6,749	3,212	3,537

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=008-BOONE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	884	873	459	414	11	3	8
01	785	776	387	389	9	7	2
02	809	795	437	358	14	10	4
03	824	814	437	377	10	3	7
04	788	776	386	390	12	8	4
05	781	774	402	372	7	3	4
06	788	779	434	345	9	3	6
07	799	794	406	388	5	4	1
08	834	822	443	379	12	7	5
09	933	922	475	447	11	7	4
10	908	897	470	427	11	5	6
11	907	899	454	445	8	5	3
12	834	828	438	390	6	4	2
13	843	840	436	404	3	3	0
14	824	818	405	413	6	3	3
15	942	940	468	472	2	1	1
16	920	915	471	444	5	3	2
17	868	862	424	438	6	3	3
18	771	769	388	381	2	2	0
19	745	741	355	386	4	1	3
20	728	720	357	363	8	5	3
21	787	781	349	432	6	3	3
22	780	770	361	409	10	4	6
23	779	768	378	390	11	5	6
24	886	864	424	440	22	11	11
25-29	4,203	4,155	1,998	2,157	48	21	27
30-34	4,010	3,961	1,880	2,081	49	20	29
35-39	3,253	3,214	1,602	1,612	39	20	19
40-44	2,560	2,539	1,248	1,291	21	10	11
45-49	2,321	2,298	1,146	1,152	23	12	11
50-54	2,241	2,233	1,123	1,110	8	2	6
55-59	1,958	1,941	971	970	17	6	11
60	328	326	153	173	2	0	2
61	281	279	132	147	2	1	1
62	288	286	133	153	2	2	0
63	266	263	125	138	3	1	2
64	261	260	111	149	1	0	1
65-69	1,106	1,099	485	614	7	3	4
70-74	882	875	361	514	7	4	3
75-79	593	590	231	359	3	1	2
80-84	333	327	132	195	6	1	5
85 +	211	209	65	144	2	0	2
< 6	4,871	4,808	2,508	2,300	63	34	29
06-18	11,171	11,085	5,712	5,373	86	50	36
16-64	29,234	28,945	14,129	14,816	289	132	157
16+	32,359	32,045	15,403	16,642	314	141	173
18+	30,571	30,268	14,508	15,760	303	135	168
65+	3,125	3,100	1,274	1,826	25	9	16
TOTAL	45,842	45,392	22,340	23,052	450	217	233

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=019-CAMPBELL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	1,460	1,424	728	696	36	24	12
01	1,322	1,296	661	635	26	13	13
02	1,292	1,268	606	662	24	12	12
03	1,209	1,182	612	570	27	11	16
04	1,187	1,167	573	594	20	13	7
05	1,176	1,154	579	575	22	8	14
06	1,132	1,115	580	535	17	10	7
07	1,295	1,265	636	629	30	15	15
08	1,271	1,252	656	596	19	11	8
09	1,477	1,449	724	725	28	19	9
10	1,401	1,380	738	642	21	9	12
11	1,340	1,326	676	650	14	9	5
12	1,425	1,407	699	708	18	6	12
13	1,482	1,454	726	728	28	15	13
14	1,528	1,503	779	724	25	11	14
15	1,610	1,587	816	771	23	13	10
16	1,704	1,683	860	823	21	11	10
17	1,709	1,683	873	810	26	16	10
18	1,517	1,500	756	744	17	4	13
19	1,592	1,573	780	793	19	7	12
20	1,538	1,520	735	785	18	7	11
21	1,442	1,420	698	722	22	8	14
22	1,493	1,472	698	774	21	9	12
23	1,525	1,507	747	760	18	12	6
24	1,417	1,396	691	705	21	13	8
25-29	6,641	6,553	3,282	3,271	88	37	51
30-34	5,623	5,548	2,740	2,808	75	37	38
35-39	4,423	4,370	2,082	2,288	53	18	35
40-44	4,059	4,012	1,906	2,106	47	23	24
45-49	4,068	4,032	1,958	2,074	36	23	13
50-54	4,535	4,483	2,113	2,370	52	23	29
55-59	4,462	4,415	1,998	2,417	47	20	27
60	798	796	353	443	2	1	1
61	812	806	374	432	6	5	1
62	755	748	329	419	7	2	5
63	729	721	323	398	8	4	4
64	745	739	333	406	6	3	3
65-69	3,303	3,263	1,391	1,872	40	27	13
70-74	2,702	2,674	1,041	1,633	28	15	13
75-79	1,984	1,967	721	1,246	17	6	11
80-84	1,216	1,203	379	824	13	8	5
85 +	918	905	252	653	13	9	4
< 6	7,646	7,491	3,759	3,732	155	81	74
06-18	18,891	18,604	9,519	9,085	287	149	138
16-64	51,587	50,977	24,629	26,348	610	283	327
16+	61,710	60,989	28,413	32,576	721	348	373
18+	58,297	57,623	26,680	30,943	674	321	353
65+	10,123	10,012	3,784	6,228	111	65	46
TOTAL	83,317	82,218	39,202	43,016	1,099	547	552

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=021-CARROLL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	148	145	66	79	3	2	1
01	143	139	81	58	4	2	2
02	129	126	63	63	3	0	3
03	133	133	66	67	0	0	0
04	134	132	68	64	2	1	1
05	149	146	79	67	3	0	3
06	137	136	65	71	1	1	0
07	143	140	70	70	3	1	2
08	140	140	70	70	0	0	0
09	154	153	77	76	1	1	0
10	142	139	70	69	3	1	2
11	136	134	75	59	2	1	1
12	156	155	76	79	1	1	0
13	147	146	80	66	1	1	0
14	175	172	87	85	3	1	2
15	181	178	92	86	3	1	2
16	176	173	91	82	3	3	0
17	173	168	79	89	5	2	3
18	167	161	80	81	6	2	4
19	163	160	83	77	3	2	1
20	148	145	72	73	3	2	1
21	131	128	69	59	3	3	0
22	125	121	57	64	4	2	2
23	164	159	78	81	5	0	5
24	159	155	75	80	4	2	2
25-29	623	606	280	326	17	7	10
30-34	675	665	326	339	10	8	2
35-39	566	559	283	276	7	3	4
40-44	527	518	248	270	9	5	4
45-49	452	442	223	219	10	4	6
50-54	493	477	222	255	16	9	7
55-59	505	490	230	260	15	5	10
60	95	93	48	45	2	0	2
61	103	103	45	58	0	0	0
62	91	90	47	43	1	1	0
63	75	74	35	39	1	1	0
64	101	97	39	58	4	1	3
65-69	432	428	214	214	4	3	1
70-74	328	321	142	179	7	4	3
75-79	215	208	86	122	7	3	4
80-84	142	139	49	90	3	2	1
85 +	94	90	34	56	4	2	2
< 6	836	821	423	398	15	5	10
06-18	2,027	1,995	1,012	983	32	16	16
16-64	5,712	5,584	2,710	2,874	128	62	66
16+	6,923	6,770	3,235	3,535	153	76	77
18+	6,574	6,429	3,065	3,364	145	71	74
65+	1,211	1,186	525	661	25	14	11
TOTAL	9,270	9,084	4,420	4,664	186	90	96

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=039-GALLATIN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	80	77	43	34	3	0	3
01	70	67	41	26	3	2	1
02	74	71	38	33	3	2	1
03	77	76	44	32	1	0	1
04	85	84	51	33	1	1	0
05	75	72	36	36	3	2	1
06	71	70	36	34	1	1	0
07	79	77	46	31	2	1	1
08	63	63	41	22	0	0	0
09	100	98	57	41	2	1	1
10	83	80	44	36	3	0	3
11	79	78	35	43	1	0	1
12	84	83	36	47	1	1	0
13	95	91	44	47	4	2	2
14	98	92	45	47	6	5	1
15	109	107	62	45	2	1	1
16	120	117	59	58	3	0	3
17	101	101	56	45	0	0	0
18	82	80	46	34	2	2	0
19	79	75	40	35	4	2	2
20	79	77	40	37	2	2	0
21	81	77	39	38	4	3	1
22	80	78	43	35	2	0	2
23	66	61	28	33	5	2	3
24	71	68	28	40	3	2	1
25-29	342	334	159	175	8	5	3
30-34	361	355	176	179	6	1	5
35-39	326	314	147	167	12	6	6
40-44	260	255	137	118	5	3	2
45-49	238	235	126	109	3	1	2
50-54	259	250	127	123	9	4	5
55-59	233	227	116	111	6	2	4
60	47	45	23	22	2	1	1
61	47	47	25	22	0	0	0
62	24	23	11	12	1	0	1
63	32	32	18	14	0	0	0
64	49	48	22	26	1	1	0
65-69	201	195	93	102	6	2	4
70-74	150	141	61	80	9	5	4
75-79	106	103	36	67	3	0	3
80-84	54	54	26	28	0	0	0
85 +	32	31	10	21	1	0	1
< 6	461	447	253	194	14	7	7
06-18	1,164	1,137	607	530	27	14	13
16-64	2,977	2,899	1,466	1,433	78	37	41
16+	3,520	3,423	1,692	1,731	97	44	53
18+	3,299	3,205	1,577	1,628	94	44	50
65+	543	524	226	298	19	7	12
TOTAL	4,842	4,709	2,391	2,318	133	63	70

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=041-GRANT -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	213	212	109	103	1	0	1
01	231	230	123	107	1	0	1
02	192	192	94	98	0	0	0
03	218	218	119	99	0	0	0
04	208	208	98	110	0	0	0
05	216	215	102	113	1	0	1
06	210	210	110	100	0	0	0
07	226	226	129	97	0	0	0
08	230	230	114	116	0	0	0
09	263	263	138	125	0	0	0
10	255	254	129	125	1	1	0
11	245	245	123	122	0	0	0
12	244	243	132	111	1	1	0
13	238	238	114	124	0	0	0
14	271	269	134	135	2	2	0
15	290	287	130	157	3	2	1
16	277	271	146	125	6	6	0
17	253	250	126	124	3	3	0
18	220	219	118	101	1	1	0
19	205	205	102	103	0	0	0
20	203	202	91	111	1	1	0
21	184	182	91	91	2	1	1
22	205	204	104	100	1	1	0
23	189	189	90	99	0	0	0
24	192	191	92	99	1	1	0
25-29	932	931	464	467	1	0	1
30-34	1,002	999	460	539	3	1	2
35-39	906	903	459	444	3	0	3
40-44	760	759	390	369	1	0	1
45-49	608	604	311	293	4	0	4
50-54	596	594	281	313	2	0	2
55-59	659	655	292	363	4	2	2
60	114	114	56	58	0	0	0
61	123	122	54	68	1	0	1
62	113	113	55	58	0	0	0
63	90	90	37	53	0	0	0
64	123	121	63	58	2	0	2
65-69	521	519	251	268	2	0	2
70-74	437	435	200	235	2	1	1
75-79	324	323	147	176	1	0	1
80-84	175	172	76	96	3	1	2
85 +	147	146	61	85	1	0	1
< 6	1,278	1,275	645	630	3	0	3
06-18	3,222	3,205	1,643	1,562	17	16	1
16-64	7,954	7,918	3,882	4,036	36	17	19
16+	9,558	9,513	4,617	4,896	45	19	26
18+	9,028	8,992	4,345	4,647	36	10	26
65+	1,604	1,595	735	860	9	2	7
TOTAL	13,308	13,253	6,515	6,738	55	25	30

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=059-KENTON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	2,430	2,326	1,166	1,160	104	49	55
01	2,337	2,219	1,155	1,064	118	55	63
02	2,253	2,167	1,147	1,020	86	39	47
03	2,213	2,107	1,087	1,020	106	61	45
04	2,052	1,966	1,035	931	86	41	45
05	2,132	2,042	1,020	1,022	90	38	52
06	1,949	1,869	946	923	80	43	37
07	2,091	2,006	1,007	999	85	39	46
08	2,184	2,095	1,073	1,022	89	37	52
09	2,400	2,330	1,207	1,123	70	36	34
10	2,299	2,195	1,113	1,082	104	60	44
11	2,291	2,201	1,150	1,051	90	51	39
12	2,280	2,181	1,117	1,064	99	46	53
13	2,347	2,267	1,121	1,146	80	30	50
14	2,449	2,352	1,209	1,143	97	45	52
15	2,541	2,437	1,297	1,140	104	49	55
16	2,633	2,528	1,243	1,285	105	49	56
17	2,561	2,458	1,241	1,217	103	59	44
18	2,399	2,305	1,130	1,175	94	50	44
19	2,500	2,413	1,193	1,220	87	36	51
20	2,461	2,346	1,146	1,200	115	66	49
21	2,409	2,336	1,112	1,224	73	33	40
22	2,638	2,543	1,265	1,278	95	51	44
23	2,622	2,536	1,264	1,272	86	37	49
24	2,549	2,456	1,154	1,302	93	38	55
25-29	12,027	11,642	5,830	5,812	385	187	198
30-34	10,503	10,238	5,035	5,203	265	117	148
35-39	7,690	7,440	3,655	3,785	250	110	140
40-44	6,758	6,567	3,130	3,437	191	84	107
45-49	6,212	6,031	2,923	3,108	181	99	82
50-54	7,066	6,900	3,257	3,643	166	65	101
55-59	6,779	6,628	3,035	3,593	151	71	80
60	1,186	1,155	522	633	31	13	18
61	1,154	1,136	502	634	18	8	10
62	1,173	1,151	485	666	22	6	16
63	1,070	1,050	478	572	20	9	11
64	1,115	1,088	458	630	27	10	17
65-69	4,984	4,815	2,002	2,813	169	77	92
70-74	4,164	4,019	1,576	2,443	145	58	87
75-79	3,017	2,918	1,012	1,906	99	43	56
80-84	1,862	1,810	581	1,229	52	16	36
85 +	1,278	1,234	317	917	44	16	28
< 6	13,417	12,827	6,610	6,217	590	283	307
06-18	30,424	29,224	14,854	14,370	1,200	594	606
16-64	85,505	82,947	40,058	42,889	2,558	1,198	1,360
16+	100,810	97,743	45,546	52,197	3,067	1,408	1,659
18+	95,616	92,757	43,062	49,695	2,859	1,300	1,559
65+	15,305	14,796	5,488	9,308	509	210	299
TOTAL	137,058	132,503	63,396	69,107	4,555	2,127	2,428

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=094-OWEN -----


AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	174	172	92	80	2	1	1
01	121	120	57	63	1	1	0
02	143	142	67	75	1	1	0
03	147	147	74	73	0	0	0
04	141	136	69	67	5	1	4
05	131	127	59	68	4	1	3
06	135	133	67	66	2	2	0
07	132	127	69	58	5	4	1
08	165	161	76	85	4	2	2
09	152	145	74	71	7	5	2
10	128	125	58	67	3	3	0
11	143	143	75	68	0	0	0
12	121	119	62	57	2	0	2
13	128	127	56	71	1	1	0
14	145	140	73	67	5	4	1
15	175	173	96	77	2	1	1
16	165	161	71	90	4	1	3
17	171	168	103	65	3	2	1
18	118	114	58	56	4	1	3
19	112	109	61	48	3	2	1
20	131	127	66	61	4	2	2
21	120	120	58	62	0	0	0
22	106	104	56	48	2	2	0
23	118	115	51	64	3	3	0
24	142	139	76	63	1	2	1
25-29	651	634	303	331	17	11	6
30-34	614	596	289	307	18	13	5
35-39	521	517	273	244	4	0	4
40-44	437	428	202	226	9	5	4
45-49	444	434	233	201	10	6	4
50-54	462	446	228	218	16	5	11
55-59	488	467	228	239	21	12	9
60	84	82	43	39	2	2	0
61	103	100	46	54	3	1	2
62	78	76	35	41	2	1	1
63	93	88	47	41	5	3	2
64	106	103	49	54	3	2	1
65-69	460	444	222	222	16	6	10
70-74	378	367	150	217	11	7	4
75-79	248	244	103	141	4	1	3
80-84	166	161	64	97	5	1	4
85 +	127	123	54	69	4	2	2
< 6	857	844	418	426	13	5	8
06-18	1,878	1,836	938	898	42	26	16
16-64	5,264	5,128	2,576	2,552	136	76	60
16+	6,643	6,467	3,169	3,298	176	93	83
18+	6,307	6,138	2,995	3,143	169	90	79
65+	1,379	1,339	593	746	40	17	23
TOTAL	8,924	8,704	4,293	4,411	220	120	100

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=096-PENDLETON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	177	177	93	84	0	0	0
01	168	168	93	75	0	0	0
02	167	166	83	83	1	1	0
03	156	156	79	77	0	0	0
04	181	180	85	95	1	0	1
05	156	155	77	78	1	0	1
06	184	184	95	89	0	0	0
07	201	199	100	99	2	0	2
08	191	191	98	93	0	0	0
09	199	199	107	92	0	0	0
10	192	192	99	93	0	0	0
11	203	201	102	99	2	2	0
12	198	198	116	82	0	0	0
13	211	210	108	102	1	0	1
14	199	199	112	87	0	0	0
15	248	248	140	108	0	0	0
16	213	213	127	86	0	0	0
17	254	251	125	126	3	2	1
18	170	169	87	82	1	1	0
19	221	220	123	97	1	1	0
20	191	190	95	95	1	1	0
21	182	180	102	78	2	1	1
22	167	166	79	87	1	1	0
23	174	173	89	84	1	1	0
24	148	148	76	72	0	0	0
25-29	789	786	392	394	3	2	1
30-34	761	757	389	368	4	1	3
35-39	653	652	304	348	1	1	0
40-44	569	567	264	303	2	0	2
45-49	521	518	255	263	3	0	3
50-54	562	558	271	287	4	3	1
55-59	547	547	273	274	0	0	0
60	85	85	38	47	0	0	0
61	109	108	44	64	1	0	1
62	86	86	37	49	0	0	0
63	93	92	48	44	1	1	0
64	98	97	46	51	1	0	1
65-69	466	462	224	238	4	0	4
70-74	319	317	149	168	2	2	0
75-79	256	253	100	153	3	0	3
80-84	185	182	70	112	3	1	2
85 +	139	138	61	77	1	1	0
< 6	1,005	1,002	510	492	3	1	2
06-18	2,663	2,654	1,416	1,238	9	5	4
16-64	6,593	6,563	3,264	3,299	30	16	14
16+	7,958	7,915	3,868	4,047	43	20	23
18+	7,491	7,451	3,616	3,835	40	18	22
65+	1,365	1,352	604	748	13	4	9
TOTAL	10,989	10,938	5,455	5,483	51	23	28

DISTRICT 8 - BUFFALO TRACE



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=08 BUFFALO TRACE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	913	880	467	413	33	12	21
01	796	769	435	334	27	9	18
02	811	784	427	357	27	15	12
03	843	814	381	433	29	15	14
04	768	748	372	376	20	9	11
05	879	849	431	418	30	17	13
06	856	829	424	405	27	14	13
07	902	872	470	402	30	16	14
08	907	881	473	408	26	11	15
09	959	918	478	440	41	22	19
10	905	873	427	446	32	16	16
11	940	905	448	457	35	19	16
12	954	918	468	450	36	16	20
13	932	902	468	434	30	18	12
14	1,030	994	517	477	36	19	17
15	1,102	1,067	558	509	35	17	18
16	1,096	1,052	536	516	44	20	24
17	1,079	1,032	537	495	47	24	23
18	879	842	404	438	37	18	19
19	874	849	411	438	25	10	15
20	831	799	397	402	32	16	16
21	819	794	396	398	25	10	15
22	859	833	427	406	26	9	17
23	898	872	441	431	26	11	15
24	918	890	450	440	28	18	10
25-29	4,138	4,024	2,016	2,008	114	54	60
30-34	3,704	3,617	1,789	1,828	87	35	52
35-39	3,094	3,020	1,509	1,511	74	31	43
40-44	2,719	2,644	1,298	1,346	75	36	39
45-49	2,679	2,593	1,264	1,329	86	35	51
50-54	2,767	2,669	1,301	1,368	98	44	54
55-59	2,821	2,746	1,327	1,419	75	39	36
60	511	496	232	264	15	8	7
61	521	507	220	287	14	5	9
62	526	510	244	266	16	8	8
63	527	517	243	274	10	5	5
64	557	541	239	302	16	6	10
65-69	2,387	2,283	1,056	1,227	104	43	61
70-74	2,007	1,941	906	1,035	66	31	35
75-79	1,440	1,395	575	820	45	17	28
80-84	826	791	315	476	35	17	18
85 +	662	642	229	413	20	7	13
< 6	5,010	4,844	2,513	2,331	166	77	89
06-18	12,541	12,085	6,208	5,877	456	230	226
16-64	32,817	31,847	15,681	16,166	970	442	528
16+	40,139	38,899	18,762	20,137	1,240	557	683
18+	37,964	36,815	17,689	19,126	1,149	513	636
65+	7,322	7,052	3,081	3,971	270	115	155
TOTAL	54,636	52,902	26,006	26,896	1,734	802	932

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=012-BRACKEN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	131	131	69	62	0	0	0
01	109	109	57	52	0	0	0
02	114	113	65	48	1	1	0
03	92	92	41	51	0	0	0
04	87	87	43	44	0	0	0
05	124	123	47	76	1	0	1
06	106	106	45	61	0	0	0
07	124	122	64	58	2	1	1
08	129	129	68	61	0	0	0
09	140	139	74	65	1	1	0
10	126	124	64	60	2	0	2
11	140	138	72	66	2	1	1
12	151	147	75	72	4	4	0
13	127	123	63	60	4	1	3
14	124	123	58	65	1	0	1
15	160	157	82	75	3	1	2
16	154	154	73	81	0	0	0
17	149	148	81	67	1	1	0
18	118	117	54	63	1	0	1
19	131	131	61	70	0	0	0
20	131	131	61	70	0	0	0
21	111	110	51	59	1	1	0
22	110	110	59	51	0	0	0
23	122	122	62	60	0	0	0
24	101	101	57	44	0	0	0
25-29	486	486	246	240	0	0	0
30-34	526	523	261	262	3	0	3
35-39	412	405	196	209	7	0	7
40-44	414	409	202	207	5	2	3
45-49	385	384	185	199	1	1	0
50-54	401	400	207	193	1	1	0
55-59	437	435	201	234	2	0	2
60	84	83	37	46	1	0	1
61	76	76	35	41	0	0	0
62	67	65	30	35	2	1	1
63	76	73	39	34	3	2	1
64	88	87	38	49	1	1	0
65-69	360	355	166	189	5	1	4
70-74	345	342	157	185	3	1	2
75-79	230	229	88	141	1	0	1
80-84	132	128	48	80	4	3	1
85 +	108	107	45	62	1	0	1
< 6	657	635	322	333	2	1	1
06-18	1,748	1,727	873	854	21	10	11
16-64	4,579	4,550	2,236	2,314	29	10	19
16+	5,754	5,711	2,740	2,971	43	15	28
18+	5,451	5,409	2,586	2,823	42	14	28
65+	1,175	1,161	504	657	14	5	9
TOTAL	7,738	7,674	3,727	3,947	64	25	39

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTRY=035-FLEMING -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	188	187	103	84	1	0	1
01	174	170	101	69	4	1	3
02	170	168	85	83	2	2	0
03	188	183	93	90	5	3	2
04	171	169	82	87	2	0	2
05	193	184	108	76	9	4	5
06	195	190	102	88	5	3	2
07	201	199	113	86	2	2	0
08	198	197	101	96	1	0	1
09	211	205	107	98	6	4	2
10	208	203	97	106	5	1	4
11	195	190	91	99	5	2	3
12	203	200	100	100	3	2	1
13	222	220	104	116	2	1	1
14	233	228	119	109	5	1	4
15	244	235	122	113	9	4	5
16	235	225	110	115	10	5	5
17	226	219	106	113	7	3	4
18	195	191	91	100	4	0	4
19	172	168	85	83	4	2	2
20	177	169	85	84	8	5	3
21	177	174	97	77	3	1	2
22	201	196	95	101	5	1	4
23	204	200	103	97	4	3	1
24	224	221	118	103	3	1	2
25-29	939	926	457	469	13	5	8
30-34	919	905	463	442	14	5	9
35-39	708	703	355	348	5	4	1
40-44	594	587	299	288	7	3	4
45-49	605	596	292	304	9	2	7
50-54	586	579	264	315	7	4	3
55-59	586	575	298	277	11	7	4
60	118	117	50	67	1	0	1
61	119	119	52	67	0	0	0
62	113	113	54	59	0	0	0
63	124	121	55	66	3	2	1
64	145	142	63	79	3	2	1
65-69	539	521	250	271	18	6	12
70-74	459	450	219	231	9	4	5
75-79	357	348	141	207	9	4	5
80-84	231	224	84	140	7	3	4
85 +	176	168	53	115	8	4	4
< 6	1,084	1,061	572	489	23	10	13
06-18	2,766	2,702	1,363	1,339	64	28	36
16-64	7,367	7,246	3,592	3,654	121	55	66
16+	9,129	8,957	4,339	4,618	172	76	96
18+	8,668	8,513	4,123	4,390	155	68	87
65+	1,762	1,711	747	964	51	21	30
TOTAL	12,323	12,085	5,967	6,118	238	106	132

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=068-LEWIS -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	275	273	139	134	2	0	2
01	224	221	123	98	3	1	2
02	228	227	118	109	1	1	0
03	266	263	116	147	3	1	2
04	263	262	136	126	1	1	0
05	268	267	143	124	1	1	0
06	263	261	138	123	2	0	2
07	293	292	156	136	1	1	0
08	270	269	146	123	1	0	1
09	294	292	152	140	2	1	1
10	268	268	128	140	0	0	0
11	279	278	146	132	1	0	1
12	264	264	146	118	0	0	0
13	267	267	152	115	0	0	0
14	320	319	168	151	1	0	1
15	329	329	176	153	0	0	0
16	326	326	171	155	0	0	0
17	315	315	158	157	0	0	0
18	256	256	132	124	0	0	0
19	265	265	134	131	0	0	0
20	229	227	111	116	2	0	2
21	213	213	100	113	0	0	0
22	243	243	131	112	0	0	0
23	259	259	124	135	0	0	0
24	263	261	136	125	2	2	0
25-29	1,103	1,100	538	562	3	1	2
30-34	984	981	474	507	3	1	2
35-39	848	846	436	410	2	0	2
40-44	770	769	380	389	1	1	0
45-49	695	693	364	329	2	0	2
50-54	608	607	296	311	1	0	1
55-59	620	618	298	320	2	0	2
60	107	107	53	54	0	0	0
61	113	113	46	67	0	0	0
62	120	120	58	62	0	0	0
63	118	118	52	66	0	0	0
64	118	118	50	68	0	0	0
65-69	571	569	289	280	2	0	2
70-74	458	457	235	222	1	1	0
75-79	290	285	131	154	5	2	3
80-84	156	155	79	76	1	1	0
85 +	126	126	43	83	0	0	0
< 6	1,524	1,513	775	738	11	5	6
06-18	3,744	3,736	1,969	1,767	8	2	6
16-64	8,573	8,555	4,242	4,313	18	5	13
16+	10,174	10,147	5,019	5,128	27	9	18
18+	9,533	9,506	4,690	4,816	27	9	18
65+	1,601	1,592	777	815	9	4	5
TOTAL	14,545	14,499	7,302	7,197	46	16	30

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=081-MASON -----


AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	285	255	137	118	30	12	18
01	258	238	138	100	20	7	13
02	261	238	132	106	23	11	12
03	271	250	117	133	21	11	10
04	223	206	100	106	17	8	9
05	264	245	117	128	19	12	7
06	263	243	124	119	20	11	9
07	260	235	119	116	25	12	13
08	280	256	139	117	24	11	13
09	279	247	127	120	32	16	16
10	267	242	117	125	25	15	10
11	295	268	129	139	27	16	11
12	298	269	128	141	29	10	19
13	281	257	130	127	24	16	8
14	315	286	151	135	29	18	11
15	317	294	157	137	23	12	11
16	328	294	155	139	34	15	19
17	349	310	168	142	39	20	19
18	279	247	110	137	32	18	14
19	270	249	114	135	21	8	13
20	256	234	127	107	22	11	11
21	295	274	140	134	21	8	13
22	278	257	125	132	21	8	13
23	285	263	139	124	22	8	14
24	296	273	125	148	23	15	8
25-29	1,445	1,347	688	659	98	48	50
30-34	1,137	1,070	527	543	67	29	38
35-39	985	927	455	472	58	27	31
40-44	827	765	362	403	62	30	32
45-49	881	808	370	438	73	31	42
50-54	1,037	948	460	488	89	39	50
55-59	1,050	991	465	526	59	31	28
60	178	165	76	89	13	8	5
61	196	182	79	103	14	5	9
62	205	191	95	96	14	7	7
63	183	179	85	94	4	1	3
64	174	162	78	84	12	3	9
65-69	806	729	301	428	77	35	42
70-74	629	578	234	344	51	23	28
75-79	484	454	180	274	30	11	19
80-84	272	249	90	159	23	10	13
85 +	223	212	74	138	11	3	8
< 6	1,562	1,432	741	691	130	61	69
06-18	3,811	3,448	1,754	1,694	363	190	173
16-64	10,934	10,136	4,943	5,193	798	370	428
16+	13,348	12,358	5,822	6,536	990	452	538
18+	12,671	11,754	5,499	6,255	917	417	500
65+	2,414	2,222	879	1,343	192	82	110
TOTAL	17,765	16,387	7,884	8,503	1,378	650	728

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=101-ROBERTSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	34	34	19	15	0	0	0
01	31	31	16	15	0	0	0
02	38	38	27	11	0	0	0
03	26	26	14	12	0	0	0
04	24	24	11	13	0	0	0
05	30	30	16	14	0	0	0
06	29	29	15	14	0	0	0
07	24	24	18	6	0	0	0
08	30	30	19	11	0	0	0
09	35	35	18	17	0	0	0
10	36	36	21	15	0	0	0
11	31	31	10	21	0	0	0
12	38	38	19	19	0	0	0
13	35	35	19	16	0	0	0
14	38	38	21	17	0	0	0
15	52	52	21	31	0	0	0
16	53	53	27	26	0	0	0
17	40	40	24	16	0	0	0
18	31	31	17	14	0	0	0
19	36	36	17	19	0	0	0
20	38	38	13	25	0	0	0
21	23	23	8	15	0	0	0
22	27	27	17	10	0	0	0
23	28	28	13	15	0	0	0
24	34	34	14	20	0	0	0
25-29	165	165	87	78	0	0	0
30-34	138	138	64	74	0	0	0
35-39	141	139	67	72	2	0	2
40-44	114	114	55	59	0	0	0
45-49	113	112	53	59	1	1	0
50-54	135	135	74	61	0	0	0
55-59	128	127	65	62	1	1	0
60	24	24	16	8	0	0	0
61	17	17	8	9	0	0	0
62	21	21	7	14	0	0	0
63	26	26	12	14	0	0	0
64	32	32	10	22	0	0	0
65-69	111	109	50	59	2	1	1
70-74	116	114	61	53	2	2	0
75-79	79	79	35	44	0	0	0
80-84	35	35	14	21	0	0	0
85 +	29	29	14	15	0	0	0
< 6	183	183	103	80	0	0	0
06-18	472	472	249	223	0	0	0
16-64	1,364	1,360	668	692	4	2	2
16+	1,734	1,726	842	884	8	5	3
18+	1,641	1,633	791	842	8	5	3
65+	370	366	174	192	4	3	1
TOTAL	2,265	2,257	1,126	1,131	8	5	3

DISTRICT 9 - GATEWAY



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=09 GATEWAY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	1,097	1,065	530	535	32	8	24
01	987	957	500	457	30	19	11
02	1,014	995	512	483	19	9	10
03	1,008	988	516	472	20	8	12
04	1,041	1,021	512	509	20	12	8
05	1,055	1,025	539	486	30	14	16
06	1,013	988	514	474	25	14	11
07	1,050	1,027	554	473	23	11	12
08	1,120	1,094	568	526	26	11	15
09	1,147	1,117	553	564	30	17	13
10	1,150	1,124	582	542	26	13	13
11	1,081	1,057	550	507	24	11	13
12	1,058	1,038	549	489	20	13	7
13	1,153	1,125	598	527	28	13	15
14	1,082	1,054	546	508	28	12	16
15	1,263	1,221	613	608	42	23	19
16	1,235	1,202	652	550	33	22	11
17	1,278	1,213	650	563	65	38	27
18	1,683	1,597	743	854	86	55	31
19	1,740	1,661	780	881	79	49	30
20	1,697	1,620	769	851	77	46	31
21	1,553	1,470	672	798	83	54	29
22	1,427	1,369	685	684	58	31	27
23	1,244	1,208	612	596	36	21	15
24	1,197	1,148	601	547	49	34	15
25-29	5,141	4,984	2,439	2,545	157	90	67
30-34	4,823	4,720	2,267	2,453	103	52	51
35-39	3,792	3,707	1,855	1,852	85	43	42
40-44	3,321	3,254	1,601	1,653	67	27	40
45-49	3,025	2,964	1,424	1,540	61	24	37
50-54	2,995	2,935	1,425	1,510	60	24	36
55-59	2,893	2,810	1,375	1,435	83	40	43
60	526	511	244	267	15	3	12
61	543	531	279	252	12	3	9
62	518	503	235	268	15	11	4
63	513	495	240	255	18	6	12
64	553	541	242	299	12	7	5
65-69	2,446	2,361	1,089	1,272	85	47	38
70-74	1,968	1,906	857	1,049	62	21	41
75-79	1,376	1,333	568	765	43	17	26
80-84	870	842	363	479	28	7	21
85 +	664	634	234	400	30	7	23
< 6	6,202	6,051	3,109	2,942	151	70	81
06-18	15,313	14,857	7,672	7,185	456	253	203
16-64	41,697	40,443	19,790	20,653	1,254	680	574
16+	49,021	47,519	22,901	24,618	1,502	779	723
18+	46,508	45,104	21,599	23,505	1,404	719	685
65+	7,324	7,076	3,111	3,965	248	99	149
TOTAL	66,340	64,415	31,637	32,778	1,925	987	938

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=006-BATH -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	150	146	76	70	4	1	3
01	153	148	71	77	5	4	1
02	163	161	90	71	2	2	0
03	151	147	81	66	4	0	4
04	150	144	68	76	6	4	2
05	160	157	82	75	3	0	3
06	147	144	75	69	3	2	1
07	150	147	79	68	3	2	1
08	180	174	82	92	6	2	4
09	154	149	68	81	5	1	4
10	173	166	83	83	7	3	4
11	154	149	70	79	5	3	2
12	177	173	100	73	4	2	2
13	159	148	74	74	11	3	8
14	168	160	91	69	8	2	6
15	200	187	98	89	13	8	5
16	189	187	100	87	2	1	1
17	211	198	105	93	13	6	7
18	172	161	71	90	11	7	4
19	165	160	78	82	5	4	1
20	163	157	85	72	6	2	4
21	137	131	71	60	6	4	2
22	162	160	81	79	2	0	2
23	167	163	91	72	4	2	2
24	162	154	83	71	8	6	2
25-29	720	698	336	362	22	11	11
30-34	727	707	351	356	20	8	12
35-39	569	550	281	269	19	11	8
40-44	551	533	251	282	18	7	11
45-49	501	485	238	247	16	8	8
50-54	500	493	248	245	7	3	4
55-59	470	455	231	224	15	7	8
60	105	102	55	47	3	0	3
61	110	107	57	50	3	0	3
62	77	75	36	39	2	1	1
63	91	89	48	41	2	1	1
64	87	84	35	49	3	2	1
65-69	469	445	186	259	24	14	10
70-74	362	351	171	180	11	4	7
75-79	271	262	108	154	9	5	4
80-84	160	155	74	81	5	2	3
85 +	138	134	48	86	4	1	3
< 6	927	903	468	435	24	11	13
06-18	2,234	2,143	1,096	1,047	91	42	49
16-64	6,036	5,849	2,932	2,917	187	91	96
16+	7,436	7,196	3,519	3,677	240	117	123
18+	7,036	6,811	3,314	3,497	225	110	115
65+	1,400	1,347	587	760	53	26	27
TOTAL	10,025	9,696	4,807	4,889	329	156	173

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=083-MENIFEE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	79	79	42	37	0	0	0
01	84	84	43	41	0	0	0
02	88	88	37	51	0	0	0
03	82	82	43	39	0	0	0
04	81	80	50	30	1	1	0
05	82	82	43	39	0	0	0
06	80	80	45	35	0	0	0
07	89	88	38	50	1	0	1
08	89	89	45	44	0	0	0
09	106	106	55	51	0	0	0
10	93	93	49	44	0	0	0
11	94	94	51	43	0	0	0
12	88	87	39	48	1	1	0
13	90	89	47	42	1	1	0
14	99	98	63	35	1	1	0
15	132	131	73	58	1	1	0
16	120	110	64	46	10	10	0
17	126	117	73	44	9	8	1
18	120	109	65	44	11	10	1
19	96	86	53	33	10	10	0
20	96	91	49	42	5	5	0
21	88	82	40	42	6	6	0
22	89	89	58	31	0	0	0
23	87	87	42	45	0	0	0
24	78	78	41	37	0	0	0
25-29	372	371	177	194	1	1	0
30-34	396	393	193	200	3	2	1
35-39	268	268	134	134	0	0	0
40-44	262	262	123	139	0	0	0
45-49	240	239	118	121	1	0	1
50-54	217	217	113	104	0	0	0
55-59	220	220	101	119	0	0	0
60	39	38	16	22	1	1	0
61	38	37	18	19	1	1	0
62	42	42	20	22	0	0	0
63	49	48	32	16	1	0	1
64	48	48	19	29	0	0	0
65-69	198	197	101	96	1	1	0
70-74	163	163	74	89	0	0	0
75-79	103	103	54	49	0	0	0
80-84	62	62	31	31	0	0	0
85 +	44	43	19	24	1	0	1
< 6	496	495	258	237	1	1	0
06-18	1,326	1,291	707	584	35	32	3
16-64	3,091	3,032	1,549	1,483	59	54	5
16+	3,661	3,600	1,828	1,772	61	55	6
18+	3,415	3,373	1,691	1,682	42	37	5
65+	570	568	279	289	2	1	1
TOTAL	5,117	5,050	2,591	2,459	67	60	7

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=087-MONTGOMERY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	374	351	167	184	23	5	18
01	298	279	148	131	19	10	9
02	317	304	151	153	13	4	9
03	347	335	170	165	12	7	5
04	359	350	182	168	9	3	6
05	340	321	162	159	19	8	11
06	357	339	161	178	18	9	9
07	362	343	192	151	19	9	10
08	359	342	185	157	17	9	8
09	394	372	188	184	22	14	8
10	398	381	201	180	17	8	9
11	366	350	192	158	16	8	8
12	329	317	174	143	12	7	5
13	358	343	193	150	15	9	6
14	311	295	140	155	16	9	7
15	367	346	167	179	21	12	9
16	343	325	183	142	18	9	9
17	386	360	191	169	26	11	15
18	329	307	142	165	22	11	11
19	307	291	143	148	16	8	8
20	315	291	149	142	24	8	16
21	298	280	131	149	18	11	7
22	328	306	138	168	22	9	13
23	340	328	170	158	12	4	8
24	359	334	162	172	25	16	9
25-29	1,669	1,584	765	819	85	43	42
30-34	1,658	1,587	745	842	71	35	36
35-39	1,281	1,224	619	605	57	27	30
40-44	1,014	971	487	484	43	18	25
45-49	924	886	423	463	38	13	25
50-54	974	926	428	498	48	17	31
55-59	975	909	425	484	66	32	34
60	161	150	66	84	11	2	9
61	164	156	79	77	8	2	6
62	147	135	69	66	12	10	2
63	146	132	54	78	14	5	9
64	175	166	76	90	9	5	4
65-69	704	649	286	363	55	30	25
70-74	568	520	223	297	48	17	31
75-79	385	355	138	217	30	12	18
80-84	259	237	95	142	22	5	17
85 +	201	178	69	109	23	6	17
< 6	2,035	1,940	980	960	95	37	58
06-18	4,659	4,420	2,309	2,111	239	125	114
16-64	12,293	11,648	5,645	6,003	645	296	349
16+	14,410	13,587	6,456	7,131	823	366	457
18+	13,681	12,902	6,082	6,820	779	346	433
65+	2,117	1,939	811	1,128	178	70	108
TOTAL	20,046	18,955	9,229	9,726	1,091	497	594

KENTUCKY POPULATION - 1980
BY COUNTY


----- COUNTY=088-MORGAN -----							
AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	220	220	117	103	0	0	0
01	192	190	93	97	2	2	0
02	194	193	98	95	1	0	1
03	187	186	104	82	1	0	1
04	208	207	95	112	1	1	0
05	225	221	129	92	4	3	1
06	183	182	100	82	1	1	0
07	232	232	130	102	0	0	0
08	240	237	124	113	3	0	3
09	215	214	109	105	1	1	0
10	227	227	121	106	0	0	0
11	213	213	113	100	0	0	0
12	184	183	95	88	1	1	0
13	218	218	109	109	0	0	0
14	216	214	112	102	2	0	2
15	237	235	115	120	2	2	0
16	254	252	126	126	2	2	0
17	246	234	127	107	2	2	0
18	246	238	116	122	12	12	0
19	221	219	113	106	8	8	0
20	216	214	113	101	2	2	0
21	199	199	90	109	2	2	0
22	203	203	100	103	0	0	0
23	219	219	106	113	0	0	0
24	228	228	112	116	0	0	0
25-29	941	941	474	467	0	0	0
30-34	821	821	409	412	0	0	0
35-39	650	649	316	333	1	1	0
40-44	594	594	292	302	0	0	0
45-49	606	606	290	316	0	0	0
50-54	555	555	279	276	0	0	0
55-59	537	537	273	264	0	0	0
60	93	93	44	49	0	0	0
61	95	95	55	40	0	0	0
62	114	114	45	69	0	0	0
63	100	100	42	58	0	0	0
64	116	116	55	61	0	0	0
65-69	503	503	259	244	0	0	0
70-74	379	379	178	201	0	0	0
75-79	260	260	122	138	0	0	0
80-84	176	176	76	100	0	0	0
85 +	140	140	52	88	0	0	0
< 6	1,226	1,217	636	581	9	6	3
06-18	2,911	2,879	1,497	1,382	32	27	5
16-64	7,254	7,227	3,577	3,650	27	27	0
16+	8,712	8,685	4,264	4,421	27	27	0
18+	8,212	8,199	4,011	4,188	13	13	0
65+	1,458	1,458	687	771	0	0	0
TOTAL	12,103	12,057	6,028	6,029	46	38	8

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=103-ROWAN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	274	269	128	141	5	2	3
01	260	256	145	111	4	3	1
02	252	249	136	113	3	3	0
03	241	238	118	120	3	1	2
04	243	240	117	123	3	3	0
05	248	244	123	121	4	3	1
06	246	243	133	110	3	2	1
07	217	217	115	102	0	0	0
08	252	252	132	120	0	0	0
09	278	276	133	143	2	1	1
10	259	257	128	129	2	2	0
11	254	251	124	127	3	0	3
12	280	278	141	137	2	2	0
13	328	327	175	152	1	0	1
14	288	287	140	147	1	0	1
15	327	322	160	162	5	0	5
16	329	328	179	149	1	0	1
17	309	304	154	150	5	1	4
18	816	782	349	433	34	19	15
19	951	905	393	512	46	25	21
20	907	867	373	494	40	29	11
21	831	778	340	438	53	33	20
22	645	611	308	303	34	22	12
23	431	411	203	208	20	15	5
24	370	354	203	151	16	12	4
25-29	1,439	1,390	687	703	49	35	14
30-34	1,221	1,212	569	643	9	7	2
35-39	1,024	1,016	505	511	8	4	4
40-44	900	894	448	446	6	2	4
45-49	754	748	355	393	6	3	3
50-54	749	744	357	387	5	4	1
55-59	691	689	345	344	2	1	1
60	128	128	63	65	0	0	0
61	136	136	70	66	0	0	0
62	138	137	65	72	1	0	1
63	127	126	64	62	1	0	1
64	127	127	57	70	0	0	0
65-69	572	567	257	310	5	2	3
70-74	496	493	211	282	3	0	3
75-79	357	353	146	207	4	0	4
80-84	213	212	87	125	1	0	1
85 +	141	139	46	93	2	0	2
< 6	1,518	1,496	767	729	22	15	7
06-18	4,183	4,124	2,063	2,061	59	27	32
16-64	13,023	12,687	6,087	6,600	336	212	124
16+	14,802	14,451	6,834	7,617	351	214	137
18+	14,164	13,819	6,501	7,318	345	213	132
65+	1,779	1,764	747	1,017	15	2	13
TOTAL	19,049	18,657	8,982	9,675	392	236	156

DISTRICT 10 - FIVCO



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=10 FIVCO -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	2,212	2,188	1,147	1,041	24	18	6
01	2,193	2,174	1,157	1,017	19	12	7
02	2,184	2,165	1,164	1,001	19	8	11
03	2,156	2,139	1,105	1,034	17	7	10
04	2,182	2,167	1,049	1,118	15	10	5
05	2,204	2,175	1,103	1,072	29	19	10
06	2,096	2,074	1,053	1,021	22	7	15
07	2,253	2,229	1,127	1,102	24	11	13
08	2,376	2,355	1,189	1,166	21	14	7
09	2,606	2,578	1,303	1,275	28	17	11
10	2,426	2,416	1,199	1,217	10	6	4
11	2,528	2,506	1,237	1,269	22	8	14
12	2,338	2,318	1,186	1,132	20	9	11
13	2,527	2,509	1,318	1,191	18	11	7
14	2,456	2,435	1,278	1,157	21	12	9
15	2,770	2,748	1,436	1,312	22	10	12
16	2,697	2,676	1,363	1,313	21	7	14
17	2,577	2,559	1,350	1,209	18	7	11
18	2,365	2,347	1,197	1,150	18	9	9
19	2,342	2,321	1,132	1,189	21	15	6
20	2,229	2,206	1,099	1,107	23	13	10
21	2,263	2,228	1,033	1,195	35	21	14
22	2,361	2,315	1,144	1,171	46	28	18
23	2,356	2,306	1,133	1,173	50	28	22
24	2,388	2,336	1,160	1,176	52	39	13
25-29	11,191	10,948	5,408	5,540	243	181	62
30-34	10,615	10,469	5,178	5,291	146	101	45
35-39	8,810	8,718	4,311	4,407	92	52	40
40-44	7,884	7,799	3,785	4,014	85	48	37
45-49	7,250	7,178	3,554	3,624	72	39	33
50-54	7,339	7,270	3,501	3,769	69	34	35
55-59	7,134	7,075	3,390	3,685	59	28	31
60	1,169	1,154	545	609	15	7	8
61	1,296	1,285	588	697	11	6	5
62	1,180	1,172	548	624	8	6	2
63	1,141	1,132	499	633	9	2	7
64	1,185	1,179	547	632	6	4	2
65-69	5,306	5,260	2,369	2,891	46	17	29
70-74	4,340	4,291	1,877	2,414	49	16	33
75-79	2,841	2,817	1,181	1,636	24	7	17
80-84	1,797	1,777	693	1,084	20	5	15
85 +	1,171	1,154	401	753	17	7	10
< 6	13,131	13,008	6,725	6,283	123	74	49
06-18	32,015	31,750	16,236	15,514	265	128	137
16-64	87,772	86,673	42,465	44,208	1,099	675	424
16+	103,227	101,972	48,986	52,986	1,255	727	528
18+	97,953	96,737	46,273	50,464	1,216	713	503
65+	15,455	15,299	6,521	8,778	156	52	104
TOTAL	140,734	139,148	68,037	71,111	1,586	906	680

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=010-BOYD -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	816	793	394	399	23	18	5
01	821	803	426	377	18	12	6
02	783	767	416	351	16	7	9
03	745	729	379	350	16	7	9
04	764	754	380	374	10	6	4
05	811	789	409	380	22	15	7
06	695	681	334	347	14	6	8
07	807	790	404	386	17	6	11
08	853	839	417	422	14	8	6
09	941	923	449	474	18	13	5
10	875	867	437	430	8	5	3
11	890	876	446	430	14	6	8
12	819	803	402	401	16	6	10
13	914	900	499	401	14	8	6
14	882	865	468	397	17	10	7
15	959	943	503	440	16	6	10
16	995	979	498	481	16	7	9
17	960	949	496	453	11	5	6
18	911	896	461	435	15	7	8
19	904	892	421	471	12	8	4
20	823	804	402	402	19	11	8
21	878	848	370	478	30	20	10
22	927	889	437	452	38	26	12
23	968	922	464	458	46	25	21
24	1,013	969	491	478	44	37	7
25-29	4,553	4,335	2,167	2,168	218	172	46
30-34	4,161	4,054	2,013	2,041	107	83	24
35-39	3,428	3,363	1,690	1,673	65	40	25
40-44	3,125	3,054	1,439	1,615	71	43	28
45-49	2,988	2,934	1,424	1,510	54	31	23
50-54	3,166	3,109	1,493	1,616	57	29	28
55-59	3,149	3,105	1,437	1,668	44	22	22
60	499	486	224	262	13	6	7
61	583	572	255	317	11	6	5
62	501	495	225	270	6	4	2
63	498	489	217	272	9	2	7
64	489	483	224	259	6	4	2
65-69	2,223	2,196	949	1,247	27	10	17
70-74	1,890	1,852	742	1,110	38	11	27
75-79	1,184	1,168	453	715	16	5	11
80-84	788	771	287	484	17	4	13
85 +	534	523	167	356	11	5	6
< 6	4,740	4,635	2,404	2,231	105	65	40
06-18	11,501	11,311	5,814	5,497	190	93	97
16-64	35,519	34,627	16,848	17,779	892	588	304
16+	42,138	41,137	19,446	21,691	1,001	623	378
18+	40,183	39,209	18,452	20,757	974	611	363
65+	6,619	6,510	2,598	3,912	109	35	74
TOTAL	55,513	54,259	26,209	28,050	1,254	762	492

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=022-CARTER -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	436	436	221	215	0	0	0
01	425	425	224	201	0	0	0
02	410	410	218	192	0	0	0
03	412	412	205	207	0	0	0
04	444	444	208	236	0	0	0
05	417	416	216	200	1	1	0
06	437	437	217	220	0	0	0
07	439	438	225	213	1	1	0
08	454	454	232	222	0	0	0
09	457	456	236	220	1	0	1
10	452	452	233	219	0	0	0
11	488	488	232	256	0	0	0
12	447	447	229	218	0	0	0
13	486	486	244	242	0	0	0
14	464	464	239	225	0	0	0
15	514	514	276	238	0	0	0
16	489	487	242	245	2	0	2
17	431	431	235	196	0	0	0
18	478	477	231	246	1	1	0
19	491	490	236	254	1	1	0
20	493	493	238	255	0	0	0
21	468	466	232	234	2	0	2
22	441	440	225	215	1	0	1
23	431	430	212	218	1	1	0
24	392	391	192	199	1	0	1
25-29	1,883	1,882	928	954	1	1	0
30-34	1,874	1,871	918	953	3	1	2
35-39	1,510	1,506	746	760	4	0	4
40-44	1,322	1,320	662	658	2	0	2
45-49	1,182	1,177	594	583	5	1	4
50-54	1,101	1,100	496	604	1	1	0
55-59	1,120	1,116	558	558	4	1	3
60	189	189	85	104	0	0	0
61	207	207	90	117	0	0	0
62	199	197	94	103	2	2	0
63	205	205	76	129	0	0	0
64	215	215	102	113	0	0	0
65-69	981	979	461	518	2	0	2
70-74	787	786	371	415	1	1	0
75-79	544	543	259	284	1	0	1
80-84	304	304	117	187	0	0	0
85 +	141	141	52	89	0	0	0
< 6	2,544	2,543	1,292	1,251	1	1	0
06-18	6,036	6,031	3,071	2,960	5	2	3
16-64	15,121	15,090	7,392	7,698	31	10	21
16+	17,878	17,843	8,652	9,191	35	11	24
18+	16,958	16,925	8,175	8,750	33	11	22
65+	2,757	2,753	1,260	1,493	4	1	3
TOTAL	25,060	25,022	12,307	12,715	38	13	25

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=032-ELLIOTT -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	136	136	78	58	0	0	0
01	130	130	63	67	0	0	0
02	134	134	74	60	0	0	0
03	126	126	69	57	0	0	0
04	123	123	53	70	0	0	0
05	137	137	71	66	0	0	0
06	125	125	73	52	0	0	0
07	127	127	59	68	0	0	0
08	119	119	64	55	0	0	0
09	144	144	72	72	0	0	0
10	136	136	78	58	0	0	0
11	126	126	68	58	0	0	0
12	114	114	55	59	0	0	0
13	144	144	73	71	0	0	0
14	119	119	68	51	0	0	0
15	161	161	83	78	0	0	0
16	136	136	53	83	0	0	0
17	137	137	69	68	0	0	0
18	106	106	54	52	0	0	0
19	114	114	59	55	0	0	0
20	113	113	56	57	0	0	0
21	104	104	48	56	0	0	0
22	117	117	55	62	0	0	0
23	110	110	47	63	0	0	0
24	128	128	59	69	0	0	0
25-29	608	608	302	306	0	0	0
30-34	471	471	254	217	0	0	0
35-39	388	388	188	200	0	0	0
40-44	349	349	180	169	0	0	0
45-49	318	318	162	156	0	0	0
50-54	269	269	138	131	0	0	0
55-59	274	274	137	137	0	0	0
60	71	71	33	38	0	0	0
61	63	63	36	27	0	0	0
62	59	59	29	30	0	0	0
63	50	50	21	29	0	0	0
64	61	61	29	32	0	0	0
65-69	295	295	146	149	0	0	0
70-74	217	217	111	106	0	0	0
75-79	131	131	52	79	0	0	0
80-84	79	79	39	40	0	0	0
85 +	39	39	21	18	0	0	0
< 6	786	786	408	378	0	0	0
06-18	1,694	1,694	869	825	0	0	0
16-64	4,046	4,046	2,009	2,037	0	0	0
16+	4,807	4,807	2,378	2,429	0	0	0
18+	4,534	4,534	2,256	2,278	0	0	0
65+	761	761	369	392	0	0	0
TOTAL	6,908	6,908	3,479	3,429	0	0	0

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=045-GREENUP -----


AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	592	591	341	250	1	0	1
01	586	586	319	267	0	0	0
02	615	613	339	274	2	1	1
03	652	651	327	324	1	0	1
04	623	620	298	322	3	3	0
05	619	614	310	304	5	3	2
06	616	608	319	289	8	1	7
07	642	638	321	317	4	2	2
08	700	694	358	336	6	5	1
09	773	765	389	376	8	4	4
10	717	715	339	376	2	1	1
11	748	744	366	378	4	1	3
12	695	692	352	340	3	2	1
13	724	720	371	349	4	3	1
14	723	719	377	342	4	2	2
15	850	845	430	415	5	4	1
16	798	797	407	390	1	0	1
17	755	748	379	369	7	2	5
18	630	629	331	298	1	0	1
19	619	612	313	299	7	6	1
20	572	568	292	276	4	2	2
21	597	594	289	305	3	1	2
22	632	627	310	317	5	2	3
23	620	617	290	327	3	2	1
24	632	625	311	314	7	2	5
25-29	3,060	3,039	1,464	1,575	21	7	14
30-34	3,117	3,085	1,511	1,574	32	15	17
35-39	2,659	2,640	1,286	1,354	19	9	10
40-44	2,313	2,305	1,118	1,187	8	3	5
45-49	2,126	2,118	1,039	1,079	8	4	4
50-54	2,207	2,199	1,088	1,111	8	3	5
55-59	1,946	1,936	945	991	10	4	6
60	303	301	151	150	2	1	1
61	314	314	149	165	0	0	0
62	296	296	144	152	0	0	0
63	272	272	130	142	0	0	0
64	301	301	137	164	0	0	0
65-69	1,210	1,199	533	666	11	4	7
70-74	946	940	422	518	6	2	4
75-79	661	657	283	374	4	2	2
80-84	390	388	151	237	2	1	1
85 +	281	276	85	191	5	2	3
< 6	3,687	3,675	1,934	1,741	12	7	5
06-18	9,371	9,314	4,739	4,575	57	27	30
16-64	24,769	24,623	12,084	12,539	146	63	83
16+	28,257	28,083	13,558	14,525	174	74	100
18+	26,704	26,538	12,772	13,766	166	72	94
65+	3,488	3,460	1,474	1,986	28	11	17
TOTAL	39,132	38,898	19,114	19,784	234	106	128

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=064-LAWRENCE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	232	232	113	119	0	0	0
01	231	230	125	105	1	0	1
02	242	241	117	124	1	0	1
03	221	221	125	96	0	0	0
04	228	226	110	116	2	1	1
05	220	219	97	122	1	0	1
06	223	223	110	113	0	0	0
07	238	236	118	118	2	2	0
08	250	249	118	131	1	1	0
09	291	290	157	133	1	0	1
10	246	246	112	134	0	0	0
11	276	272	125	147	4	1	3
12	263	262	148	114	1	1	0
13	259	259	131	128	0	0	0
14	268	268	126	142	0	0	0
15	286	285	144	141	1	0	1
16	279	277	163	114	2	0	2
17	294	294	171	123	0	0	0
18	240	239	120	119	1	1	0
19	214	213	103	110	1	0	1
20	228	228	111	117	0	0	0
21	216	216	94	122	0	0	0
22	244	242	117	125	2	0	2
23	227	227	120	107	0	0	0
24	223	223	107	116	0	0	0
25-29	1,087	1,084	547	537	3	1	2
30-34	992	988	482	506	4	2	2
35-39	825	821	401	420	4	3	1
40-44	775	771	386	385	4	2	2
45-49	636	631	335	296	5	3	2
50-54	596	593	286	307	3	1	2
55-59	645	644	313	331	1	1	0
60	107	107	52	55	0	0	0
61	129	129	58	71	0	0	0
62	125	125	56	69	0	0	0
63	116	116	55	61	0	0	0
64	119	119	55	64	0	0	0
65-69	597	591	280	311	6	3	3
70-74	500	496	231	265	4	2	2
75-79	321	318	134	184	3	0	3
80-84	236	235	99	136	1	0	1
85 +	176	175	76	99	1	0	1
< 6	1,374	1,369	687	682	5	1	4
06-18	3,413	3,400	1,743	1,657	13	6	7
16-64	8,317	8,287	4,132	4,155	30	14	16
16+	10,147	10,102	4,952	5,150	45	19	26
18+	9,574	9,531	4,618	4,913	43	19	24
65+	1,830	1,815	820	995	15	5	10
TOTAL	14,121	14,061	6,928	7,133	60	25	35

DISTRICT 11 - BIG SANDY



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=11 BIG SANDY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	3,355	3,339	1,668	1,671	16	9	7
01	3,307	3,295	1,666	1,629	12	6	6
02	3,330	3,312	1,673	1,639	18	9	9
03	3,306	3,294	1,672	1,622	12	5	7
04	3,402	3,386	1,750	1,636	16	10	6
05	3,263	3,249	1,681	1,568	14	8	6
06	3,141	3,117	1,614	1,503	24	11	13
07	3,459	3,440	1,802	1,638	19	9	10
08	3,498	3,479	1,785	1,694	19	7	12
09	3,525	3,506	1,757	1,749	19	12	7
10	3,419	3,402	1,786	1,616	17	10	7
11	3,312	3,297	1,674	1,623	15	4	11
12	3,327	3,310	1,689	1,621	17	7	10
13	3,420	3,403	1,710	1,693	17	6	11
14	3,504	3,492	1,826	1,666	12	2	10
15	3,640	3,627	1,889	1,738	13	4	9
16	3,512	3,501	1,782	1,719	11	4	7
17	3,514	3,502	1,833	1,669	12	6	6
18	3,201	3,183	1,588	1,595	18	8	10
19	3,140	3,124	1,537	1,587	16	10	6
20	3,118	3,102	1,531	1,571	16	8	8
21	3,198	3,172	1,491	1,681	26	10	16
22	3,271	3,252	1,604	1,648	19	8	11
23	3,189	3,169	1,560	1,609	20	11	9
24	3,162	3,155	1,547	1,608	7	4	3
25-29	15,829	15,756	7,893	7,863	73	42	31
30-34	14,257	14,183	7,088	7,095	74	29	45
35-39	10,564	10,504	5,326	5,178	60	25	35
40-44	9,186	9,132	4,612	4,520	54	27	27
45-49	8,211	8,181	3,963	4,218	30	14	16
50-54	8,455	8,420	4,182	4,238	35	11	24
55-59	8,254	8,206	3,917	4,289	48	15	33
60	1,390	1,387	667	720	3	0	3
61	1,443	1,435	668	767	8	3	5
62	1,349	1,343	655	688	6	3	3
63	1,310	1,307	606	701	3	1	2
64	1,396	1,393	657	736	3	1	2
65-69	6,176	6,140	2,751	3,389	36	9	27
70-74	4,356	4,335	1,943	2,392	21	12	9
75-79	3,048	3,021	1,270	1,751	27	13	14
80-84	1,744	1,726	737	989	18	7	11
85 +	1,278	1,266	508	758	12	6	6
< 6	19,963	19,875	10,110	9,765	88	47	41
06-18	44,472	44,259	22,735	21,524	213	90	123
16-64	110,949	110,407	54,707	55,700	542	240	302
16+	127,551	126,895	61,916	64,979	656	287	369
18+	120,525	119,892	58,301	61,591	633	277	356
65+	16,602	16,488	7,209	9,279	114	47	67
TOTAL	181,759	180,843	89,558	91,285	916	406	510

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=036-FLOYD -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	943	936	470	466	7	6	1
01	878	875	467	408	3	2	1
02	879	873	428	445	6	2	4
03	867	865	424	441	2	2	0
04	869	864	461	403	5	4	1
05	829	824	429	395	5	3	2
06	839	833	429	404	6	1	5
07	941	929	496	433	12	6	6
08	852	841	440	401	11	5	6
09	905	897	488	409	8	4	4
10	879	876	447	429	3	2	1
11	875	867	463	404	8	1	7
12	842	840	422	418	2	2	0
13	892	888	456	432	4	1	3
14	940	937	505	432	3	1	2
15	948	943	515	428	5	2	3
16	889	887	463	424	2	2	0
17	930	928	500	428	2	2	0
18	858	854	416	438	4	0	4
19	828	823	371	452	5	3	2
20	799	797	378	419	2	1	1
21	785	778	361	417	7	2	5
22	930	924	474	450	6	1	5
23	812	805	388	417	7	2	5
24	796	796	389	407	0	0	0
25-29	4,147	4,122	2,065	2,057	25	15	10
30-34	3,805	3,771	1,892	1,879	34	11	23
35-39	2,803	2,791	1,376	1,415	12	9	3
40-44	2,461	2,445	1,245	1,200	16	8	8
45-49	2,171	2,158	1,049	1,109	13	6	7
50-54	2,391	2,378	1,147	1,231	13	5	8
55-59	2,326	2,307	1,099	1,208	19	4	15
60	394	392	180	212	2	0	2
61	398	396	201	195	2	0	2
62	396	394	184	210	2	0	2
63	386	385	172	213	1	0	1
64	429	428	206	222	1	0	1
65-69	1,873	1,864	817	1,047	9	1	8
70-74	1,261	1,254	579	675	7	2	5
75-79	881	873	364	509	8	4	4
80-84	482	477	203	274	5	2	3
85 +	355	348	135	213	7	4	3
< 6	5,265	5,237	2,679	2,558	28	19	9
06-18	11,590	11,520	6,040	5,480	70	29	41
16-64	29,734	29,559	14,556	15,003	175	71	104
16+	34,586	34,375	16,654	17,721	211	84	127
18+	32,767	32,560	15,691	16,869	207	80	127
65+	4,852	4,816	2,098	2,718	36	13	23
TOTAL	48,764	48,463	23,994	24,469	301	128	173

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=058-JOHNSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	385	385	184	201	0	0	0
01	378	378	193	185	0	0	0
02	426	423	225	198	3	3	0
03	381	380	205	175	1	1	0
04	412	411	214	197	1	0	1
05	400	397	197	200	3	2	1
06	374	373	187	186	1	0	1
07	444	444	237	207	0	0	0
08	466	466	247	219	0	0	0
09	418	417	205	212	1	0	1
10	393	393	202	191	0	0	0
11	433	432	223	209	1	1	0
12	434	433	232	201	1	1	0
13	410	409	205	204	1	1	0
14	453	452	238	214	1	0	1
15	488	488	262	226	0	0	0
16	503	502	255	247	1	0	1
17	444	443	241	202	1	0	1
18	389	388	202	186	1	0	1
19	409	409	217	192	0	0	0
20	443	440	213	227	3	1	2
21	390	388	188	200	2	0	2
22	389	388	180	208	1	0	1
23	404	403	202	201	1	1	0
24	412	412	206	206	0	0	0
25-29	2,038	2,030	1,017	1,013	8	5	3
30-34	1,885	1,872	937	935	13	6	7
35-39	1,489	1,484	745	739	5	2	3
40-44	1,340	1,333	652	681	7	5	2
45-49	1,107	1,106	559	547	1	0	1
50-54	1,172	1,167	594	573	5	1	4
55-59	1,111	1,108	510	598	3	2	1
60	189	189	79	110	0	0	0
61	215	212	93	119	3	2	1
62	207	206	105	101	1	1	0
63	208	208	100	108	0	0	0
64	214	214	86	128	0	0	0
65-69	977	975	425	550	2	0	2
70-74	767	767	333	434	0	0	0
75-79	509	508	223	285	1	0	1
80-84	308	308	131	177	0	0	0
85 +	218	218	81	137	0	0	0
< 6	2,382	2,374	1,218	1,156	8	6	2
06-18	5,649	5,640	2,936	2,704	9	3	6
16-64	14,958	14,902	7,381	7,521	56	26	30
16+	17,737	17,678	8,574	9,104	59	26	33
18+	16,790	16,733	8,078	8,655	57	26	31
65+	2,779	2,776	1,193	1,583	3	0	3
TOTAL	24,432	24,359	12,030	12,329	73	35	38

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=077-MAGOFFIN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	257	256	135	121	1	1	0
01	273	273	129	144	0	0	0
02	254	254	120	134	0	0	0
03	284	284	146	138	0	0	0
04	268	267	132	135	1	0	1
05	270	270	149	121	0	0	0
06	244	243	138	105	1	0	1
07	249	249	140	109	0	0	0
08	270	269	136	133	1	1	0
09	296	295	140	155	1	1	0
10	282	281	155	126	1	0	1
11	278	278	138	140	0	0	0
12	268	267	128	139	1	0	1
13	302	302	142	160	0	0	0
14	303	303	160	143	0	0	0
15	289	288	162	126	1	0	1
16	289	288	136	152	1	0	1
17	283	282	139	143	1	0	1
18	270	270	143	127	0	0	0
19	243	243	126	117	0	0	0
20	240	239	114	125	1	1	0
21	243	243	125	118	0	0	0
22	238	238	131	107	0	0	0
23	251	251	114	137	0	0	0
24	230	230	106	124	0	0	0
25-29	1,067	1,066	537	529	1	0	1
30-34	966	966	473	493	0	0	0
35-39	758	758	388	370	0	0	0
40-44	711	710	348	362	1	0	1
45-49	586	586	313	273	0	0	0
50-54	574	572	303	269	2	2	0
55-59	512	512	232	280	0	0	0
60	85	85	51	34	0	0	0
61	105	105	49	56	0	0	0
62	89	89	45	44	0	0	0
63	93	92	40	52	1	0	1
64	111	111	53	58	0	0	0
65-69	395	393	181	212	2	1	1
70-74	320	320	164	156	0	0	0
75-79	221	219	88	131	2	1	1
80-84	140	138	58	80	2	1	1
85 +	108	108	46	62	0	0	0
< 6	1,606	1,604	811	793	2	1	1
06-18	3,623	3,615	1,857	1,758	8	2	6
16-64	7,944	7,936	3,966	3,970	8	3	5
16+	9,128	9,114	4,503	4,611	14	6	8
18+	8,556	8,544	4,228	4,316	12	6	6
65+	1,184	1,178	537	641	6	3	3
TOTAL	13,515	13,493	6,753	6,740	22	9	13

KENTUCKY POPULATION - 1980
BY COUNTY

COUNTY=080-MARTIN

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	290	290	154	136	0	0	0
01	309	309	149	160	0	0	0
02	282	281	148	133	1	1	0
03	306	304	152	152	2	1	1
04	312	311	156	155	1	1	0
05	289	288	151	137	1	1	0
06	247	246	117	129	1	1	0
07	309	308	166	142	1	0	1
08	289	289	145	144	0	0	0
09	318	318	153	165	0	0	0
10	295	294	146	148	1	1	0
11	273	272	135	137	1	0	1
12	263	263	132	131	0	0	0
13	313	312	140	172	1	0	1
14	287	287	133	154	0	0	0
15	292	292	144	148	0	0	0
16	310	310	155	155	0	0	0
17	303	303	171	132	0	0	0
18	244	244	108	136	0	0	0
19	281	279	128	151	2	1	1
20	252	252	136	116	0	0	0
21	262	261	113	148	1	1	0
22	237	236	109	127	1	1	0
23	257	255	117	138	2	1	1
24	231	231	121	110	0	0	0
25-29	1,323	1,321	675	646	2	2	0
30-34	1,097	1,097	560	537	0	0	0
35-39	779	773	397	376	6	2	4
40-44	578	576	308	268	2	1	1
45-49	552	552	277	275	0	0	0
50-54	542	542	266	276	0	0	0
55-59	530	530	252	278	0	0	0
60	99	99	54	45	0	0	0
61	83	83	41	42	0	0	0
62	81	81	48	33	0	0	0
63	87	87	38	49	0	0	0
64	74	74	42	32	0	0	0
65-69	390	389	176	213	1	0	1
70-74	257	256	126	130	1	1	0
75-79	189	189	69	120	0	0	0
80-84	132	132	69	63	0	0	0
85 +	81	81	44	37	0	0	0
< 6	1,788	1,783	910	873	5	4	1
06-18	3,743	3,738	1,845	1,893	5	2	3
16-64	8,202	8,186	4,116	4,070	16	9	7
16+	9,251	9,233	4,600	4,633	18	10	8
18+	8,638	8,620	4,274	4,346	18	10	8
65+	1,049	1,047	484	563	2	1	1
TOTAL	13,925	13,897	6,921	6,976	28	16	12

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=098-PIKE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	1,480	1,472	725	747	8	2	6
01	1,469	1,460	728	732	9	4	5
02	1,489	1,481	752	729	8	3	5
03	1,468	1,461	745	716	7	1	6
04	1,541	1,533	787	746	8	5	3
05	1,475	1,470	755	715	5	2	3
06	1,437	1,422	743	679	15	9	6
07	1,516	1,510	763	747	6	3	3
08	1,621	1,614	817	797	7	1	6
09	1,588	1,579	771	808	9	7	2
10	1,570	1,558	836	722	12	7	5
11	1,453	1,448	715	733	5	2	3
12	1,520	1,507	775	732	13	4	9
13	1,503	1,492	767	725	11	4	7
14	1,521	1,513	790	723	8	1	7
15	1,623	1,616	806	810	7	2	5
16	1,521	1,514	773	741	7	2	5
17	1,554	1,546	782	764	8	4	4
18	1,440	1,427	719	708	13	8	5
19	1,379	1,370	695	675	9	6	3
20	1,384	1,374	690	684	10	5	5
21	1,518	1,502	704	798	16	7	9
22	1,477	1,466	710	756	11	6	5
23	1,465	1,455	739	716	10	7	3
24	1,493	1,486	725	761	7	4	3
25-29	7,254	7,217	3,599	3,618	37	20	17
30-34	6,504	6,477	3,226	3,251	27	12	15
35-39	4,735	4,698	2,420	2,278	37	12	25
40-44	4,096	4,068	2,059	2,009	28	13	15
45-49	3,795	3,779	1,765	2,014	16	8	8
50-54	3,776	3,761	1,872	1,889	15	3	12
55-59	3,775	3,749	1,824	1,925	26	9	17
60	623	622	303	319	1	0	1
61	642	639	284	355	3	1	2
62	576	573	273	300	3	2	1
63	536	535	256	279	1	1	0
64	568	566	270	296	2	1	1
65-69	2,541	2,519	1,152	1,367	22	7	15
70-74	1,751	1,738	741	997	13	9	4
75-79	1,248	1,232	526	706	16	8	8
80-84	682	671	276	395	11	4	7
85 +	516	511	202	309	5	2	3
< 6	8,922	8,877	4,492	4,385	45	17	28
06-18	19,867	19,746	10,057	9,689	121	54	67
16-64	50,111	49,824	24,688	25,136	287	131	156
16+	56,849	56,495	27,585	28,910	354	161	193
18+	53,774	53,435	26,030	27,405	339	155	184
65+	6,738	6,671	2,897	3,774	67	30	37
TOTAL	81,123	80,631	39,860	40,771	492	218	274

DISTRICT 12 - KENTUCKY RIVER



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=12 KENTUCKY RIVR -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	2,513	2,483	1,277	1,206	30	17	13
01	2,395	2,376	1,201	1,175	19	8	11
02	2,376	2,356	1,223	1,133	20	10	10
03	2,514	2,486	1,305	1,181	28	16	12
04	2,545	2,525	1,267	1,258	20	10	10
05	2,346	2,330	1,198	1,132	16	6	10
06	2,326	2,304	1,230	1,074	22	14	8
07	2,469	2,440	1,225	1,215	29	15	14
08	2,519	2,494	1,287	1,207	25	11	14
09	2,602	2,569	1,329	1,240	33	17	16
10	2,501	2,475	1,310	1,165	26	16	10
11	2,521	2,494	1,275	1,219	27	16	11
12	2,620	2,601	1,291	1,310	19	12	7
13	2,630	2,602	1,327	1,275	28	16	12
14	2,797	2,760	1,413	1,347	37	19	18
15	3,021	2,990	1,566	1,424	31	15	16
16	2,798	2,758	1,429	1,329	40	22	18
17	2,783	2,749	1,417	1,332	34	16	18
18	2,550	2,524	1,291	1,233	26	15	11
19	2,474	2,440	1,256	1,184	34	17	17
20	2,401	2,370	1,220	1,150	31	18	13
21	2,231	2,210	1,030	1,180	21	14	7
22	2,393	2,371	1,157	1,214	22	12	10
23	2,333	2,312	1,114	1,198	21	7	14
24	2,285	2,262	1,159	1,103	23	11	12
25-29	11,193	11,086	5,444	5,642	107	57	50
30-34	9,789	9,709	4,959	4,750	80	36	44
35-39	7,411	7,344	3,581	3,763	67	28	39
40-44	6,783	6,722	3,352	3,370	61	29	32
45-49	6,052	6,009	3,069	2,940	43	18	25
50-54	5,802	5,753	2,823	2,930	49	15	34
55-59	5,698	5,634	2,637	2,997	64	27	37
60	1,051	1,038	464	574	13	5	8
61	1,055	1,042	513	529	13	5	8
62	950	939	442	497	11	4	7
63	981	969	443	526	12	6	6
64	991	974	451	523	17	7	10
65-69	4,762	4,708	2,138	2,570	54	27	27
70-74	3,694	3,653	1,666	1,987	41	19	22
75-79	2,696	2,649	1,193	1,456	47	19	28
80-84	1,496	1,471	614	857	25	15	10
85 +	1,090	1,070	469	601	20	9	11
< 6	14,689	14,556	7,471	7,085	133	67	66
06-18	34,137	33,760	17,390	16,370	377	204	173
16-64	80,004	79,215	39,251	39,964	789	369	420
16+	93,742	92,766	45,331	47,435	976	458	518
18+	88,161	87,259	42,485	44,774	902	420	482
65+	13,738	13,551	6,080	7,471	187	89	98
TOTAL	134,437	133,051	66,055	66,996	1,386	676	710

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=013-BREATHITT -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	349	348	188	160	1	0	1
01	342	342	175	167	0	0	0
02	305	305	150	155	0	0	0
03	305	304	156	148	1	1	0
04	314	311	159	152	3	2	1
05	280	278	144	134	2	1	1
06	298	297	162	135	1	1	0
07	304	303	148	155	1	0	1
08	315	313	160	153	2	1	1
09	331	328	173	155	3	2	1
10	317	314	150	164	3	2	1
11	306	301	138	163	5	3	2
12	306	306	164	142	0	0	0
13	322	322	159	163	0	0	0
14	370	367	193	174	3	0	3
15	443	440	225	215	3	2	1
16	392	389	205	184	3	1	2
17	374	369	177	192	5	1	4
18	369	367	177	190	2	2	0
19	373	364	189	175	9	5	4
20	322	318	166	152	4	3	1
21	322	320	139	181	2	2	0
22	281	278	134	144	3	2	1
23	290	289	142	147	1	1	0
24	298	297	144	153	1	1	0
25-29	1,401	1,399	682	717	2	2	0
30-34	1,239	1,235	621	614	4	1	3
35-39	874	871	440	431	3	2	1
40-44	845	838	410	428	7	2	5
45-49	782	782	391	391	0	0	0
50-54	649	648	332	316	1	0	1
55-59	641	640	292	348	1	1	0
60	137	137	66	71	0	0	0
61	111	110	57	53	1	1	0
62	118	118	54	64	0	0	0
63	126	126	61	65	0	0	0
64	128	128	48	80	0	0	0
65-69	605	604	288	316	1	0	1
70-74	512	511	234	277	1	0	1
75-79	305	304	138	166	1	0	1
80-84	160	160	68	92	0	0	0
85 +	143	142	73	69	1	0	1
< 6	1,895	1,888	972	916	7	4	3
06-18	4,447	4,416	2,231	2,185	31	15	16
16-64	10,072	10,023	4,927	5,096	49	27	22
16+	11,797	11,744	5,728	6,016	53	27	26
18+	11,031	10,986	5,346	5,640	45	25	20
65+	1,725	1,721	801	920	4	0	4
TOTAL	17,004	16,923	8,372	8,551	81	42	39

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=060-KNOTT -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	328	323	147	176	5	3	2
01	303	302	155	147	1	0	1
02	303	301	164	137	2	2	0
03	363	360	193	167	3	2	1
04	342	341	185	156	1	0	1
05	331	328	160	168	3	1	2
06	338	335	190	145	3	2	1
07	366	362	192	170	4	4	0
08	355	350	185	165	5	1	4
09	328	326	170	156	2	0	2
10	352	350	189	161	2	1	1
11	338	334	171	163	4	4	0
12	366	365	184	181	1	1	0
13	363	361	192	169	2	0	2
14	387	383	211	172	4	3	1
15	423	419	218	201	4	1	3
16	377	373	200	173	4	3	1
17	377	368	200	168	9	4	5
18	379	378	194	184	1	0	1
19	362	359	187	172	3	1	2
20	336	334	169	165	2	1	1
21	288	282	128	154	6	4	2
22	359	356	172	184	3	2	1
23	285	283	133	150	2	0	2
24	296	293	171	122	3	2	1
25-29	1,520	1,510	740	770	10	4	6
30-34	1,349	1,344	728	616	5	3	2
35-39	1,022	1,018	505	513	4	1	3
40-44	847	842	432	410	5	2	3
45-49	708	705	352	353	3	2	1
50-54	730	722	350	372	8	4	4
55-59	744	739	320	419	5	1	4
60	147	145	68	77	2	1	1
61	165	163	70	93	2	0	2
62	115	115	58	57	0	0	0
63	141	140	58	82	1	0	1
64	111	110	53	57	1	0	1
65-69	617	614	278	336	3	2	1
70-74	450	447	203	244	3	2	1
75-79	339	333	159	174	6	3	3
80-84	162	158	64	94	4	2	2
85 +	128	128	60	68	0	0	0
< 6	1,970	1,955	1,004	951	15	8	7
06-18	4,749	4,704	2,496	2,208	45	24	21
16-64	10,658	10,579	5,288	5,291	79	35	44
16+	12,354	12,259	6,052	6,207	95	44	51
18+	11,600	11,518	5,652	5,866	82	37	45
65+	1,696	1,680	764	916	16	9	7
TOTAL	17,940	17,799	8,958	8,841	141	69	72

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=065-LEE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	123	122	71	51	1	0	1
01	106	106	41	65	0	0	0
02	119	119	61	58	0	0	0
03	132	132	66	66	0	0	0
04	136	135	73	62	1	0	1
05	101	101	54	47	0	0	0
06	110	110	65	45	0	0	0
07	97	97	57	40	0	0	0
08	134	134	68	66	0	0	0
09	138	137	73	64	1	0	1
10	131	131	80	51	0	0	0
11	169	168	84	84	1	1	0
12	137	136	63	73	1	1	0
13	137	135	72	63	2	2	0
14	144	144	75	69	0	0	0
15	161	158	78	80	3	3	0
16	164	164	84	80	0	0	0
17	162	159	83	76	3	3	0
18	143	143	75	68	0	0	0
19	132	132	68	64	0	0	0
20	118	117	61	56	1	0	1
21	91	90	46	44	1	1	0
22	115	115	62	53	0	0	0
23	104	104	56	48	0	0	0
24	106	106	48	58	0	0	0
25-29	530	530	249	281	0	0	0
30-34	524	521	268	253	3	1	2
35-39	421	417	198	219	4	2	2
40-44	386	383	169	214	3	2	1
45-49	436	436	233	203	0	0	0
50-54	360	359	176	183	1	0	1
55-59	379	376	192	184	3	0	3
60	71	71	33	38	0	0	0
61	58	58	31	27	0	0	0
62	56	56	24	32	0	0	0
63	63	62	40	22	1	1	0
64	68	66	37	29	2	0	2
65-69	350	345	142	203	5	3	2
70-74	291	290	136	154	1	1	0
75-79	261	260	112	148	1	1	0
80-84	162	160	77	83	2	2	0
85 +	128	127	49	78	1	1	0
< 6	717	715	366	349	2	0	2
06-18	1,827	1,816	957	859	11	10	1
16-64	4,487	4,465	2,233	2,232	22	10	12
16+	5,679	5,647	2,749	2,898	32	18	14
18+	5,353	5,324	2,582	2,742	29	15	14
65+	1,192	1,182	516	666	10	8	2
TOTAL	7,754	7,712	3,830	3,882	42	25	17

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=066-LESLIE -----							
AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	298	297	142	155	1	1	0
01	307	307	162	145	0	0	0
02	334	334	165	169	0	0	0
03	295	294	158	136	1	1	0
04	297	295	158	137	2	2	0
05	297	297	154	143	0	0	0
06	267	267	145	122	0	0	0
07	295	294	144	150	1	0	1
08	299	296	156	140	3	3	0
09	292	292	142	150	0	0	0
10	257	257	133	124	0	0	0
11	256	256	134	122	0	0	0
12	293	293	164	129	0	0	0
13	294	293	151	142	1	1	0
14	333	333	193	140	0	0	0
15	352	352	180	172	0	0	0
16	330	330	170	160	0	0	0
17	331	331	174	157	0	0	0
18	279	279	142	137	0	0	0
19	282	280	143	137	2	2	0
20	279	279	145	134	0	0	0
21	267	265	123	142	2	1	1
22	306	306	135	171	0	0	0
23	281	281	132	149	0	0	0
24	313	313	159	154	0	0	0
25-29	1,331	1,326	646	680	5	2	3
30-34	1,048	1,046	500	546	2	1	1
35-39	797	797	382	415	0	0	0
40-44	811	810	418	392	1	0	1
45-49	724	723	376	347	1	1	0
50-54	615	615	309	306	0	0	0
55-59	544	544	256	288	0	0	0
60	94	94	42	52	0	0	0
61	93	93	54	39	0	0	0
62	81	81	37	44	0	0	0
63	81	81	45	36	0	0	0
64	89	89	42	47	0	0	0
65-69	397	396	201	195	1	0	1
70-74	347	347	171	176	0	0	0
75-79	193	192	87	105	1	1	0
80-84	122	122	48	74	0	0	0
85 +	81	81	37	44	0	0	0
< 6	1,828	1,824	939	885	4	4	0
06-18	3,878	3,873	2,028	1,845	5	4	1
16-64	8,976	8,963	4,430	4,533	13	7	6
16+	10,116	10,101	4,974	5,127	15	8	7
18+	9,455	9,440	4,630	4,810	15	8	7
65+	1,140	1,138	544	594	2	1	1
TOTAL	14,882	14,858	7,455	7,403	24	16	8

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=067-LETCHER -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	554	543	265	278	11	6	5
01	521	512	260	252	9	3	6
02	525	515	271	244	10	5	5
03	606	600	317	283	6	2	4
04	600	597	281	316	3	1	2
05	555	549	276	273	6	4	2
06	520	517	264	253	3	1	2
07	595	588	287	301	7	4	3
08	577	572	292	280	5	2	3
09	619	609	333	276	10	4	6
10	553	550	290	260	3	1	2
11	574	565	296	269	9	5	4
12	596	590	280	310	6	4	2
13	583	577	290	287	6	2	4
14	611	604	289	315	7	5	2
15	640	636	338	298	4	2	2
16	582	575	292	283	7	2	5
17	640	635	334	301	5	2	3
18	516	511	264	247	5	4	1
19	493	486	258	228	7	4	3
20	529	521	265	256	8	6	2
21	502	498	247	251	4	1	3
22	534	531	250	281	3	1	2
23	562	553	260	293	9	3	6
24	486	483	238	245	3	1	2
25-29	2,544	2,519	1,264	1,255	25	13	12
30-34	2,285	2,255	1,162	1,093	30	16	14
35-39	1,728	1,709	840	869	19	9	10
40-44	1,559	1,547	738	809	12	9	3
45-49	1,333	1,326	673	653	7	2	5
50-54	1,420	1,408	662	746	12	1	11
55-59	1,428	1,408	654	754	20	10	10
60	236	232	102	130	4	1	3
61	231	230	111	119	1	1	0
62	212	207	97	110	5	2	3
63	235	231	94	137	4	1	3
64	257	255	123	132	2	0	2
65-69	1,172	1,142	514	628	30	14	16
70-74	805	791	351	440	14	8	6
75-79	587	569	247	322	18	5	13
80-84	358	347	138	209	11	8	3
85 +	224	213	99	114	11	5	6
< 6	3,361	3,316	1,670	1,646	45	21	24
06-18	7,606	7,529	3,849	3,680	77	38	39
16-64	18,312	18,120	8,928	9,192	192	89	103
16+	21,458	21,182	10,277	10,905	276	129	147
18+	20,236	19,972	9,651	10,321	264	125	139
65+	3,146	3,062	1,349	1,713	84	40	44
TOTAL	30,687	30,306	14,906	15,400	381	180	201

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=095-OWSLEY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	95	95	49	46	0	0	0
01	96	96	48	48	0	0	0
02	80	80	44	36	0	0	0
03	93	93	48	45	0	0	0
04	94	94	54	40	0	0	0
05	86	86	49	37	0	0	0
06	93	93	39	54	0	0	0
07	98	98	47	51	0	0	0
08	103	103	49	54	0	0	0
09	88	88	41	47	0	0	0
10	103	103	61	42	0	0	0
11	115	115	58	57	0	0	0
12	109	109	48	61	0	0	0
13	132	132	67	65	0	0	0
14	127	127	63	64	0	0	0
15	119	117	61	56	2	0	2
16	111	111	56	55	0	0	0
17	109	109	64	45	0	0	0
18	111	110	55	55	1	0	1
19	78	78	42	36	0	0	0
20	76	76	44	32	0	0	0
21	91	91	37	54	0	0	0
22	106	106	47	59	0	0	0
23	74	74	33	41	0	0	0
24	85	85	36	49	0	0	0
25-29	437	436	226	210	1	0	1
30-34	367	367	190	177	0	0	0
35-39	325	324	150	174	1	0	1
40-44	290	287	156	131	3	1	2
45-49	275	274	135	139	1	1	0
50-54	244	244	113	131	0	0	0
55-59	261	261	143	118	0	0	0
60	50	49	25	24	1	0	1
61	51	51	32	19	0	0	0
62	47	47	20	27	0	0	0
63	54	54	26	28	0	0	0
64	46	46	22	24	0	0	0
65-69	258	258	125	133	0	0	0
70-74	206	206	102	104	0	0	0
75-79	184	184	96	88	0	0	0
80-84	94	94	41	53	0	0	0
85 +	48	48	25	23	0	0	0
< 6	544	544	292	252	0	0	0
06-18	1,418	1,415	709	706	3	0	3
16-64	3,288	3,280	1,652	1,628	8	2	6
16+	4,078	4,070	2,041	2,029	8	2	6
18+	3,858	3,850	1,921	1,929	8	2	6
65+	790	790	389	401	0	0	0
TOTAL	5,709	5,699	2,867	2,832	10	2	8

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=097-PERRY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	632	621	345	276	11	7	4
01	596	587	297	290	9	5	4
02	603	595	308	287	8	3	5
03	596	579	304	275	17	10	7
04	638	628	294	334	10	5	5
05	580	575	293	282	5	0	5
06	590	575	307	268	15	10	5
07	609	593	299	294	16	7	9
08	643	633	327	306	10	4	6
09	691	674	329	345	17	11	6
10	672	654	343	311	18	12	6
11	642	634	338	296	8	3	5
12	695	684	318	366	11	6	5
13	684	667	329	338	17	11	6
14	711	688	337	351	23	11	12
15	732	717	388	329	15	7	8
16	689	665	337	328	24	14	10
17	651	639	313	326	12	6	6
18	623	607	309	298	16	8	8
19	627	614	311	303	13	5	8
20	618	602	300	302	16	8	8
21	549	545	250	295	4	4	0
22	587	574	308	266	13	7	6
23	614	605	292	313	9	3	6
24	599	583	309	274	16	7	9
25-29	2,929	2,866	1,399	1,467	63	36	27
30-34	2,545	2,510	1,270	1,240	35	14	21
35-39	1,857	1,824	883	941	33	14	19
40-44	1,703	1,673	861	812	30	13	17
45-49	1,466	1,436	729	707	30	12	18
50-54	1,512	1,486	750	736	26	10	16
55-59	1,422	1,387	634	753	35	15	20
60	243	237	99	138	6	3	3
61	278	269	127	142	9	3	6
62	265	259	123	136	6	2	4
63	216	210	92	118	6	4	2
64	234	222	101	121	12	7	5
65-69	1,097	1,083	454	629	14	8	6
70-74	858	836	370	466	22	8	14
75-79	653	633	274	359	20	9	11
80-84	353	345	139	206	8	3	5
85 +	261	254	99	155	7	3	4
< 6	3,645	3,585	1,841	1,744	60	30	30
06-18	8,632	8,430	4,274	4,156	202	110	92
16-64	20,227	19,813	9,797	10,016	414	195	219
16+	23,449	22,964	11,133	11,831	485	226	259
18+	22,109	21,660	10,483	11,177	449	206	243
65+	3,222	3,151	1,336	1,815	71	31	40
TOTAL	33,763	33,068	16,289	16,779	695	338	357

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=119-WOLFE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	134	134	70	64	0	0	0
01	124	124	63	61	0	0	0
02	107	107	60	47	0	0	0
03	124	124	63	61	0	0	0
04	124	124	63	61	0	0	0
05	116	116	68	48	0	0	0
06	110	110	58	52	0	0	0
07	105	105	51	54	0	0	0
08	93	93	50	43	0	0	0
09	115	115	68	47	0	0	0
10	116	116	64	52	0	0	0
11	121	121	56	65	0	0	0
12	118	118	70	48	0	0	0
13	115	115	67	48	0	0	0
14	114	114	52	62	0	0	0
15	151	151	78	73	0	0	0
16	153	151	85	66	2	2	0
17	139	139	72	67	0	0	0
18	130	129	75	54	1	1	0
19	127	127	58	69	0	0	0
20	123	123	70	53	0	0	0
21	121	119	60	59	2	1	1
22	105	105	49	56	0	0	0
23	123	123	66	57	0	0	0
24	102	102	54	48	0	0	0
25-29	501	500	238	262	1	0	1
30-34	432	431	220	211	1	0	1
35-39	387	384	183	201	3	0	3
40-44	342	342	168	174	0	0	0
45-49	328	327	180	147	1	0	1
50-54	272	271	131	140	1	0	1
55-59	279	279	146	133	0	0	0
60	73	73	29	44	0	0	0
61	68	68	31	37	0	0	0
62	56	56	29	27	0	0	0
63	65	65	27	38	0	0	0
64	58	58	25	33	0	0	0
65-69	266	266	136	130	0	0	0
70-74	225	225	99	126	0	0	0
75-79	174	174	80	94	0	0	0
80-84	85	85	39	46	0	0	0
85 +	77	77	27	50	0	0	0
< 6	729	729	387	342	0	0	0
06-18	1,580	1,577	846	731	3	3	0
16-64	3,984	3,972	1,996	1,976	12	4	8
16+	4,811	4,799	2,377	2,422	12	4	8
18+	4,519	4,509	2,220	2,289	10	2	8
65+	827	827	381	446	0	0	0
TOTAL	6,698	6,686	3,378	3,308	12	4	8

DISTRICT 13

CUMBERLAND VALLEY



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=13 CUMBERLAND -----							
AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	3,934	3,840	1,998	1,842	94	40	54
01	3,676	3,602	1,857	1,745	74	41	33
02	3,698	3,625	1,855	1,770	73	37	36
03	3,807	3,714	1,906	1,808	93	55	38
04	3,772	3,693	1,873	1,820	79	34	45
05	3,840	3,755	1,941	1,814	85	41	44
06	3,905	3,833	1,986	1,847	72	36	36
07	4,089	4,011	2,070	1,941	78	42	36
08	4,227	4,151	2,151	2,000	76	31	45
09	4,378	4,295	2,276	2,019	83	53	30
10	4,190	4,125	2,149	1,976	65	39	26
11	4,197	4,104	2,125	1,979	93	55	38
12	4,067	3,984	2,059	1,925	83	43	40
13	4,428	4,339	2,268	2,071	89	47	42
14	4,510	4,432	2,354	2,078	78	40	38
15	4,745	4,637	2,335	2,302	108	58	50
16	4,675	4,573	2,351	2,222	102	57	45
17	4,566	4,460	2,307	2,153	106	56	50
18	4,031	3,925	1,962	1,963	106	52	54
19	4,046	3,948	1,961	1,987	98	58	40
20	3,928	3,839	1,868	1,971	89	38	51
21	3,821	3,722	1,837	1,885	99	35	64
22	3,870	3,783	1,894	1,889	87	50	37
23	3,845	3,770	1,753	2,017	75	38	37
24	3,828	3,737	1,876	1,861	91	47	44
25-29	17,926	17,615	8,746	8,869	311	163	148
30-34	16,546	16,293	8,134	8,159	253	107	146
35-39	13,163	12,941	6,371	6,570	222	99	123
40-44	11,233	11,065	5,529	5,536	168	82	86
45-49	10,087	9,922	4,827	5,095	165	67	98
50-54	10,274	10,105	4,728	5,377	169	67	102
55-59	10,878	10,672	4,991	5,681	206	73	133
60	1,893	1,852	859	993	41	15	26
61	1,881	1,827	817	1,010	54	26	28
62	1,873	1,829	857	972	44	16	28
63	1,800	1,763	848	915	37	21	16
64	1,977	1,931	823	1,108	46	13	33
65-69	8,775	8,533	3,848	4,685	242	105	137
70-74	7,188	6,979	3,066	3,913	209	87	122
75-79	5,204	5,061	2,052	3,009	143	68	75
80-84	2,796	2,726	1,074	1,652	70	25	45
85 +	1,990	1,940	736	1,204	50	17	33
< 6	22,727	22,229	11,430	10,799	498	248	250
06-18	56,008	54,869	28,393	26,476	1,139	609	530
16-64	136,141	133,572	65,339	68,233	2,569	1,180	1,389
16+	162,094	158,811	76,115	82,696	3,283	1,482	1,801
18+	152,853	149,778	71,457	78,321	3,075	1,369	1,706
65+	25,953	25,239	10,776	14,463	714	302	412
TOTAL	227,557	222,951	109,318	113,633	4,606	2,174	2,432

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=007-BELL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	541	526	271	255	15	7	8
01	547	530	275	255	17	10	7
02	522	508	251	257	14	8	6
03	547	522	275	247	25	11	14
04	531	509	252	257	22	13	9
05	571	550	285	265	21	11	10
06	608	591	319	272	17	10	7
07	622	608	329	279	14	7	7
08	655	638	311	327	17	6	11
09	667	654	350	304	13	6	7
10	649	634	312	322	15	6	9
11	613	589	299	290	24	15	9
12	624	608	293	315	16	9	7
13	658	634	330	304	24	12	12
14	643	627	337	290	16	10	6
15	662	640	326	314	22	9	13
16	717	698	354	344	19	9	10
17	696	669	341	328	27	14	13
18	582	562	275	287	20	9	11
19	571	557	284	273	14	7	7
20	543	532	272	260	11	5	6
21	524	512	258	254	12	4	8
22	570	555	269	286	15	7	8
23	618	603	281	322	15	5	10
24	538	522	265	257	16	6	10
25-29	2,733	2,674	1,328	1,346	59	34	25
30-34	2,523	2,460	1,242	1,218	63	27	36
35-39	2,014	1,962	981	981	52	24	28
40-44	1,689	1,646	831	815	43	22	21
45-49	1,547	1,506	721	785	41	23	18
50-54	1,587	1,549	684	865	38	13	25
55-59	1,741	1,693	790	903	48	20	28
60	301	292	138	154	9	2	7
61	297	283	121	162	14	8	6
62	302	286	130	156	16	4	12
63	262	256	127	129	6	0	6
64	300	290	122	168	10	2	8
65-69	1,400	1,353	602	751	47	24	23
70-74	1,076	1,036	447	589	40	13	27
75-79	815	789	287	502	26	10	16
80-84	417	402	145	257	15	3	12
85 +	307	297	105	192	10	4	6
< 6	3,259	3,145	1,609	1,536	114	60	54
06-18	8,396	8,152	4,176	3,976	244	122	122
16-64	20,655	20,107	9,814	10,293	548	245	303
16+	24,670	23,984	11,400	12,584	686	299	387
18+	23,257	22,617	10,705	11,912	640	276	364
65+	4,015	3,877	1,586	2,291	138	54	84
TOTAL	34,330	33,352	16,215	17,137	978	449	529

KENTUCKY POPULATION - 1980
BY COUNTY

COUNTY=026-CLAY

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	437	432	226	206	5	4	1
01	384	380	182	198	4	2	2
02	392	382	195	187	10	3	7
03	423	412	193	219	11	7	4
04	382	379	194	185	3	2	1
05	389	382	211	171	7	2	5
06	387	382	189	193	5	3	2
07	464	454	229	225	10	6	4
08	472	465	253	212	7	5	2
09	478	469	258	211	9	5	4
10	460	455	236	219	5	2	3
11	463	456	231	225	7	2	5
12	472	467	234	233	5	2	3
13	506	495	254	241	11	4	7
14	500	491	285	206	9	4	5
15	559	545	282	263	14	9	5
16	551	540	290	250	11	5	6
17	518	501	267	234	17	7	10
18	431	423	219	204	8	3	5
19	418	414	207	207	4	4	0
20	403	393	179	214	10	8	2
21	399	394	195	199	5	1	4
22	380	375	191	184	5	3	2
23	383	378	199	179	5	5	0
24	378	375	200	175	3	3	0
25-29	1,759	1,728	830	898	31	13	18
30-34	1,654	1,624	807	817	30	13	17
35-39	1,290	1,267	638	629	23	12	11
40-44	1,158	1,142	584	558	16	6	10
45-49	982	970	478	492	12	6	6
50-54	942	924	444	480	18	8	10
55-59	994	973	471	502	21	7	14
60	164	163	80	83	1	0	1
61	148	145	74	71	3	2	1
62	144	142	66	76	2	1	1
63	148	146	73	73	2	2	0
64	152	151	59	92	1	1	0
65-69	802	783	366	417	19	7	12
70-74	603	593	305	288	10	2	8
75-79	396	390	165	225	6	3	3
80-84	212	207	94	113	5	1	4
85 +	175	170	73	97	5	2	3
< 6	2,407	2,367	1,201	1,166	40	20	20
06-18	6,261	6,143	3,227	2,916	118	57	61
16-64	13,396	13,168	6,551	6,617	228	110	118
16+	15,584	15,311	7,554	7,757	273	125	148
18+	14,515	14,270	6,997	7,273	245	113	132
65+	2,188	2,143	1,003	1,140	45	15	30
TOTAL	22,752	22,357	11,206	11,151	395	187	208

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=048-HARLAN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	780	730	362	368	50	25	25
01	696	666	316	350	30	14	16
02	743	708	357	351	35	21	14
03	752	709	369	340	43	30	13
04	725	687	345	342	38	15	23
05	724	684	342	342	40	20	20
06	776	743	376	367	33	13	20
07	764	726	363	363	38	22	16
08	794	758	374	384	36	12	24
09	792	749	396	353	43	29	14
10	749	717	368	349	32	20	12
11	800	758	401	357	42	25	17
12	741	697	373	324	44	21	23
13	797	756	389	367	41	25	16
14	854	819	433	386	35	16	19
15	798	746	378	368	52	27	25
16	843	797	380	417	46	26	20
17	789	748	374	374	41	24	17
18	667	620	300	320	47	23	24
19	706	673	317	356	33	20	13
20	704	671	333	338	33	12	21
21	712	673	341	332	39	13	26
22	748	715	384	331	33	18	15
23	724	687	323	364	37	15	22
24	784	738	383	355	46	25	21
25-29	3,460	3,318	1,645	1,673	142	69	73
30-34	3,151	3,049	1,565	1,484	102	44	58
35-39	2,257	2,172	1,120	1,052	85	32	53
40-44	1,860	1,801	894	907	59	29	30
45-49	1,762	1,694	805	889	68	21	47
50-54	1,967	1,885	848	1,037	82	33	49
55-59	2,126	2,032	957	1,075	94	33	61
60	361	336	146	190	25	12	13
61	361	332	153	179	29	14	15
62	339	317	148	169	22	9	13
63	342	325	144	181	17	14	3
64	363	339	129	210	24	7	17
65-69	1,570	1,449	630	819	121	52	69
70-74	1,312	1,203	484	719	109	53	56
75-79	919	837	335	502	82	39	43
80-84	442	408	165	243	34	15	19
85 +	335	310	105	205	25	10	15
< 6	4,420	4,184	2,091	2,093	236	125	111
06-18	10,164	9,634	4,905	4,729	530	283	247
16-64	25,026	23,922	11,689	12,233	1,104	493	611
16+	29,604	28,129	13,408	14,721	1,475	662	813
18+	27,972	26,584	12,654	13,930	1,388	612	776
65+	4,578	4,207	1,719	2,488	371	169	202
TOTAL	41,889	39,782	19,350	20,432	2,107	997	1,110

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=055-JACKSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	206	206	111	95	0	0	0
01	216	216	120	96	0	0	0
02	193	193	98	95	0	0	0
03	209	209	111	98	0	0	0
04	176	176	91	85	0	0	0
05	232	232	126	106	0	0	0
06	210	209	107	102	1	1	0
07	220	220	121	99	0	0	0
08	210	210	104	106	0	0	0
09	246	246	132	114	0	0	0
10	218	218	121	97	0	0	0
11	232	232	128	104	0	0	0
12	206	204	107	97	2	2	0
13	216	215	118	97	1	1	0
14	237	237	99	138	0	0	0
15	256	256	130	126	0	0	0
16	215	215	109	106	0	0	0
17	235	235	123	112	0	0	0
18	199	199	95	104	0	0	0
19	206	206	106	100	0	0	0
20	193	193	98	95	0	0	0
21	176	176	81	95	0	0	0
22	208	208	101	107	0	0	0
23	190	190	84	106	0	0	0
24	198	198	92	106	0	0	0
25-29	945	943	489	454	2	0	2
30-34	818	816	407	409	2	1	1
35-39	669	669	323	346	0	0	0
40-44	582	581	288	293	1	0	1
45-49	529	529	256	273	0	0	0
50-54	562	562	280	282	0	0	0
55-59	606	605	304	301	1	0	1
60	92	92	41	51	0	0	0
61	77	77	24	53	0	0	0
62	95	95	40	55	0	0	0
63	116	116	64	52	0	0	0
64	119	119	57	62	0	0	0
65-69	470	468	235	233	2	0	2
70-74	418	418	209	209	0	0	0
75-79	297	297	147	150	0	0	0
80-84	178	178	78	100	0	0	0
85 +	120	120	55	65	0	0	0
< 6	1,232	1,232	657	575	0	0	0
06-18	2,900	2,896	1,494	1,402	4	4	0
16-64	7,030	7,024	3,462	3,562	6	1	5
16+	8,513	8,505	4,186	4,319	8	1	7
18+	8,063	8,055	3,954	4,101	8	1	7
65+	1,483	1,481	724	757	2	0	2
TOTAL	11,996	11,984	6,010	5,974	12	5	7

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=061-KNOX -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	555	548	279	269	7	1	6
01	480	472	256	216	8	6	2
02	507	503	261	242	4	0	4
03	500	496	260	236	4	2	2
04	511	506	247	259	5	0	5
05	545	538	280	258	7	3	4
06	493	488	254	234	5	3	2
07	582	576	292	284	6	3	3
08	578	570	298	272	8	2	6
09	628	625	315	310	3	2	1
10	564	557	282	275	7	5	2
11	589	585	306	279	4	4	0
12	549	544	296	248	5	2	3
13	574	572	312	260	2	1	1
14	639	635	332	303	4	3	1
15	677	668	321	347	9	7	2
16	583	570	291	279	13	10	3
17	627	620	309	311	7	3	4
18	551	546	267	279	5	1	4
19	485	471	227	244	14	7	7
20	539	525	251	274	14	6	8
21	513	506	251	255	7	3	4
22	468	454	249	205	14	10	4
23	493	487	212	275	6	4	2
24	479	470	219	251	9	5	4
25-29	2,272	2,248	1,090	1,158	24	16	8
30-34	2,158	2,138	1,037	1,101	20	7	13
35-39	1,823	1,808	872	936	15	3	12
40-44	1,514	1,496	737	759	18	8	10
45-49	1,294	1,275	626	649	19	7	12
50-54	1,199	1,188	564	624	11	6	5
55-59	1,406	1,385	621	764	21	6	15
60	265	265	115	150	0	0	0
61	253	251	107	144	2	0	2
62	260	259	126	133	1	0	1
63	231	227	110	117	4	3	1
64	282	278	113	165	4	1	3
65-69	1,219	1,198	535	663	21	10	11
70-74	957	937	403	534	20	7	13
75-79	762	747	309	438	15	10	5
80-84	382	370	146	224	12	5	7
85 +	253	245	96	149	8	1	7
< 6	3,098	3,063	1,583	1,480	35	12	23
06-18	7,634	7,556	3,875	3,681	78	46	32
16-64	17,695	17,467	8,394	9,073	228	106	122
16+	21,268	20,964	9,883	11,081	304	139	165
18+	20,058	19,774	9,283	10,491	284	126	158
65+	3,573	3,497	1,489	2,008	76	33	43
TOTAL	30,239	29,847	14,474	15,373	392	183	209

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=063-LAUREL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	675	667	345	322	8	2	6
01	632	625	340	285	7	5	2
02	617	613	312	301	4	2	2
03	639	632	310	322	7	2	5
04	695	688	351	337	7	2	5
05	639	630	334	296	9	4	5
06	648	641	338	303	7	4	3
07	640	632	337	295	8	4	4
08	713	709	373	336	4	3	1
09	727	717	398	319	10	8	2
10	733	731	397	334	2	2	0
11	700	691	360	331	9	5	4
12	647	642	335	307	5	3	2
13	750	745	387	358	5	4	1
14	748	737	395	342	11	6	5
15	839	828	402	426	11	6	5
16	813	807	427	380	6	3	3
17	790	782	406	376	8	6	2
18	705	690	356	334	15	10	5
19	690	678	360	318	12	9	3
20	581	574	289	285	7	4	3
21	635	626	310	316	9	5	4
22	676	668	302	366	8	4	4
23	620	616	286	330	4	3	1
24	692	685	334	351	7	4	3
25-29	3,203	3,170	1,584	1,586	33	19	14
30-34	2,951	2,927	1,470	1,457	24	12	12
35-39	2,329	2,300	1,123	1,177	29	18	11
40-44	2,029	2,008	972	1,036	21	12	9
45-49	1,825	1,810	888	922	15	8	7
50-54	1,833	1,824	871	953	9	3	6
55-59	1,753	1,742	810	932	11	5	6
60	327	324	162	162	3	0	3
61	310	307	154	153	3	1	2
62	328	327	156	171	1	0	1
63	319	315	156	159	4	1	3
64	312	307	136	171	5	2	3
65-69	1,372	1,360	643	717	12	5	7
70-74	1,173	1,153	538	615	20	8	12
75-79	817	807	334	473	10	4	6
80-84	497	494	186	308	3	0	3
85 +	360	359	139	220	1	0	1
< 6	3,897	3,855	1,992	1,863	42	17	25
06-18	9,453	9,352	4,911	4,441	101	64	37
16-64	23,721	23,487	11,552	11,935	234	129	105
16+	27,940	27,660	13,392	14,268	280	146	134
18+	26,337	26,071	12,559	13,512	266	137	129
65+	4,219	4,173	1,840	2,333	46	17	29
TOTAL	38,982	38,588	19,106	19,482	394	208	186

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=102-ROCKCASTLE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	214	213	119	94	1	1	0
01	195	192	104	88	3	3	0
02	191	189	96	93	2	1	1
03	221	221	127	94	0	0	0
04	207	207	112	95	0	0	0
05	224	224	105	119	0	0	0
06	235	233	111	122	2	2	0
07	247	247	124	123	0	0	0
08	245	245	121	124	0	0	0
09	252	252	125	127	0	0	0
10	249	249	134	115	0	0	0
11	264	264	149	115	0	0	0
12	250	250	146	104	0	0	0
13	295	294	157	137	1	0	1
14	286	285	173	112	1	0	1
15	290	290	146	144	0	0	0
16	285	285	147	138	0	0	0
17	286	286	147	139	0	0	0
18	245	244	123	121	1	1	0
19	218	218	112	106	0	0	0
20	245	245	116	129	0	0	0
21	198	198	113	85	0	0	0
22	202	202	101	101	0	0	0
23	234	234	127	107	0	0	0
24	187	186	100	86	1	0	1
25-29	1,014	1,009	508	501	5	3	2
30-34	947	945	443	502	2	0	2
35-39	829	827	398	429	2	2	0
40-44	767	767	397	370	0	0	0
45-49	706	702	363	339	4	1	3
50-54	672	671	303	368	1	1	0
55-59	637	636	303	333	1	0	1
60	114	114	62	52	0	0	0
61	137	137	67	70	0	0	0
62	114	114	54	60	0	0	0
63	128	128	64	64	0	0	0
64	148	146	63	83	2	0	2
65-69	608	603	287	316	5	1	4
70-74	496	493	232	261	3	1	2
75-79	340	340	137	203	0	0	0
80-84	221	220	102	118	1	1	0
85 +	130	130	54	76	0	0	0
< 6	1,252	1,246	663	583	6	5	1
06-18	3,429	3,424	1,803	1,621	5	3	2
16-64	8,313	8,294	4,111	4,183	19	8	11
16+	10,108	10,080	4,923	5,157	28	11	17
18+	9,537	9,509	4,629	4,880	28	11	17
65+	1,795	1,786	812	974	9	3	6
TOTAL	13,973	13,935	6,972	6,963	38	18	20


KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=118-WHITLEY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	526	518	285	233	8	0	8
01	526	521	264	257	5	1	4
02	533	529	285	244	4	2	2
03	516	513	261	252	3	3	0
04	545	541	281	260	4	2	2
05	516	515	258	257	1	1	0
06	548	546	292	254	2	0	2
07	550	548	275	273	2	0	2
08	560	556	317	239	4	3	1
09	588	583	302	281	5	3	2
10	568	564	299	265	4	4	0
11	536	529	251	278	7	4	3
12	578	572	275	297	6	4	2
13	632	628	321	307	4	0	4
14	603	601	300	301	2	1	1
15	664	664	350	314	0	0	0
16	668	661	353	308	7	4	3
17	625	619	340	279	6	2	4
18	651	641	327	314	10	5	5
19	752	731	348	383	21	11	10
20	720	706	330	376	14	3	11
21	664	637	288	349	27	9	18
22	618	606	297	309	12	8	4
23	583	575	241	334	8	6	2
24	572	563	283	280	9	4	5
25-29	2,540	2,525	1,272	1,253	15	9	6
30-34	2,344	2,334	1,163	1,171	10	3	7
35-39	1,952	1,936	916	1,020	16	8	8
40-44	1,634	1,624	826	798	10	5	5
45-49	1,442	1,436	690	746	6	1	5
50-54	1,512	1,502	734	768	10	3	7
55-59	1,615	1,606	735	871	9	2	7
60	269	266	115	151	3	1	2
61	298	295	117	178	3	1	2
62	291	289	137	152	2	2	0
63	254	250	110	140	4	1	3
64	301	301	144	157	0	0	0
65-69	1,334	1,319	550	769	15	6	9
70-74	1,153	1,146	448	698	7	3	4
75-79	858	854	338	516	4	2	2
80-84	447	447	158	289	0	0	0
85 +	310	309	109	200	1	0	1
< 6	3,162	3,137	1,634	1,503	25	9	16
06-18	7,771	7,712	4,002	3,710	59	30	29
16-64	20,305	20,103	9,766	10,337	202	88	114
16+	24,407	24,178	11,369	12,809	229	99	130
18+	23,114	22,898	10,676	12,222	216	93	123
65+	4,102	4,075	1,603	2,472	27	11	16
TOTAL	33,396	33,106	15,985	17,121	290	127	163

DISTRICT 14

LAKE CUMBERLAND



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=14 LAKE CUMBRND -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	2,541	2,476	1,269	1,207	65	34	31
01	2,461	2,420	1,234	1,186	41	20	21
02	2,497	2,446	1,252	1,194	51	25	26
03	2,407	2,348	1,200	1,148	59	31	28
04	2,413	2,367	1,217	1,150	46	23	23
05	2,445	2,390	1,178	1,212	55	31	24
06	2,577	2,532	1,308	1,224	45	22	23
07	2,767	2,712	1,393	1,319	55	33	22
08	2,691	2,625	1,351	1,274	66	30	36
09	2,947	2,889	1,444	1,445	58	31	27
10	2,881	2,817	1,423	1,394	64	31	33
11	2,821	2,756	1,434	1,322	65	37	28
12	2,897	2,824	1,439	1,385	73	30	43
13	3,052	2,964	1,458	1,506	88	47	41
14	3,120	3,041	1,537	1,504	79	36	43
15	3,348	3,262	1,654	1,608	86	41	45
16	3,325	3,199	1,669	1,530	126	75	51
17	3,314	3,173	1,671	1,502	141	93	48
18	3,076	2,946	1,508	1,438	130	84	46
19	2,916	2,808	1,421	1,387	108	73	35
20	2,860	2,772	1,385	1,387	88	55	33
21	2,627	2,547	1,239	1,308	80	47	33
22	2,695	2,618	1,301	1,317	77	35	42
23	2,633	2,570	1,242	1,328	63	34	29
24	2,731	2,662	1,312	1,350	69	38	31
25-29	12,564	12,275	6,078	6,197	289	157	132
30-34	11,939	11,720	5,750	5,970	219	102	117
35-39	10,088	9,909	4,826	5,083	179	74	105
40-44	9,150	8,972	4,445	4,527	178	91	87
45-49	8,673	8,485	4,162	4,323	188	82	106
50-54	8,660	8,447	4,038	4,409	213	97	116
55-59	8,895	8,710	4,119	4,591	185	86	99
60	1,695	1,655	793	862	40	14	26
61	1,668	1,624	716	908	44	19	25
62	1,707	1,677	828	849	30	16	14
63	1,588	1,555	722	833	33	14	19
64	1,742	1,685	818	867	57	31	26
65-69	7,793	7,602	3,568	4,034	191	80	111
70-74	6,192	6,042	2,727	3,315	150	72	78
75-79	4,340	4,264	1,782	2,482	76	32	44
80-84	2,558	2,500	1,018	1,482	58	23	35
85 +	1,755	1,702	618	1,084	53	24	29
< 6	14,764	14,447	7,350	7,097	317	164	153
06-18	38,816	37,740	19,289	18,451	1,076	590	486
16-64	104,546	102,009	50,043	51,966	2,537	1,317	1,220
16+	127,184	124,119	59,756	64,363	3,065	1,548	1,517
18+	120,545	117,747	56,416	61,331	2,798	1,380	1,418
65+	22,638	22,110	9,713	12,397	528	231	297
TOTAL	171,049	166,988	81,547	85,441	4,061	2,050	2,011

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=001-ADAIR -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	190	183	100	83	7	4	3
01	215	210	108	102	5	2	3
02	203	195	99	96	8	2	6
03	211	204	114	90	7	3	4
04	161	157	79	78	4	3	1
05	204	195	94	101	9	7	2
06	233	228	129	99	5	3	2
07	234	224	125	99	10	8	2
08	234	225	115	110	9	4	5
09	215	208	97	111	7	4	3
10	228	221	105	116	7	4	3
11	258	244	140	104	14	6	8
12	248	235	111	124	13	4	9
13	285	270	139	131	15	8	7
14	287	277	140	137	10	3	7
15	312	298	144	154	14	6	8
16	301	291	150	141	10	6	4
17	278	262	140	122	16	10	6
18	261	249	127	122	12	9	3
19	277	261	128	133	16	8	8
20	255	239	114	125	16	11	5
21	212	204	97	107	8	2	6
22	220	214	110	104	6	3	3
23	209	196	87	109	13	5	8
24	207	202	93	109	5	4	1
25-29	984	956	471	485	28	14	14
30-34	976	956	484	472	20	9	11
35-39	885	854	425	429	31	13	18
40-44	858	836	414	422	22	13	9
45-49	786	764	378	386	22	9	13
50-54	786	751	362	389	35	18	17
55-59	853	831	406	425	22	7	15
60	159	154	61	93	5	3	2
61	165	160	69	91	5	3	2
62	168	162	74	88	6	3	3
63	168	162	74	88	6	4	2
64	199	190	94	96	9	4	5
65-69	782	743	372	371	39	19	20
70-74	658	636	290	346	22	6	16
75-79	420	406	147	259	14	7	7
80-84	281	273	95	178	8	3	5
85 +	167	156	66	90	11	4	7
< 6	1,184	1,144	594	550	40	21	19
06-18	3,374	3,232	1,662	1,570	142	75	67
16-64	9,207	8,894	4,358	4,536	313	158	155
16+	11,515	11,108	5,328	5,780	407	197	210
18+	10,936	10,555	5,038	5,517	381	181	200
65+	2,308	2,214	970	1,244	94	39	55
TOTAL	15,233	14,682	7,167	7,515	551	268	283

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=023-CASEY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	243	242	120	122	1	0	1
01	225	225	107	118	0	0	0
02	248	248	122	126	0	0	0
03	202	202	93	109	0	0	0
04	212	211	114	97	1	1	0
05	228	228	110	118	0	0	0
06	223	223	103	120	0	0	0
07	241	240	126	114	1	0	1
08	233	233	128	105	0	0	0
09	277	277	138	139	0	0	0
10	257	257	137	120	0	0	0
11	258	257	129	128	1	0	1
12	270	270	142	128	0	0	0
13	261	260	115	145	1	0	1
14	282	281	142	139	1	1	0
15	313	313	173	140	0	0	0
16	302	298	153	145	4	2	2
17	288	286	138	148	2	1	1
18	266	265	147	118	1	0	1
19	218	218	121	97	0	0	0
20	226	226	113	113	0	0	0
21	210	208	100	108	2	0	2
22	222	222	104	118	0	0	0
23	220	219	111	108	1	0	1
24	228	228	117	111	0	0	0
25-29	1,040	1,037	520	517	3	2	1
30-34	1,060	1,058	520	538	2	0	2
35-39	786	784	404	380	2	0	2
40-44	766	762	363	399	4	1	3
45-49	757	749	375	374	8	2	6
50-54	746	744	358	386	2	1	1
55-59	766	764	360	404	2	1	1
60	155	154	79	75	1	0	1
61	154	153	67	86	1	0	1
62	140	139	82	57	1	0	1
63	154	153	76	77	1	0	1
64	160	159	81	78	1	0	1
65-69	704	702	336	366	2	1	1
70-74	544	542	243	299	2	1	1
75-79	365	364	169	195	1	0	1
80-84	218	217	83	134	1	1	0
85 +	150	150	68	82	0	0	0
< 6	1,358	1,356	666	690	2	1	1
06-18	3,471	3,460	1,771	1,689	11	4	7
16-64	8,864	8,826	4,389	4,437	38	10	28
16+	10,845	10,801	5,288	5,513	44	13	31
18+	10,255	10,217	4,997	5,220	38	10	28
65+	1,981	1,975	899	1,076	6	3	3
TOTAL	14,818	14,768	7,287	7,481	50	15	35

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=027-CLINTON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	120	120	61	59	0	0	0
01	140	140	69	71	0	0	0
02	130	130	57	73	0	0	0
03	119	119	65	54	0	0	0
04	141	141	79	62	0	0	0
05	150	150	74	76	0	0	0
06	145	145	81	64	0	0	0
07	159	159	67	92	0	0	0
08	138	138	68	70	0	0	0
09	167	167	87	80	0	0	0
10	129	129	59	70	0	0	0
11	161	161	91	70	0	0	0
12	150	150	75	75	0	0	0
13	158	158	75	83	0	0	0
14	156	156	78	78	0	0	0
15	184	184	98	86	0	0	0
16	155	155	77	78	0	0	0
17	175	175	89	86	0	0	0
18	159	159	76	83	0	0	0
19	149	149	79	70	0	0	0
20	156	156	69	87	0	0	0
21	135	135	60	75	0	0	0
22	142	142	73	69	0	0	0
23	172	172	81	91	0	0	0
24	143	143	67	76	0	0	0
25-29	650	648	336	312	2	1	1
30-34	619	619	309	310	0	0	0
35-39	573	571	281	290	2	1	1
40-44	543	541	259	282	2	2	0
45-49	495	494	252	242	1	1	0
50-54	448	445	214	231	3	0	3
55-59	461	460	202	258	1	0	1
60	109	109	52	57	0	0	0
61	98	98	39	59	0	0	0
62	81	81	35	46	0	0	0
63	91	91	40	51	0	0	0
64	106	106	58	48	0	0	0
65-69	453	451	212	239	2	0	2
70-74	373	371	172	199	2	1	1
75-79	268	266	106	160	2	0	2
80-84	130	128	64	64	2	1	1
85 +	90	90	35	55	0	0	0
< 6	800	800	405	395	0	0	0
06-18	2,036	2,036	1,021	1,015	0	0	0
16-64	5,660	5,649	2,748	2,901	11	5	6
16+	6,974	6,955	3,337	3,618	19	7	12
18+	6,644	6,625	3,171	3,454	19	7	12
65+	1,314	1,306	589	717	8	2	6
TOTAL	9,321	9,302	4,521	4,781	19	7	12

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=029-CUMBERLAND -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	97	94	43	51	3	2	1
01	82	78	36	42	4	2	2
02	102	102	46	56	0	0	0
03	81	77	38	39	4	1	3
04	110	107	59	48	3	2	1
05	101	99	54	45	2	0	2
06	99	95	43	52	4	2	2
07	87	83	43	40	4	4	0
08	94	87	39	48	7	4	3
09	121	117	63	54	4	3	1
10	113	108	58	50	5	2	3
11	99	94	45	49	5	3	2
12	101	97	47	50	4	2	2
13	117	106	50	56	11	3	8
14	145	133	57	76	12	5	7
15	140	128	61	67	12	3	9
16	128	109	64	45	19	6	13
17	137	127	60	67	10	4	6
18	118	109	65	44	9	4	5
19	123	117	63	54	6	3	3
20	97	95	51	44	2	1	1
21	118	108	57	51	10	6	4
22	105	98	44	54	7	3	4
23	98	87	48	39	11	5	6
24	125	120	67	53	5	3	2
25-29	491	462	211	251	29	18	11
30-34	479	452	216	236	27	10	17
35-39	380	362	166	196	18	6	12
40-44	389	372	193	179	17	10	7
45-49	387	364	180	184	23	12	11
50-54	438	409	189	220	29	13	16
55-59	420	388	194	194	32	14	18
60	82	80	33	47	2	0	2
61	82	78	29	49	4	1	3
62	89	86	32	54	3	1	2
63	66	62	36	26	4	2	2
64	92	85	40	45	7	4	3
65-69	399	384	183	201	15	7	8
70-74	308	299	143	156	9	6	3
75-79	240	235	100	135	5	2	3
80-84	120	116	50	66	4	2	2
85 +	89	84	34	50	5	2	3
< 6	573	557	276	281	16	7	9
06-18	1,499	1,393	695	698	106	45	61
16-64	4,444	4,170	2,038	2,132	274	126	148
16+	5,600	5,288	2,548	2,740	312	145	167
18+	5,335	5,052	2,424	2,628	283	135	148
65+	1,156	1,118	510	608	38	19	19
TOTAL	7,289	6,893	3,330	3,563	396	183	213

KENTUCKY POPULATION - 1980
BY COUNTY

COUNTY=044-GREEN

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	169	158	86	72	11	5	6
01	124	121	62	59	3	1	2
02	139	133	77	56	6	3	3
03	134	128	61	67	6	4	2
04	143	137	71	66	6	3	3
05	137	129	71	58	8	2	6
06	152	143	80	63	9	2	7
07	174	171	78	93	3	1	2
08	158	152	79	73	6	3	3
09	170	163	77	86	7	2	5
10	153	150	74	76	3	3	0
11	154	148	74	74	6	3	3
12	197	192	90	102	5	2	3
13	178	166	84	82	12	11	1
14	174	169	87	82	5	2	3
15	232	228	111	117	4	2	2
16	185	180	98	82	5	3	2
17	219	211	125	86	8	3	5
18	155	149	70	79	6	2	4
19	176	174	82	92	2	2	0
20	174	165	88	77	9	5	4
21	154	149	79	70	5	2	3
22	144	135	66	69	9	3	6
23	161	154	92	62	7	5	2
24	169	163	78	85	6	5	1
25-29	793	758	362	396	35	19	16
30-34	745	729	374	355	16	6	10
35-39	644	630	302	328	14	7	7
40-44	623	606	302	304	17	12	5
45-49	604	586	296	290	18	8	10
50-54	568	546	252	294	22	14	8
55-59	624	602	304	298	22	14	8
60	123	117	61	56	6	2	4
61	118	112	49	63	6	1	5
62	126	124	75	49	2	2	0
63	128	124	49	75	4	2	2
64	109	103	51	52	6	3	3
65-69	580	567	265	302	13	4	9
70-74	472	452	185	267	20	11	9
75-79	296	293	124	169	3	1	2
80-84	201	193	84	109	8	2	6
85 +	164	152	52	100	12	4	8
< 6	846	806	428	378	40	18	22
06-18	2,301	2,222	1,127	1,095	79	39	40
16-64	6,742	6,517	3,255	3,262	225	120	105
16+	8,455	8,174	3,965	4,209	281	142	139
18+	8,051	7,783	3,742	4,041	268	136	132
65+	1,713	1,657	710	947	56	22	34
TOTAL	11,043	10,662	5,227	5,435	381	191	190

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=074-MCCREARY -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	277	276	154	122	1	0	1
01	283	280	158	122	3	2	1
02	237	235	116	119	2	1	1
03	297	293	161	132	4	0	4
04	278	277	143	134	1	1	0
05	248	244	120	124	4	2	2
06	312	312	149	163	0	0	0
07	323	321	167	154	2	1	1
08	290	289	129	160	1	0	1
09	329	325	167	158	4	2	2
10	331	327	151	176	4	1	3
11	296	296	166	130	0	0	0
12	323	316	170	146	7	2	5
13	337	336	168	168	1	1	0
14	378	377	194	183	1	1	0
15	330	328	169	159	2	0	2
16	382	357	182	175	25	25	0
17	386	349	186	163	37	35	2
18	339	302	157	145	37	36	1
19	316	280	159	121	36	36	0
20	242	218	114	104	24	23	1
21	269	254	133	121	15	15	0
22	239	233	110	123	6	4	2
23	215	214	100	114	1	1	0
24	227	227	117	110	0	0	0
25-29	1,123	1,115	545	570	8	3	5
30-34	1,155	1,147	557	590	8	4	4
35-39	888	880	414	466	8	3	5
40-44	741	733	384	349	8	4	4
45-49	624	624	301	323	0	0	0
50-54	669	666	313	348	3	2	1
55-59	704	701	307	394	3	1	2
60	124	124	61	63	0	0	0
61	109	108	53	55	1	1	0
62	135	135	73	62	0	0	0
63	131	129	49	80	2	0	2
64	133	132	63	69	1	1	0
65-69	579	575	257	318	4	2	2
70-74	449	445	201	244	4	2	2
75-79	337	337	158	179	0	0	0
80-84	155	155	64	91	0	0	0
85 +	94	94	36	58	0	0	0
< 6	1,620	1,605	852	753	15	6	9
06-18	4,356	4,235	2,155	2,080	121	104	17
16-64	9,151	8,928	4,383	4,545	223	194	29
16+	10,765	10,534	5,099	5,435	231	198	33
18+	9,997	9,828	4,731	5,097	169	138	31
65+	1,614	1,606	716	890	8	4	4
TOTAL	15,634	15,366	7,581	7,785	268	212	56

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=100-PULASKI -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	660	648	318	330	12	5	7
01	626	621	320	301	5	3	2
02	676	669	345	324	7	3	4
03	654	646	329	317	8	5	3
04	653	645	318	327	8	3	5
05	668	655	310	345	13	8	5
06	668	661	356	305	7	4	3
07	717	705	384	321	12	4	8
08	727	713	366	347	14	6	8
09	796	787	389	398	9	3	6
10	798	782	404	378	16	5	11
11	753	740	372	368	13	11	2
12	739	725	374	351	14	7	7
13	806	801	379	422	5	3	2
14	806	795	421	374	11	4	7
15	840	826	421	405	14	11	3
16	873	858	457	401	15	8	7
17	875	857	439	418	18	12	6
18	803	785	391	394	18	10	8
19	769	753	374	379	16	9	7
20	772	761	404	357	11	6	5
21	708	700	326	374	8	2	6
22	735	720	372	348	15	9	6
23	739	730	329	401	9	6	3
24	773	762	364	398	11	8	3
25-29	3,614	3,557	1,768	1,789	57	31	26
30-34	3,277	3,229	1,566	1,663	48	23	25
35-39	2,798	2,770	1,356	1,414	28	13	15
40-44	2,489	2,461	1,227	1,234	28	13	15
45-49	2,316	2,288	1,109	1,179	28	12	16
50-54	2,359	2,325	1,131	1,194	34	11	23
55-59	2,396	2,363	1,130	1,233	33	15	18
60	425	416	202	214	9	4	5
61	429	423	182	241	6	2	4
62	461	451	215	236	10	5	5
63	402	398	191	207	4	2	2
64	411	407	189	218	4	2	2
65-69	1,950	1,921	893	1,028	29	8	21
70-74	1,552	1,523	688	835	29	17	12
75-79	1,095	1,080	447	633	15	7	8
80-84	691	683	260	423	8	1	7
85 +	504	491	157	334	13	6	7
< 6	3,937	3,884	1,940	1,944	53	27	26
06-18	10,201	10,035	5,153	4,882	166	88	78
16-64	28,424	28,014	13,722	14,292	410	203	207
16+	34,216	33,712	16,167	17,545	504	242	262
18+	32,468	31,997	15,271	16,726	471	222	249
65+	5,792	5,698	2,445	3,253	94	39	55
TOTAL	45,803	45,131	21,973	23,158	672	327	345

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=104-RUSSELL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	176	173	84	89	3	1	2
01	188	187	89	98	1	1	0
02	159	159	90	69	0	0	0
03	162	159	80	79	3	2	1
04	173	170	89	81	3	0	3
05	204	202	93	109	2	2	0
06	194	192	97	95	2	2	0
07	206	205	111	94	1	1	0
08	225	223	128	95	2	0	2
09	236	235	115	120	1	0	1
10	217	216	112	104	1	1	0
11	216	215	121	94	1	1	0
12	242	239	119	120	3	1	2
13	238	236	101	135	2	0	2
14	229	227	114	113	2	0	2
15	261	257	115	142	4	0	4
16	261	260	129	131	1	1	0
17	255	252	137	115	3	1	2
18	241	238	122	116	3	3	0
19	188	188	91	97	0	0	0
20	215	210	106	104	5	3	2
21	189	188	89	99	1	1	0
22	221	220	110	110	1	0	1
23	202	200	106	94	2	2	0
24	226	220	113	107	6	2	4
25-29	991	982	476	506	9	4	5
30-34	890	883	451	432	7	5	2
35-39	800	795	373	422	5	3	2
40-44	697	689	352	337	8	3	5
45-49	723	717	346	371	6	2	4
50-54	700	694	318	376	6	3	3
55-59	795	788	369	419	7	4	3
60	162	160	84	76	2	0	2
61	162	161	75	86	1	1	0
62	135	135	78	57	0	0	0
63	139	139	65	74	0	0	0
64	174	170	81	89	4	3	1
65-69	723	714	324	390	9	5	4
70-74	537	535	243	292	2	0	2
75-79	379	374	154	220	5	2	3
80-84	231	228	100	128	3	0	3
85 +	146	146	50	96	0	0	0
< 6	1,062	1,050	525	525	12	6	6
06-18	3,021	2,995	1,521	1,474	26	11	15
16-64	8,366	8,289	4,071	4,218	77	41	36
16+	10,382	10,286	4,942	5,344	96	48	48
18+	9,866	9,774	4,676	5,098	92	46	46
65+	2,016	1,997	871	1,126	19	7	12
TOTAL	13,708	13,581	6,600	6,981	127	60	67

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=109-TAYLOR -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	336	314	169	145	22	14	8
01	282	265	143	122	17	8	9
02	335	314	160	154	21	11	10
03	279	263	141	122	16	10	6
04	275	263	140	123	12	7	5
05	275	264	133	131	11	5	6
06	290	277	133	144	13	5	8
07	326	308	153	155	18	10	8
08	300	278	149	129	22	10	12
09	339	317	157	160	22	14	8
10	339	322	161	161	17	9	8
11	325	310	143	167	15	5	10
12	318	304	170	134	14	4	10
13	337	312	175	137	25	14	11
14	366	339	159	180	27	17	10
15	404	379	179	200	25	13	12
16	388	354	170	184	34	14	20
17	387	351	198	153	36	17	19
18	443	408	204	204	35	17	18
19	396	376	182	194	20	10	10
20	417	401	198	203	16	4	12
21	370	341	156	185	29	19	10
22	396	369	181	188	27	11	16
23	348	334	155	179	14	8	6
24	375	345	169	176	30	14	16
25-29	1,613	1,521	761	760	92	46	46
30-34	1,567	1,505	718	787	62	31	31
35-39	1,323	1,268	620	648	55	23	32
40-44	1,184	1,126	557	569	58	27	31
45-49	1,162	1,093	534	559	69	31	38
50-54	1,105	1,040	514	526	65	29	36
55-59	1,032	987	456	531	45	19	26
60	196	187	88	99	9	4	5
61	195	182	78	104	13	5	8
62	209	204	88	116	5	3	2
63	161	152	69	83	9	2	7
64	189	170	85	85	19	11	8
65-69	883	831	391	440	52	21	31
70-74	693	648	277	371	45	21	24
75-79	514	489	197	292	25	9	16
80-84	314	296	113	183	18	9	9
85 +	192	184	64	120	8	5	3
< 6	1,782	1,683	886	797	99	55	44
06-18	4,562	4,259	2,151	2,108	303	149	154
16-64	13,456	12,714	6,181	6,533	742	345	397
16+	16,052	15,162	7,223	7,939	890	410	480
18+	15,277	14,457	6,855	7,602	820	379	441
65+	2,596	2,448	1,042	1,406	148	65	83
TOTAL	21,178	19,991	9,688	10,303	1,187	566	621

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=116-WAYNE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	273	268	134	134	5	3	2
01	296	293	142	151	3	1	2
02	268	261	140	121	7	5	2
03	268	257	118	139	11	6	5
04	267	259	125	134	8	3	5
05	230	224	119	105	6	5	1
06	261	256	137	119	5	4	1
07	300	296	139	157	4	4	0
08	292	287	150	137	5	3	2
09	297	293	154	139	4	3	1
10	316	305	162	143	11	6	5
11	301	291	153	138	10	8	2
12	309	296	141	155	13	8	5
13	335	319	172	147	16	7	9
14	297	287	145	142	10	3	7
15	332	321	183	138	11	6	5
16	350	337	189	148	13	10	3
17	314	303	159	144	11	10	1
18	291	282	149	133	9	3	6
19	304	292	142	150	12	5	7
20	306	301	128	173	5	2	3
21	262	260	142	118	2	0	2
22	271	265	131	134	6	2	4
23	269	264	133	131	5	2	3
24	258	252	127	125	6	2	4
25-29	1,265	1,239	628	611	26	19	7
30-34	1,171	1,142	555	587	29	14	15
35-39	1,011	995	485	510	16	5	11
40-44	860	846	394	452	14	6	8
45-49	819	806	391	415	13	5	8
50-54	841	827	382	445	14	6	8
55-59	844	826	391	435	18	11	7
60	160	154	72	82	6	1	5
61	156	149	75	74	7	5	2
62	163	160	76	84	3	2	1
63	148	145	73	72	3	2	1
64	169	163	76	87	6	3	3
65-69	740	714	335	379	26	13	13
70-74	606	591	285	306	15	7	8
75-79	426	420	180	240	6	4	2
80-84	217	211	105	106	6	4	2
85 +	159	155	56	99	4	3	1
< 6	1,602	1,562	778	784	40	23	17
06-18	3,995	3,873	2,033	1,840	122	75	47
16-64	10,232	10,008	4,898	5,110	224	115	109
16+	12,380	12,099	5,859	6,240	281	146	135
18+	11,716	11,459	5,511	5,948	257	126	131
65+	2,148	2,091	961	1,130	57	31	26
TOTAL	17,022	16,612	8,173	8,439	410	221	189

DISTRICT 15 - BLUEGRASS



KENTUCKY POPULATION - 1980
BY DISTRICT

----- DIST=15 BLUEGRASS -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	8,340	7,356	3,769	3,587	984	519	465
01	7,879	6,929	3,550	3,379	950	488	462
02	7,872	6,969	3,590	3,379	903	459	444
03	7,835	6,946	3,592	3,354	889	464	425
04	7,603	6,738	3,432	3,306	865	432	433
05	7,734	6,905	3,559	3,346	829	416	413
06	7,555	6,747	3,426	3,321	808	401	407
07	8,035	7,194	3,715	3,479	841	431	410
08	8,412	7,549	3,917	3,632	863	452	411
09	9,026	8,133	4,166	3,967	893	455	438
10	8,800	7,969	4,145	3,824	831	443	388
11	8,301	7,490	3,905	3,585	811	394	417
12	7,984	7,167	3,692	3,475	817	394	423
13	8,341	7,465	3,807	3,658	876	438	438
14	8,749	7,868	4,057	3,811	881	478	403
15	9,662	8,651	4,335	4,316	1,011	511	500
16	9,428	8,483	4,316	4,167	945	501	444
17	9,426	8,389	4,330	4,059	1,037	498	539
18	11,778	10,577	4,992	5,585	1,201	589	612
19	13,469	12,134	5,856	6,278	1,335	619	716
20	13,481	12,182	5,822	6,360	1,299	627	672
21	13,087	11,777	5,691	6,086	1,310	620	690
22	12,016	10,839	5,342	5,497	1,177	556	621
23	11,219	10,117	4,924	5,193	1,102	573	529
24	11,012	9,983	4,868	5,115	1,029	506	523
25-29	50,113	45,491	22,291	23,200	4,622	2,158	2,464
30-34	44,248	40,828	19,959	20,869	3,420	1,596	1,824
35-39	33,770	31,332	15,502	15,830	2,438	1,132	1,306
40-44	28,140	25,979	12,738	13,241	2,161	934	1,227
45-49	25,724	23,683	11,532	12,151	2,041	939	1,102
50-54	26,059	23,893	11,541	12,352	2,166	988	1,178
55-59	25,195	23,014	11,100	11,914	2,181	974	1,207
60	4,554	4,127	1,908	2,219	427	186	241
61	4,345	3,982	1,890	2,092	363	169	194
62	4,259	3,880	1,845	2,035	379	158	221
63	4,119	3,748	1,703	2,045	371	174	197
64	4,044	3,673	1,703	1,970	371	174	197
65-69	19,005	17,227	7,610	9,617	1,778	764	1,014
70-74	14,476	13,092	5,401	7,691	1,384	564	820
75-79	10,422	9,413	3,676	5,737	1,009	420	589
80-84	6,606	6,004	2,131	3,873	602	233	369
85 +	5,157	4,578	1,441	3,137	579	205	374
< 6	47,263	41,843	21,492	20,351	5,420	2,778	2,642
06-18	115,497	103,682	52,803	50,879	11,815	5,985	5,830
16-64	359,486	328,111	159,853	168,258	31,375	14,671	16,704
16+	415,152	378,425	180,112	198,313	36,727	16,857	19,870
18+	396,298	361,553	171,466	190,087	34,745	15,858	18,887
65+	55,666	50,314	20,259	30,055	5,352	2,186	3,166
TOTAL	547,280	496,501	240,769	255,732	50,779	24,032	26,747

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=003-ANDERSON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	193	186	104	82	7	7	0
01	188	180	106	74	8	5	3
02	200	190	89	101	10	6	4
03	207	194	104	90	13	7	6
04	192	186	93	93	6	5	1
05	188	181	90	91	7	6	1
06	194	184	93	91	10	5	5
07	200	189	96	93	11	4	7
08	248	238	114	124	10	4	6
09	234	223	117	106	11	2	9
10	213	203	110	93	10	6	4
11	212	192	102	90	20	9	11
12	203	195	99	96	8	3	5
13	208	193	94	99	15	5	10
14	217	204	118	86	13	7	6
15	248	239	124	115	9	3	6
16	246	234	110	124	12	6	6
17	214	203	102	101	11	6	5
18	214	209	94	115	5	3	2
19	208	202	112	90	6	3	3
20	177	170	76	94	7	3	4
21	194	186	83	103	8	5	3
22	199	190	90	100	9	4	5
23	180	173	88	85	7	0	7
24	197	188	104	84	9	7	2
25-29	1,028	1,000	483	517	28	12	16
30-34	1,038	997	476	521	41	16	25
35-39	792	767	395	372	25	16	9
40-44	707	675	333	342	32	19	13
45-49	623	600	299	301	23	6	17
50-54	558	546	270	276	12	8	4
55-59	590	569	262	307	21	9	12
60	103	98	51	47	5	3	2
61	110	109	55	54	1	0	1
62	97	97	46	51	0	0	0
63	118	110	54	56	8	4	4
64	107	105	50	55	2	2	0
65-69	562	541	227	314	21	8	13
70-74	399	381	173	208	18	10	8
75-79	268	261	124	137	7	4	3
80-84	163	158	61	97	5	4	1
85 +	130	126	33	93	4	3	1
< 6	1,168	1,117	586	531	51	36	15
06-18	2,851	2,706	1,373	1,333	145	63	82
16-64	7,700	7,428	3,633	3,795	272	132	140
16+	9,222	8,895	4,251	4,644	327	161	166
18+	8,762	8,458	4,039	4,419	304	149	155
65+	1,522	1,467	618	849	55	29	26
TOTAL	12,567	12,072	5,904	6,168	495	245	250

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=009-BOURBON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	301	268	140	128	33	18	15
01	285	260	123	137	25	13	12
02	305	270	150	120	35	14	21
03	293	258	141	117	35	18	17
04	254	227	114	113	27	13	14
05	300	275	141	134	25	13	12
06	268	237	128	109	31	20	11
07	310	277	147	130	33	20	13
08	296	265	140	125	31	22	9
09	327	297	161	136	30	16	14
10	357	331	174	157	26	14	12
11	283	258	141	117	25	12	13
12	321	291	165	126	30	13	17
13	324	289	157	132	35	17	18
14	347	315	160	155	32	18	14
15	388	351	194	157	37	17	20
16	370	333	166	167	37	23	14
17	365	321	177	144	44	26	18
18	309	269	139	130	40	23	17
19	303	267	143	124	36	16	20
20	276	244	114	130	32	15	17
21	314	270	135	135	44	26	18
22	287	255	131	124	32	17	15
23	293	263	139	124	30	12	18
24	282	255	128	127	27	13	14
25-29	1,481	1,335	644	691	146	70	76
30-34	1,479	1,389	697	692	90	32	58
35-39	1,151	1,072	537	535	79	36	43
40-44	1,089	995	494	501	94	39	55
45-49	1,029	930	450	480	99	39	60
50-54	982	879	427	452	103	44	59
55-59	1,021	898	430	468	123	53	70
60	179	159	75	84	20	8	12
61	192	173	79	94	19	13	6
62	204	184	86	98	20	8	12
63	181	154	62	92	27	14	13
64	190	167	83	84	23	10	13
65-69	854	745	338	407	109	42	67
70-74	620	551	226	325	69	29	40
75-79	439	379	152	227	60	26	34
80-84	330	292	109	183	38	15	23
85 +	226	182	55	127	44	13	31
< 6	1,738	1,558	809	749	180	89	91
06-18	4,265	3,834	2,049	1,785	431	241	190
16-64	11,977	10,812	5,336	5,476	1,165	537	628
16+	14,446	12,961	6,216	6,745	1,485	662	823
18+	13,711	12,307	5,873	6,434	1,404	613	791
65+	2,469	2,149	880	1,269	320	125	195
TOTAL	19,405	17,430	8,592	8,838	1,975	920	1,055

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=011-BOYLE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	308	276	134	142	32	16	16
01	305	273	138	135	32	16	16
02	328	293	145	148	35	17	18
03	327	281	151	130	46	27	19
04	318	277	150	127	41	18	23
05	309	277	150	127	32	15	17
06	379	332	171	161	47	24	23
07	369	326	170	156	43	26	17
08	446	391	210	181	55	26	29
09	440	385	204	181	55	30	25
10	441	380	187	193	61	35	26
11	432	382	207	175	50	28	22
12	399	345	172	173	54	23	31
13	438	388	193	195	50	23	27
14	503	451	231	220	52	31	21
15	596	527	277	250	69	35	34
16	508	455	239	216	53	36	17
17	467	429	233	196	38	20	18
18	484	448	231	217	36	17	19
19	511	475	262	213	36	18	18
20	529	496	255	241	33	16	17
21	416	388	194	194	28	11	17
22	407	371	170	201	36	14	22
23	377	343	173	170	34	18	16
24	380	343	176	167	37	15	22
25-29	1,866	1,701	802	899	165	72	93
30-34	1,878	1,720	841	879	158	76	82
35-39	1,525	1,405	678	727	120	58	62
40-44	1,296	1,195	576	619	101	34	67
45-49	1,244	1,153	541	612	91	46	45
50-54	1,292	1,184	580	604	108	54	54
55-59	1,328	1,221	563	658	107	43	64
60	248	223	101	122	25	16	9
61	240	215	95	120	25	12	13
62	263	234	102	132	29	14	15
63	238	222	103	119	16	7	9
64	228	203	100	103	25	10	15
65-69	1,030	916	401	515	114	48	66
70-74	763	684	262	422	79	31	48
75-79	560	496	185	311	64	27	37
80-84	331	294	108	186	37	15	22
85 +	319	277	80	197	42	14	28
< 6	1,895	1,677	868	809	218	109	109
06-18	5,902	5,239	2,725	2,514	663	354	309
16-64	15,725	14,424	7,015	7,409	1,301	607	694
16+	18,728	17,091	8,051	9,040	1,637	742	895
18+	17,753	16,207	7,579	8,628	1,546	686	860
65+	3,003	2,667	1,036	1,631	336	135	201
TOTAL	25,066	22,675	10,941	11,734	2,391	1,132	1,259

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=025-CLARK -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	463	425	236	189	38	17	21
01	455	420	227	193	35	14	21
02	436	410	202	208	26	18	8
03	441	410	204	206	31	18	13
04	454	425	211	214	29	15	14
05	422	391	212	179	31	12	19
06	429	407	212	195	22	9	13
07	501	468	245	223	33	17	16
08	494	453	236	217	41	24	17
09	497	472	254	218	25	16	9
10	484	460	248	212	24	13	11
11	491	464	239	225	27	13	14
12	461	429	235	194	32	18	14
13	506	471	227	244	35	16	19
14	518	476	249	227	42	24	18
15	522	482	249	233	40	19	21
16	554	517	262	255	37	23	14
17	551	514	248	266	37	24	13
18	444	416	211	205	28	12	16
19	421	406	224	182	15	8	7
20	456	426	206	220	30	19	11
21	434	401	184	217	33	14	19
22	458	432	216	216	26	10	16
23	462	432	203	229	30	16	14
24	444	419	201	218	25	13	12
25-29	2,330	2,200	1,064	1,136	130	62	68
30-34	2,449	2,336	1,128	1,208	113	46	67
35-39	1,856	1,759	899	860	97	47	50
40-44	1,533	1,465	712	753	68	27	41
45-49	1,430	1,349	658	691	81	35	46
50-54	1,487	1,395	693	702	92	38	54
55-59	1,394	1,291	616	675	103	39	64
60	233	209	94	115	24	9	15
61	218	197	97	100	21	10	11
62	213	191	98	93	22	11	11
63	201	187	75	112	14	6	8
64	226	208	101	107	18	11	7
65-69	998	921	390	531	77	32	45
70-74	760	688	285	403	72	31	41
75-79	568	488	191	297	80	32	48
80-84	368	349	118	231	19	7	12
85 +	260	230	69	161	30	7	23
< 6	2,671	2,481	1,292	1,189	190	94	96
06-18	6,452	6,029	3,115	2,914	423	228	195
16-64	17,794	16,750	8,190	8,560	1,044	480	564
16+	20,748	19,426	9,243	10,183	1,322	589	733
18+	19,643	18,395	8,733	9,662	1,248	542	706
65+	2,954	2,676	1,053	1,623	278	109	169
TOTAL	28,322	26,489	12,929	13,560	1,833	852	981

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=033-ESTILL -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	223	222	114	108	1	0	1
01	220	220	117	103	0	0	0
02	224	222	122	100	2	0	2
03	218	218	130	88	0	0	0
04	225	225	113	112	0	0	0
05	206	206	96	110	0	0	0
06	226	226	116	110	0	0	0
07	262	262	132	130	0	0	0
08	254	254	124	130	0	0	0
09	272	272	153	119	0	0	0
10	252	252	140	112	0	0	0
11	273	273	141	132	0	0	0
12	277	277	141	136	0	0	0
13	286	286	147	139	0	0	0
14	296	295	152	143	1	0	1
15	307	307	156	151	0	0	0
16	285	285	131	154	0	0	0
17	286	286	155	131	0	0	0
18	259	258	128	130	1	1	0
19	268	267	146	121	1	0	1
20	232	232	113	119	0	0	0
21	207	207	101	106	0	0	0
22	218	218	109	109	0	0	0
23	203	202	100	102	1	1	0
24	215	214	100	114	1	0	1
25-29	1,029	1,027	481	546	2	2	0
30-34	1,033	1,031	492	539	2	1	1
35-39	948	948	475	473	0	0	0
40-44	754	753	380	373	1	0	1
45-49	688	688	313	375	0	0	0
50-54	667	661	325	336	6	4	2
55-59	668	668	320	348	0	0	0
60	125	125	63	62	0	0	0
61	91	91	43	48	0	0	0
62	115	115	56	59	0	0	0
63	96	96	38	58	0	0	0
64	130	130	53	77	0	0	0
65-69	584	584	271	313	0	0	0
70-74	516	515	218	297	1	0	1
75-79	412	409	166	243	3	2	1
80-84	250	248	80	168	2	0	2
85 +	195	194	69	125	1	0	1
< 6	1,316	1,313	692	621	3	0	3
06-18	3,535	3,533	1,816	1,717	2	1	1
16-64	8,517	8,502	4,122	4,380	15	9	6
16+	10,474	10,452	4,926	5,526	22	11	11
18+	9,903	9,881	4,640	5,241	22	11	11
65+	1,957	1,950	804	1,146	7	2	5
TOTAL	14,495	14,469	7,020	7,449	26	11	15

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=034-FAYETTE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	3,076	2,439	1,252	1,187	637	339	298
01	2,767	2,161	1,102	1,059	606	305	301
02	2,802	2,217	1,182	1,035	585	289	296
03	2,751	2,185	1,128	1,057	566	293	273
04	2,622	2,068	1,094	974	554	267	287
05	2,686	2,157	1,108	1,049	529	272	257
06	2,566	2,034	1,012	1,022	532	259	273
07	2,737	2,210	1,156	1,054	527	257	270
08	2,927	2,392	1,233	1,159	535	282	253
09	3,058	2,518	1,281	1,237	540	276	264
10	3,056	2,547	1,292	1,255	509	264	245
11	2,866	2,368	1,233	1,135	498	244	254
12	2,672	2,182	1,094	1,088	490	244	246
13	2,769	2,240	1,146	1,094	529	264	265
14	2,824	2,288	1,187	1,101	536	277	259
15	3,193	2,591	1,269	1,322	602	309	293
16	3,045	2,484	1,253	1,231	561	296	265
17	3,250	2,629	1,359	1,270	621	277	344
18	4,663	4,084	1,944	2,140	579	282	297
19	5,542	4,901	2,429	2,472	641	297	344
20	5,805	5,176	2,551	2,625	629	300	329
21	5,735	5,100	2,612	2,488	635	280	355
22	5,430	4,832	2,377	2,455	598	266	332
23	5,241	4,609	2,242	2,367	632	294	338
24	5,062	4,428	2,180	2,248	634	300	334
25-29	22,141	19,233	9,493	9,740	2,908	1,336	1,572
30-34	17,757	15,553	7,628	7,925	2,204	1,026	1,178
35-39	12,487	10,969	5,421	5,548	1,518	686	832
40-44	10,026	8,725	4,275	4,450	1,301	566	735
45-49	9,237	8,051	3,868	4,183	1,186	556	630
50-54	9,597	8,329	3,951	4,378	1,268	564	704
55-59	9,011	7,780	3,772	4,008	1,231	562	669
60	1,599	1,377	642	735	222	94	128
61	1,490	1,300	620	680	190	92	98
62	1,462	1,250	606	644	212	72	140
63	1,355	1,149	520	629	206	94	112
64	1,312	1,116	508	608	196	87	109
65-69	6,075	5,149	2,168	2,981	926	403	523
70-74	4,590	3,911	1,512	2,399	679	278	401
75-79	3,258	2,769	981	1,788	489	192	297
80-84	2,028	1,750	546	1,204	278	105	173
85 +	1,595	1,354	400	954	241	94	147
< 6	16,704	13,227	6,866	6,361	3,477	1,765	1,712
06-18	39,626	32,567	16,459	16,108	7,059	3,531	3,528
16-64	141,247	123,075	60,251	62,824	18,172	8,327	9,845
16+	158,793	138,008	65,858	72,150	20,785	9,399	11,386
18+	152,498	132,895	63,246	69,649	19,603	8,826	10,777
65+	17,546	14,933	5,607	9,326	2,613	1,072	1,541
TOTAL	204,165	174,605	84,627	89,978	29,560	13,840	15,720

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=037-FRANKLIN -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	592	541	263	278	51	25	26
01	598	527	264	263	71	38	33
02	591	527	273	254	64	33	31
03	555	511	261	250	44	22	22
04	596	547	269	278	49	33	16
05	572	529	285	244	43	19	24
06	598	544	272	272	54	27	27
07	660	614	292	322	46	24	22
08	667	620	311	309	47	18	29
09	736	678	336	342	58	30	28
10	674	635	360	275	39	22	17
11	650	606	321	285	44	21	23
12	599	560	300	260	39	17	22
13	618	576	303	273	42	21	21
14	674	640	347	293	34	21	13
15	717	672	330	342	45	22	23
16	772	730	359	371	42	19	23
17	697	643	336	307	54	25	29
18	708	537	278	259	171	99	72
19	698	488	237	251	210	100	110
20	758	558	275	283	200	98	102
21	796	586	259	327	210	109	101
22	750	588	278	310	162	85	77
23	712	587	262	325	125	78	47
24	764	659	301	358	105	64	41
25-29	3,934	3,516	1,703	1,813	418	205	213
30-34	3,680	3,456	1,698	1,758	224	113	111
35-39	2,662	2,530	1,201	1,329	132	72	60
40-44	2,371	2,244	1,095	1,149	127	54	73
45-49	2,082	1,966	974	992	116	59	57
50-54	2,233	2,138	1,031	1,107	95	45	50
55-59	2,113	2,009	973	1,036	104	46	58
60	391	365	172	193	26	9	17
61	362	347	158	189	15	3	12
62	332	316	144	172	16	7	9
63	353	340	157	183	13	4	9
64	330	307	125	182	23	9	14
65-69	1,555	1,451	618	833	104	46	58
70-74	1,135	1,059	415	644	76	33	43
75-79	757	712	276	436	45	17	28
80-84	442	422	161	261	20	8	12
85 +	346	319	93	226	27	9	18
< 6	3,504	3,182	1,615	1,567	322	170	152
06-18	8,770	8,055	4,145	3,910	715	366	349
16-64	27,498	24,910	12,016	12,894	2,588	1,303	1,285
16+	31,733	28,873	13,579	15,294	2,860	1,416	1,444
18+	30,264	27,500	12,884	14,616	2,764	1,372	1,392
65+	4,235	3,963	1,563	2,400	272	113	159
TOTAL	41,830	38,200	18,366	19,834	3,630	1,809	1,821

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=040-GARRARD -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	160	152	81	71	8	3	5
01	143	130	60	70	13	8	5
02	151	139	75	64	12	3	9
03	145	135	76	59	10	8	2
04	156	149	75	74	7	3	4
05	161	151	81	70	10	7	3
06	154	151	80	71	3	2	1
07	153	141	78	63	12	5	7
08	153	145	84	61	8	4	4
09	176	170	86	84	6	0	6
10	160	151	90	61	9	5	4
11	159	148	72	76	11	2	9
12	154	148	84	64	6	2	4
13	176	165	82	83	11	4	7
14	180	171	76	95	9	7	2
15	201	189	84	105	12	6	6
16	193	185	83	102	8	5	3
17	183	169	95	74	14	4	10
18	178	165	82	83	13	5	8
19	160	143	76	67	17	8	9
20	170	152	68	84	18	9	9
21	155	138	71	67	17	6	11
22	159	145	84	61	14	4	10
23	156	149	66	83	7	4	3
24	176	169	76	93	7	5	2
25-29	851	819	396	423	32	17	15
30-34	783	756	382	374	27	15	12
35-39	670	645	329	316	25	14	11
40-44	576	557	276	281	19	6	13
45-49	615	585	292	293	30	12	18
50-54	591	550	260	290	41	23	18
55-59	619	582	295	287	37	20	17
60	109	101	55	46	8	4	4
61	107	100	40	60	7	3	4
62	97	93	46	47	4	1	3
63	101	95	43	52	6	5	1
64	95	91	45	46	4	2	2
65-69	506	485	238	247	21	12	9
70-74	421	392	171	221	29	6	23
75-79	288	272	115	157	16	5	11
80-84	161	148	50	98	13	5	8
85 +	151	136	57	79	15	6	9
< 6	916	856	448	408	60	32	28
06-18	2,220	2,098	1,076	1,022	122	51	71
16-64	6,744	6,389	3,160	3,229	355	172	183
16+	8,271	7,822	3,791	4,031	449	206	243
18+	7,895	7,468	3,613	3,855	427	197	230
65+	1,527	1,433	631	802	94	34	60
TOTAL	10,853	10,257	5,055	5,202	596	275	321

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=049-HARRISON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	210	207	102	105	3	0	3
01	208	200	117	83	8	3	5
02	226	219	106	113	7	5	2
03	237	231	112	119	6	4	2
04	217	210	105	105	7	2	5
05	237	230	119	111	7	4	3
06	215	206	119	87	9	5	4
07	229	220	113	107	9	3	6
08	210	203	102	101	7	3	4
09	254	247	136	111	7	5	2
10	228	220	119	101	8	5	3
11	229	220	122	98	9	4	5
12	236	227	123	104	9	5	4
13	247	239	126	113	8	6	2
14	241	231	115	116	10	4	6
15	279	270	139	131	9	5	4
16	284	275	146	129	9	6	3
17	280	267	135	132	13	6	7
18	237	226	111	115	11	4	7
19	237	227	116	111	10	6	4
20	225	215	121	94	10	6	4
21	234	228	100	128	6	4	2
22	227	220	112	108	7	3	4
23	242	234	112	122	8	5	3
24	243	235	109	126	8	3	5
25-29	1,085	1,049	511	538	36	19	17
30-34	992	963	479	484	29	13	16
35-39	898	868	429	439	30	11	19
40-44	784	758	358	400	26	12	14
45-49	736	718	346	372	18	7	11
50-54	810	788	398	390	22	11	11
55-59	805	788	356	432	17	8	9
60	161	155	78	77	6	2	4
61	183	175	82	93	8	4	4
62	166	163	88	75	3	2	1
63	132	122	63	59	10	4	6
64	130	124	62	62	6	3	3
65-69	768	738	335	403	30	11	19
70-74	627	606	269	337	21	12	9
75-79	438	428	170	258	10	6	4
80-84	292	284	104	180	8	1	7
85 +	247	242	75	167	5	0	5
< 6	1,335	1,297	661	636	38	18	20
06-18	3,169	3,051	1,606	1,445	118	61	57
16-64	9,091	8,798	4,312	4,486	293	139	154
16+	11,463	11,096	5,265	5,831	367	169	198
18+	10,899	10,554	4,984	5,570	345	157	188
65+	2,372	2,298	953	1,345	74	30	44
TOTAL	15,166	14,676	7,140	7,536	490	232	258

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=057-JESSAMINE -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	508	487	269	218	21	10	11
01	467	444	213	231	23	11	12
02	472	452	229	223	20	12	8
03	445	428	222	206	17	9	8
04	440	416	215	201	24	13	11
05	439	415	222	193	24	11	13
06	420	405	220	185	15	10	5
07	445	426	219	207	19	12	7
08	430	420	210	210	10	6	4
09	471	448	234	214	23	9	14
10	456	434	222	212	22	15	7
11	383	369	180	189	14	10	4
12	411	390	192	198	21	4	17
13	397	377	185	192	20	10	10
14	410	391	167	224	19	7	12
15	457	434	219	215	23	9	14
16	433	405	200	205	28	13	15
17	449	424	202	222	25	11	14
18	511	480	204	276	31	13	18
19	620	594	245	349	26	14	12
20	574	551	272	279	23	9	14
21	624	600	291	309	24	15	9
22	604	583	270	313	21	13	8
23	617	587	305	282	30	19	11
24	627	599	287	312	28	16	12
25-29	2,693	2,597	1,317	1,280	96	46	50
30-34	2,251	2,186	1,078	1,108	65	29	36
35-39	1,665	1,605	820	785	60	31	29
40-44	1,342	1,280	652	628	62	25	37
45-49	1,129	1,082	527	555	47	30	17
50-54	1,075	1,017	516	501	58	28	30
55-59	1,017	966	494	472	51	18	33
60	169	154	66	88	15	9	6
61	178	165	83	82	13	6	7
62	149	140	71	69	9	6	3
63	159	149	65	84	10	5	5
64	153	138	51	87	15	8	7
65-69	723	686	327	359	37	16	21
70-74	507	467	207	260	40	18	22
75-79	383	358	151	207	25	11	14
80-84	249	224	77	147	25	12	13
85 +	194	166	63	103	28	7	21
< 6	2,771	2,642	1,370	1,272	129	66	63
06-18	5,673	5,403	2,654	2,749	270	129	141
16-64	17,039	16,302	8,016	8,286	737	364	373
16+	19,095	18,203	8,841	9,362	892	428	464
18+	18,213	17,374	8,439	8,935	839	404	435
65+	2,056	1,901	825	1,076	155	64	91
TOTAL	26,146	24,939	12,259	12,680	1,207	586	621

KENTUCKY POPULATION - 1980
BY COUNTY

COUNTY=069-LINCOLN

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	287	279	134	145	8	7	1
01	310	301	165	136	9	6	3
02	311	305	148	157	6	4	2
03	295	284	143	141	11	6	5
04	305	299	152	147	6	3	3
05	318	308	160	148	10	7	3
06	303	296	141	155	7	3	4
07	300	290	156	134	10	7	3
08	302	294	155	139	8	4	4
09	348	335	168	167	13	8	5
10	349	332	172	160	17	7	10
11	325	312	176	136	13	7	6
12	314	301	161	140	13	6	7
13	327	309	158	151	18	9	9
14	361	337	180	157	24	14	10
15	406	381	198	183	25	17	8
16	383	366	207	159	17	8	9
17	386	368	192	176	18	12	6
18	287	267	155	112	20	10	10
19	273	264	124	140	9	7	2
20	287	271	139	132	16	13	3
21	229	221	96	125	8	5	3
22	294	281	139	142	13	7	6
23	287	281	141	140	6	4	2
24	307	298	137	161	9	7	2
25-29	1,399	1,352	679	673	47	17	30
30-34	1,349	1,307	636	671	42	21	21
35-39	1,148	1,115	550	565	33	19	14
40-44	984	949	472	477	35	13	22
45-49	953	920	458	462	33	17	16
50-54	930	882	429	453	48	25	23
55-59	996	949	460	489	47	22	25
60	186	179	79	100	7	3	4
61	171	159	78	81	12	5	7
62	181	171	81	90	10	6	4
63	196	191	75	116	5	3	2
64	177	167	68	99	10	4	6
65-69	815	770	373	397	45	17	28
70-74	647	611	286	325	36	15	21
75-79	522	492	227	265	30	21	9
80-84	292	269	124	145	23	8	15
85 +	213	196	81	115	17	7	10
< 6	1,826	1,776	902	874	50	33	17
06-18	4,391	4,188	2,219	1,969	203	112	91
16-64	11,403	10,958	5,395	5,563	445	228	217
16+	13,892	13,296	6,486	6,810	596	296	300
18+	13,123	12,562	6,087	6,475	561	276	285
65+	2,489	2,338	1,091	1,247	151	68	83
TOTAL	19,053	18,259	9,053	9,206	794	411	383

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=076-MADISON -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	743	676	348	328	67	34	33
01	704	648	321	327	56	30	26
02	673	621	331	290	52	27	25
03	732	681	348	333	51	18	33
04	671	624	308	316	47	24	23
05	678	632	299	333	46	23	23
06	687	657	323	334	30	20	10
07	662	620	338	282	42	20	22
08	711	674	374	300	37	20	17
09	822	768	381	387	54	28	26
10	745	702	355	347	43	25	18
11	733	696	355	341	37	15	22
12	722	677	343	334	45	23	22
13	698	650	326	324	48	29	19
14	720	678	339	339	42	28	14
15	849	802	402	400	47	22	25
16	825	770	402	368	55	24	31
17	830	776	413	363	54	25	29
18	2,074	1,895	756	1,139	179	77	102
19	2,820	2,584	1,080	1,504	236	93	143
20	2,604	2,384	1,001	1,383	220	99	121
21	2,482	2,273	1,010	1,263	209	96	113
22	1,731	1,561	784	777	170	87	83
23	1,243	1,121	532	589	122	82	40
24	1,041	973	504	469	68	38	30
25-29	4,214	3,893	1,938	1,955	321	167	154
30-34	3,633	3,454	1,684	1,770	179	98	81
35-39	2,889	2,772	1,360	1,412	117	40	77
40-44	2,441	2,335	1,110	1,225	106	52	54
45-49	2,233	2,110	1,040	1,070	123	46	77
50-54	2,118	2,007	935	1,072	111	54	57
55-59	2,054	1,914	916	998	140	67	73
60	387	360	161	199	27	11	16
61	376	350	172	178	26	9	17
62	309	293	136	157	16	7	9
63	341	315	143	172	26	18	8
64	337	317	158	159	20	11	9
65-69	1,593	1,492	666	826	101	49	52
70-74	1,213	1,106	462	644	107	38	69
75-79	938	864	320	544	74	32	42
80-84	610	568	203	365	42	17	25
85 +	466	419	129	290	47	19	28
< 6	4,201	3,882	1,955	1,927	319	156	163
06-18	11,078	10,365	5,107	5,258	713	356	357
16-64	36,982	34,457	16,235	18,222	2,525	1,201	1,324
16+	41,802	38,906	18,015	20,891	2,896	1,356	1,540
18+	40,147	37,360	17,200	20,160	2,787	1,307	1,480
65+	4,820	4,449	1,780	2,669	371	155	216
TOTAL	53,352	49,712	23,506	26,206	3,640	1,742	1,898

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=084-MERCER -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	292	278	129	149	14	8	6
01	284	268	134	134	16	7	9
02	280	264	126	138	16	11	5
03	270	257	139	118	13	7	6
04	252	233	112	121	19	11	8
05	295	284	145	139	11	5	6
06	263	248	124	124	15	5	10
07	253	239	119	120	14	11	3
08	310	296	146	150	14	8	6
09	333	319	160	159	14	5	9
10	315	301	159	142	14	7	7
11	309	294	131	163	15	7	8
12	263	248	126	122	15	9	6
13	340	325	162	163	15	6	9
14	350	337	163	174	13	4	9
15	379	360	185	175	19	8	11
16	363	353	175	178	10	3	7
17	316	293	140	153	23	13	10
18	300	285	155	130	15	7	8
19	280	260	130	130	20	9	11
20	296	281	145	136	15	8	7
21	277	257	121	136	20	9	11
22	279	259	144	115	20	11	9
23	272	254	116	138	18	8	10
24	320	305	149	156	15	4	11
25-29	1,438	1,368	657	711	70	34	36
30-34	1,390	1,351	646	705	39	23	16
35-39	1,207	1,163	588	575	44	20	24
40-44	1,020	991	476	515	29	12	17
45-49	973	934	473	461	39	17	22
50-54	1,026	972	467	505	54	15	39
55-59	1,017	979	486	493	38	19	19
60	205	198	86	112	7	5	2
61	180	173	75	98	7	3	4
62	195	184	83	101	11	8	3
63	187	179	82	97	8	3	5
64	190	184	97	87	6	3	3
65-69	887	848	383	465	39	17	22
70-74	610	582	243	339	28	9	19
75-79	468	444	173	271	24	11	13
80-84	324	305	119	186	19	9	10
85 +	203	188	57	131	15	5	10
< 6	1,673	1,584	785	799	89	49	40
06-18	4,094	3,898	1,945	1,953	196	93	103
16-64	11,731	11,223	5,491	5,732	508	234	274
16+	14,223	13,590	6,466	7,124	633	285	348
18+	13,544	12,944	6,151	6,793	600	269	331
65+	2,492	2,367	975	1,392	125	51	74
TOTAL	19,011	18,141	8,726	9,415	870	404	466

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=091-NICHOLAS -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	120	118	53	65	2	0	2
01	112	111	52	59	1	1	0
02	90	88	38	50	2	2	0
03	98	96	47	49	2	2	0
04	103	101	47	54	2	2	0
05	116	114	56	58	2	0	2
06	90	85	43	42	5	3	2
07	129	129	64	65	0	0	0
08	107	104	55	49	3	1	2
09	113	112	63	49	1	1	0
10	122	121	63	58	1	0	1
11	110	107	54	53	3	2	1
12	117	115	46	69	2	2	0
13	120	118	59	59	2	1	1
14	140	137	75	62	3	3	0
15	112	109	53	56	3	1	2
16	117	111	62	49	6	3	3
17	135	133	78	55	2	0	2
18	122	120	60	60	2	1	1
19	137	133	75	58	4	2	2
20	114	112	57	55	2	2	0
21	103	102	48	54	1	0	1
22	95	93	53	40	2	2	0
23	112	112	61	51	0	0	0
24	94	93	38	55	1	0	1
25-29	514	499	239	260	15	6	9
30-34	536	527	262	265	9	5	4
35-39	400	391	194	197	9	5	4
40-44	383	378	178	200	5	2	3
45-49	347	344	185	159	3	0	3
50-54	360	353	160	193	7	4	3
55-59	372	364	165	199	8	2	6
60	64	62	27	35	2	1	1
61	78	78	46	32	0	0	0
62	85	83	34	49	2	1	1
63	68	67	29	38	1	0	1
64	72	71	39	32	1	1	0
65-69	333	325	145	180	8	2	6
70-74	315	309	133	176	6	5	1
75-79	195	193	74	119	2	0	2
80-84	123	122	56	66	1	1	0
85 +	84	81	30	51	3	1	2
< 6	639	628	293	335	11	7	4
06-18	1,534	1,501	775	726	33	18	15
16-64	4,308	4,226	2,090	2,136	82	37	45
16+	5,358	5,256	2,528	2,728	102	46	56
18+	5,106	5,012	2,388	2,624	94	43	51
65+	1,050	1,030	438	592	20	9	11
TOTAL	7,157	7,021	3,396	3,625	136	67	69

KENTUCKY POPULATION - 1980
BY COUNTY

COUNTY=099-POWELL

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	215	214	111	103	1	0	1
01	188	188	95	93	0	0	0
02	209	205	112	93	4	3	1
03	197	196	110	86	1	0	1
04	201	197	109	88	4	2	2
05	182	182	98	84	0	0	0
06	213	210	109	101	3	1	2
07	203	201	90	111	2	2	0
08	198	197	110	87	1	1	0
09	232	230	107	123	2	1	1
10	228	223	112	111	5	2	3
11	201	196	120	76	5	2	3
12	188	184	95	89	4	1	3
13	222	219	119	100	3	2	1
14	228	223	119	104	5	2	3
15	258	253	138	115	5	5	0
16	236	233	116	117	3	1	2
17	236	231	110	121	5	4	1
18	186	184	93	91	2	1	1
19	172	170	91	79	2	1	1
20	191	191	95	96	0	0	0
21	193	191	100	91	2	1	1
22	192	191	90	101	1	1	0
23	188	188	87	101	0	0	0
24	171	171	78	93	0	0	0
25-29	917	913	445	468	4	0	4
30-34	850	842	413	429	8	3	5
35-39	729	717	347	370	12	6	6
40-44	593	580	297	283	13	6	7
45-49	498	495	252	243	3	3	0
50-54	446	441	213	228	5	4	1
55-59	420	417	205	212	3	1	2
60	70	68	32	36	2	0	2
61	84	83	41	42	1	1	0
62	95	93	43	50	2	1	1
63	79	79	40	39	0	0	0
64	77	77	34	43	0	0	0
65-69	373	368	169	199	5	2	3
70-74	299	295	129	166	4	3	1
75-79	213	210	110	100	3	0	3
80-84	131	127	57	70	4	2	2
85 +	99	97	39	58	2	1	1
< 6	1,192	1,182	635	547	10	5	5
06-18	2,829	2,734	1,438	1,346	45	25	20
16-64	6,623	6,555	3,222	3,333	68	34	34
16+	7,738	7,652	3,726	3,926	86	42	44
18+	7,266	7,188	3,500	3,688	78	37	41
65+	1,115	1,097	504	593	18	8	10
TOTAL	11,101	10,970	5,480	5,490	131	66	65

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=105-SCOTT -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	364	335	176	159	29	14	15
01	390	362	194	168	28	15	13
02	335	315	152	163	20	10	10
03	367	343	163	180	24	15	9
04	324	299	150	149	25	14	11
05	336	311	161	150	25	12	13
06	314	301	156	145	13	5	8
07	367	345	183	162	22	12	10
08	368	346	176	170	22	13	9
09	361	335	156	179	26	13	13
10	374	348	180	168	26	13	13
11	330	313	168	145	17	9	8
12	340	317	162	155	23	12	11
13	350	329	170	159	21	12	9
14	378	355	197	158	23	14	9
15	390	354	168	186	36	16	20
16	409	379	213	166	30	17	13
17	393	354	185	169	39	26	13
18	459	424	208	216	35	19	16
19	527	488	247	241	39	27	12
20	513	479	229	250	34	19	15
21	463	417	193	224	46	28	18
22	413	379	179	200	34	17	17
23	348	317	162	155	31	20	11
24	395	363	175	188	32	14	18
25-29	1,783	1,680	815	865	103	49	54
30-34	1,670	1,582	749	833	88	33	55
35-39	1,415	1,337	671	666	78	40	38
40-44	1,154	1,073	545	528	81	41	40
45-49	1,056	976	455	521	80	38	42
50-54	1,028	958	503	455	70	35	35
55-59	938	864	412	452	74	34	40
60	190	176	75	101	14	5	9
61	160	151	66	85	9	3	6
62	160	152	67	85	8	5	3
63	179	167	91	76	12	2	10
64	156	148	68	80	8	5	3
65-69	743	676	320	356	67	27	40
70-74	603	529	234	295	74	27	47
75-79	413	363	148	215	50	18	32
80-84	298	264	105	159	34	13	21
85 +	259	221	70	151	38	12	26
< 6	2,116	1,965	996	969	151	80	71
06-18	4,833	4,500	2,322	2,178	333	181	152
16-64	13,809	12,864	6,308	6,556	945	477	468
16+	16,125	14,917	7,185	7,732	1,208	574	634
18+	15,323	14,184	6,787	7,397	1,139	531	608
65+	2,316	2,053	877	1,176	263	97	166
TOTAL	21,813	20,225	9,897	10,328	1,588	773	815

KENTUCKY POPULATION - 1980
BY COUNTY

----- COUNTY=120-WOODFORD -----

AGE	TOTAL	WHITE	MALE	FEMALE	NONWHITE	_MALE_	_FEMALE_
00	285	253	123	130	32	21	11
01	255	236	122	114	19	16	3
02	239	232	110	122	7	5	2
03	257	238	113	125	19	10	9
04	273	255	115	140	18	7	11
05	289	262	136	126	27	10	17
06	236	224	107	117	12	3	9
07	255	237	117	120	18	11	7
08	291	257	137	120	34	16	18
09	352	324	169	155	28	15	13
10	346	329	162	167	17	10	7
11	315	292	143	149	23	9	14
12	307	281	154	127	26	12	14
13	315	291	153	138	24	13	11
14	362	339	182	157	23	17	6
15	360	330	150	180	30	17	13
16	405	368	192	176	37	18	19
17	388	349	170	179	39	19	20
18	343	310	143	167	33	15	18
19	292	265	119	146	27	10	17
20	274	244	105	139	30	11	19
21	231	212	93	119	19	11	8
22	273	241	116	125	32	15	17
23	286	265	135	130	21	12	9
24	294	271	125	146	23	7	16
25-29	1,410	1,309	624	685	101	44	57
30-34	1,480	1,378	670	708	102	46	56
35-39	1,328	1,269	608	661	59	31	28
40-44	1,087	1,026	509	517	61	26	35
45-49	851	782	401	381	69	28	41
50-54	859	793	383	410	66	32	34
55-59	832	755	375	380	77	31	46
60	135	118	51	67	17	7	10
61	125	116	60	56	9	5	4
62	136	121	58	63	15	9	6
63	135	126	63	63	9	5	4
64	134	120	61	59	14	8	6
65-69	606	532	241	291	74	32	42
70-74	451	406	176	230	45	19	26
75-79	302	275	113	162	27	16	11
80-84	214	180	53	127	34	11	23
85 +	170	150	41	109	20	7	13
< 6	1,598	1,476	719	757	122	69	53
06-18	4,275	3,931	1,979	1,952	344	175	169
16-64	11,298	10,438	5,061	5,377	860	390	470
16+	13,041	11,981	5,685	6,296	1,060	475	585
18+	12,248	11,264	5,323	5,941	984	438	546
65+	1,743	1,543	624	919	200	85	115
TOTAL	17,778	16,361	7,878	8,483	1,417	667	750

SECTION II

1981

BIRTH AND DEATH

VITAL STATISTICS

1981

KENTUCKY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	57,980	51,924	6,056	23,593	1,495	22,531	1,475	3,043	1,558	2,757	1,528
Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.1	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	210	166	44	28	-	37	-	45	21	56	23
15 - 19	11,027	9,617	1,410	3,607	104	3,580	116	1,282	597	1,148	593
20 - 29	36,829	33,205	3,624	15,659	1,015	14,812	986	1,423	815	1,311	808
30 - 39	8,771	8,068	703	3,877	269	3,790	259	219	90	182	85
40 & over	363	322	41	144	18	150	10	15	7	13	6
Unknown	12	7	5	3	-	2	-	1	2	1	3
Total	57,212	51,385	5,827	23,318	1,406	22,371	1,371	2,985	1,532	2,711	1,518
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.2
US Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.6 %

Fertility Rate 67.8

Delivered By:

Born in Hospital:

Fourth & over 12.5 %

Premature Births 7.1

Physician 95.5 %

Physician 95.2 %

Rate of Illegitimacy 153.8

Midwife 4.2 %

Midwife 4.0 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	563	472	91	137	78	59
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 61.1 %

Fetal Causes 38.5 %

Abortion 0.4 %


OCCURRENCE DEATHS

RESIDENT DEATHS

SELECTED CAUSES OF DEATH BY AGE GROUP

For Malignant Neoplasms see Section III.

DISTRICT 1 - PURCHASE



1981

DISTRICT 1

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2,829	2,572	257	1,225	55	1,161	65	86	72	100	65
Rate	15.7	15.2	22.0	15.1	10.1	13.2	10.4	1.1	13.3	1.1	10.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	4	3	1	-	-	-	-	2	-	1	1
15 - 19	392	326	66	123	4	133	2	31	31	39	29
20 - 29	1,656	1,514	142	753	33	669	40	42	32	50	37
30 - 39	334	303	31	131	8	163	9	3	10	6	4
40 & over	6	3	3	1	-	2	2	-	-	-	1
Unknown	1	-	1	-	-	-	-	-	-	-	1
Total	2,393	2,149	244	1,008	45	967	53	78	73	96	73
Rate	13.3	12.7	20.9	12.5	8.3	11.0	8.5	1.0	13.5	1.1	11.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.5 %

Fertility Rate 50.7

Delivered By:

Born in Hospital:

Fourth & over 10.4 %

Premature Births 6.9

Physician 99.5 %

Physician 99.4 %

Rate of Illegitimacy 134.4

Midwife 0.2 %

Midwife 0.0 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	25	21	4	5	4	1
Rate	10.4	9.8	16.4	15.6	27.0	6.8
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 52.0 %

Fetal Causes 48.0 %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	2,138	2,008	130	96	45	13	38
Rate	11.9	11.9	11.1	53.2	25.0	7.2	21.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	2,044	1,924	120	1	7	6	31	17
Rate	11.3	11.4	10.3	4.2	2.9	2.5	12.8	7.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

Mortality Rates by Cause of Death									Accidents				Suicide	
Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	No.	Rate	No.	Rate	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate						
Under 1	4	163.6	6	245.4	-	-	1	40.9	Under 1	-	-	-	-	
1 - 5	-	-	1	8.5	-	-	1	8.5	1 - 5	4	34.1	-	-	
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	7.9	-	-	
15 - 34	-	-	3	5.2	-	-	2	3.5	11	-	-	-	-	
35 - 44	-	-	1	5.0	-	-	9	44.8	12	-	-	-	-	
45 - 64	-	-	-	-	3	8.1	121	325.9	13	1	37.9	-	-	
65 & over	-	-	-	-	66	234.1	677	2401.0	14	1	37.6	-	-	
Total	4	2.2	11	6.1	69	38.3	811	449.7	15	1	32.6	-	-	
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-	
U.S. Rate		9.4		5.8		24.0		328.7	17	1	32.0	-	-	
									18	3	88.0	-	-	
									19	3	83.0	1	27.7	
									20 - 24	10	63.7	3	19.1	
									25 - 29	6	44.7	1	7.5	
									30 - 34	6	48.3	3	24.1	
									35 - 44	8	39.9	3	14.9	
									45 - 64	17	45.8	8	21.5	
									65 & over	31	109.9	9	31.9	
									Total	93	51.6	28	15.5	
									Ky. Rate		49.1		12.1	
									U.S. Rate		44.0		11.4	

1981

BALLARD

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	16	15	1	6	-	6	-	-	-	3	1
20 - 29	77	75	2	30	-	39	1	1	-	5	1
30 - 39	13	13	-	5	-	5	-	1	-	2	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	106	103	3	41	-	50	1	2	-	10	2
Rate	12.0	12.2	9.0	10.0	-	11.4	5.7	0.5	-	2.3	11.4
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 30.7 %

Fertility Rate 59.7

Delivered By:

Born in Hospital:

Fourth & over 12.3 %

Premature Births 9.4

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 138.9

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	1	1	-
Rate	18.9	19.4	-	71.4	83.3	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	37	34	3	7	-	-	7
Rate	4.2	4.0	9.0	79.6	-	-	79.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	122	115	7	-	1	1	3	1
Rate	13.9	13.6	20.9	-	9.4	9.4	27.8	9.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	78							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	819.7	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	1	56.6	3	169.8	13	-	-	-
65 & over	-	-	-	-	7	460.8	43	2830.8	14	-	-	-
Total	1	11.4	-	-	8	90.9	46	522.8	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	1	757.6	-
									19	-	-	-
									20 - 24	-	-	-
									25 - 29	-	-	-
									30 - 34	1	162.1	-
									35 - 44	1	98.9	-
									45 - 64	-	-	1 56.6
									65 & over	5	329.2	1 65.8
									Total	8	90.9	2 22.7
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-				
6 - 14	-	-	-	-	-	-	-	-				
15 - 34	-	-	-	-	-	-	-	-				
35 - 44	-	-	-	-	-	-	-	-				
45 - 64	1	56.6	-	-	-	-	-	-				
65 & over	13	855.8	1	65.8	1	65.8	4	263.3				
Total	14	159.1	1	11.4	1	11.4	4	45.5				
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				

1981

CALLOWAY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	620	589	31	277	11	276	14	17	6	19	-
Rate	20.6	20.3	29.1	19.9	20.6	18.3	26.3	1.2	11.2	1.3	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	-	-	1	-	-	-
15 - 19	41	39	2	18	-	16	-	2	2	3	-
20 - 29	238	226	12	107	7	108	5	7	-	4	-
30 - 39	59	57	2	24	1	31	1	-	-	2	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	339	323	16	149	8	155	6	10	2	9	-
Rate	11.3	11.2	15.0	10.7	15.0	10.3	11.3	0.7	3.7	0.6	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 48.1 %

Fertility Rate 43.8

Delivered By:

Born in Hospital:

Fourth & over 6.8 %

Premature Births 8.6

Physician 98.5 %

Physician 98.2 %

Rate of Illegitimacy 61.6

Midwife 0.3 %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	5.9	6.2	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	276	272	4	8	4	2	2
Rate	9.2	9.4	3.7	26.6	13.3	6.7	6.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	283	277	6	1	2	2	4	2
Rate	9.4	9.6	5.6	29.5	5.9	5.9	11.7	5.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	2	607.9	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	3	185.5	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	32.0	12	-	-	-	-
45 - 64	-	-	-	-	-	-	15	281.1	13	-	-	-	-
65 & over	-	-	-	-	8	183.7	96	2204.9	14	-	-	-	-
Total	2	6.7	-	-	8	26.6	112	372.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	217.4	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	1	22.5	-	-
									25 - 29	-	-	-	-
									30 - 34	1	52.2	1	52.2
									35 - 44	-	-	1	32.0
									45 - 64	2	37.5	2	37.5
									65 & over	5	114.8	2	45.9
									Total	13	43.3	6	20.0
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	3	56.2	1	18.7	1	18.7	1	18.7
65 & over	36	826.8	1	23.0	3	68.9	2	45.9
Total	39	129.9	2	6.7	4	13.3	3	10.0
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

CARLISLE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male Nonwhite	White	Female Nonwhite	White	Male Nonwhite	White	Female Nonwhite
No.	1	1	-	1	-	-	-	-	-	-	-
Rate	0.2	0.2	-	0.4	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male Nonwhite	White	Female Nonwhite	White	Male Nonwhite	White	Female Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	14	14	-	4	-	7	-	1	-	2	-
20 - 29	62	62	-	37	-	21	-	2	-	2	-
30 - 39	10	10	-	-	-	10	-	-	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	86	86	-	41	-	38	-	3	-	4	-
Rate	15.7	15.8	-	15.4	-	13.7	-	1.1	-	1.6	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 32.6 %

Fertility Rate 83.3

Delivered By:

Born in Hospital:

Fourth & over 12.8 %

Premature Births 4.7

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 79.5

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	23.3	23.3	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	13	13	-	2	-	-	2
Rate	2.4	2.4	-	36.4	-	-	36.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	60	60	-	-	-	-	2	-
Rate	10.9	11.0	-	-	-	-	22.7	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	78							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	-	-	4	332.8	13	-	-	-	-
65 & over	-	-	-	-	2	204.1	26	2653.1	14	-	-	-	-
Total	-	-	-	-	2	36.4	30	546.7	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	No.	Rate	No.	Rate
	No.	Rate	No.	Rate	No.	Rate	No.	Rate					
Under 6	-	-	-	-	-	-	-	-	18	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-	-
35 - 44	1	170.1	-	-	-	-	-	-	25 - 29	-	-	-	-
45 - 64	-	-	-	-	-	-	-	-	30 - 34	-	-	-	-
65 & over	4	408.2	-	-	2	204.1	1	102.0	35 - 44	1	170.1	-	-
Total	5	91.1	-	-	2	36.4	1	18.2	45 - 64	1	83.2	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	-	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	2	36.4	-	-
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

FULTON

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	56	50	6	29	1	16	3	2	-	3	2
Rate	6.2	6.7	4.0	8.5	1.5	4.0	3.6	0.6	-	0.7	2.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	32	19	13	9	1	6	-	1	3	3	9
20 - 29	79	65	14	35	1	22	6	4	4	4	3
30 - 39	11	7	4	3	2	4	-	-	2	-	-
40 & over	2	1	1	-	-	1	-	-	-	-	1
Unknown	1	-	1	-	-	-	-	-	-	-	1
Total	125	92	33	47	4	33	6	5	9	7	14
Rate	13.9	12.3	21.8	13.7	9.9	8.2	7.2	1.5	13.3	1.7	16.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.6 %

Fertility Rate 70.3

Delivered By:

Born in Hospital:

Fourth & over 10.4 %

Premature Births 7.2

Physician 97.6 %

Physician 97.6 %

Rate of Illegitimacy 282.4

Midwife 2.4 %

Midwife - %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	6	6	-	2	2	-
Rate	48.0	65.2	-	57.1	166.7	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 33.3 %

Fetal Causes 66.7 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	141	127	14	8	3	-	2
Rate	15.7	17.0	9.2	55.7	33.4	-	22.3
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	135	116	19	-	-	-	6	1
Rate	15.0	15.6	12.5	-	-	-	45.8	8.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	1	179.1	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	112.0	12	-	-	-
45 - 64	-	-	-	-	-	-	9	506.2	13	-	-	-
65 & over	-	-	-	-	1	58.4	41	2396.3	14	-	-	-
Total	-	-	1	11.1	1	11.1	51	568.5	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	1	833.3	-
									20 - 24	1	154.6	-
									25 - 29	2	337.3	-
									30 - 34	-	-	1 193.1
									35 - 44	-	-	1 112.0
									45 - 64	-	-	-
									65 & over	1	58.4	1 58.4
									Total	5	55.7	3 33.4
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	4	225.0	-	-	-	-	1	56.2
65 & over	14	818.2	1	58.4	3	175.3	1	58.4
Total	18	200.6	1	11.1	3	33.4	2	22.3
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

GRAVES

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	233	184	49	75	10	69	8	18	13	22	18
Rate	6.8	5.7	30.8	4.8	13.9	4.1	9.2	1.2	18.1	1.3	20.6
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	-	-	-	-	1	-
15 - 19	80	69	11	21	1	30	1	9	5	9	4
20 - 29	302	275	27	153	6	107	8	7	3	8	10
30 - 39	59	53	6	27	1	25	2	1	2	-	1
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	444	400	44	202	8	163	11	17	10	18	15
Rate	13.0	12.3	27.6	12.9	11.1	9.7	12.6	1.1	13.9	1.1	17.2
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.9 %

Fertility Rate 63.8

Delivered By:

Born in Hospital:

Fourth & over 11.9 %

Premature Births 5.9

Physician 99.5 %

Physician 99.3 %

Rate of Illegitimacy 135.9

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	2	3	1	-	1
Rate	11.3	5.0	68.2	16.7	-	40.0
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 40.0 %

Fetal Causes 60.0 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	319	304	15	15	7	-	8
Rate	9.4	9.4	9.4	44.1	20.6	-	23.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	424	409	15	-	2	1	6	5
Rate	12.5	12.6	9.4	-	4.5	2.3	13.4	11.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	3	675.7	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	44.6	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	42.9	-
15 - 34	-	-	1	9.9	-	-	1	9.9	11	-	-	-
35 - 44	-	-	-	-	-	-	3	78.3	12	-	-	-
45 - 64	-	-	-	-	1	14.0	21	293.1	13	-	-	-
65 & over	-	-	-	-	9	151.2	132	2217.0	14	1	202.4	-
Total	-	-	4	11.7	10	29.4	157	461.1	15	-	-	-
Ky. Rate	-	9.2	-	6.1	-	27.4	-	350.6	16	-	-	-
U.S. Rate	-	9.4	-	5.8	-	24.0	-	328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	1	179.2	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	5	202.9	1 40.6
35 - 44	1	26.1	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	1	14.0	-	-	-	-	-	-	30 - 34	1	43.2	-
65 & over	46	772.6	3	50.4	10	168.0	4	67.2	35 - 44	1	26.1	-
Total	48	141.0	3	8.8	10	29.4	4	11.7	45 - 64	2	27.9	1 14.0
Ky. Rate	-	81.9	-	17.0	-	13.4	-	6.0	65 & over	9	151.2	2 33.6
U.S. Rate	-	71.0	-	15.0	-	12.6	-	5.9	Total	22	64.6	4 11.7
										Ky. Rate	49.1	12.1
										U.S. Rate	44.0	11.4

1981

HICKMAN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	17	15	2	3	-	8	1	2	-	2	1
20 - 29	49	45	4	31	2	13	-	-	2	1	-
30 - 39	7	6	1	4	-	2	-	-	-	-	1
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	73	66	7	38	2	23	1	2	2	3	2
Rate	12.0	12.2	11.0	14.6	6.6	8.1	3.0	0.8	6.6	1.1	6.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 43.8 %Fertility Rate 60.5

Delivered By:

Born in Hospital:

Fourth & over 9.6 %Premature Births 6.8Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 123.3Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	60	58	2	7	7	-	-
Rate	9.9	10.7	3.1	115.4	115.4	-	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	78	70	8	-	-	-	-	-
Rate	12.9	12.9	12.6	-	-	-	-	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	5	405.5	13	-	-	-
65 & over	-	-	-	-	-	-	28	2471.3	14	-	-	-
Total	-	-	-	-	-	-	33	544.1	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	1	1176.5	-
									20 - 24	-	-	-
									25 - 29	-	-	-
									30 - 34	1	239.2	-
									35 - 44	-	-	-
									45 - 64	2	162.2	-
									65 & over	-	-	-
									Total	4	66.0	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-				
6 - 14	-	-	-	-	-	-	-	-				
15 - 34	-	-	-	-	-	-	-	-				
35 - 44	-	-	-	-	-	-	-	-				
45 - 64	1	81.1	1	81.1	-	-	1	81.1				
65 & over	3	264.8	-	-	1	88.3	1	88.3				
Total	4	66.0	1	16.5	1	16.5	2	33.0				
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				

1981

MCCRACKEN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,898	1,727	171	831	33	794	40	47	53	55	45
Rate	31.0	31.5	26.6	32.0	11.1	27.5	11.6	1.8	17.8	1.9	13.1
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	1	1	-	-	-	-	1	-	-	1
15 - 19	152	115	37	47	2	44	-	10	21	14	14
20 - 29	625	543	82	252	17	249	19	19	23	23	23
30 - 39	132	114	18	51	4	61	6	1	6	1	2
40 & over	2	-	2	-	-	-	2	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	913	773	140	350	23	354	27	31	50	38	40
Rate	14.9	14.1	21.8	13.5	7.7	12.2	7.8	1.1	16.8	1.3	11.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.1 %

Fertility Rate 68.0

Delivered By:

Born in Hospital:

Fourth & over 10.8 %

Premature Births 7.8

Physician 99.7 %

Physician 99.7 %

Rate of Illegitimacy 174.5

Midwife 0.1 %

Midwife 0.1 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	3	1	1	1	-
Rate	4.4	3.9	7.1	6.3	14.5	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %

Fetal Causes 25.0 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	1,126	1,034	92	48	23	11	14
Rate	18.4	18.8	14.3	78.3	37.5	17.9	22.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	711	646	65	-	1	1	5
Rate	11.6	11.8	10.1	-	1.1	1.1	5.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	74						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	111.0	3	333.0	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	2	10.2	-	-	1	5.1	11	-	-	-
35 - 44	-	-	1	14.7	-	-	3	44.1	12	-	-	-
45 - 64	-	-	-	-	1	7.7	56	430.2	13	1	117.8	-
65 & over	-	-	-	-	24	274.2	230	2628.0	14	-	-	-
Total	1	1.6	6	9.8	25	40.8	290	473.0	15	1	99.0	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	1	19.2	-	-	-	-	-	-	18	1	101.3	-
6 - 14	-	-	-	-	-	-	-	-	19	1	96.0	1 96.0
15 - 34	-	-	-	-	-	-	-	-	20 - 24	2	41.7	2 41.7
35 - 44	-	-	-	-	-	-	1	14.7	25 - 29	2	39.8	1 19.9
45 - 64	7	53.8	2	15.4	-	-	-	-	30 - 34	2	43.5	1 21.8
65 & over	54	617.0	11	125.7	20	228.5	5	57.1	35 - 44	4	58.8	1 14.7
Total	62	101.1	13	21.2	20	32.6	6	9.8	45 - 64	7	53.8	4 30.7
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	10	114.3	2 22.9
U.S. Rate		71.0		15.0		12.6		5.9	Total	31	50.6	12 19.6
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

MARSHALL

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	21	21	-	12	-	9	-	2	-	1	-
Rate	0.8	0.8	-	1.0	-	0.5	-	0.2	-	0.1	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	40	40	-	15	-	16	-	6	-	3	-
20 - 29	224	223	1	108	-	110	1	2	-	3	-
30 - 39	43	43	-	17	-	25	-	-	-	1	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	307	306	1	140	-	151	1	8	-	7	-
Rate	12.0	12.0	16.4	11.1	-	11.6	27.8	0.6	-	0.5	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.4 %

Fertility Rate 56.0

Delivered By:

Born in Hospital:

Fourth & over 9.8 %

Premature Births 3.9

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 48.2

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	-	-	-
Rate	13.0	13.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %

Fetal Causes 25.0 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	166	166	-	4	1	-	3
Rate	6.5	6.5	-	15.6	3.9	-	11.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1


RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	231	231	-	-	1	1	5	3
Rate	9.0	9.0	-	-	3.3	3.3	16.1	9.8
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	1	280.9	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	1	60.3	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	31.6	12	-	-	-	-
45 - 64	-	-	-	-	-	-	8	142.1	13	-	-	-	-
65 & over	-	-	-	-	15	395.5	81	2135.5	14	-	-	-	-
Total	-	-	-	-	15	58.5	92	358.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	1	52.1	-	-
									25 - 29	2	106.2	-	-
									30 - 34	-	-	-	-
									35 - 44	1	31.6	-	-
									45 - 64	3	53.3	-	-
									65 & over	1	26.4	1	26.4
									Total	8	31.2	1	3.9
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema						
	No.	Rate	No.	Rate	No.	Rate	No.	Rate					
Under 6	-	-	-	-	-	-	-	-					
6 - 14	-	-	-	-	-	-	-	-					
15 - 34	-	-	-	-	-	-	-	-					
35 - 44	-	-	-	-	-	-	-	-					
45 - 64	3	53.3	1	17.8	1	17.8	-	-					
65 & over	25	659.1	-	-	4	105.5	1	26.4					
Total	28	109.2	1	3.9	5	19.5	1	3.9					
Ky. Rate		81.9		17.0		13.4		6.0					
U.S. Rate		71.0		15.0		12.6		5.9					

DISTRICT 2 - PENNYRILE



1981

DISTRICT 2

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	3,918	2,929	989	1,386	361	1,319	325	114	144	110	159
Rate	19.1	16.6	34.9	15.7	23.9	14.9	24.5	1.3	9.6	1.2	12.0
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	20	16	4	2	-	6	-	3	2	5	2
15 - 19	709	516	193	225	28	190	31	52	61	49	73
20 - 29	2,344	1,805	539	906	225	810	192	46	58	43	64
30 - 39	477	396	81	188	33	193	33	8	7	7	8
40 & over	31	21	10	10	4	11	3	-	3	-	-
Unknown	1	1	-	-	-	1	-	-	-	-	-
Total	3,582	2,755	827	1,331	290	1,211	259	109	131	104	147
Rate	17.5	15.6	29.2	15.1	19.2	13.7	19.5	1.2	8.7	1.2	11.1
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.2 %

Fertility Rate 82.3

Delivered By:

Born in Hospital:

Fourth & over 13.0 %

Premature Births 7.4

Physician 86.2 %

Physician 85.9 %

Rate of Illegitimacy 137.4

Midwife 13.5 %

Midwife 13.1 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	34	26	8	6	3	3
Rate	9.5	9.4	9.7	12.2	14.1	10.8
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 44.1 %

Fetal Causes 55.9 %

Abortion %

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	2,008	1,756	252	135	61	17	57
Rate	9.8	9.9	8.9	65.9	29.8	8.3	27.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	2,058	1,814	244	-	23	17	51	38
Rate	10.0	10.3	8.6	-	6.4	4.7	14.1	10.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	16	467.3	9	262.9	3	87.6	1	29.2	Under 1	2	58.4	-	-
1 - 5	-	-	1	6.3	1	6.3	-	-	1 - 5	9	56.8	-	-
6 - 14	-	-	-	-	1	3.5	1	3.5	6 - 10	2	12.5	-	-
15 - 34	-	-	1	1.4	1	1.4	5	6.9	11	-	-	-	-
35 - 44	-	-	-	-	-	-	6	27.6	12	2	63.9	-	-
45 - 64	-	-	1	2.7	8	21.6	141	380.4	13	-	-	1	31.3
65 & over	-	-	1	3.8	70	268.5	632	2424.3	14	-	-	-	-
Total	16	7.8	13	6.3	84	41.0	786	383.5	15	3	85.8	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	2	55.6	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	27.2	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	3	79.3	-	-
6 - 14	-	-	-	-	-	-	-	-	19	4	91.8	-	-
15 - 34	1	1.4	-	-	-	-	-	-	20 - 24	24	112.1	2	9.3
35 - 44	2	9.2	-	-	-	-	-	-	25 - 29	10	58.5	3	17.5
45 - 64	16	43.2	3	8.1	2	5.4	4	10.8	30 - 34	10	68.0	-	-
65 & over	163	625.3	28	107.4	23	88.2	5	19.2	35 - 44	9	41.4	6	27.6
Total	182	88.8	31	15.1	25	12.2	9	4.4	45 - 64	26	70.1	9	24.3
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	25	95.9	3	11.5
U.S. Rate		71.0		15.0		12.6		5.9	Total	132	64.4	24	11.7
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

CALDWELL

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	228	193	35	104	2	74	2	8	17	7	14
Rate	16.9	15.3	40.9	17.3	5.1	11.2	4.3	1.3	43.0	1.1	30.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	46	36	10	12	1	17	-	2	5	5	4
20 - 29	115	108	7	58	1	46	1	2	3	2	2
30 - 39	33	33	-	19	-	12	-	1	-	1	-
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	195	178	17	90	2	75	1	5	8	8	6
Rate	14.5	14.1	19.9	14.9	5.1	11.4	2.2	0.8	20.3	1.2	13.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.4 %Fertility Rate 72.1

Delivered By:

Born in Hospital:

Fourth & over 10.3 %Premature Births 4.1Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 142.9Midwife - %Midwife - %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	-	1	1	-	1
Rate	5.1	-	58.8	37.0	-	71.4
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	139	135	4	10	6	-	4
Rate	10.3	10.7	4.7	74.2	44.5	-	29.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	152	145	7	-	-	-	1	2
Rate	11.3	11.5	8.2	-	-	-	5.1	10.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	-	-	1	595.2	-	-	-	-	Under 1	1	595.2	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	1	497.5	-	-
45 - 64	-	-	-	-	1	34.0	12	407.7	13	-	-	-	-
65 & over	-	-	-	-	5	207.2	44	1823.5	14	-	-	-	-
Total	-	-	1	7.4	6	44.5	56	415.6	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	2	960.4	-	-
									20 - 24	1	102.2	-	-
									25 - 29	2	211.9	-	-
									30 - 34	1	110.4	-	-
									35 - 44	-	-	-	-
									45 - 64	3	101.9	1	34.0
									65 & over	2	82.9	1	41.4
									Total	13	96.5	2	14.8
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

CHRISTIAN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2,169	1,492	677	751	303	687	276	24	44	30	54
Rate	32.4	31.4	35.1	29.9	28.2	30.6	32.2	1.0	4.1	1.3	6.3
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	3	2	1	-	-	-	-	1	-	1	1
15 - 19	312	176	136	75	23	61	22	21	38	19	53
20 - 29	1,095	666	429	336	193	299	161	18	34	13	41
30 - 39	199	139	60	64	25	70	29	4	2	1	4
40 & over	15	7	8	2	3	5	3	-	2	-	-
Unknown	1	1	-	-	-	1	-	-	-	-	-
Total	1,625	991	634	477	244	436	215	44	76	34	99
Rate	24.3	20.8	32.8	19.0	22.7	19.4	25.1	1.8	7.1	1.5	11.5
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 33.2 %Fertility Rate 112.7

Delivered By:

Born in Hospital:

Fourth & over 14.8 %Premature Births 9.0Physician 70.9 %Physician 70.3 %Rate of Illegitimacy 154.9Midwife 28.9 %Midwife 28.7 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	15	11	4	1	1	-
Rate	9.2	11.1	6.3	4.0	12.8	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 26.7 %Fetal Causes 73.3 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	591	457	134	36	16	5	15
Rate	8.8	9.6	6.9	53.8	23.9	7.5	22.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	499	370	129	-	14	11	26	20
Rate	7.5	7.8	6.7	-	8.6	6.8	15.9	12.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	9	655.0	4	291.1	1	72.8	1	72.8	Under 1	1	72.8	-	-
1 - 5	-	-	1	17.0	-	-	-	-	1 - 5	2	33.9	-	-
6 - 14	-	-	-	-	-	-	1	10.9	6 - 10	1	18.8	-	-
15 - 34	-	-	-	-	1	3.5	4	13.9	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	15.6	12	-	-	-	-
45 - 64	-	-	1	10.6	4	42.4	31	328.8	13	-	-	-	-
65 & over	-	-	-	-	11	186.1	142	2402.7	14	-	-	-	-
Total	9	13.5	6	9.0	17	25.4	180	269.1	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	2	189.6	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	1	61.9	-	-
6 - 14	-	-	-	-	-	-	-	-	19	1	46.8	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	7	67.0	2	19.1
35 - 44	1	15.6	-	-	-	-	-	-	25 - 29	3	46.7	2	31.2
45 - 64	5	53.0	-	-	-	-	1	10.6	30 - 34	4	84.7	-	-
65 & over	31	524.5	6	101.5	11	186.1	3	50.8	35 - 44	3	46.9	3	46.9
Total	37	55.3	6	9.0	11	16.4	4	6.0	45 - 64	5	53.0	1	10.6
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	6	101.5	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	36	53.8	8	12.0
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

CRITTENDEN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	64	62	2	30	1	25	-	3	1	4	-
Rate	7.0	7.0	22.5	6.8	30.3	5.3	-	0.7	30.3	0.8	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	20	18	2	9	-	6	-	1	2	2	-
20 - 29	76	76	-	37	-	33	-	1	-	5	-
30 - 39	27	26	1	13	1	11	-	-	-	2	-
40 & over	4	4	-	2	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	127	124	3	61	1	52	-	2	2	9	-
Rate	13.8	13.6	33.7	13.9	30.3	11.0	-	0.5	60.6	1.9	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.6 %Fertility Rate 65.8

Delivered By:

Born in Hospital:

Fourth & over 15.7 %Premature Births 6.3Physician 99.2 %Physician 99.2 %Rate of Illegitimacy 100.8Midwife 0.8 %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	15.7	16.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	97	94	3	5	4	-	1
Rate	10.5	10.3	33.7	54.3	43.4	-	10.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	141	136	5	-	2	1	3	3
Rate	15.3	14.9	56.2	-	15.7	7.9	23.3	23.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 75

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	1626.0	1	813.0	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	166.1	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	147.3	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	91.3	12	-	-	-
45 - 64	-	-	-	-	1	54.6	6	327.9	13	-	-	-
65 & over	-	-	-	-	8	511.2	51	3258.8	14	-	-	-
Total	2	21.7	1	10.9	9	97.8	58	630.0	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	1	54.6	-	-	-	-	2	109.3	30 - 34	-	-	-
65 & over	8	511.2	3	191.7	-	-	-	-	35 - 44	-	2	182.6
Total	9	97.8	3	32.6	-	-	2	21.7	45 - 64	-	1	54.6
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	4	255.6	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	6	65.2	3
											Ky. Rate	
											49.1	
											12.1	
											U.S. Rate	
											44.0	
											11.4	

1981

HOPKINS

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,132	882	250	390	44	382	42	60	77	50	87
Rate	24.5	20.6	75.4	18.9	28.5	17.2	23.7	2.9	49.9	2.3	49.1
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	6	5	1	1	-	2	-	-	1	2	-
15 - 19	144	127	17	60	1	43	3	12	5	12	8
20 - 29	478	421	57	202	14	199	16	10	15	10	12
30 - 39	88	84	4	44	1	36	1	1	1	3	1
40 & over	2	1	1	1	-	-	-	-	1	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	718	638	80	308	16	280	20	23	23	27	21
Rate	15.5	14.9	24.1	14.9	10.4	12.6	11.3	1.1	14.9	1.2	11.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 42.1 %Fertility Rate 70.0

Delivered By:

Born in Hospital:

Fourth & over 11.0 %Premature Births 6.1Physician 99.4 %Physician 99.4 %Rate of Illegitimacy 132.8Midwife 0.1 %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	5	5	-	2	2	-
Rate	7.0	7.8	-	21.3	40.0	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 60.0 %Fetal Causes 40.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	669	595	74	39	19	8	12
Rate	14.5	13.9	22.3	84.5	41.1	17.3	26.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	518	469	49	-	2	1	6	6
Rate	11.2	10.9	14.8	-	2.8	1.4	8.3	8.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	142.5	2	284.9	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	1	27.9	-	-	1 - 5	1	27.9	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	1	6.6	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	1	11.4	32	365.1	13	-	1	123.9
65 & over	-	-	1	16.3	24	391.6	187	3051.6	14	-	-	-
Total	1	2.2	4	8.7	26	56.3	219	474.3	15	2	242.1	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	127.2	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	1	143.5	-
6 - 14	-	-	-	-	-	-	-	-	19	1	136.4	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	3	78.0	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	1	26.0	-
45 - 64	3	34.2	1	11.4	-	-	-	-	30 - 34	3	85.4	-
65 & over	30	489.6	7	114.2	4	65.3	-	-	35 - 44	1	19.4	-
Total	33	71.5	8	17.3	4	8.7	-	-	45 - 64	6	68.5	2
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	3	49.0	1
U.S. Rate		71.0		15.0		12.6		5.9	Total	23	49.8	4
											Ky. Rate	49.1
											U.S. Rate	44.0

1981

LIVINGSTON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	14	14	-	4	-	5	-	-	-	5	-
Rate	1.5	1.5	-	0.9	-	1.1	-	-	-	1.1	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	18	18	-	10	-	6	-	1	-	1	-
20 - 29	85	85	-	46	-	34	-	4	-	1	-
30 - 39	17	17	-	10	-	7	-	-	-	-	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	121	121	-	66	-	48	-	-	-	2	-
Rate	13.1	13.2	-	14.4	-	10.4	-	1.1	-	0.4	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.5 %Fertility Rate 61.8

Delivered By:

Born in Hospital:

Fourth & over 5.8 %Premature Births 9.9Physician 99.2 %Physician 99.2 %Rate of Illegitimacy 57.9Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	83	81	2	8	4	-	4
Rate	9.0	8.8	55.6	86.8	43.4	-	43.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	87	86	1	-	-	-	-	-
Rate	9.4	9.4	27.8	-	-	-	-	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease			Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	91.7	12	-	-	-	-
45 - 64	-	-	-	-	-	-	5	263.4	13	-	-	-	-
65 & over	-	-	-	-	4	304.4	24	1826.5	14	-	-	-	-
Total	-	-	-	-	4	43.4	30	325.4	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		18	1	740.7	-	-
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	19	-	-	-	-
Under 6	-	-	-	-	-	-	-	-	20 - 24	1	140.4	-	-
6 - 14	-	-	-	-	-	-	-	-	25 - 29	1	133.7	-	-
15 - 34	-	-	-	-	-	-	-	-	30 - 34	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	35 - 44	1	91.7	-	-
45 - 64	1	52.7	-	-	-	-	-	-	45 - 64	2	105.4	1	52.7
65 & over	9	684.9	2	152.2	1	76.1	-	-	65 & over	1	76.1	-	-
Total	10	108.5	2	21.7	1	10.8	-	-	Total	7	75.9	1	10.8
Ky. Rate		81.9		17.0		13.4		6.0	Ky. Rate		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9	U.S. Rate		44.0		11.4

1981

LYON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	-	1	-	-	-	-	-	-	-	1
15 - 19	6	4	2	1	-	2	-	1	1	-	1
20 - 29	22	22	-	15	-	7	-	-	-	-	-
30 - 39	4	4	-	2	-	1	-	1	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	33	30	3	18	-	10	-	2	1	-	2
Rate	5.1	4.9	8.6	5.3	-	3.6	-	0.6	3.8	-	23.8
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 33.3 %Fertility Rate 29.9

Delivered By:

Born in Hospital:

Fourth & over 12.1 %Premature Births -Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 176.5Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	-	1	1	-	1
Rate	30.3	-	333.3	200.0	-	333.3
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	33	31	2	9	3	-	6
Rate	5.1	5.0	5.7	138.7	46.2	-	92.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	78	74	4	-	-	-	1	-
Rate	12.0	12.1	11.5	-	-	-	29.4	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 73

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	1	46.0	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	1	69.3	4	277.4	13	-	-	-
65 & over	-	-	-	-	2	191.6	18	1724.1	14	-	-	-
Total	-	-	-	-	3	46.2	23	354.4	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	1	167.5	-
									25 - 29	1	173.9	-
									30 - 34	-	-	-
									35 - 44	-	-	-
									45 - 64	2	138.7	1 69.3
									65 & over	1	95.8	1 95.8
									Total	5	77.0	2 30.8
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	69.3	-	-	-	-	-	-
65 & over	5	478.9	1	95.8	1	95.8	-	-
Total	6	92.4	1	15.4	1	15.4	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

MUHLENBERG

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	281	261	20	97	10	137	5	15	3	12	2
Rate	8.7	8.6	11.6	6.5	11.2	8.8	6.1	1.0	3.4	0.8	2.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	6	6	-	-	-	3	-	1	-	2	-
15 - 19	105	97	8	40	3	39	4	11	1	7	-
20 - 29	295	275	20	132	12	129	4	6	1	8	3
30 - 39	67	60	7	19	4	40	-	1	2	-	1
40 & over	6	6	-	3	-	3	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	479	444	35	194	19	214	8	19	4	17	4
Rate	14.9	14.5	20.4	13.0	21.3	31.7	9.7	1.3	4.5	1.1	4.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.1 %

Fertility Rate 69.4

Delivered By:

Born in Hospital:

Fourth & over 12.7 %

Premature Births 5.0

Physician 98.5 %

Physician 98.5 %

Rate of Illegitimacy 92.8

Midwife 1.5 %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	6	4	2	1	-	1
Rate	12.5	9.0	57.1	22.7	-	125.0
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %

Fetal Causes 33.3 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	277	265	12	19	8	2	9
Rate	8.6	8.7	7.0	58.9	24.8	6.2	27.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	348	336	12	-	5	4	10	7
Rate	10.8	11.0	7.0	-	10.4	8.4	20.6	14.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	4	722.0	1	180.5	2	361.0	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	2	79.7	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	2	56.8	-	-	-	-
45 - 64	-	-	-	-	-	-	28	452.6	-	-	-	-
65 & over	-	-	-	-	6	137.6	92	2109.6	-	-	-	-
Total	4	12.4	1	3.1	8	24.8	122	378.4	1	175.4	-	-
Ky. Rate		9.2		6.1		27.4		350.6	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	10	382.6	-	-
6 - 14	-	-	-	-	-	-	-	-	2	80.2	-	-
15 - 34	1	9.6	-	-	-	-	-	-	1	42.6	-	-
35 - 44	-	-	-	-	-	-	-	-	3	85.2	1	28.4
45 - 64	2	32.3	1	16.2	1	16.2	-	-	5	80.8	1	16.2
65 & over	43	986.0	6	137.6	3	68.8	2	45.9	4	91.7	-	-
Total	46	142.7	7	21.7	4	12.4	2	6.2	28	86.9	2	6.2
Ky. Rate		81.9		17.0		13.4		6.0		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9		44.0		11.4

1981

TODD

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	5	5	-	3	-	1	-	1	-	-	-
Rate	0.4	0.5	-	0.6	-	0.2	-	0.2	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	3	3	-	1	-	1	-	1	-	-	-
15 - 19	36	26	10	14	-	8	2	1	3	3	5
20 - 29	109	94	15	53	3	39	6	1	3	1	3
30 - 39	24	20	4	11	1	9	3	-	-	-	-
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	173	144	29	80	4	57	11	3	6	4	8
Rate	14.6	13.9	19.6	15.7	6.0	10.8	13.6	0.6	9.0	0.8	9.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 43.4 %

Fertility Rate 71.2

Delivered By:

Born in Hospital:

Fourth & over 10.4 %

Premature Births 7.5

Physician 97.1 %

Physician 96.5 %

Rate of Illegitimacy 118.6

Midwife 2.3 %

Midwife 1.2 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	4	4	-	-	-	-
Rate	23.1	27.8	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	48	39	9	4	1	1	2
Rate	4.0	3.8	6.1	33.7	8.4	8.4	16.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	132	111	21	-	-	-	4	-
Rate	11.1	10.7	14.2	-	-	-	22.6	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	115.9	-
6 - 14	-	-	-	-	1	57.8	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	12	499.2	13	-	-	-
65 & over	-	-	-	-	4	216.1	46	2485.1	14	-	-	-
Total	-	-	-	-	5	42.1	58	488.5	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	1	105.0	-
									25 - 29	-	-	1 123.3
									30 - 34	-	-	-
									35 - 44	-	-	-
									45 - 64	3	124.8	1 41.6
									65 & over	1	54.0	-
									Total	6	50.5	2 16.8
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	2	82.3	1	41.6	1	41.6	1	41.6
65 & over	12	648.3	3	162.1	-	-	-	-
Total	14	117.9	4	33.7	1	8.4	1	8.4
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

TRIGG

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	25	20	5	7	1	8	-	3	2	2	2
Rate	2.7	2.4	4.2	1.7	1.9	1.9	-	0.7	3.7	0.5	3.0
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	-	1	-	-	-	-	-	1	-	-
15 - 19	22	14	8	4	-	8	-	2	6	-	2
20 - 29	69	58	11	27	2	24	4	4	2	3	3
30 - 39	18	13	5	6	1	7	-	-	2	-	2
40 & over	1	-	1	-	1	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	111	85	26	37	4	39	4	6	11	3	7
Rate	11.8	10.4	21.8	9.1	7.5	9.4	6.1	1.5	20.6	0.7	10.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.7 %

Fertility Rate 60.5

Delivered By:

Born in Hospital:

Fourth & over 13.5 %

Premature Births 8.1

Physician 98.2 %

Physician 96.4 %

Rate of Illegitimacy 243.2

Midwife 1.8 %

Midwife 1.8 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	71	59	12	5	-	1	4
Rate	7.6	7.2	10.1	53.3	-	10.7	42.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS


	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	103	87	16	-	-	-	-	-
Rate	11.0	10.6	13.4	-	-	-	-	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 75

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	2	331.1	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	94.8	12	1	574.7	-
45 - 64	-	-	-	-	-	-	11	506.4	13	-	-	-
65 & over	-	-	-	-	6	404.6	28	1888.1	14	-	-	-
Total	-	-	-	-	6	63.9	40	426.3	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	-	-	-	-	-	-	-	-	30 - 34	1	164.2	-
65 & over	6	404.6	-	-	1	67.4	-	-	35 - 44	1	94.8	-
Total	6	63.9	-	-	1	10.7	-	-	45 - 64	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	3	202.3	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	8	85.3	-
											Ky. Rate	49.1
											U.S. Rate	11.4

DISTRICT 3 - GREEN RIVER



1981

DISTRICT 3

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	3,288	3,096	192	1,414	48	1,386	46	159	53	137	45
Rate	16.5	16.5	16.3	15.6	7.8	14.4	8.2	1.8	8.6	1.4	8.0
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	11	8	3	2	-	1	-	3	1	2	2
15 - 19	614	562	52	211	4	207	3	70	21	74	24
20 - 29	2,162	2,045	117	966	35	938	31	82	31	59	20
30 - 39	412	387	25	159	8	217	10	6	6	5	1
40 & over	18	15	3	6	2	8	1	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	3,217	3,017	200	1,344	49	1,371	45	162	59	140	47
Rate	16.2	16.1	17.0	14.8	8.0	14.2	8.0	1.8	9.6	1.5	8.3
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.4 %

Fertility Rate 72.0

Delivered By:

Born in Hospital:

Fourth & over 12.3 %

Premature Births 7.6

Physician 99.5 %

Physician 99.4 %

Rate of Illegitimacy 126.7

Midwife 0.1 %

Midwife 0.0 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	34	34	-	4	4	-
Rate	10.6	11.3	-	9.8	13.2	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 73.5 %

Fetal Causes 26.5 %

Abortion - %

OCCURRENCE DEATHS

ACCIDENTAL

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

Median Age at Death NA

SELECTED CAUSES OF DEATH BY AGE GROUP

221

1981

DAVIESS

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2,176	2,081	95	973	25	929	19	91	23	88	28
Rate	25.3	25.3	24.8	24.7	14.1	21.8	9.2	2.3	12.9	2.1	13.6
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	7	4	3	1	-	1	-	2	1	-	2
15 - 19	233	209	24	85	1	79	3	21	9	24	11
20 - 29	1,006	955	51	451	16	441	10	33	12	30	13
30 - 39	189	181	8	77	4	102	4	-	-	2	-
40 & over	7	7	-	2	-	4	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	1,442	1,356	86	616	21	627	17	57	22	56	26
Rate	16.8	16.5	22.4	15.6	11.8	14.7	8.3	1.4	12.4	1.3	12.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.1 %Fertility Rate 72.9

Delivered By:

Born in Hospital:

Fourth & over 13.7 %Premature Births 7.4Physician 99.4 %Physician 99.4 %Rate of Illegitimacy 112.1Midwife 0.1 %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	12	12	-	2	2	-
Rate	8.3	8.8	-	12.4	17.7	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %Fetal Causes 25.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	874	841	33	32	8	11	13
Rate	10.2	10.2	8.6	37.2	9.3	12.8	15.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	795	762	33	-	7	7	19	12
Rate	9.2	9.3	8.6	-	4.9	4.9	13.1	8.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	7	465.4	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	15.3	-	-
6 - 14	-	-	-	-	1	7.8	-	-	6 - 10	1	14.3	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	1	10.5	6	63.0	12	-	-	-	-
45 - 64	-	-	-	-	4	24.0	70	419.3	13	-	-	-	-
65 & over	-	-	-	-	19	203.1	245	2619.2	14	-	-	-	-
Total	7	8.1	-	-	25	29.1	321	373.5	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	58.1	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	1	57.8
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	5	63.9	-	-
									25 - 29	2	28.6	-	-
									30 - 34	1	15.6	2	31.3
									35 - 44	4	42.0	-	-
									45 - 64	8	47.9	2	12.0
									65 & over	12	128.3	1	10.7
									Total	35	40.7	6	7.0
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema						
	No.	Rate	No.	Rate	No.	Rate	No.	Rate					
Under 6	-	-	-	-	-	-	-	-					
6 - 14	1	7.8	-	-	-	-	-	-					
15 - 34	-	-	1	3.4	-	-	-	-					
35 - 44	3	31.5	1	10.5	-	-	-	-					
45 - 64	5	30.0	6	35.9	1	6.0	2	12.0					
65 & over	75	801.8	12	128.3	6	64.1	4	42.8					
Total	84	97.7	20	23.3	7	8.1	6	7.0					
Ky. Rate		81.9		17.0		13.4		6.0					
U.S. Rate		71.0		15.0		12.6		5.9					

1981

HANCOCK

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	34	34	-	13	-	14	-	3	-	4	-
20 - 29	85	83	2	44	2	34	-	2	-	3	-
30 - 39	20	19	1	6	1	11	-	-	-	2	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	140	137	3	63	3	60	-	5	-	9	-
Rate	18.1	18.0	24.0	16.4	52.6	15.9	-	1.3	-	2.4	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 32.9 %Fertility Rate 80.0

Delivered By:

Born in Hospital:

Fourth & over 10.0 %Premature Births 6.4Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 104.9Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	3	3	-	1	1	-
Rate	21.4	21.9	-	71.4	71.4	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %Fetal Causes 33.3 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	16	16	-	1	-	-	1
Rate	2.1	2.1	-	12.9	-	-	12.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	55	54	1	-	-	-	3	-
Rate	7.1	7.1	8.0	-	-	-	21.0	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	1	76.2	6	457.3	13	-	-	-
65 & over	-	-	-	-	3	380.2	22	2788.3	14	-	-	-
Total	-	-	-	-	4	51.7	28	361.7	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	-	-	-
									25 - 29	-	-	-
									30 - 34	1	153.6	-
									35 - 44	-	-	1 111.5
									45 - 64	1	76.2	1 76.2
									65 & over	1	126.7	-
									Total	3	38.7	2 25.8
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-				
6 - 14	-	-	-	-	-	-	-	-				
15 - 34	-	-	-	-	-	-	-	-				
35 - 44	-	-	-	-	-	-	-	-				
45 - 64	1	76.2	-	-	-	-	-	-				
65 & over	3	380.2	-	-	1	126.7	-	-				
Total	4	51.7	-	-	1	12.9	-	-				
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				

1981

HENDERSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,008	922	86	407	21	414	23	59	27	42	15
Rate	24.7	24.5	27.4	22.2	14.2	21.4	13.8	3.2	18.3	2.2	9.0
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	134	116	18	37	3	36	-	22	5	21	10
20 - 29	453	421	32	186	9	204	10	20	10	11	3
30 - 39	80	69	11	32	2	35	3	2	5	-	1
40 & over	6	3	3	3	2	-	1	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	673	609	64	258	16	275	14	44	20	32	14
Rate	16.5	16.2	20.4	14.1	10.9	14.2	8.4	2.4	13.6	1.7	8.4
Ky. Rate	15.6	15.2	20.7	14.1	10.7	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.7 %

Fertility Rate 71.8

Delivered By:

Born in Hospital:

Fourth & over 9.4 %

Premature Births 8.0

Physician 99.7 %

Physician 99.6 %

Rate of Illegitimacy 161.8

Midwife 0.1 %

Midwife 0.1 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	7	7	-	-	-	-
Rate	10.4	11.5	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 57.1 %

Fetal Causes 42.9 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	445	410	35	19	10	2	7
Rate	10.9	10.9	11.1	46.5	24.5	4.9	17.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	408	377	31	-	4	3	10
Rate	10.0	10.0	9.9	-	5.9	4.5	10.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	74						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	4	575.5	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	2	14.4	11	1	151.1	-	-
35 - 44	-	-	-	-	1	21.8	2	43.7	12	-	-	-	-
45 - 64	-	-	-	-	1	12.6	24	301.3	13	-	-	-	-
65 & over	-	-	-	-	10	215.3	138	2970.9	14	-	-	-	-
Total	4	9.8	-	-	12	29.4	166	406.4	15	-	-	-	-
Ky. Rate	1	9.2	6.1	27.4	350.6				16	-	-	-	-
U.S. Rate	9.4	5.8	24.0	328.7					17	1	125.5	-	-
									18	1	142.0	-	-
									19	-	-	-	-
									20 - 24	1	28.2	1	28.2
									25 - 29	2	56.5	-	-
									30 - 34	1	32.7	1	32.7
									35 - 44	1	21.8	-	-
									45 - 64	2	25.1	1	12.6
									65 & over	8	172.2	1	21.5
									Total	18	44.1	4	9.8
									Ky. Rate	49.1	12.1		
									U.S. Rate	44.0	11.4		

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	8	100.4	1	12.6	1	12.6	-	-
65 & over	28	602.8	6	129.2	7	150.7	1	21.5
Total	36	88.1	7	17.1	8	19.6	1	2.4
Ky. Rate	81.9	17.0	13.4	6.0				
U.S. Rate	71.0	15.0	12.6	5.9				

1981

MCLEAN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2	2	-	-	-	1	-	-	-	1	-
Rate	0.2	0.2	-	-	-	0.2	-	-	-	0.2	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	31	31	-	10	-	11	-	2	-	8	-
20 - 29	92	92	-	45	-	41	-	3	-	3	-
30 - 39	29	28	1	9	1	17	-	1	-	1	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	152	151	1	64	1	69	-	6	-	12	-
Rate	15.1	15.1	13.0	13.0	25.0	13.5	-	1.2	-	2.4	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 34.2 %Fertility Rate 70.2

Delivered By:

Born in Hospital:

Fourth & over 12.5 %Premature Births 3.3Physician 99.3 %Physician 98.7 %Rate of Illegitimacy 116.1Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	3	3	-	-	-	-
Rate	19.7	19.9	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %Fetal Causes 33.3 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	81	79	2	5	2	1	2
Rate	8.0	7.9	26.0	49.6	19.8	9.9	19.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	124	124	-	-	2	2	5	2
Rate	12.3	12.4	-	-	13.2	13.2	32.3	13.2
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 75

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	1290.3	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	83.1	12	-	-	-
45 - 64	-	-	-	-	-	-	10	502.3	13	-	-	-
65 & over	-	-	-	-	2	140.2	51	3573.9	14	-	-	-
Total	2	19.8	-	-	2	19.8	62	614.5	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	-	-	-
									25 - 29	1	129.0	-
									30 - 34	1	132.8	-
									35 - 44	-	-	-
									45 - 64	3	150.7	-
									65 & over	4	280.3	-
									Total	9	89.2	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	1	67.1	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	-	-
65 & over	6	420.5	4	280.3	3	210.2	3	210.2
Total	6	59.5	5	49.6	3	29.7	3	29.7
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

OHIO

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
No.	40	38	2	18	1	17	1	1	-	2	-
Rate	1.8	1.8	6.7	1.7	7.4	1.5	6.1	0.1	-	0.2	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
10 - 14	1	1	-	1	-	-	-	-	-	-	-
15 - 19	64	64	-	24	-	24	-	9	-	7	-
20 - 29	196	195	1	100	1	81	-	9	-	5	-
30 - 39	36	35	1	15	-	18	1	2	-	-	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	298	296	2	140	1	124	1	20	-	12	-
Rate	13.7	13.8	6.7	13.3	7.4	11.3	6.1	1.9	-	1.1	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 35.6 %Fertility Rate 63.7

Delivered By:

Born in Hospital:

Fourth & over 17.4 %Premature Births 8.4Physician 98.7 %Physician 98.3 %Rate of Illegitimacy 106.0Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	-	-	-
Rate	13.4	13.5	-	-	-	-
Ky. Rate	9.8	9.2	15.6	5.7	13.7	19.3

Maternal Causes 75.0 %Fetal Causes 25.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	199	196	3	17	11	1	5
Rate	9.1	9.1	10.1	78.1	50.5	4.6	23.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	255	251	4	-	2	2	6	2
Rate	11.7	11.7	13.4	-	6.7	6.7	19.9	6.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	639.0	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	1	24.1	14	337.2	13	1	272.5	-
65 & over	-	-	-	-	14	464.2	77	2553.1	14	-	-	-
Total	2	9.2	-	-	15	68.9	91	418.1	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	237.5	-
U.S. Rate		9.4		5.8		24.0		328.7	17	3	797.9	-
									18	-	-	-
									19	-	-	-
									20 - 24	1	61.0	-
									25 - 29	1	58.5	-
									30 - 34	-	-	-
									35 - 44	-	-	-
									45 - 64	2	48.2	2
									65 & over	5	165.8	-
									Total	14	64.3	2
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	2	48.2	-	-	-	-	1	24.1
65 & over	27	895.2	5	165.8	5	165.8	-	-
Total	29	133.2	5	23.0	5	23.0	1	4.6
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

UNION

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	61	52	9	15	1	25	3	8	3	4	2
Rate	3.4	3.6	2.7	2.1	0.4	3.4	2.7	1.1	1.3	0.5	1.8
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	3	3	-	-	-	-	-	1	-	2	-
15 - 19	59	53	6	20	-	20	-	7	4	6	2
20 - 29	182	164	18	74	4	75	8	10	5	5	1
30 - 39	39	37	2	12	-	25	1	-	1	-	-
40 & over	3	3	-	1	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	286	260	26	107	4	122	9	18	10	13	3
Rate	16.0	18.0	7.7	15.2	1.8	16.5	8.1	2.6	4.4	1.8	2.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 29.7 %

Fertility Rate 73.4

Delivered By:

Born in Hospital:

Fourth & over 10.5 %

Premature Births 9.4

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 152.8

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	7.0	7.7	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	122	115	7	13	6	4	3
Rate	6.8	8.0	2.1	72.9	33.7	22.4	16.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	170	157	13	-	-	-	2	-
Rate	9.5	10.9	3.9	-	-	-	6.9	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease			Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	1	73.2	-	-	-	-	1 - 5	1	73.2	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	64.8	12	-	-	-	-
45 - 64	-	-	-	-	-	-	12	410.8	13	-	-	-	-
65 & over	-	-	-	-	6	316.0	54	2843.6	14	-	-	-	-
Total	-	-	1	5.6	6	33.7	67	376.0	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	1	134.6
									19	-	-	-	-
									20 - 24	1	52.8	-	-
									25 - 29	-	-	-	-
									30 - 34	1	89.4	-	-
									35 - 44	-	-	-	-
									45 - 64	2	68.5	-	-
									65 & over	2	105.3	1	52.7
									Total	7	39.3	2	11.2
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

WEBSTER

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	1	1	-	1	-	-	-	-	-	-	-
Rate	0.1	0.1	-	0.1	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	59	55	4	22	-	23	-	6	3	4	1
20 - 29	148	135	13	66	3	62	3	5	4	2	3
30 - 39	19	18	1	8	-	9	1	1	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	226	208	18	96	3	94	4	12	7	6	4
Rate	15.2	14.9	19.8	14.3	7.7	13.0	7.7	1.8	18.0	0.8	7.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.6 %Fertility Rate 73.9

Delivered By:

Born in Hospital:

Fourth & over 9.7 %Premature Births 7.5Physician 100.0 %Physician 99.6 %Rate of Illegitimacy 131.0Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	3	3	-	1	1	-
Rate	13.3	14.4	-	34.5	55.6	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	62	61	1	6	2	-	4
Rate	4.2	4.4	1.1	40.5	13.5	-	27.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1


RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	205	188	17	-	2	2	5	2
Rate	13.8	13.5	18.7	-	8.8	8.8	21.8	8.8
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	1	446.4	1	446.4	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	89.5	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	65.5	12	-	-	-	-
45 - 64	-	-	-	-	1	34.7	6	208.2	13	-	-	-	-
65 & over	-	-	-	-	4	165.7	85	3521.1	14	-	-	-	-
Total	1	6.7	1	6.7	5	33.7	92	620.3	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	2	784.3	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	1	480.8
15 - 34	-	-	-	-	-	-	-	-	20 - 24	1	82.4	-	-
35 - 44	1	65.5	-	-	-	-	-	-	25 - 29	4	340.4	-	-
45 - 64	2	69.4	1	34.7	-	-	-	-	30 - 34	-	-	-	-
65 & over	13	538.5	2	82.9	1	41.4	2	82.9	35 - 44	-	-	-	-
Total	16	107.9	3	20.2	1	6.7	2	13.5	45 - 64	3	104.1	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	4	165.7	1	41.4
U.S. Rate		71.0		15.0		12.6		5.9	Total	15	101.1	2	13.5
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

DISTRICT 4 - BARREN RIVER



1981

DISTRICT 4

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	3,231	2,262	269	1,390	52	1,315	73	121	73	136	71
Rate	14.9	14.6	18.4	14.1	7.3	12.6	9.7	1.2	10.3	1.3	9.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	18	14	4	5	-	2	-	2	3	5	1
15 - 19	622	547	75	231	3	215	10	53	33	48	29
20 - 29	2,062	1,914	148	924	32	861	48	57	35	72	33
30 - 39	511	476	35	228	13	226	13	11	2	11	7
40 & over	27	24	3	6	1	15	1	1	1	2	-
Unknown	1	1	-	1	-	-	-	-	-	-	-
Total	3,241	2,976	265	1,395	49	1,319	72	124	74	138	70
Rate	14.9	14.7	18.1	14.2	6.9	12.7	9.5	1.3	10.4	1.3	9.3
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.1 %

Fertility Rate 64.6

Delivered By:

Born in Hospital:

Fourth & over 10.8 %

Premature Births 6.4

Physician 88.0 %

Physician 87.8 %

Rate of Illegitimacy 126.1

Midwife 11.6 %

Midwife 11.5 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	33	28	5	7	2	5
Rate	10.2	9.4	18.9	17.2	7.6	34.7
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 57.6 %

Fetal Causes 42.4 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	1,895	1,756	139	98	61	10	27
Rate	8.7	8.7	9.5	45.2	28.1	4.6	12.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	2,048	1,898	150	1	23	17	50	34
Rate	9.4	9.4	10.2	3.1	7.1	5.2	15.3	10.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	17	501.3	4	118.0	1	29.5	-	-	Under 1	-	-	-
1 - 5	-	-	1	6.4	-	-	1	6.4	1 - 5	1	6.4	-
6 - 14	-	-	2	6.7	-	-	1	3.3	6 - 10	1	6.4	-
15 - 34	-	-	-	-	-	-	7	9.3	11	1	30.6	-
35 - 44	-	-	-	-	2	8.3	12	49.5	12	-	-	-
45 - 64	-	-	-	-	7	16.9	136	328.0	13	-	-	-
65 & over	-	-	1	3.6	45	163.5	632	2296.9	14	2	56.2	-
Total	17	7.8	8	3.7	55	25.3	789	363.5	15	1	26.2	-
Ky. Rate		9.2		6.1		27.4		350.6	16	2	49.3	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	24.8	1 24.8
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	6	130.3	-
6 - 14	-	-	-	-	-	-	-	-	19	5	99.2	-
15 - 34	3	4.0	-	-	-	-	-	-	20 - 24	15	70.4	2 9.4
35 - 44	-	-	-	-	-	-	-	-	25 - 29	11	65.4	5 29.7
45 - 64	21	50.7	8	19.3	-	-	4	9.6	30 - 34	7	45.8	3 19.6
65 & over	189	686.9	19	69.1	26	94.5	11	40.0	35 - 44	10	41.3	4 16.5
Total	213	98.1	27	12.4	26	12.0	15	6.9	45 - 64	15	36.2	15 36.2
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	23	83.6	5 18.2
U.S. Rate		71.0		15.0		12.6		5.9	Total	101	46.5	35 16.1
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

ALLEN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	75	69	6	28	-	27	3	8	2	6	1
Rate	5.3	4.9	32.3	4.1	-	3.8	29.7	1.2	23.5	0.8	9.9
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	6	6	-	2	-	-	-	2	-	2	-
15 - 19	45	42	3	17	1	17	2	5	-	3	-
20 - 29	121	116	5	44	1	65	1	3	2	4	1
30 - 39	33	32	1	12	-	18	1	1	-	1	-
40 & over	3	2	1	2	-	-	1	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	208	198	10	77	2	100	5	11	2	10	1
Rate	14.7	14.2	53.8	11.3	23.5	14.1	49.5	1.6	23.5	1.4	9.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.9 %

Fertility Rate 71.9

Delivered By:

Born in Hospital:

Fourth & over 13.0 %

Premature Births 3.8

Physician 98.6 %

Physician 97.6 %

Rate of Illegitimacy 115.4

Midwife 1.0 %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL					
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u> <u>Other</u>
No.	106	105	1	9	6	- 3
Rate	7.5	7.5	5.4	63.7	42.5	- 21.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9 18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	154	152	2	-	-	-	-	2
Rate	10.9	10.9	10.8	-	-	-	-	9.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	1	24.1	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	61.2	12	-	-	-	-
45 - 64	-	-	-	-	1	32.3	14	451.9	13	-	-	-	-
65 & over	-	-	-	-	6	277.1	50	2309.5	14	-	-	-	-
Total	-	-	-	-	7	49.5	66	467.2	15	1	373.1	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		18	-	-	-	-
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	19	3	1382.5	-	-
Under 6	-	-	-	-	-	-	-	-	20 - 24	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	25 - 29	1	104.6	1	104.6
15 - 34	1	24.1	-	-	-	-	-	-	30 - 34	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	35 - 44	1	61.2	-	-
45 - 64	-	-	1	32.3	-	-	1	32.3	45 - 64	1	32.3	-	-
65 & over	15	692.8	-	-	1	46.2	-	-	65 & over	3	138.6	-	-
Total	16	113.3	1	7.1	1	7.1	1	7.1	Total	10	70.8	1	7.1
Ky. Rate		81.9		17.0		13.4		6.0	Ky. Rate		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9	U.S. Rate		44.0		11.4

1981

BARREN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	899	849	50	414	12	368	14	32	10	35	14
Rate	26.4	26.3	28.6	26.6	14.5	22.0	15.2	2.1	12.1	2.1	15.2
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	1	-	1	-	-	-	-	-
15 - 19	94	88	6	36	-	35	1	10	2	7	3
20 - 29	317	299	18	150	4	135	7	6	-	8	4
30 - 39	69	68	1	39	-	28	1	1	-	-	-
40 & over	7	7	-	4	-	3	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	489	464	25	230	4	202	9	17	5	15	7
Rate	14.4	14.4	14.3	14.8	4.8	12.1	9.8	1.1	6.1	0.9	7.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 42.9 %Fertility Rate 66.5

Delivered By:

Born in Hospital:

Fourth & over 9.8 %Premature Births 6.3Physician 99.6 %Physician 99.6 %Rate of Illegitimacy 90.7Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	7	7	-	1	1	-
Rate	14.3	15.1	-	22.7	31.2	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 28.6 %Fetal Causes 71.4 %Abortion - %



OCCURRENCE DEATHS

				ACCIDENTAL			
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	428	405	23	22	14	2	6
Rate	12.6	12.6	13.2	64.7	41.2	5.9	17.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant	
No.	333	313	20	-	1	1	8	2
Rate	9.8	9.7	11.4	-	2.0	2.0	16.1	4.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	1	195.3	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	2	18.7	11	1	189.0	-	-
35 - 44	-	-	-	-	1	25.7	2	51.4	12	-	-	-	-
45 - 64	-	-	-	-	-	-	24	344.2	13	-	-	-	-
65 & over	-	-	-	-	7	146.1	114	2379.0	14	-	-	-	-
Total	1	2.9	-	-	8	23.5	142	417.5	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		18	-	-	-	-
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	19	-	-	-	-
Under 6	-	-	-	-	-	-	-	-	20 - 24	5	184.3	-	-
6 - 14	-	-	-	-	-	-	-	-	25 - 29	3	114.0	-	-
15 - 34	-	-	-	-	-	-	-	-	30 - 34	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	35 - 44	1	25.7	-	-
45 - 64	1	14.3	1	14.3	-	-	-	-	45 - 64	3	43.0	5	71.7
65 & over	26	542.6	4	83.5	3	62.6	2	41.7	65 & over	6	125.2	1	20.9
Total	27	79.4	5	14.7	3	8.8	2	5.9	Total	19	55.9	6	17.6
Ky. Rate		81.9		17.0		13.4		6.0	Ky. Rate		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9	U.S. Rate		44.0		11.6

1981

BUTLER

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2	2	-	1	-	1	-	-	-	-	-
Rate	0.2	0.2	-	0.2	-	0.2	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	1	1	-	-	-	-	-	-	1	1
15 - 19	29	28	1	11	1	11	-	4	-	2	-
20 - 29	109	109	-	52	-	50	-	3	-	4	-
30 - 39	22	22	-	9	-	13	-	-	-	-	-
40 & over	4	4	-	-	-	4	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	166	164	2	72	1	78	-	7	-	7	1
Rate	15.0	14.9	28.6	13.2	25.6	14.1	-	1.3	-	1.3	32.3
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.7 %

Fertility Rate 69.9

Delivered By:

Born in Hospital:

Fourth & over 12.0 %

Premature Births 6.0

Physician 75.9 %

Physician 75.9 %

Rate of Illegitimacy 89.8

Midwife 22.9 %

Midwife 22.9 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	6.0	6.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	69	67	2	4	-	1	3
Rate	6.2	6.1	28.6	36.2	-	9.0	27.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	132	130	2	-	1	1	2	2
Rate	11.9	11.8	28.6	-	6.0	6.0	12.0	12.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	591.7	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	6	293.1	13	-	-	-
65 & over	-	-	-	-	4	250.0	45	2812.5	14	-	-	-
Total	1	9.0	-	-	4	36.2	51	461.0	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	2	939.0	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	1	123.0	-
45 - 64	1	48.9	-	-	-	-	-	-	30 - 34	-	-	1 130.7
65 & over	10	625.0	1	62.5	-	-	1	62.5	35 - 44	-	-	1 78.2
Total	11	99.4	1	9.0	-	-	1	9.0	45 - 64	1	48.9	1 48.9
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	1	62.5	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	5	45.2	3 27.1
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

EDMONSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	32	32	-	14	-	11	-	5	-	2	-
20 - 29	82	82	-	45	-	35	-	1	-	1	-
30 - 39	21	21	-	11	-	9	-	-	-	1	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	136	136	-	70	-	56	-	6	-	4	-
Rate	13.7	13.9	-	14.5	-	11.3	-	1.2	-	0.8	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 44.9 %Fertility Rate 64.7

Delivered By:

Born in Hospital:

Fourth & over 14.7 %Premature Births 6.6Physician 86.0 %Physician 86.0 %Rate of Illegitimacy 72.5Midwife 14.0 %Midwife 14.0 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	14.7	14.7	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	21	21	-	-	-	-	-
Rate	2.1	2.1	-	-	-	-	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	81	81	-	-	2	1	3	2
Rate	8.1	8.3	-	-	14.7	7.4	21.7	14.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	671.1	1	671.1	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	1	51.1	10	511.2	13	-	-	-
65 & over	-	-	-	-	2	163.8	23	1883.7	14	-	-	-
Total	1	10.0	1	10.0	3	30.1	33	331.3	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	1	490.2	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	1	135.9	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	1	144.3	-
45 - 64	2	102.2	1	51.1	-	-	-	-	30 - 34	1	141.8	-
65 & over	6	491.4	1	81.9	-	-	-	-	35 - 44	-	-	-
Total	8	80.3	2	20.1	-	-	-	-	45 - 64	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	-	-	1 81.9
U.S. Rate		71.0		15.0		12.6		5.9	Total	4	40.2	1 10.0
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

HART

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	58	53	5	27	-	23	-	2	4	1	1
Rate	3.8	3.7	4.0	3.9	-	3.2	-	0.3	6.6	0.1	1.6
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	1	1	-	-	-	-	-	1	1	-
15 - 19	50	42	8	21	1	18	-	2	4	1	3
20 - 29	136	127	9	68	2	49	3	4	3	6	1
30 - 39	33	29	4	17	2	11	-	-	1	1	1
40 & over	2	2	-	-	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	223	201	22	106	5	80	3	6	9	9	5
Rate	14.5	14.2	17.7	15.3	8.3	11.1	4.7	0.9	15.0	1.2	7.8
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births% 40.4 %

Fertility Rate 67.7

Delivered By:

Born in Hospital:

Fourth & over 13.9 %

Premature Births 8.5

Physician 97.8 %

Physician 97.3 %

Rate of Illegitimacy 128.9

Midwife 1.3 %

Midwife 1.3 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	9.0	10.0	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	83	76	7	9	6	1	2
Rate	5.4	5.4	5.6	58.4	39.0	6.5	13.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	161	147	14	-	3	3	5	4
Rate	10.5	10.4	11.3	-	13.5	13.5	22.2	17.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	3	1287.6	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	58.2	12	-	-	-
45 - 64	-	-	-	-	-	-	10	303.8	13	-	-	-
65 & over	-	-	-	-	3	147.9	43	2120.3	14	-	-	-
Total	3	19.5	-	-	3	19.5	54	350.6	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	2	170.1	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	1	95.1	2 190.3
45 - 64	4	121.5	1	30.4	-	-	-	-	30 - 34	1	96.6	-
65 & over	12	591.7	3	147.9	2	98.6	1	49.3	35 - 44	1	58.2	-
Total	16	103.9	4	26.0	2	13.0	1	6.5	45 - 64	1	30.4	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	4	197.2	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	10	64.9	2 13.0
											Ky. Rate	49.1 12.1
											U.S. Rate	44.0 11.4

1981

LOGAN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	249	203	46	97	6	79	8	13	16	14	16
Rate	10.3	9.3	20.4	9.1	5.7	7.1	6.6	1.2	15.3	1.2	13.3
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	1	-	-	-	-	-	1	-
15 - 19	68	58	10	26	-	25	2	5	4	2	4
20 - 29	230	205	25	106	4	82	2	6	8	11	11
30 - 39	38	32	6	18	1	13	3	-	1	1	1
40 & over	4	2	2	-	1	1	-	-	1	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	342	299	43	151	6	121	7	11	14	16	16
Rate	14.2	13.7	19.1	14.1	5.7	10.8	5.8	1.0	13.3	1.4	13.3
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.2 %

Fertility Rate 66.6

Delivered By:

Born in Hospital:

Fourth & over 8.2 %

Premature Births 7.0

Physician 98.5 %

Physician 98.2 %

Rate of Illegitimacy 164.7

Midwife 1.2 %

Midwife 0.9 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	-	-	-
Rate	11.7	13.4	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	202	183	19	9	7	1	1
Rate	8.4	8.4	8.4	37.3	29.0	4.1	4.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	250	222	28	-	3	3	7	4
Rate	10.4	10.1	12.4	-	8.8	8.8	20.2	11.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	3	777.2	-	-	1	259.1	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	1	29.7	-	-	-	-	6 - 10	1	53.6	-
15 - 34	-	-	-	-	-	-	1	13.5	11	-	-	-
35 - 44	-	-	-	-	1	35.6	2	71.2	12	-	-	-
45 - 64	-	-	-	-	2	40.9	11	224.8	13	-	-	-
65 & over	-	-	-	-	3	86.0	82	2350.2	14	-	-	-
Total	3	12.4	1	4.1	7	29.0	96	397.7	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	202.8	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	1	53.2	-
									25 - 29	1	60.9	1 60.9
									30 - 34	3	182.7	-
									35 - 44	2	71.2	-
									45 - 64	3	61.3	-
									65 & over	2	57.3	1 28.7
									Total	14	58.0	2 8.3
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	2	40.9	1	20.4	-	-	-	-
65 & over	28	802.5	2	57.3	5	143.3	2	57.3
Total	30	124.3	3	12.4	5	20.7	2	8.3
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

METCALFE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
No.	4	4	-	-	-	4	-	-	-	-	-
Rate	0.4	0.4	-	-	-	0.9	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
10 - 14	1	1	-	-	-	1	-	-	-	-	-
15 - 19	33	32	1	15	-	13	-	2	-	2	1
20 - 29	76	76	-	34	-	35	-	5	-	2	-
30 - 39	21	21	-	9	-	11	-	1	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	131	130	1	58	-	60	-	8	-	4	1
Rate	13.8	14.1	3.5	12.7	-	12.9	-	1.8	-	0.9	7.2
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.6 %Fertility Rate 66.8

Delivered By:

Born in Hospital:

Fourth & over 12.2 %Premature Births 4.6Physician 95.4 %Physician 94.7 %Rate of Illegitimacy 98.5Midwife 2.3 %Midwife 1.5 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	7.6	7.7	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL							
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	31	30	1	4	2	1	1
Rate	3.3	3.3	3.5	42.2	21.1	10.5	10.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS								
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	88	87	1	-	3	2	3	4
Rate	9.3	9.5	3.5	-	22.9	15.3	22.7	30.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	2	1197.6	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	1	71.2	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	1	50.0	4	199.8	13	-	-	-	-
65 & over	-	-	-	-	2	145.7	35	2549.2	14	-	-	-	-
Total	2	21.1	1	10.5	3	31.6	39	411.2	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	549.5	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	1	735.3	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-	-
45 - 64	-	-	1	50.0	-	-	-	-	30 - 34	1	163.1	-	-
65 & over	8	582.7	-	-	1	72.8	-	-	35 - 44	-	-	-	-
Total	8	84.4	1	10.5	1	10.5	-	-	45 - 64	1	50.0	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	1	72.8	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	5	52.7	-	-
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

MONROE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	49	46	3	15	-	25	-	3	-	3	3
Rate	4.0	3.8	8.0	2.6	-	4.1	-	0.5	-	0.5	17.2
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	38	36	2	18	-	14	-	1	-	3	2
20 - 29	106	100	6	43	1	52	3	2	-	3	2
30 - 39	36	35	1	10	-	23	1	1	-	1	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	180	171	9	71	1	89	4	4	-	7	4
Rate	14.6	14.3	24.1	12.2	5.0	14.4	23.0	0.7	-	1.1	23.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 44.4 %

Fertility Rate 70.4

Delivered By:

Born in Hospital:

Fourth & over 11.7 %

Premature Births 6.1

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 82.9

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	5.6	5.8	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

SIMPSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
No.	115	88	27	34	2	41	4	8	13	5	8
Rate	7.8	6.8	14.8	5.5	2.3	6.2	4.2	1.3	14.8	0.8	8.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
10 - 14	1	-	1	-	-	-	-	-	1	-	-
15 - 19	57	39	18	17	-	15	2	6	10	1	6
20 - 29	132	118	14	57	1	50	5	3	5	8	3
30 - 39	28	25	3	16	-	8	1	1	-	-	2
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	219	183	36	90	1	74	8	10	16	9	11
Rate	14.9	14.2	19.7	14.5	1.1	11.1	8.4	1.6	18.2	1.4	11.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 42.0 %

Fertility Rate 68.4

Delivered By:

Born in Hospital:

Fourth & over 9.1 %

Premature Births 6.4

Physician 98.2 %

Physician 98.2 %

Rate of illegitimacy 215.2

Midwife 1.8 %

Midwife 1.8 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	2	2	2	-	2
Rate	18.3	10.9	55.6	43.5	-	74.1
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 25.0 %

Fetal Causes 75.0 %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	103	92	11	3	2	1	-
Rate	7.0	7.2	6.0	20.4	13.6	6.8	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	146	125	21	-	1	-	4	1
Rate	10.0	9.7	11.5	-	4.6	-	17.9	4.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 75

SELECTED CAUSES OF DEATH BY AGE GROUP

	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease			Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	-	-	1	434.8	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	1	45.1	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	61.9	12	-	-	-	-
45 - 64	-	-	-	-	1	35.0	9	315.3	13	-	-	-	-
65 & over	-	-	-	-	5	257.6	50	2576.0	14	-	-	-	-
Total	-	-	1	6.8	6	40.9	61	415.7	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema						
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate					
Under 6	-	-	-	-	-	-	-	-	19	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	20 - 24	1	88.2	-	-
15 - 34	-	-	-	-	-	-	-	-	25 - 29	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	30 - 34	-	-	1	94.7
45 - 64	-	-	1	35.0	-	-	1	35.0	35 - 44	1	61.9	1	61.9
65 & over	14	721.3	-	-	2	103.0	2	103.0	45 - 64	-	-	1	35.0
Total	14	95.4	1	6.8	2	13.6	3	20.4	65 & over	1	51.5	1	51.5
Ky. Rate		81.9		17.0		13.4		6.0	Total	3	20.4	4	27.3
U.S. Rate		71.0		15.0		12.6		5.9	Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

WARREN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,780	1,648	132	774	32	747	44	55	28	72	28
Rate	24.8	25.2	20.4	24.5	10.3	22.1	13.1	1.7	9.0	2.1	8.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	1	1	1	-	-	-	-	1	-	-
15 - 19	176	150	26	56	-	56	3	13	13	25	10
20 - 29	753	682	71	325	19	308	27	24	14	25	11
30 - 39	210	191	19	87	10	92	6	6	-	6	3
40 & over	5	5	-	-	-	3	-	1	-	1	-
Unknown	1	1	-	1	-	-	-	-	-	-	-
Total	1,147	1,030	117	470	29	459	36	44	28	57	24
Rate	16.0	15.8	18.1	14.9	9.3	13.6	10.7	1.4	9.0	1.7	7.2
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.7 %

Fertility Rate 59.5

Delivered By:

Born in Hospital:

Fourth & over 10.5 %

Premature Births 6.6

Physician 73.4 %

Physician 73.3 %

Rate of Illegitimacy 135.6

Midwife 26.4 %

Midwife 26.4 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	11	8	3	4	1	3
Rate	9.6	7.8	25.6	26.1	9.9	57.7
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 72.7 %

Fetal Causes 27.3 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	735	664	71	33	22	3	8
Rate	10.2	10.2	11.0	45.9	30.6	4.2	11.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	558	500	58	1	8	6	17
Rate	7.8	7.6	9.0	8.7	7.0	5.2	14.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	71						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	6	523.6	2	174.5	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	1	19.5	-	-	1	19.5	1 - 5	1	19.5	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	3	10.0	11	-	-	-
35 - 44	-	-	-	-	-	-	4	52.7	12	-	-	-
45 - 64	-	-	-	-	1	8.5	38	321.7	13	-	-	-
65 & over	-	-	-	-	8	113.5	140	1983.3	14	2	198.8	-
Total	6	8.4	3	4.2	9	12.5	186	259.0	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	83.4	1 83.4
									18	1	47.4	-
									19	2	75.0	-
									20 - 24	5	49.6	2 19.8
									25 - 29	2	31.1	-
									30 - 34	1	18.8	1 18.8
									35 - 44	4	52.7	2 26.4
									45 - 64	3	25.4	7 59.3
									65 & over	1	14.2	1 14.2
									Total	23	32.0	14 19.5
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	2	6.6	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	11	93.1	-	-	-	-	1	8.5
65 & over	62	878.3	4	56.7	10	141.7	-	-
Total	75	104.4	4	5.6	10	13.9	1	1.4
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

DISTRICT 5 - LINCOLN TRAIL



1981

DISTRICT 5

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	3,474	2,951	523	1,391	186	1,308	205	140	71	112	61
Rate	16.0	15.0	25.1	13.6	15.2	13.9	24.0	1.4	5.8	1.2	7.1
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.7	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	7	5	2	-	-	-	-	1	1	4	1
15 - 19	749	659	90	271	21	268	21	72	28	48	20
20 - 29	2,694	2,291	403	1,118	150	1,030	166	75	45	68	42
30 - 39	530	462	68	228	26	218	32	8	6	8	4
40 & over	20	19	1	11	1	7	-	1	-	-	-
Unknown	1	1	-	1	-	-	-	-	-	-	-
Total	4,001	3,437	564	1,629	198	1,523	219	157	80	128	67
Rate	18.4	17.5	27.1	15.9	16.1	16.2	25.6	1.5	6.5	1.4	7.8
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.9 %

Fertility Rate 83.8

Delivered By:

Born in Hospital:

Fourth & over 13.9 %

Premature Births 7.4

Physician 84.4 %

Physician 84.4 %

Rate of Illegitimacy 108.6

Midwife 15.2 %

Midwife 15.1 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	32	24	8	6	3	3
Rate	8.0	7.0	14.2	13.9	10.5	20.4
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 62.5 %

Fetal Causes 37.5 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	1,273	1,201	72	82	48	8	26
Rate	5.8	6.1	3.5	37.7	22.1	3.7	11.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	1,555	1,458	97	1	42	37	69	56
Rate	7.1	7.4	4.7	2.5	10.5	9.2	17.1	14.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

		Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease				Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate		
Under 1	31	745.4	12	288.5	-	-	-	-	Under 1	2	48.1	-	-		
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	5.5	-	-		
6 - 14	-	-	-	-	-	-	1	3.1	6 - 10	1	5.7	-	-		
15 - 34	-	-	1	1.1	-	-	3	3.4	11	1	28.6	-	-		
35 - 44	-	-	2	8.8	1	4.4	9	39.6	12	1	29.4	-	-		
45 - 64	-	-	-	-	6	17.6	121	354.2	13	1	28.4	-	-		
65 & over	-	-	1	5.1	62	313.9	479	2425.4	14	-	-	-	-		
Total	31	14.2	16	7.4	69	31.7	613	281.6	15	1	23.9	-	-		
Ky. Rate		9.2		6.1		27.4		350.6	16	3	69.4	-	-		
U.S. Rate		9.4		5.8		24.0		328.7	17	6	99.4	-	-		
									18	7	108.3	-	-		
									19	3	46.3	-	-		
									20 - 24	11	44.5	1	4.0		
									25 - 29	12	63.3	-	-		
									30 - 34	8	50.5	1	6.3		
									35 - 44	8	35.2	1	4.4		
									45 - 64	15	43.9	4	11.7		
									65 & over	13	65.8	3	15.2		
									Total	94	43.2	10	4.6		
									Ky. Rate		49.1		12.1		
									U.S. Rate		44.0		11.4		

1981

BRECKINRIDGE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	215	201	14	93	4	83	4	16	5	9	1
Rate	12.8	12.4	22.0	11.5	12.4	10.2	12.7	2.0	15.5	1.1	3.2
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	-	-	1	-	-	-
15 - 19	47	44	3	12	-	22	-	7	3	3	-
20 - 29	168	158	10	86	1	63	3	4	2	5	2
30 - 39	41	37	4	14	2	22	2	-	-	1	-
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	259	242	17	113	3	108	7	12	5	9	2
Rate	15.4	14.9	26.7	14.0	9.3	13.2	22.3	1.5	15.5	1.1	6.4
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 35.5 %

Fertility Rate 72.2

Delivered By:

Born in Hospital:

Fourth & over 15.4 %

Premature Births 6.2

Physician 99.2 %

Physician 99.2 %

Rate of Illegitimacy 107.7

Midwife 0.8 %

Midwife 0.8 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	3.9	4.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes 100.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	135	131	4	7	3	1	3
Rate	8.0	8.1	6.3	41.5	17.8	5.9	17.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	172	166	6	-	4	3	4	5
Rate	10.2	10.2	9.4	-	15.4	11.6	15.4	19.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	3	1071.4	2	714.3	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	1	18.7	-	-	-	-	11	1	359.7	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	3	91.1	16	485.7	13	1	380.2	-	-
65 & over	-	-	-	-	4	170.6	54	2303.8	14	-	-	-	-
Total	3	17.8	3	17.8	7	41.5	70	415.2	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema						
	No.	Rate	No.	Rate	No.	Rate	No.	Rate					
Under 6	-	-	-	-	-	-	-	-	18	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	1	78.2	-	-
35 - 44	-	-	1	55.2	-	-	-	-	25 - 29	-	-	-	-
45 - 64	-	-	1	30.4	-	-	-	-	30 - 34	1	83.4	-	-
65 & over	29	1237.2	2	85.3	3	128.0	-	-	35 - 44	1	55.2	-	-
Total	29	172.0	4	23.7	3	17.8	-	-	45 - 64	1	30.4	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	1	42.7	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	7	41.5	-	-
										Ky. Rate	49.1	12.1	
										U.S. Rate	44.0	11.4	

1981

GRAYSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	76	76	-	32	-	30	-	5	-	9	-
Rate	3.6	3.7	-	3.1	-	2.9	-	0.5	-	0.9	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	72	71	1	18	1	34	-	12	-	7	-
20 - 29	188	186	2	87	-	85	-	4	1	10	1
30 - 39	43	43	-	20	-	22	-	1	-	-	-
40 & over	3	3	-	1	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	306	303	3	126	1	143	-	17	1	17	1
Rate	14.7	14.6	24.6	12.2	18.5	13.7	-	1.6	18.5	1.6	14.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.6 %

Fertility Rate 70.0

Delivered By:

Born in Hospital:

Fourth & over 17.3 %

Premature Births 4.2

Physician 99.0 %

Physician 99.0 %

Rate of Illegitimacy 119.4

Midwife 0.3 %

Midwife 0.3 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	1	1	-
Rate	13.1	13.2	-	27.8	29.4	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %

Fetal Causes 25.0 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	167	165	2	8	5	-	3
Rate	8.0	8.0	16.4	38.4	24.0	-	14.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	222	220	2	-	3	2	6	4
Rate	10.6	10.6	16.4	-	9.8	6.5	19.4	13.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	307.7	2	615.4	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1	62.3	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	1	44.5	-	-	1	44.5	-	-	-	-
45 - 64	-	-	-	-	-	-	13	315.4	-	-	-	-
65 & over	-	-	-	-	8	280.2	96	3362.5	-	-	-	-
Total	1	4.8	3	14.4	8	38.4	110	527.5	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6				
U.S. Rate		9.4		5.8		24.0		328.7				
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	-	-	1	24.3	-	-
65 & over	17	595.4	-	-	1	35.0	-	-	1	35.0	-	-
Total	17	81.5	-	-	1	4.8	-	-	8	38.4	-	-
Ky. Rate		81.9		17.0		13.4		6.0		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9		44.0		11.4

1981

HARDIN

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2,546	2,110	436	1,008	171	961	192	76	39	65	34
Rate	28.6	27.8	33.4	23.7	20.0	28.9	42.5	1.8	4.6	2.0	7.5
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	5	4	1	-	-	-	-	-	1	4	-
15 - 19	330	281	49	125	14	113	15	26	14	17	6
20 - 29	1,383	1,078	305	513	128	502	135	34	17	29	25
30 - 39	231	187	44	95	17	87	25	2	2	3	-
40 & over	7	7	-	4	-	2	-	1	-	-	-
Unknown	1	1	-	1	-	-	-	-	-	-	-
Total	1,957	1,558	399	738	159	704	175	63	34	53	31
Rate	22.0	20.5	30.5	17.3	18.6	21.2	38.8	1.5	4.0	1.6	6.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 35.5 %

Fertility Rate 102.9

Delivered By:

Born in Hospital:

Fourth & over 13.1 %

Premature Births 7.2

Physician 71.8 %

Physician 71.8 %

Rate of Illegitimacy 93.8

Midwife 27.8 %

Midwife 27.7 %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	15	11	4	4	2	2
Rate	7.7	7.1	10.0	22.1	17.2	30.8
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 60.0 %

Fetal Causes 40.0 %

Abortion - %

OCCURRENCE DEATHS

RESIDENT DEATHS

Median Age at Death 69

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	18	1065.7	4	236.8	-	-	-	-	Under 1	2	118.4	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	1	8.7	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	1	2.3	11	-	-	-	-
35 - 44	-	-	-	-	1	11.2	3	33.5	12	-	-	-	-
45 - 64	-	-	-	-	-	-	30	259.0	13	-	-	-	-
65 & over	-	-	-	-	22	430.4	123	2406.6	14	-	-	-	-
Total	18	20.2	4	4.5	23	25.9	158	177.7	15	1	69.6	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	30.1	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		18	1	24.1	-	-
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	19	1	23.7	-	-
Under 6	-	-	-	-	-	-	-	-	20 - 24	5	35.8	1	7.2
6 - 14	-	-	-	-	-	-	-	-	25 - 29	5	61.1	-	-
15 - 34	1	2.3	-	-	-	-	-	-	30 - 34	5	81.5	1	16.3
35 - 44	-	-	-	-	-	-	-	-	35 - 44	1	11.2	-	-
45 - 64	3	25.9	-	-	-	-	-	-	45 - 64	4	34.5	2	17.3
65 & over	30	587.0	4	78.3	6	117.4	2	39.1	65 & over	6	117.4	2	39.1
Total	34	38.2	4	4.5	6	6.7	2	2.2	Total	32	36.0	6	6.7
Ky. Rate		81.9		17.0		13.4		6.0	Ky. Rate		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9	U.S. Rate		44.0		11.0

1981

LARUE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	29	26	3	11	-	11	-	4	2	-	1
20 - 29	95	91	4	52	-	35	1	2	1	2	2
30 - 39	21	21	-	14	-	6	-	-	-	1	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	145	138	7	77	-	52	1	6	3	3	3
Rate	12.2	12.2	12.4	13.8	-	9.0	3.4	1.1	11.2	0.5	10.1
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.6 %

Fertility Rate 56.9

Delivered By:

Born in Hospital:

Fourth & over 13.8 %

Premature Births 9.7

Physician 98.6 %

Physician 98.6 %

Rate of Illegitimacy 103.4

Midwife 1.4 %

Midwife 1.4 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	52	52	-	5	4	1	-
Rate	4.4	4.6	-	41.9	33.6	8.4	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

				BIRTH-RELATED AND INFANT DEATHS				
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Maternal</u>	<u>Neonatal</u>	<u>Under 1 week</u>	<u>(Early Neonatal)</u>	<u>Infant</u>
No.	108	103	5	-	2	2	2	2
Rate	9.1	9.1	8.8	-	13.8	13.8	13.8	13.8
U.S. Rate	8.7	8.9	7.6	9.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	-	-	2	1183.4	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	-	-	7	286.4	13	-	-	-	-
65 & over	-	-	-	-	7	403.5	40	2305.5	14	-	-	-	-
Total	-	-	2	16.8	7	58.7	47	394.2	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	370.4	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	1	26.9	-	-	-	-	-	-	20 - 24	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	2	221.2	-	-
45 - 64	1	40.9	-	-	-	-	-	-	30 - 34	1	126.4	-	-
65 & over	7	403.5	1	57.6	-	-	-	-	35 - 44	2	144.9	-	-
Total	9	75.5	1	8.4	-	-	-	-	45 - 64	1	40.9	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	1	57.6	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	8	67.1	-	-
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

MARION

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	398	356	42	157	6	158	7	23	14	18	15
Rate	22.2	21.6	29.3	19.5	8.8	18.8	9.3	2.9	20.6	2.1	19.9
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	56	50	6	19	-	19	-	6	1	6	5
20 - 29	202	185	17	92	2	76	3	10	8	7	4
30 - 39	60	57	3	27	1	28	1	1	1	1	-
40 & over	3	3	-	2	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	321	295	26	140	3	124	4	17	10	14	9
Rate	17.9	17.9	18.2	17.4	4.4	14.7	5.3	2.1	14.7	1.7	12.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 30.5 %

Fertility Rate 82.0

Delivered By:

Born in Hospital

Fourth & over 17.8 %

Premature Births 10.6

Physician 98.8 %

Physician 98.8 %

Rate of illegitimacy 155.8

Midwife 0.3 %

Midwife 0.3 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - 2

Fetal Causes - 2

Abortion - 1

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	166	149	17	11	3	3	5
Rate	9.3	9.0	11.9	61.4	16.8	16.8	27.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	158	146	12	-	5	3	3	6
Rate	8.8	8.9	8.4	-	15.6	9.3	9.3	18.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	3	877.2	1	292.4	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	1	16.3	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	1	295.0	-
45 - 64	-	-	-	-	-	-	12	391.0	13	-	-	-
65 & over	-	-	-	-	5	237.6	55	2614.1	14	-	-	-
Total	3	16.8	1	5.6	5	27.9	68	379.7	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	2	463.0	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	1	16.3	-	-	-	-	-	-	20 - 24	2	135.7	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	-	-	1	32.6	-	-	-	-	30 - 34	-	-	-
65 & over	15	712.9	2	95.1	4	190.1	2	95.1	35 - 44	1	55.7	1 55.7
Total	16	89.3	3	16.8	4	22.3	2	11.2	45 - 64	1	32.6	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	2	95.1	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	9	50.3	1 5.6
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

MEADE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2	1	1	-	-	-	-	1	1	-	-
Rate	0.1	0.0	0.5	-	1.0	-	-	0.1	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	89	77	12	41	6	26	5	5	1	5	-
20 - 29	213	186	27	96	11	85	14	3	2	2	-
30 - 39	31	29	2	12	1	15	1	2	-	-	-
40 & over	2	1	1	-	1	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	335	293	42	149	19	127	20	10	3	7	-
Rate	14.7	14.1	20.3	14.0	19.3	12.5	18.4	0.9	3.1	0.7	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 45.7 %

Fertility Rate 58.6

Delivered By:

Born in Hospital:

Fourth & over 10.4 %

Premature Births 6.3

Physician 83.0 %

Physician 83.0 %

Rate of Illegitimacy 59.0

Midwife 16.7 %

Midwife 16.7 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	1	3	-	-	-
Rate	11.9	3.4	21.4	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %

Fetal Causes 25.0 %

Abortion - %

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	56	53	3	9	7	1	1
Rate	2.5	2.5	1.5	39.4	30.6	4.4	4.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	129	124	5	-	2	2	6	2
Rate	5.6	6.0	2.4	-	6.0	6.0	17.7	6.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	310.1	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 14	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	40.0	12	-	-	-
45 - 64	-	-	-	-	2	70.8	14	495.9	13	-	-	-
65 & over	-	-	-	-	6	453.9	31	2344.9	14	-	-	-
Total	2	3.8	-	-	8	35.0	46	201.3	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	2	520.8	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	2	74.2	-
45 - 64	1	35.4	-	-	-	-	-	-	30 - 34	-	-	-
65 & over	7	529.5	3	226.9	3	226.9	-	-	35 - 44	1	40.0	-
Total	8	35.0	3	13.1	3	13.1	-	-	45 - 64	4	141.7	1
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	-	-	1
U.S. Rate		71.7		15.0		12.6		5.9	Total	9	39.4	2
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

NELSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	237	207	30	101	4	76	2	19	13	11	11
Rate	8.6	8.0	16.5	8.0	4.6	5.8	2.1	1.5	15.1	0.8	11.5
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	-	1	-	-	-	-	-	-	-	1
15 - 19	90	77	13	36	-	23	1	10	6	8	6
20 - 29	337	311	26	145	7	141	4	15	9	10	6
30 - 39	76	64	12	33	5	27	3	2	3	2	1
40 & over	2	2	-	2	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	506	454	52	216	12	191	8	27	18	20	14
Rate	18.3	17.6	28.6	17.2	13.9	14.5	8.4	2.1	20.9	1.5	14.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.3 %Fertility Rate 79.8

Delivered By:

Born in Hospital:

Fourth & over 14.6 %Premature Births 9.1Physician 99.2 %Physician 99.0 %Rate of Illegitimacy 156.2Midwife 0.2 %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	6	5	1	1	-	1
Rate	11.9	11.0	19.2	12.7	-	31.2
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %Fetal Causes 50.0 %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	160	147	13	15	12	-	3
Rate	5.8	5.7	7.1	54.4	43.5	-	10.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	209	193	16	-	3	3	9	5
Rate	7.6	7.5	8.8	-	5.9	5.9	17.6	9.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	3	573.6	1	191.2	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	41.9	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	1	34.3	-	-	4	137.0	12	-	-	-	-
45 - 64	-	-	-	-	1	21.1	20	421.1	13	-	-	-	-
65 & over	-	-	1	35.4	5	177.1	51	1805.9	14	-	-	-	-
Total	3	10.9	3	10.9	6	21.8	75	271.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	148.8	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	149.9	-	-
									18	3	554.5	-	-
									19	1	201.6	-	-
									20 - 24	2	81.8	-	-
									25 - 29	3	133.6	-	-
									30 - 34	-	-	-	-
									35 - 44	2	68.5	-	-
									45 - 64	2	42.1	1	21.1
									65 & over	1	33.4	-	-
									Total	17	61.6	1	3.6
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	1	10.3	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	2	42.1	-	-	-	-	-	-
65 & over	20	708.2	2	70.8	2	70.8	1	35.4
Total	22	79.8	3	10.9	2	7.3	1	3.6
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

WASHINGTON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	36	33	3	9	-	20	-	2	1	2	2
20 - 29	108	96	12	47	1	43	4	3	5	3	2
30 - 39	27	24	3	13	-	11	-	-	-	-	3
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	172	154	18	70	1	74	4	5	6	5	7
Rate	16.0	16.0	16.2	14.8	1.9	15.0	7.0	1.1	11.2	1.0	12.2
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.3	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.3 %

Fertility Rate 75.5

Delivered By:

Born in Hospital:

Fourth & over 12.8 %

Premature Births 6.4

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 132.2

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	11.6	13.0	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	33	27	6	1	-	-	1
Rate	3.1	2.8	5.4	9.3	-	-	9.3
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	107	88	19	-	1	-	2	1
Rate	9.9	9.1	17.1	-	5.8	-	11.5	5.8
U.S. Rate	8.7	8.9	7.6	9.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	537.6	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	1	29.0	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	9	432.3	13	-	-	-
65 & over	-	-	-	-	5	343.9	29	1994.5	14	-	-	-
Total	1	9.3	-	-	5	46.5	39	362.3	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	444.4	-
									18	-	-	-
									19	-	-	-
									20 - 24	-	-	-
									25 - 29	-	-	-
									30 - 34	1	142.9	-
									35 - 44	-	-	-
									45 - 64	1	48.0	-
									65 & over	1	68.8	-
									Total	4	37.2	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	48.0	1	48.0	-	-	-	-
65 & over	12	825.3	2	137.6	-	-	-	-
Total	13	120.8	3	27.9	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

DISTRICT 6 - KENTUCKIANA



1981

DISTRICT 6

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	13,957	11,449	2,508	5,160	485	4,872	491	733	765	684	767
Rate	17.4	16.7	20.8	15.7	8.6	13.8	7.6	2.2	13.6	1.9	11.9
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.1	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	46	23	23	2	-	3	-	9	11	9	12
15 - 19	2,115	1,487	628	449	26	475	28	291	279	272	293
20 - 29	7,891	6,441	1,450	2,964	313	2,849	321	320	414	308	402
30 - 39	2,143	1,843	300	931	117	829	104	44	36	39	43
40 & over	47	35	12	16	5	16	2	2	3	1	2
Unknown	5	3	2	1	-	-	-	1	1	1	1
Total	12,247	9,832	2,415	4,363	461	4,172	455	667	744	630	755
Rate	15.2	14.4	20.0	13.2	8.2	11.8	7.1	2.0	13.2	1.8	11.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.3
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.6 %Fertility Rate 64.4

Delivered By:

Born in Hospital:

Fourth & over 12.1 %Premature Births 7.6Physician 99.3 %Physician 99.2 %Rate of Illegitimacy 229.8Midwife 0.2 %Midwife 0.2 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	151	105	46	53	19	34
Rate	12.3	10.7	19.0	19.0	14.6	22.7
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 64.9 %Fetal Causes 34.4 %Abortion 0.7 %

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	8,052	6,885	1,167	360	165	71	124
Rate	10.0	10.1	9.7	44.8	20.5	8.8	15.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	7,261	6,141	1,120	1	117	102	253	156
Rate	9.0	9.0	9.3	0.8	9.6	8.3	20.4	12.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	85	679.6	38	303.8	2	16.0	2	16.0	4	32.0	-	-
1 - 5	-	-	5	8.6	1	1.7	1	1.7	14	24.1	-	-
6 - 14	-	-	-	-	1	0.9	1	0.9	4	6.3	-	-
15 - 34	-	-	-	-	7	2.5	11	3.9	3	21.9	-	-
35 - 44	-	-	-	-	2	2.2	42	46.3	1	8.2	-	-
45 - 64	-	-	2	1.2	28	17.4	573	356.7	2	16.1	-	-
65 & over	-	-	2	2.3	154	180.3	2,038	2386.4	1	7.7	1	7.7
Total	85	10.6	47	5.8	195	24.2	2,668	331.7	2	13.9	2	13.9
Ky. Rate		9.2		6.1		27.4		350.6	7	45.7	1	6.5
U.S. Rate		9.4		5.8		24.0		328.7	9	58.8	1	6.5
									18	56.4	3	21.2
									19	14.0	-	-
									20 - 24	39.4	8	10.9
									25 - 29	41.3	20	27.6
									30 - 34	35.9	12	18.7
									35 - 44	41.9	22	24.3
									45 - 64	35.5	30	18.7
									65 & over	110.1	17	19.9
									Total	40.8	117	14.5
									Ky. Rate	49.1		12.1
									U.S. Rate	44.0		11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-				
6 - 14	-	-	1	0.9	-	-	-	-				
15 - 34	5	1.8	2	0.7	-	-	-	-				
35 - 44	5	5.5	3	3.3	-	-	2	2.2				
45 - 64	91	56.6	34	21.2	8	5.0	11	6.8				
65 & over	568	665.1	120	140.5	100	117.1	27	31.6				
Total	669	83.2	160	19.9	108	13.4	40	5.0				
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				

1981

BULLITT

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	1	1	-	1	-	-	-	-	-	-	-
Rate	0.0	0.0	-	0.0	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	1	1	-	-	-	-	-	1	-	-	-
15 - 19	131	130	1	46	-	53	1	15	-	16	-
20 - 29	398	395	3	182	1	189	1	13	-	11	1
30 - 39	102	99	3	50	-	44	2	3	-	2	1
40 & over	2	2	-	-	-	1	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	634	627	7	278	1	287	4	33	-	29	2
Rate	14.6	14.6	20.6	12.9	6.8	13.3	20.9	1.5	-	1.3	10.5
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.6 %Fertility Rate 58.2

Delivered By:

Born in Hospital:

Fourth & over 12.0 %Premature Births 7.3Physician 99.4 %Physician 99.4 %Rate of Illegitimacy 102.8Midwife 0.5 %Midwife 0.5 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	8	8	-	2	2	-
Rate	12.6	12.8	-	31.2	32.3	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %Fetal Causes 25.0 %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	91	90	1	22	14	-	8
Rate	2.1	2.1	2.9	50.8	32.3	-	18.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	238	235	3	-	6	6	14	8
Rate	5.5	5.5	8.8	-	9.5	9.5	21.8	12.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	69							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	3	428.0	3	428.0	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	2	53.6	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	20.4	-	-
15 - 34	-	-	-	-	-	-	2	12.8	11	-	-	-	-
35 - 44	-	-	-	-	-	-	2	34.0	12	-	-	-	-
45 - 64	-	-	-	-	1	15.8	26	409.6	13	-	-	-	-
65 & over	-	-	-	-	6	265.4	60	2653.7	14	-	-	-	-
Total	3	6.9	3	6.9	7	16.1	90	207.6	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	2	193.2	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	2	210.5	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	1	125.2	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	2	59.3	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	4	114.5	-	-
45 - 64	2	31.5	1	15.8	-	-	1	15.8	30 - 34	3	71.5	-	-
65 & over	14	619.2	3	132.7	3	132.7	1	44.2	35 - 44	2	34.0	1	17.0
Total	16	36.9	4	9.2	3	6.9	2	4.6	45 - 64	-	-	3	47.3
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	3	132.7	1	44.2
U.S. Rate		71.0		15.0		12.6		5.9	Total	22	50.8	5	11.5
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

HENRY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	-	-	1	-	-	-
15 - 19	22	20	2	4	1	12	1	1	-	3	-
20 - 29	93	91	2	41	-	42	-	6	2	2	-
30 - 39	28	24	4	13	1	8	-	1	1	2	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	144	136	8	58	2	62	1	9	3	7	2
Rate	11.3	11.3	11.5	9.7	5.9	10.2	2.8	1.5	8.8	1.2	5.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 43.1 %

Fertility Rate 52.9

Delivered By:

Born in Hospital:

Fourth & over 6.9 %

Premature Births 6.2

Physician 99.3 %

Physician 99.3 %

Rate of Illegitimacy 14.9

Midwife 0.7 %

Midwife 0.7 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	4	4	-	-	-	-
Rate	27.8	29.4	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	49	49	-	5	1	-	4
Rate	3.8	4.1	-	39.2	7.8	-	31.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	In-utero
No.	144	137	7	-	-	-	4	1
Rate	11.3	11.4	10.1	-	-	-	27.0	6.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	1	25.4	11	-	-	-
35 - 44	-	-	-	-	-	-	1	64.6	12	-	-	-
45 - 64	-	-	-	-	-	-	16	605.4	13	-	-	-
65 & over	-	-	-	-	2	115.5	44	2540.4	14	-	-	-
Total	-	-	-	-	2	15.7	62	486.7	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	1	107.0	-
									25 - 29	-	-	-
									30 - 34	-	-	-
									35 - 44	1	64.6	2 129.1
									45 - 64	2	75.7	-
									65 & over	2	115.5	-
									Total	6	47.1	2 15.7
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	1	64.6	-	-	-	-
45 - 64	1	37.8	-	-	-	-	2	75.7
65 & over	14	808.3	5	288.7	4	230.9	-	-
Total	15	117.7	6	47.1	4	31.4	2	15.7
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

JEFFERSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	13,911	11,417	2,494	5,143	482	4,865	487	729	763	680	762
Rate	20.3	20.0	21.6	18.9	9.0	16.4	7.9	2.7	14.3	2.3	12.3
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	43	21	22	2	-	3	-	7	11	9	11
15 - 19	1,810	1,194	616	344	24	360	26	257	276	233	290
20 - 29	6,858	5,453	1,405	2,506	297	2,386	310	284	406	277	392
30 - 39	1,837	1,550	287	769	114	708	99	38	34	35	40
40 & over	40	29	11	13	4	14	2	1	3	1	2
Unknown	4	2	2	-	-	-	-	1	1	1	1
Total	10,592	8,249	2,343	3,634	439	3,471	437	588	731	556	736
Rate	15.5	14.5	20.3	13.3	8.2	11.7	7.0	2.2	13.7	1.9	11.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.3 %Fertility Rate 65.3

Delivered By:

Born in Hospital:

Fourth & over 12.3 %Premature Births 7.7Physician 99.3 %Physician 99.2 %Rate of Illegitimacy 248.2Midwife 0.2 %Midwife 0.2 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	128	83	45	50	17	33
Rate	12.1	10.1	19.2	19.1	14.9	22.5
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 64.1 %Fetal Causes 35.1 %Abortion 0.8 %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	7,569	6,426	1,143	310	140	68	102
Rate	11.0	11.3	9.9	45.3	20.4	9.9	14.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	6,419	5,345	1,074	1	101	87	215	134
Rate	9.4	9.4	9.3	0.9	9.5	8.2	20.1	12.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate
Under 1	73	682.9	32	299.4	2	18.7	2	18.7	Under 1	4	37.4	-	-
1 - 5	-	-	5	10.2	1	2.0	1	2.0	1 - 5	10	20.5	-	-
6 - 14	-	-	-	-	1	1.1	1	1.1	6 - 10	3	5.8	-	-
15 - 34	-	-	-	-	6	2.5	6	2.5	11	2	19.6	-	-
35 - 44	-	-	-	-	1	1.3	32	43.0	12	1	10.1	-	-
45 - 64	-	-	2	1.4	26	18.5	499	354.1	13	2	19.9	-	-
65 & over	-	-	1	1.3	137	181.4	1,801	2385.3	14	1	9.4	1	9.4
Total	73	10.7	40	5.8	174	25.4	2,342	341.9	15	2	16.8	2	16.8
Ky. Rate		9.2		6.1		27.4		350.6	16	5	39.2	1	7.8
U.S. Rate		9.4		5.8		24.0		328.7	17	4	31.2	1	7.8
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema						
	No.	Rate	No.	Rate	No.	Rate	No.	Rate					
Under 6	-	-	-	-	-	-	-	-	18	7	58.0	2	16.6
6 - 14	-	-	1	1.1	-	-	-	-	19	2	16.3	-	-
15 - 34	5	2.1	2	0.8	-	-	-	-	20 - 24	23	35.8	7	10.9
35 - 44	5	6.7	2	2.7	-	-	2	2.7	25 - 29	21	33.4	18	28.6
45 - 64	83	60.1	33	23.4	6	4.3	6	4.3	30 - 34	17	32.1	12	22.6
65 & over	482	631.8	105	139.1	80	106.0	26	34.4	35 - 44	33	44.3	17	22.8
Total	587	85.7	143	20.9	86	12.6	34	5.0	45 - 64	53	37.6	25	17.7
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	83	109.9	14	18.5
U.S. Rate		71.0		15.0		12.6		5.9	Total	273	39.9	100	14.6
											Ky. Rate		
											49.1		
											12.1		
											U.S. Rate		
											44.0		
											11.4		

1981

OLDHAM

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1	1	-	1	-	-	-	-	-	-	-
Rate	0.0	0.0	-	0.1	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	46	45	1	17	-	14	-	9	-	5	1
20 - 24	229	218	11	106	7	101	3	2	-	9	1
30 - 39	106	102	4	58	2	42	2	2	-	-	-
40 & over	3	2	1	1	1	1	-	-	-	-	-
Unknown	1	1	-	1	-	-	-	-	-	-	-
Total	385	368	17	183	10	158	5	13	-	14	2
Rate	13.9	14.0	11.2	13.2	8.9	12.7	12.5	0.9	-	1.1	5.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.1 %

Fertility Rate 59.4

Delivered By:

Born in Hospital:

Fourth & over 11.4 %

Premature Births 6.0

Physician 99.7 %

Physician 99.5 %

Rate of Illegitimacy 74.7

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	3	3	-	-	-	-
Rate	7.8	8.2	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %

Fetal Causes 33.3 %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL							
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	67	63	4	9	5	-	4
Rate	2.4	2.4	2.6	32.4	18.0	-	14.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS								
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	119	109	10	-	4	4	7	6
Rate	4.3	4.1	6.6	-	10.4	10.4	18.0	15.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	66							

SELECTED CAUSES OF DEATH BY AGE GROUP

		Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease				Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	3	775.2	2	516.8	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	1 - 5	1	47.3	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	1	9.4	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	2	46.2	-	12	-	-	-	-
45 - 64	-	-	-	-	1	25.7	13	334.3	-	-	13	-	-	-	-
65 & over	-	-	1	62.5	1	62.5	27	1686.4	-	-	14	-	-	-	-
Total	3	10.8	3	10.8	2	7.2	43	154.7	-	-	15	-	-	-	-
Ky. rate		9.2		6.1		27.4		350.6	-	-	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	17	3	617.3	-	-
		Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema							
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	18	-	-	1	223.2
6 - 14	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	20 - 24	1	41.5	1	41.5
35 - 44	-	-	-	-	-	-	-	-	-	-	25 - 29	3	114.7	1	38.2
45 - 64	-	-	-	-	-	-	-	-	-	-	30 - 34	1	32.4	-	-
65 & over	13	812.0	1	62.5	-	-	1	25.7	1	25.7	35 - 44	1	23.1	2	46.2
Total	13	46.8	1	3.6	1	3.6	1	3.6	1	3.6	45 - 64	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	-	-	65 & over	-	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	-	-	Total	10	36.0	5	18.0
									-	-	Ky. Rate		49.1		12.1
									-	-	U.S. Rate		44.0		11.4

1981

SHELBY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	43	30	13	15	2	7	4	4	2	4	5
Rate	1.8	1.5	4.9	1.5	1.5	0.7	3.0	0.4	1.5	0.4	3.7
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	-	1	-	-	-	-	-	-	-	1
15 - 19	67	59	8	23	1	22	-	4	3	10	4
20 - 29	205	179	26	90	6	75	7	9	6	5	7
30 - 39	57	55	2	35	-	20	1	-	1	-	-
40 & over	2	2	-	2	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	332	295	37	150	7	117	8	13	10	15	12
Rate	14.2	14.3	13.9	14.9	5.3	11.0	6.0	1.3	7.6	1.4	8.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 48.8 %Fertility Rate 62.0

Delivered By:

Born in Hospital:

Fourth & over 9.9 %Premature Births 7.5Physician 98.2 %Physician 97.6 %Rate of Illegitimacy 151.8Midwife 0.3 %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	3	1	1	-	1
Rate	12.0	10.2	27.0	20.0	-	45.5
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %Fetal Causes 25.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	247	231	16	14	5	3	6
Rate	10.6	11.2	6.0	60.0	21.4	12.9	25.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

				BIRTH-RELATED AND INFANT DEATHS				
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	235	213	22	-	6	5	9	6
Rate	10.1	10.3	8.3	-	18.1	15.1	26.8	18.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	6	1818.2	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	62.9	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	1	12.8	1	12.8	11	-	-	-	-
35 - 44	-	-	-	-	-	-	3	103.2	12	-	-	-	-
45 - 64	-	-	-	-	-	-	13	289.4	13	-	-	-	-
65 & over	-	-	-	-	5	171.9	70	2406.3	14	-	-	-	-
Total	6	25.7	-	-	6	25.7	87	372.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	1	56.1	-	-
									25 - 29	-	-	1	57.8
									30 - 34	2	106.9	-	-
									35 - 44	1	34.4	-	-
									45 - 64	2	44.5	1	22.3
									65 & over	5	171.9	2	68.8
									Total	12	51.4	4	17.1
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	22.3	-	-	-	-	1	22.3
65 & over	27	928.2	6	206.3	11	378.1	-	-
Total	28	120.0	6	25.7	11	47.2	1	4.3
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

SPENCER

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	21	21	-	9	-	7	-	4	-	1	-
20 - 29	54	52	2	21	1	25	-	5	-	1	1
30 - 39	4	4	-	1	-	3	-	-	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	79	77	2	31	1	35	-	9	-	2	1
Rate	13.3	13.4	12.3	10.6	12.7	12.3	-	3.1	-	0.7	11.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 50.6 %

Fertility Rate 60.7

Delivered By:

Born in Hospital:

Fourth & over 11.4 %

Premature Births 6.3

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 150.0

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	12.7	13.0	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	17	14	3	-	-	-	-
Rate	2.9	2.4	18.4	-	-	-	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	56	52	4	-	-	-	1	-
Rate	9.4	9.0	24.5	-	-	-	12.5	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	77							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	5	434.4	13	-	-	-
65 & over	-	-	-	-	2	301.7	23	3469.1	14	-	-	-
Total	-	-	-	-	2	33.7	28	472.3	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	1	214.1	-
									25 - 29	1	221.7	-
									30 - 34	-	-	-
									35 - 44	-	-	-
									45 - 64	-	-	-
									65 & over	-	-	-
									Total	2	33.7	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	86.9	-	-	-	-	-	-
65 & over	6	905.0	-	-	2	301.7	-	-
Total	7	118.1	-	-	2	33.7	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

TRIMBLE

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1	-	1	-	1	-	-	-	-	-	-
Rate	0.2	-	142.9	-	333.3	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	18	18	-	6	-	7	-	1	-	4	-
20 - 29	54	53	1	18	1	31	-	1	-	3	-
30 - 39	9	9	-	5	-	4	-	-	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	81	80	1	29	1	42	-	2	-	7	-
Rate	13.0	12.8	142.9	9.3	333.3	13.4	-	0.6	-	2.2	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.3 %Fertility Rate 59.0

Delivered By:

Born in Hospital:

Fourth & over 12.3 %Premature Births 4.9Physician 98.8 %Physician 98.8 %Rate of Illegitimacy 107.1Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	3	3	-	-	-	-
Rate	37.0	37.5	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %Fetal Causes 33.3 %Abortion - %

OCCURRENCE DEATHS


RESIDENT DEATHS

SELECTED CAUSES OF DEATH BY AGE GROUP

For Malignant Neoplasms see Section III.

DISTRICT 7

NORTHERN KENTUCKY



1981

DISTRICT 7

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	4,054	3,933	121	1,665	32	1,650	28	333	33	285	28
Rate	12.9	12.8	17.9	11.2	10.0	10.4	7.9	2.2	10.3	1.8	7.9
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	15	15	-	1	-	2	-	4	-	8	-
15 - 19	854	830	24	250	-	272	3	172	15	136	6
20 - 29	3,511	3,412	99	1,554	26	1,522	24	180	22	156	27
30 - 39	955	938	17	445	9	449	5	19	1	25	2
40 & over	35	32	3	17	2	13	-	1	-	1	1
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	5,370	5,227	143	2,267	37	2,258	32	376	38	326	36
Rate	17.1	17.0	21.2	15.3	11.5	14.2	9.0	2.5	11.8	2.1	10.2
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.6 %Fertility Rate 75.0

Delivered By:

Born in Hospital:

Fourth & over 13.4 %Premature Births 6.2Physician 99.6 %Physician 99.4 %Rate of Illegitimacy 145.8Midwife 0.2 %Midwife 0.0 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	42	41	1	13	13	-
Rate	7.8	7.8	7.0	16.8	18.5	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 61.9 %Fetal Causes 38.1 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	2,628	2,554	74	139	62	27	50
Rate	8.4	8.3	11.0	44.3	19.8	8.6	15.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	2,951	2,871	80	-	44	34	76
Rate	9.4	9.4	11.9	-	8.2	6.3	14.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	NA						

SELECTED CAUSES OF DEATH BY AGE GROUP

	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease			Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	31	557.0	17	305.4	-	-	3	53.9	Under 1	2	35.9	-	-
1 - 5	-	-	2	8.1	-	-	-	-	1 - 5	2	8.1	-	-
6 - 14	-	-	2	4.2	2	4.2	-	-	6 - 10	6	23.3	-	-
15 - 34	-	-	1	0.9	1	0.9	4	3.7	11	2	37.4	-	-
35 - 44	-	-	-	-	-	-	28	81.7	12	-	-	-	-
45 - 64	-	-	1	1.7	8	13.4	224	374.4	13	1	18.2	-	-
65 & over	-	-	1	2.9	61	176.0	856	2470.1	14	1	17.6	-	-
Total	31	9.9	24	7.7	72	23.0	1,115	355.6	15	3	49.2	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	16.1	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	6	98.5	1	16.4
									18	5	91.8	1	18.4
									19	11	195.8	-	-
									20 - 24	18	65.2	7	25.4
									25 - 29	17	64.9	8	30.5
									30 - 34	6	25.5	6	25.5
									35 - 44	14	40.9	4	11.7
									45 - 64	29	48.5	9	15.0
									65 & over	50	115.4	5	14.4
									Total	164	52.3	41	13.1
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	1	0.9	-	-	-	-
35 - 44	4	11.7	3	8.8	-	-	-	-
45 - 64	22	36.8	13	21.7	2	3.3	12	20.1
65 & over	259	747.4	55	158.7	34	98.1	15	43.3
Total	285	90.9	72	23.0	36	11.5	27	8.6
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

BOONE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	7	7	-	1	-	1	-	3	-	2	-
Rate	0.2	0.2	-	0.0	-	0.0	-	0.1	-	0.1	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	2	2	-	-	-	-	-	-	-	2	-
15 - 19	104	104	-	35	-	40	-	15	-	14	-
20 - 29	545	535	10	255	4	243	3	20	-	17	3
30 - 39	195	191	4	102	3	82	1	3	-	4	-
40 & over	5	5	-	2	-	1	-	1	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	851	837	14	394	7	366	4	39	-	38	3
Rate	18.6	18.4	31.1	17.6	32.3	15.9	17.2	1.7	-	1.6	12.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.3 %Fertility Rate 74.5

Delivered By:

Born in Hospital:

Fourth & over 11.3 %Premature Births 5.8Physician 99.2 %Physician 99.2 %Rate of Illegitimacy 98.6Midwife 0.2 %Midwife 0.1 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	11	11	-	5	5	-
Rate	12.9	13.1	-	62.5	64.9	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 81.8 %Fetal Causes 18.2 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	335	329	6	33	20	2	11
Rate	7.3	7.2	13.3	72.0	43.6	4.4	24.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	292	289	3	-	6	3	14	13
Rate	6.4	6.4	6.7	-	7.1	3.5	16.2	11.8
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	70							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	4	452.5	1	113.1	-	-	1	113.1	Under 1	1	113.1	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	25.1	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	23.5	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	3	51.6	12	-	-	-
45 - 64	-	-	-	-	-	-	24	302.1	13	-	-	-
65 & over	-	-	-	-	6	192.0	74	2368.0	14	1	121.4	-
Total	4	8.7	1	2.2	6	13.1	102	222.5	15	1	106.2	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	2	230.4	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	2	259.4	-
6 - 14	-	-	-	-	-	-	-	-	19	3	402.7	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	6	151.5	3
35 - 44	1	17.2	-	-	-	-	-	-	25 - 29	3	71.4	1
45 - 64	4	50.4	1	12.6	-	-	1	12.6	30 - 34	1	24.9	1
65 & over	25	800.0	5	160.0	4	128.0	-	-	35 - 44	1	17.2	-
Total	30	65.4	6	13.1	4	8.7	1	2.2	45 - 64	5	62.9	1
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	4	128.0	1
U.S. Rate		71.0		15.0		12.6		5.9	Total	32	69.8	7
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

CAMPBELL

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,444	1,410	34	592	7	572	9	122	13	124	5
Rate	17.3	17.1	30.9	15.1	12.8	13.3	16.3	3.1	23.8	2.9	9.1
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	7	7	-	-	-	1	-	3	-	3	-
15 - 19	223	216	7	60	-	68	2	53	4	35	1
20 - 29	936	921	15	423	3	407	4	39	5	52	3
30 - 39	242	238	4	113	3	113	-	6	1	6	-
40 & over	12	11	1	6	1	5	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	1,420	1,393	27	602	7	594	6	101	10	96	4
Rate	17.0	16.9	24.6	15.4	12.8	13.8	10.9	2.6	18.3	2.2	7.2
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.9 %Fertility Rate 77.1

Delivered By:

Born in Hospital:

Fourth & over 16.3 %Premature Births 6.8Physician 99.6 %Physician 99.4 %Rate of Illegitimacy 149.7Midwife 0.2 %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	10	10	-	3	3	-
Rate	7.0	7.2	-	14.2	15.2	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %Fetal Causes 50.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	899	877	22	35	12	12	11
Rate	10.8	10.7	20.0	42.0	14.4	14.4	13.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	843	831	12	-	11	9	19
Rate	10.1	10.1	10.9	-	7.7	6.3	13.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	73						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	7	479.5	6	411.0	-	-	-	-	-	-	-	-
1 - 5	-	-	1	16.2	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	1	15.2	-	-
15 - 34	-	-	1	3.6	-	-	1	3.6	-	-	-	-
35 - 44	-	-	-	-	-	-	4	47.2	-	-	-	-
45 - 64	-	-	-	-	1	5.9	56	331.3	-	-	-	-
65 & over	-	-	-	-	12	118.5	246	2430.1	-	-	-	-
Total	7	8.4	8	9.6	13	15.6	307	368.5	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6				
U.S. Rate		9.4		5.8		24.0		328.7				
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	2	23.6	-	-	-	-	-	-	-	-
45 - 64	7	41.4	4	23.7	1	5.9	5	29.6	-	-	-	-
65 & over	93	918.7	18	177.8	17	167.9	8	79.0	-	-	-	-
Total	100	120.0	24	28.8	18	21.6	13	15.6	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 10	1	15.2	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	1	58.5	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	1	65.9	-	-
19	3	188.4	-	-	-	-	-	-	-	-	-	-
20 - 24	4	53.9	3	40.5	-	-	-	-	-	-	-	-
25 - 29	4	60.2	3	45.2	-	-	-	-	-	-	-	-
30 - 34	3	53.4	-	-	-	-	-	-	-	-	-	-
35 - 44	2	23.6	3	35.4	-	-	-	-	-	-	-	-
45 - 64	6	35.5	4	23.7	-	-	-	-	-	-	-	-
65 & over	10	98.8	-	-	-	-	-	-	-	-	-	-
Total	34	40.9	14	16.8	-	-	-	-	-	-	-	-
Ky. Rate		49.1		12.1								
U.S. Rate		44.0		11.4								

1981

CARROLL

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	95	94	1	39	1	46	-	4	-	5	-
Rate	10.2	10.3	5.4	8.8	11.1	9.9	-	0.9	-	1.1	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	42	42	-	17	-	14	-	4	-	7	-
20 - 29	101	100	1	44	1	39	-	9	-	8	-
30 - 39	26	26	-	8	-	16	-	-	-	2	-
40 & over	1	-	1	-	1	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	170	168	2	69	2	69	-	13	-	17	-
Rate	18.3	18.5	10.8	15.6	22.2	14.8	-	2.9	-	3.6	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 31.2 %

Fertility Rate 84.0

Delivered By:

Born in Hospital:

Fourth & over 18.8 %

Premature Births 6.5

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 175.4

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	-	1	-	-	-
Rate	5.9	-	500.0	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	88	85	3	7	5	-	2
Rate	9.5	9.4	16.1	75.5	59.9	-	21.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	106	102	4	-	1	-	3
Rate	11.4	11.2	21.5	-	5.9	-	17.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	70						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	675.7	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	1	91.5
45 - 64	-	-	-	-	2	104.4	11	574.4
65 & over	-	-	-	-	3	247.7	29	2394.7
Total	1	10.8	-	-	5	53.9	41	442.3
Ky. Rate		9.2		6.1		27.4		350.6
U.S. Rate		9.4		5.8		24.0		328.7

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	1	91.5	1	91.5	-	-	-	-
45 - 64	-	-	-	-	-	-	1	52.2
65 & over	9	743.2	3	247.7	2	165.2	-	-
Total	10	107.9	4	43.1	2	21.6	1	10.8
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate
Under 1	-	-	-	-
1 - 5	-	-	-	-
6 - 10	-	-	-	-
11	-	-	-	-
12	-	-	-	-
13	-	-	-	-
14	-	-	-	-
15	-	-	-	-
16	-	-	-	-
17	-	-	-	-
18	-	-	-	-
19	-	-	-	-
20 - 24	2	275.1	-	-
25 - 29	2	321.0	-	-
30 - 34	-	-	-	-
35 - 44	1	91.5	-	-
45 - 64	2	104.4	-	-
65 & over	-	-	1	82.6
Total	7	75.5	1	10.8
Ky. Rate		49.1		12.1
U.S. Rate		44.0		11.4

1981

GALLATIN

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	10	10	-	5	-	4	-	1	-	-	-
20 - 29	41	41	-	26	-	11	-	3	-	1	-
30 - 39	8	8	-	3	-	5	-	-	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	59	59	-	34	-	20	-	4	-	1	-
Rate	12.2	12.5	-	14.2	-	8.6	-	1.7	-	0.4	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 42.4 %Fertility Rate 55.2

Delivered By:

Born in Hospital:

Fourth & over 8.5 %Premature Births 8.5Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 83.3Midwife - %Midwife - %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	16.9	16.9	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	14	14	-	3	2	-	1
Rate	2.9	3.0	-	62.0	41.3	-	20.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	37	36	1	-	-	-	1
Rate	7.6	7.6	7.5	-	-	-	16.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA
Median Age at Death	69						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	252.5	-
15 - 34	-	-	-	-	-	-	-	-	11	1	1265.8	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	1	107.6	1	107.6	13	-	-	-
65 & over	-	-	-	-	2	368.3	9	1657.5	14	-	-	-
Total	-	-	-	-	3	62.0	10	206.5	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	1	107.6	2	215.3	-	-	-	-	30 - 34	-	-	-
65 & over	-	-	-	-	-	-	-	-	35 - 44	1	170.6	-
Total	1	20.7	2	41.3	-	-	-	-	45 - 64	-	-	1 107.6
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	3	62.0	1 20.7
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

GRANT

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1	1	-	-	-	1	-	-	-	-	-
Rate	0.1	0.1	-	-	-	0.1	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	35	34	1	7	-	10	1	7	-	10	-
20 - 29	136	135	1	58	1	64	-	6	-	7	-
30 - 39	37	37	-	22	-	15	-	-	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	208	206	2	87	1	89	1	13	-	17	-
Rate	15.6	15.5	36.4	13.4	40.0	13.2	33.3	2.0	-	2.5	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.4 %Fertility Rate 70.8

Delivered By:

Born in Hospital:

Fourth & over 15.9 %Premature Births 6.7Physician 99.5 %Physician 99.5 %Rate of Illegitimacy 143.5Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	4.8	4.9	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	72	72	-	6	4	1	1
Rate	5.4	5.4	-	45.1	30.1	7.5	7.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	131	131	-	-	2	1	2	3
Rate	9.8	9.9	-	-	9.6	4.8	9.6	14.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	11.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide		
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Under 1	-	-	2	939.0	-	-	-	-	Under 1	1	469.5	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	84.5	-	-
15 - 34	-	-	-	-	-	-	1	24.1	11	-	-	-	-
35 - 44	-	-	-	-	-	-	3	180.1	12	-	-	-	-
45 - 64	-	-	-	-	1	41.2	16	659.5	13	-	-	-	-
65 & over	-	-	-	-	1	62.3	41	2556.1	14	-	-	-	-
Total	-	-	2	15.0	2	15.0	61	458.4	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	-	-	-	-
									25 - 29	1	107.3	-	-
									30 - 34	-	-	-	-
									35 - 44	-	-	-	-
									45 - 64	1	41.2	-	-
									65 & over	2	124.7	1	62.3
									Total	6	45.1	1	7.5
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	41.2	-	-	-	-	-	-
65 & over	11	685.8	1	62.3	1	62.3	-	-
Total	12	90.2	1	7.5	1	7.5	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

KENTON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2,506	2,420	86	1,033	24	1,029	19	204	20	154	23
Rate	18.3	18.3	18.9	16.3	11.3	14.9	7.8	3.2	9.4	2.2	9.5
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	5	5	-	1	-	1	-	1	-	2	-
15 - 19	373	357	16	102	-	109	-	81	11	65	5
20 - 29	1,598	1,530	68	690	15	679	16	96	17	65	20
30 - 39	412	405	9	162	5	198	4	10	-	13	2
40 & over	15	14	1	7	-	7	-	-	-	-	1
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	2,403	2,309	94	982	18	994	20	188	28	145	28
Rate	17.5	17.4	20.6	15.5	8.5	14.4	8.2	3.0	13.2	2.1	11.5
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.7 %

Fertility Rate 76.0

Delivered By:

Born in Hospital:

Fourth & over 12.0 %

Premature Births 5.8

Physician 99.8 %

Physician 99.5 %

Rate of Illegitimacy 162.9

Midwife 0.1 %

Midwife 0.0 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	10	10	-	4	4	-
Rate	4.2	4.3	-	10.3	12.0	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	1,131	1,090	41	49	16	12	21
Rate	8.3	8.2	9.0	35.8	11.7	8.8	15.3
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	1,349	1,295	54	-	24	21	31	36
Rate	9.8	9.8	11.9	-	10.0	8.7	12.8	15.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	19	781.9	7	288.1	-	-	2	82.3	Under 1	-	-	-
1 - 5	-	-	1	9.1	-	-	-	-	1 - 5	1	9.1	-
6 - 14	-	-	2	9.9	2	9.9	-	-	6 - 10	2	18.3	-
15 - 34	-	-	-	-	1	2.1	2	4.2	11	1	43.6	-
35 - 44	-	-	-	-	-	-	15	103.8	12	-	-	-
45 - 64	-	-	1	3.9	3	11.6	104	403.8	13	1	42.6	-
65 & over	-	-	1	6.5	35	228.7	391	2554.7	14	-	-	-
Total	19	13.9	12	8.8	41	29.9	514	375.0	15	2	78.7	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	38.0	-
U.S. Rate		9.4		5.8		24.0		328.7	17	2	78.1	1 39.0
									18	2	81.4	-
									19	3	120.0	-
									20 - 24	6	47.3	1 7.9
									25 - 29	7	58.2	4 33.3
									30 - 34	2	19.0	5 47.6
									35 - 44	7	48.4	1 6.9
									45 - 64	13	50.5	2 7.8
									65 & over	21	137.2	2 13.1
									Total	71	51.8	16 11.7
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	1	2.1	-	-	-	-
35 - 44	2	13.8	-	-	-	-	-	-
45 - 64	8	31.1	5	19.4	1	3.9	3	11.6
65 & over	98	640.3	24	156.8	10	65.3	7	45.7
Total	108	78.8	30	21.9	11	8.0	10	7.3
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

OWEN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male	Nonwhite	Female	White	Male	Nonwhite	Female
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male	Nonwhite	Female	White	Male	Nonwhite	Female
10 - 14	1	1	-	-	-	-	-	-	-	-	1
15 - 19	34	34	-	12	-	11	-	7	-	-	4
20 - 29	64	61	3	23	1	35	1	2	-	1	1
30 - 39	15	15	-	6	-	9	-	-	-	-	-
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	115	112	3	42	1	55	1	9	-	6	1
Rate	12.9	12.9	13.6	9.8	8.3	12.5	10.0	2.1	-	1.4	10.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.1 %Fertility Rate 64.9

Delivered By:

Born in Hospital:

Fourth & over 8.7 %Premature Births 7.8Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 133.3Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	5	-	-	-	-
Rate	43.5	44.6	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 60.0 %Fetal Causes 40.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	61	60	1	4	2	-	2
Rate	6.8	6.9	4.5	44.8	22.4	-	22.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	90	87	3	-	-	-	5	-
Rate	10.1	10.0	13.6	-	-	-	41.7	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	2	208.8	12	-	-	-
45 - 64	-	-	-	-	-	-	6	322.9	13	-	-	-
65 & over	-	-	-	-	-	-	29	2103.0	14	-	-	-
Total	-	-	-	-	-	-	37	414.6	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	1	847.5	-
6 - 14	-	-	-	-	-	-	-	-	19	2	1785.7	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	1	53.8	-	-	-	-	1	53.8	30 - 34	-	-	-
65 & over	14	1015.2	-	-	-	-	-	-	35 - 44	-	-	-
Total	15	168.1	-	-	-	-	1	11.2	45 - 64	-	-	1 53.8
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	2	145.0	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	5	56.0	1 11.2
											Ky. Rate	49.1 12.1
											U.S. Rate	44.0 11.4

1981

PENDLETON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1	1	-	-	-	1	-	-	-	-	-
Rate	0.1	0.1	-	-	-	0.2	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	33	33	-	12	-	16	-	4	-	1	-
20 - 29	90	89	1	35	1	44	-	5	-	5	-
30 - 39	20	20	-	9	-	11	-	-	-	-	-
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	144	143	1	57	1	71	-	9	-	6	-
Rate	13.1	13.1	19.6	10.4	43.5	12.9	-	1.6	-	1.1	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.9 %Fertility Rate 61.6

Delivered By:

Born in Hospital:

Fourth & over 15.3 %Premature Births 8.3Physician 100.0 %Physician 98.6 %Rate of Illegitimacy 108.8Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	3	3	-	1	1	-
Rate	20.8	21.0	-	66.7	66.7	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %Fetal Causes 33.3 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	28	27	1	2	1	-	1
Rate	2.5	2.5	19.6	18.2	9.1	-	9.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1


RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	103	100	3	-	-	-	3	1
Rate	9.4	9.1	58.8	-	-	-	20.4	6.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	1	565.0	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	6	285.6	13	-	-	-
65 & over	-	-	-	-	2	146.5	37	2710.6	14	-	-	-
Total	-	-	1	9.1	2	18.2	43	391.3	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	393.7	-
									18	-	-	-
									19	-	-	-
									20 - 24	-	-	-
									25 - 29	-	-	-
									30 - 34	-	-	-
									35 - 44	2	163.7	-
									45 - 64	2	95.2	-
									65 & over	1	73.3	-
									Total	6	54.6	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-				
6 - 14	-	-	-	-	-	-	-	-				
15 - 34	-	-	-	-	-	-	-	-				
35 - 44	-	-	-	-	-	-	-	-				
45 - 64	-	-	1	47.6	-	-	1	47.6				
65 & over	9	659.3	4	293.0	-	-	-	-				
Total	9	81.9	5	45.5	-	-	1	9.1				
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				

DISTRICT 8 - BUFFALO TRACE



1981

DISTRICT 8

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	568	528	40	242	9	219	3	31	12	36	16
Rate	10.4	10.0	23.1	9.3	11.2	8.1	3.2	1.2	15.0	1.3	17.2
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	1	-	-	-	-	-
15 - 19	191	182	9	85	-	62	1	22	5	13	3
20 - 29	500	473	27	228	7	211	4	20	6	14	10
30 - 39	91	87	4	43	1	38	-	4	1	2	2
40 & over	6	5	1	1	-	3	-	-	-	1	1
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	789	748	41	357	8	315	5	46	12	30	16
Rate	14.4	14.1	23.6	13.7	10.0	11.7	5.4	1.8	15.0	1.1	17.2
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.9 %

Fertility Rate 68.4

Delivered By:

Born in Hospital:

Fourth & over 13.1 %

Premature Births 8.5

Physician 95.7 %

Physician 95.6 %

Rate of Illegitimacy 132.2

Midwife 4.3 %

Midwife 4.2 %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	3	2	1	-	1
Rate	6.3	4.0	48.8	9.6	-	35.7
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 40.0 %

Fetal Causes 40.0 %

Abortion 20.0 %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	398	383	15	29	13	2	14
Rate	7.3	7.2	8.7	53.1	23.8	3.7	25.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	517	501	16	-	6	4	9
Rate	9.5	9.5	9.2	-	7.6	5.1	11.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	NA						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	4	438.1	2	219.1	1	109.5	-	-	-	-	-	-
1 - 5	-	-	1	24.4	-	-	-	-	3	73.2	-	-
6 - 14	-	-	-	-	-	-	-	-	1	22.1	-	-
15 - 34	-	-	-	-	1	5.8	1	5.8	-	-	-	-
35 - 44	-	-	-	-	-	-	1	17.2	-	-	-	-
45 - 64	-	-	-	-	1	9.2	41	375.8	-	-	-	-
65 & over	-	-	-	-	17	232.2	175	2390.1	-	-	-	-
Total	4	7.3	3	5.5	20	36.6	218	399.0	1	90.7	-	-
Ky. Rate		9.2		6.1		27.4		350.6	1	91.2	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	3	27.5	3	27.5	-	-	2	18.3	-	-	1	27.0
65 & over	34	464.4	7	95.6	11	150.2	2	27.3	3	51.6	3	27.5
Total	37	67.7	10	18.3	11	20.1	4	7.3	4	36.7	2	27.3
Ky. Rate		81.9		17.0		13.4		6.0	8	109.3	6	11.0
U.S. Rate		71.0		15.0		12.6		5.9	27	49.4	4	49.1
										44.0		11.4

1981

BRACKEN

OCCURRENCE BIRTHS

	Total			Legitimate						Illegitimate					
	Total	White	Nonwhite	Male			Female			Male			Female		
				White	Nonwhite		White	Nonwhite		White	Nonwhite		White	Nonwhite	
No.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9		13.0	10.2		1.8	11.3		1.6	10.6	

RESIDENT BIRTHS

Age of Mother	Total			Legitimate						Illegitimate					
	Total	White	Nonwhite	Male			Female			Male			Female		
				White	Nonwhite		White	Nonwhite		White	Nonwhite		White	Nonwhite	
10 - 14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 - 19	19	19	-	6	-		9	-		3	-		1	-	
20 - 29	65	64	1	28	-		32	1		2	-		2	-	
30 - 39	10	10	-	6	-		2	-		1	-		1	-	
40 & over	1	1	-	-	-		-	-		-	-		1	-	
Unknown	-	-	-	-	-		-	-		-	-		-	-	
Total	95	94	1	40	-		43	1		6	-		5	-	
Rate	12.3	12.2	15.6	10.7	-		10.9	25.6		1.6	-		1.3	-	
Ky. Rate	15.6	15.2	20.7	14.1	10.2		12.9	9.5		1.8	11.1		1.6	10.5	
U.S. Rate	15.9	NA	NA	NA	NA		NA	NA		NA	NA		NA	NA	

First Births 29.5 %Fertility Rate 60.4

Delivered By:

Born in Hospital:

Fourth & over 10.5 %Premature Births 9.5Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 115.8Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

ACCIDENTAL

BIRTH-RELATED AND INFANT DEATHS

1981

FLEMING

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	86	84	2	40	1	37	-	5	1	2	-
Rate	7.0	7.0	8.4	6.7	9.4	6.0	-	0.8	9.4	0.3	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	42	42	-	20	-	13	-	8	-	1	-
20 - 29	107	105	2	52	1	47	-	3	1	3	-
30 - 39	28	28	-	11	-	16	-	1	-	-	-
40 & over	3	3	-	1	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	180	178	2	84	1	78	-	12	1	4	-
Rate	14.6	14.7	8.4	14.1	9.4	12.7	-	2.0	9.4	0.7	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 43.3 %Fertility Rate 69.6

Delivered By:

Born in Hospital:

Fourth & over 12.8 %Premature Births 11.7Physician 87.2 %Physician 87.2 %Rate of Illegitimacy 93.4Midwife 12.8 %Midwife 12.8 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	2	1	1	-	-	-
Rate	11.1	5.6	500.0	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %Fetal Causes - %Abortion 50.0 %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	117	113	4	5	4	-	1
Rate	9.5	9.4	16.8	40.6	32.5	-	8.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	131	128	3	-	3	3	5	3
Rate	10.6	10.6	12.6	-	16.7	16.7	27.5	16.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 74

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	1063.8	1	531.9	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	1	76.8
45 - 64	-	-	-	-	1	41.7	11	459.1
65 & over	-	-	-	-	4	227.0	44	2497.2
Total	2	16.2	1	8.1	5	40.6	56	454.4
Ky. Rate		9.2		6.1		27.4		350.6
U.S. Rate		9.4		5.8		24.0		328.7

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	1	41.7
65 & over	15	851.3	1	56.8	1	56.8	-	-
Total	15	121.7	1	8.1	1	8.1	1	8.1
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate
Under 1	-	-	-	-
1 - 5	2	223.2	-	-
6 - 10	-	-	-	-
11	-	-	-	-
12	-	-	-	-
13	-	-	-	-
14	-	-	-	-
15	-	-	-	-
16	1	425.5	-	-
17	-	-	-	-
18	1	512.8	-	-
19	-	-	-	-
20 - 24	-	-	-	-
25 - 29	-	-	-	-
30 - 34	-	-	-	-
35 - 44	-	-	-	-
45 - 64	-	-	1	41.7
65 & over	3	170.3	1	56.8
Total	7	56.8	2	16.2
Ky. Rate		49.1		12.1
U.S. Rate		44.0		11.4

1981

LEWIS

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	1	-	-	-	-	-
15 - 19	62	62	-	33	-	20	-	4	-	5	-
20 - 29	143	141	2	67	-	56	1	12	-	6	1
30 - 39	16	16	-	10	-	4	-	2	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	222	220	2	110	-	81	1	18	-	11	1
Rate	15.3	15.2	43.5	15.1	-	11.3	33.3	2.5	-	1.5	33.3
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.4 %Fertility Rate 69.4

Delivered By:

Born in Hospital:

Fourth & over 17.6 %Premature Births 7.7Physician 95.5 %Physician 95.5 %Rate of Illegitimacy 139.0Midwife 4.5 %Midwife 4.5 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	-	1	1	-	1
Rate	4.5	-	500.0	33.3	-	1000.0
Ky. Rate	9.8	2.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	42	42	-	4	2	-	2
Rate	2.9	2.9	-	27.5	13.8	-	13.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	120	120	-	-	2	1	2	4
Rate	8.3	8.3	-	-	9.0	4.5	9.0	18.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	363.6	1	363.6	1	363.6	-	-	-	-	-	-
1 - 5	-	-	1	80.1	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	12	480.2	-	-	-	-
65 & over	-	-	-	-	3	187.4	43	2685.8	-	-	-	-
Total	1	6.9	2	13.8	4	27.5	55	378.1	1	304.0	-	-
Ky. Rate		9.2		6.1		27.4		350.6	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	40.0	1	40.0	-	-	-	-	-	-	-	-
65 & over	7	437.2	2	124.9	3	187.4	1	62.5	-	-	-	-
Total	8	55.0	3	20.6	3	20.6	1	6.9	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	-	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	-	-	-	-
Age Group												
20 - 24	3	248.6	-	-	-	-	-	-	-	-	-	-
25 - 29	-	-	-	-	-	-	-	-	-	-	-	-
30 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	40.0	-	-	-	-	-	-	-	-	-	-
65 & over	1	62.5	-	-	-	-	-	-	-	-	-	-
Total	6	41.3	-	-	-	-	-	-	-	-	-	-
Ky. Rate		49.1		12.1								
U.S. Rate		44.0		11.4								

1981

MASON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	482	444	38	202	8	182	3	26	11	34	16
Rate	27.1	27.1	27.6	25.6	12.3	21.4	4.1	3.3	16.9	4.0	22.0
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	64	55	9	25	-	19	1	6	5	5	3
20 - 29	164	142	22	68	6	69	2	3	5	2	9
30 - 39	34	30	4	16	1	13	-	-	1	1	2
40 & over	2	1	1	-	-	1	-	-	-	-	1
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	264	228	36	109	7	102	3	9	11	8	15
Rate	14.9	13.9	26.1	13.8	10.8	12.0	4.1	1.1	16.9	0.9	20.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.9 %

Fertility Rate 71.4

Delivered By:

Born in Hospital:

Fourth & over 11.0 %

Premature Births 6.8

Physician 99.6 %

Physician 99.2 %

Rate of Illegitimacy 161.7

Midwife 0.4 %

Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	7.6	8.8	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	195	184	11	15	5	2	8
Rate	11.0	11.2	8.0	84.4	28.1	11.3	45.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	158	147	11	-	1	-	2	1
Rate	8.9	9.0	8.0	-	3.8	-	7.5	3.8
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	350.9	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	78.3	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	74.1	-
15 - 34	-	-	-	-	-	-	1	18.1	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	12	307.4	13	-	-	-
65 & over	-	-	-	-	6	248.6	53	2195.5	14	-	-	-
Total	1	5.6	-	-	6	33.8	66	371.5	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	2	141.8	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	2	51.2	2	51.2	-	-	1	25.6	30 - 34	-	-	-
65 & over	7	290.0	3	124.3	3	124.3	-	-	35 - 44	1	55.2	-
Total	9	50.7	5	28.1	3	16.9	1	5.6	45 - 64	3	76.8	1 25.6
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	3	124.3	-
U.S. Rate		71.0		15.0		12.5		5.9	Total	11	61.9	1 5.6
										Ky. Rate	49.1	12.1
										U.S. Rate	44.0	11.4

1981

ROBERTSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male	Nonwhite	Female	White	Male	Nonwhite	Female
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male	Nonwhite	Female	White	Male	Nonwhite	Female
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	4	4	-	1	-	1	-	1	-	1	-
20 - 29	21	21	-	13	-	7	-	-	-	1	-
30 - 39	3	3	-	-	-	3	-	-	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	28	28	-	14	-	11	-	1	-	2	-
Rate	12.4	12.4	-	12.4	-	9.7	-	0.9	-	1.8	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 32.1 %

Fertility Rate 58.8

Delivered By:

Born in Hospital:

Fourth & over 7.1 %

Premature Births 7.1

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 107.1

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	13	13	-	1	1	-	-
Rate	5.7	5.8	-	44.2	44.2	-	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1


RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	26	26	-	-	-	-	-	-
Rate	11.5	11.5	-	-	-	-	-	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	-	-	2	403.2	13	-	-	-	-
65 & over	-	-	-	-	-	-	13	3513.5	14	-	-	-	-
Total	-	-	-	-	-	-	15	662.3	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-	-
45 - 64	-	-	-	-	-	-	-	-	30 - 34	-	-	-	-
65 & over	1	270.3	-	-	3	810.8	1	270.3	35 - 44	-	-	-	-
Total	1	44.2	-	-	3	132.5	1	44.2	45 - 64	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	-	-	1	270.3
U.S. Rate		71.0		15.0		12.6		5.9	Total	-	-	1	44.2
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

DISTRICT 9 - GATEWAY



1981

DISTRICT 9

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite
No.	1,250	1,227	23	556	9	521	6	80	3	70	5
Rate	18.8	19.0	11.9	17.6	9.1	15.9	6.4	2.5	3.0	2.1	5.3
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite
10 - 14	4	4	-	4	-	-	-	-	-	-	-
15 - 19	207	202	5	79	2	78	-	24	1	21	2
20 - 29	598	581	17	270	6	259	6	21	2	31	3
30 - 39	150	149	1	62	1	80	-	6	-	1	-
40 & over	10	9	1	6	-	2	-	1	-	-	1
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	969	945	24	421	9	419	6	52	3	53	6
Rate	14.6	14.7	12.5	13.3	9.1	12.8	6.4	1.6	30.0	1.6	6.4
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.3
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.7 %

Fertility Rate 61.1

Delivered by:

Born in Hospital:

Fourth & over 13.3 %

Premature Births 7.7

Physician 87.1 %

Physician 87.1 %

Rate of Illegitimacy 117.7

Midwife 12.6 %

Midwife 12.5 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	8	8	-	1	1	-
Rate	8.3	8.5	-	8.8	9.5	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	620	611	9	30	17	3	10
Rate	9.3	9.5	4.7	45.2	25.6	4.5	15.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	589	575	14	—	14	14	22	17
Rate	8.9	8.9	7.3	—	14.4	14.4	22.5	17.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	7	638.1	8	729.3	-	-	1	91.2	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	2	39.2	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	1	4.1	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	4	56.2	12	-	-	-
45 - 64	-	-	1	8.6	-	-	42	363.1	13	-	-	-
65 & over	-	-	-	-	19	259.4	189	2580.6	14	1	92.4	-
Total	7	10.6	10	15.1	19	28.6	236	355.7	15	1	79.2	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	81.0	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	78.2	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	2	118.8	-
6 - 14	-	-	-	-	-	-	-	-	19	1	57.5	-
15 - 34	1	4.1	-	-	-	-	-	-	20 - 24	2	28.1	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	5	97.3	-
45 - 64	6	51.9	3	25.9	-	-	1	8.6	30 - 34	2	41.5	1 20.7
65 & over	51	696.3	10	136.5	11	150.2	2	27.3	35 - 44	3	42.2	2 28.1
Total	58	87.4	13	19.6	11	16.6	3	4.5	45 - 64	7	60.5	1 8.6
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	5	68.3	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	33	49.7	4 6.0
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

BATH

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male Nonwhite	White	Female Nonwhite	White	Male Nonwhite	White	Female Nonwhite
No.	2	2	-	1	-	1	-	-	-	-	-
Rate	0.2	0.2	-	0.2	-	0.2	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male Nonwhite	White	Female Nonwhite	White	Male Nonwhite	White	Female Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	32	32	-	13	-	16	-	2	-	1	-
20 - 29	86	83	3	36	-	38	2	5	-	4	1
30 - 39	19	19	-	6	-	12	-	1	-	-	-
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	139	136	3	56	-	67	2	8	-	5	1
Rate	13.9	14.0	9.1	11.6	-	13.7	11.6	1.7	-	1.0	5.8
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 33.1 %

Fertility Rate 65.1

Delivered By:

Born in Hospital:

Fourth & over 12.9 %

Premature Births 6.5

Physician 84.9 %

Physician 84.9 %

Rate of Illegitimacy 100.0

Midwife 14.4 %

Midwife 14.4 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	7.2	7.4	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes 100.0 %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL							
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	37	36	1	2	1	-	1
Rate	3.7	3.7	3.0	20.0	10.0	-	10.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

				BIRTH-RELATED AND INFANT DEATHS				
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Maternal</u>	<u>Neonatal</u>	<u>Under 1 week</u>	<u>(Early Neonatal)</u>	<u>Infant</u>
No.	113	108	5	-	3	3	4	4
Rate	11.3	11.1	15.2	-	21.6	21.6	28.6	28.8
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	1333.3	1	666.7	-	-	1	666.7
1 - 5	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	8	412.2
65 & over	-	-	-	-	3	214.3	41	2928.6
Total	2	20.0	1	10.0	3	29.9	50	498.8
Ky. Rate		9.2		6.1		27.4		350.6
U.S. Rate		9.4		5.8		24.0		328.7

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	51.5	-	-	-	-	-	-
65 & over	8	571.4	3	214.3	2	142.9	-	-
Total	9	89.8	3	29.9	2	20.0	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate
Under 1	-	-	-	-
1 - 5	-	-	-	-
6 - 10	-	-	-	-
11	-	-	-	-
12	-	-	-	-
13	-	-	-	-
14	-	-	-	-
15	-	-	-	-
16	1	529.1	-	-
17	-	-	-	-
18	-	-	-	-
19	-	-	-	-
20 - 24	1	126.4	-	-
25 - 29	-	-	-	-
30 - 34	1	137.6	-	-
35 - 44	1	89.3	-	-
45 - 64	2	103.0	-	-
65 & over	1	71.4	-	-
Total	7	69.8	-	-
Ky. Rate		49.1		12.1
U.S. Rate		44.0		11.4

1981

MENIFEE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	23	23	-	10	-	5	-	1	-	7	-
20 - 29	40	40	-	18	-	18	-	1	-	3	-
30 - 39	11	11	-	4	-	7	-	-	-	-	-
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	76	76	-	33	-	31	-	2	-	10	-
Rate	14.9	15.0	-	12.7	-	12.6	-	0.8	-	4.1	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 35.5 %Fertility Rate 69.6

Delivered By:

Born in Hospital:

Fourth & over 18.4 %Premature Births 7.9Physician 89.5 %Physician 89.5 %Rate of Illegitimacy 153.8Midwife 10.5 %Midwife 10.5 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	26.3	26.3	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	20	20	-	1	1	-	-
Rate	3.9	4.0	-	19.5	19.5	-	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	51	51	-	-	2	2	4	2
Rate	10.0	10.1	-	-	26.3	26.3	51.3	26.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	1265.8	1	1265.8	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	8	895.9	13	-	-	-
65 & over	-	-	-	-	1	175.4	19	3333.3	14	-	-	-
Total	1	19.5	1	19.5	1	19.5	27	527.7	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	1	228.3	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	1	112.0	1	112.0	-	-	-	-	30 - 34	-	-	-
65 & over	3	877.2	-	-	1	175.4	-	-	35 - 44	-	-	-
Total	6	117.3	1	19.5	1	19.5	-	-	45 - 64	1	112.0	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	2	39.1	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

MONTGOMERY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	312	296	16	137	4	121	6	17	2	21	4
Rate	15.6	15.6	14.7	14.8	8.0	12.4	10.1	1.8	4.0	2.2	6.7
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	65	62	3	25	1	21	-	9	1	7	1
20 - 29	171	160	11	81	3	65	4	7	2	7	2
30 - 39	46	46	-	19	-	25	-	1	-	1	-
40 & over	1	-	1	-	-	-	-	-	-	-	1
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	283	268	15	125	4	111	4	17	3	15	4
Rate	14.1	14.1	13.7	13.5	8.0	11.4	6.7	1.8	6.0	1.5	6.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 43.1 %Fertility Rate 61.8

Delivered By:

Born in Hospital:

Fourth & over 9.5 %Premature Births 6.4Physician 97.9 %Physician 97.9 %Rate of Illegitimacy 140.4Midwife 1.8 %Midwife 1.8 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	2	2	-	1	1	-
Rate	7.1	7.5	-	25.6	31.2	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	174	167	7	7	4	-	3
Rate	8.7	8.8	6.4	34.9	20.0	-	15.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	153	144	9	-	1	1	3	3
Rate	7.6	7.6	8.2	-	3.5	3.5	10.5	10.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	77							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	267.4	1	267.4	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	60.2	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	1	14.9	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	43.6	12	-	-	-
45 - 64	-	-	-	-	-	-	5	136.4	13	-	-	-
65 & over	-	-	-	-	6	283.4	57	2692.5	14	-	-	-
Total	1	5.0	2	10.0	6	29.9	63	314.3	15	1	272.5	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	-	-	-
									25 - 29	1	59.9	-
									30 - 34	-	-	1 60.3
									35 - 44	-	-	1 43.6
									45 - 64	-	-	1 27.3
									65 & over	1	47.2	-
									Total	4	20.0	3 15.0
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	-	-	2	54.6	-	-	-	-
65 & over	9	425.1	3	141.7	4	188.9	1	47.2
Total	9	44.9	5	24.9	4	20.0	1	5.0
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

MORGAN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	247	246	1	100	1	118	-	15	-	13	-
Rate	20.4	20.4	21.7	16.6	26.3	19.6	-	2.5	-	2.2	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	3	3	-	3	-	-	-	-	-	-	-
15 - 19	40	39	1	13	1	17	-	5	-	4	-
20 - 29	122	122	-	53	-	60	-	4	-	5	-
30 - 39	36	36	-	15	-	19	-	2	-	-	-
40 & over	2	2	-	1	-	-	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	203	202	1	81	1	96	-	12	-	9	-
Rate	16.8	16.8	21.7	14.1	26.3	15.9	-	2.0	-	1.5	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.9 %Fertility Rate 77.0

Delivered By:

Born in Hospital:

Fourth & over 17.7 %Premature Births 8.9Physician 90.6 %Physician 90.6 %Rate of Illegitimacy 101.9Midwife 8.9 %Midwife 8.4 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	3	3	-	-	-	-
Rate	14.8	14.9	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %Fetal Causes 33.3 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	130	130	-	6	1	2	3
Rate	10.7	10.8	-	49.6	8.3	16.5	24.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	136	136	-	-	3	3	6	3
Rate	11.2	11.3	-	-	14.8	14.8	29.1	14.8
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	1	454.5	2	909.1	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	2	160.8	12	-	-	-	-
45 - 64	-	-	-	-	-	-	10	451.3	13	-	-	-	-
65 & over	-	-	-	-	7	480.1	37	2537.7	14	1	463.0	-	-
Total	1	8.3	2	16.5	7	57.8	49	404.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	406.5	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	1	24.8	-	-	-	-	-	-	20 - 24	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	1	106.3	-	-
45 - 64	2	90.3	-	-	-	-	-	-	30 - 34	1	121.8	-	-
65 & over	17	1166.0	1	68.6	-	-	1	68.6	35 - 44	1	80.4	1	80.4
Total	20	165.2	1	8.3	-	-	1	8.3	45 - 64	3	135.4	-	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	2	137.2	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	10	82.6	1	8.3
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

ROWAN

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	689	683	6	318	4	281	-	48	1	36	1
Rate	36.2	36.6	15.3	35.4	16.9	29.0	-	5.3	4.2	3.7	6.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	1	-	-	-	-	-	-	-
15 - 19	47	46	1	18	-	19	-	7	-	2	1
20 - 29	179	176	3	82	3	78	-	4	-	12	-
30 - 39	38	37	1	18	1	17	-	2	-	-	-
40 & over	3	3	-	3	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	268	263	5	122	4	114	-	13	-	14	1
Rate	14.1	14.1	12.8	13.6	16.9	11.8	-	1.4	-	1.4	6.4
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.4 %

Fertility Rate 49.4

Delivered By:

Born in Hospital:

Fourth & over 12.7 %

Premature Births 9.0

Physician 73.5 %

Physician 73.5 %

Rate of Illegitimacy 104.5

Midwife 26.5 %

Midwife 26.5 %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	259	258	1	14	10	1	3
Rate	13.6	13.8	2.6	73.5	52.5	5.2	15.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1


RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	136	136	-	-	5	5	5
Rate	7.1	7.3	-	-	18.7	18.7	18.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	72						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	729.9	3	1094.9	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	80.4	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	52.0	12	-	-	-
45 - 64	-	-	1	35.1	-	-	11	386.0	13	-	-	-
65 & over	-	-	-	-	2	112.4	35	1967.4	14	-	-	-
Total	2	10.5	4	21.0	2	10.5	47	246.7	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	2	245.1	-
6 - 14	-	-	-	-	-	-	-	-	19	1	105.2	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	3	208.5	-
45 - 64	2	70.2	-	-	-	-	1	35.1	30 - 34	-	-	-
65 & over	12	674.5	3	168.6	4	224.8	-	-	35 - 44	1	52.0	-
Total	14	73.5	3	15.7	4	21.0	1	5.2	45 - 64	1	35.1	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	1	56.2	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	10	52.5	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

DISTRICT 10 - FIVCO



1981

DISTRICT 10

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,630	1,605	25	738	8	661	7	106	5	80	5
Rate	11.6	11.5	15.8	11.1	8.8	9.3	10.3	1.6	5.5	1.1	7.4
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	6	6	-	-	-	3	-	3	-	-	-
15 - 19	399	394	5	168	1	147	-	40	1	39	3
20 - 29	1,350	1,331	19	645	7	587	6	55	3	44	3
30 - 39	308	306	2	147	2	141	-	14	-	4	-
40 & over	19	19	-	14	-	5	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	2,082	2,056	26	974	10	883	6	112	4	87	6
Rate	14.8	14.8	16.4	14.3	11.0	12.4	8.8	1.6	4.4	1.2	8.8
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.4 %

Fertility Rate 66.0

Delivered By:

Born in Hospital:

Fourth & over 12.2 %

Premature Births 6.9

Physician 95.7 %

Physician 95.7 %

Rate of Illegitimacy 100.4

Midwife 4.1 %

Midwife 4.1 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	10	10	-	1	1	-
Rate	4.8	4.9	-	4.8	5.0	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 60.0 %

Fetal Causes 40.0 %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL							
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	1,175	1,163	12	44	22	3	19
Rate	8.3	8.4	7.6	31.3	15.6	2.1	13.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	1,312	1,300	12	-	18	17	24
Rate	9.3	9.3	7.6	-	8.6	8.2	11.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	NA						

SELECTED CAUSES OF DEATH BY AGE GROUP

		Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease					Accidents		Suicide	
Age Group		No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate		
Under 1		13	587.7	6	271.2	-	-	-	-	Under 1	-	-	-	-		
1 - 5		-	-	1	9.2	1	9.2	-	-	1 - 5	4	36.6	-	-		
6 - 14		-	-	-	-	-	-	-	-	6 - 10	5	42.5	-	-		
15 - 34		-	-	1	2.2	1	2.2	5	10.8	11	-	-	-	-		
35 - 44		-	-	-	-	-	-	9	53.9	12	-	-	-	-		
45 - 64		-	-	-	-	-	-	109	393.6	13	1	39.6	-	-		
65 & over		-	-	1	6.5	29	187.6	423	2737.0	14	-	-	-	-		
Total		13	9.2	9	6.4	31	22.0	546	388.0	15	1	36.1	-	-		
Ky. Rate			9.2		6.1		27.4		350.6	16	1	37.1	-	-		
U.S. Rate			9.4		5.8		24.0		328.7	17	3	116.4	-	-		
		Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema								
Age Group		No.	Rate	No.	Rate	No.	Rate	No.	Rate							
Under 6		-	-	-	-	-	-	-	-	18	-	-	1	42.3		
6 - 14		-	-	-	-	-	-	-	-	19	3	128.1	2	85.4		
15 - 34		2	4.3	-	-	-	-	-	-	20 - 24	4	34.5	4	34.5		
35 - 44		-	-	-	-	-	-	-	-	25 - 29	6	53.6	2	17.9		
45 - 64		12	43.3	1	3.6	-	-	1	3.6	30 - 34	6	56.5	-	-		
65 & over		93	601.7	14	90.6	14	90.6	8	51.8	35 - 44	7	41.9	5	30.0		
Total		107	76.0	15	10.7	14	9.9	9	6.4	45 - 64	11	39.7	4	14.4		
Ky. Rate			81.9		17.0		13.4		6.0	65 & over	10	64.7	3	19.4		
U.S. Rate			71.0		15.0		12.6		5.9	Total	62	44.1	21	14.9		
										Ky. Rate		49.1		12.1		
										U.S. Rate		44.0		11.4		

1981

BOYD

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,375	1,351	24	645	8	565	7	86	4	55	5
Rate	24.8	24.9	19.1	24.6	10.5	20.1	14.2	3.3	5.2	2.0	10.2
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	4	-	-	-	-	-	-	-	-	-	-
15 - 19	124	121	3	56	-	42	-	14	1	9	2
20 - 29	525	510	15	251	7	217	3	24	2	18	3
30 - 39	111	110	1	51	1	50	-	8	-	1	-
40 & over	7	7	-	4	-	3	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	767	748	19	362	8	312	3	46	3	28	5
Rate	13.8	13.8	15.2	13.8	10.5	11.1	6.1	1.8	3.9	1.0	10.2
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.2 %

Fertility Rate 62.5

Delivered By:

Born in Hospital:

Fourth & over 9.5 %

Premature Births 6.9

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 106.4

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	-	-	-
Rate	5.2	5.3	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	605	595	10	12	3	3	6
Rate	10.9	11.0	8.0	21.6	5.4	5.4	10.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	569	561	8	-	8	7	11	11
Rate	10.2	10.3	6.4	-	10.4	9.1	14.3	14.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	6	735.3	3	367.6	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	1	25.5	-	-	-	-	1 - 5	3	76.5	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	2	48.0	-	-
15 - 34	-	-	1	5.5	-	-	1	5.5	11	-	-	-	-
35 - 44	-	-	-	-	-	-	3	45.8	12	-	-	-	-
45 - 64	-	-	-	-	-	-	47	395.9	13	-	-	-	-
65 & over	-	-	-	-	12	181.3	199	3006.5	14	-	-	-	-
Total	6	10.8	5	9.0	12	21.6	250	450.3	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	104.2	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	1	110.6
15 - 34	-	-	-	-	-	-	-	-	20 - 24	2	43.4	1	21.7
35 - 44	-	-	-	-	-	-	-	-	25 - 29	1	22.0	1	22.0
45 - 64	4	33.7	-	-	-	-	-	-	30 - 34	1	24.0	-	-
65 & over	45	679.9	5	75.5	2	30.2	2	30.2	35 - 44	1	15.3	1	15.3
Total	49	88.3	5	9.0	2	3.6	2	3.6	45 - 64	3	25.3	2	16.8
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	2	30.2	1	15.1
U.S. Rate		71.0		15.0		12.6		5.9	Total	16	28.8	7	12.6
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

CARTER

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2	2	-	2	-	-	-	-	-	-	-
Rate	0.1	0.1	-	0.7	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	-	-	-	-	2	-	-	-
15 - 19	97	96	1	40	-	32	-	13	-	11	1
20 - 29	274	274	-	129	-	119	-	15	-	11	-
30 - 39	56	56	-	30	-	24	-	2	-	-	-
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	430	429	1	200	-	175	-	32	-	22	1
Rate	17.2	17.1	26.3	16.3	-	13.8	-	2.6	-	1.7	40.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.2 %

Fertility Rate 76.3

Delivered By:

Born in Hospital:

Fourth & over 14.9 %

Premature Births 6.3

Physician 84.0 %

Physician 84.0 %

Rate of Illegitimacy 127.9

Midwife 15.6 %

Midwife 15.6 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	84	84	-	10	7	-	3
Rate	3.3	3.4	-	39.9	27.9	-	12.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	214	214	-	-	2	2	2	4
Rate	8.5	8.6	-	-	4.7	4.7	4.7	9.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	229.4	1	229.4	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1	47.4	-	-
6 - 14	-	-	-	-	-	-	-	-	1	44.7	-	-
15 - 34	-	-	-	-	-	-	1	11.9	-	-	-	-
35 - 44	-	-	-	-	-	-	1	35.3	-	-	-	-
45 - 64	-	-	-	-	-	-	21	475.3	-	-	-	-
65 & over	-	-	1	36.3	6	217.6	67	2430.2	-	-	-	-
Total	1	4.0	2	8.0	6	23.9	90	359.1	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	2	45.3	-	-	-	-	-	-	-	-	-	-
65 & over	13	471.5	-	-	4	145.1	2	72.5	-	-	-	-
Total	15	59.9	-	-	4	16.0	2	8.0	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	-	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	-	-	-	-
20 - 24	-	-	-	-	-	-	-	-	1	44.9	-	-
25 - 29	2	106.2	-	-	-	-	-	-	-	-	-	-
30 - 34	2	106.7	-	-	-	-	-	-	-	-	-	-
35 - 44	1	35.3	-	-	-	-	-	-	2	70.6	-	-
45 - 64	1	22.6	-	-	-	-	-	-	1	22.6	-	-
65 & over	2	72.5	-	-	-	-	-	-	1	36.3	-	-
Total	10	39.9	-	-	-	-	-	-	6	23.9	-	-
Ky. Rate		49.1								12.1	-	-
U.S. Rate		44.0								11.4	-	-

1981

ELLIOTT

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1	1	-	-	-	1	-	-	-	-	-
Rate	0.1	0.1	-	-	-	0.3	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	-	-	2	-	-	-	-	-
15 - 19	27	27	-	13	-	10	-	1	-	3	-
20 - 29	51	51	-	24	-	21	-	1	-	5	-
30 - 39	14	14	-	7	-	6	-	-	-	1	-
40 & over	5	5	-	4	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	99	99	-	48	-	40	-	2	-	9	-
Rate	14.3	14.3	-	13.8	-	11.7	-	0.6	-	2.6	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.4 %Fertility Rate 64.5

Delivered By:

Born in Hospital:

Fourth & over 21.2 %Premature Births 9.1Physician 81.8 %Physician 81.8 %Rate of Illegitimacy 108.9Midwife 17.2 %Midwife 17.2 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	20.2	20.2	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	24	24	-	3	3	-	-
Rate	3.5	3.5	-	43.4	43.4	-	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	65	65	-	-	2	2	4
Rate	9.4	9.4	-	-	20.2	20.2	39.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	74						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	1470.6	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	4	343.3	13	-	-	-
65 & over	-	-	-	-	-	-	19	2496.7	14	-	-	-
Total	2	29.0	-	-	-	-	23	332.9	15	-	-	-
Ky. Rate		9.2		6.1		27.4			16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	1	877.2
									20 - 24	-	-	-
									25 - 29	1	164.5	-
									30 - 34	1	212.3	-
									35 - 44	-	-	-
									45 - 64	1	85.8	-
									65 & over	3	394.2	-
									Total	6	86.9	1 14.5
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	-	-
65 & over	2	262.8	2	262.8	3	394.2	-	-
Total	2	29.0	2	29.0	3	43.4	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

GREENUP

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	101	100	1	45	1	38	-	7	-	10	-
20 - 29	347	343	4	159	-	168	3	10	1	6	-
30 - 39	102	102	-	50	-	47	-	3	-	2	-
40 & over	3	3	-	3	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	553	548	5	257	1	253	3	20	1	18	-
Rate	14.1	14.1	21.4	13.4	9.4	12.8	23.4	1.0	9.4	0.9	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.5 %

Fertility Rate 61.0

Delivered By:

Born in Hospital:

Fourth & over 12.7 %

Premature Births 6.3

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 71.8

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	1	1	-
Rate	7.2	7.3	-	25.6	26.3	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	247	246	1	13	6	-	7
Rate	6.3	6.3	4.3	33.2	15.3	-	17.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	327	323	4	-	4	4	8	5
Rate	8.4	8.3	17.1	-	7.2	7.2	14.4	9.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	3	506.8	1	168.9	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	2	58.0	-
15 - 34	-	-	-	-	-	-	1	7.8	11	-	-	-
35 - 44	-	-	-	-	-	-	3	60.3	12	-	-	-
45 - 64	-	-	-	-	-	-	28	360.6	13	-	-	-
65 & over	-	-	-	-	9	258.0	97	2781.0	14	-	-	-
Total	3	7.7	1	2.6	9	23.0	129	329.7	15	1	117.6	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	2	264.9	-
									18	-	-	-
									19	2	323.1	-
									20 - 24	-	-	1 32.8
									25 - 29	1	32.7	1 32.7
									30 - 34	2	64.2	-
									35 - 44	3	60.3	1 20.1
									45 - 64	3	38.6	-
									65 & over	2	57.3	1 28.7
									Total	18	46.0	4 10.2
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	5	64.4	1	12.9	-	-	-	-
65 & over	27	774.1	6	172.0	5	143.3	4	114.7
Total	32	81.8	7	17.9	5	12.8	4	10.2
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

LAWRENCE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	252	251	1	111	-	95	-	20	1	25	-
Rate	17.8	17.9	16.7	16.0	-	13.3	-	2.9	4.0	3.5	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	-	-	1	-	1	-	-	-
15 - 19	50	50	-	14	-	25	-	5	-	6	-
20 - 29	153	153	-	82	-	62	-	5	-	4	-
30 - 39	25	24	1	9	1	14	-	1	-	-	-
40 & over	3	3	-	2	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	233	232	1	107	1	103	-	12	-	10	-
Rate	16.5	16.5	16.7	15.4	40.0	14.4	-	1.7	-	1.4	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 35.6 %

Fertility Rate 76.3

Delivered By:

Born in Hospital:

Fourth & over 11.2 %

Premature Births 8.2

Physician 98.7 %

Physician 98.7 %

Rate of Illegitimacy 94.4

Midwife 0.9 %

Midwife 0.9 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls
No.	215	214	1	6	3	-
Rate	15.2	15.2	16.7	42.5	21.2	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9
						18.1


RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)
No.	137	137	-	-	2	2	2
Rate	9.7	9.7	-	-	8.6	8.6	8.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA
Median Age at Death	71						12.6

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	431.0	1	431.0	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	1	87.6	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	1	22.1	2	44.2	-	-	-	-
35 - 44	-	-	-	-	-	-	2	125.0	-	-	-	-
45 - 64	-	-	-	-	-	-	9	363.9	1	386.1	-	-
65 & over	-	-	-	-	2	109.3	41	2240.4	-	-	-	-
Total	1	7.1	1	7.1	4	28.3	54	382.4	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	1	358.4	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	2	44.2	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	40.4	-	-	-	-	1	40.4	-	-	-	-
65 & over	6	327.9	1	54.6	-	-	-	-	-	-	-	-
Total	9	63.7	1	7.1	-	-	1	7.1	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9		44.0		11.4
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	1	386.1	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	1	358.4	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	1	467.3	-	-	-	-	-	-	-	-	-	-
20 - 24	2	175.7	-	-	-	-	-	-	-	-	-	-
25 - 29	1	92.0	-	-	-	-	-	-	-	-	-	-
30 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	2	125.0	-	-	-	-	-	-	-	-	-	-
45 - 64	3	121.3	-	-	-	-	-	-	-	-	-	-
65 & over	1	54.6	-	-	-	-	-	-	-	-	-	-
Total	12	85.0	-	-	-	-	-	-	-	-	-	-
Ky. Rate		49.1		12.1								
U.S. Rate		44.0		11.4								

DISTRICT 11 - BIG SANDY



1981

DISTRICT 11

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	3,031	3,000	31	1,379	16	1,342	13	148	2	131	-
Rate	16.7	16.6	33.8	15.4	39.4	14.7	25.5	1.7	4.9	1.4	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	13	13	-	4	-	3	-	2	-	4	-
15 - 19	699	697	2	285	1	300	-	66	1	46	-
20 - 29	1,790	1,781	9	863	6	794	2	65	1	59	-
30 - 39	371	362	9	183	4	156	5	10	-	13	-
40 & over	22	22	-	9	-	11	-	1	-	1	-
Unknown	-	-	-	-	1	-	-	-	-	-	-
Total	2,895	2,875	20	1,344	11	1,264	7	144	2	123	-
Rate	15.9	15.9	21.8	15.0	27.1	13.8	13.7	1.6	4.9	1.3	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.9 %

Fertility Rate 70.1

Delivered By:

Born in Hospital:

Fourth & over 14.2 %

Premature Births 7.5

Physician 98.0 %

Physician 97.9 %

Rate of Illegitimacy 93.4

Midwife 1.9 %

Midwife 1.8 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	39	38	1	5	5	-
Rate	13.5	13.2	50.0	18.6	18.7	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %

Fetal Causes 33.3 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	1,297	1,294	13	102	52	4	46
Rate	7.1	7.1	14.2	56.1	28.6	2.2	25.3
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	1,428	1,418	10	2	27	24	63	45
Rate	7.9	7.8	10.9	6.9	9.3	8.3	21.5	15.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease			Accidents			Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate	
Under 1	24	715.4	6	178.8	1	29.8	-	-	Under 1	2	59.6	-	-	
1 - 5	-	-	1	6.0	1	6.0	-	-	1 - 5	7	42.1	-	-	
6 - 14	-	-	-	-	-	-	-	-	6 - 10	2	11.7	-	-	
15 - 34	-	-	-	-	-	-	4	6.3	11	1	30.2	-	-	
35 - 44	-	-	-	-	1	5.1	6	30.4	12	-	-	1	30.1	
45 - 64	-	-	-	-	4	12.6	144	452.7	13	-	-	-	-	
65 & over	-	-	1	6.0	34	204.8	398	2397.3	14	-	-	-	-	
Total	24	13.2	8	4.4	41	22.6	552	303.7	15	-	-	-	-	
Ky. Rate		9.2		6.1		27.4		350.6	16	2	56.9	-	-	
U.S. Rate		9.4		5.8		24.0		328.7	17	2	56.9	1	28.5	
									18	2	62.5	-	-	
									19	1	31.8	-	-	
									20 - 24	12	75.3	2	12.5	
									25 - 29	12	75.8	2	12.6	
									30 - 34	13	91.2	1	7.0	
									35 - 44	17	86.1	4	20.3	
									45 - 64	27	84.9	4	12.6	
									65 & over	9	54.2	3	18.1	
									Total	109	60.0	18	9.9	
									Ky. Rate		49.1		12.1	
									U.S. Rate		44.0		11.4	

1981

FLOYD

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	937	931	6	395	3	437	3	57	-	42	-
Rate	19.2	19.2	19.9	16.5	23.4	17.9	17.3	2.4	-	1.7	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	4	4	-	1	-	1	-	-	-	2	-
15 - 19	194	194	-	75	-	89	-	20	-	10	-
20 - 29	432	429	3	199	1	204	2	14	-	12	-
30 - 39	94	93	1	45	-	41	1	5	-	2	-
40 & over	5	5	-	1	-	4	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	729	725	4	321	1	339	3	39	-	26	-
Rate	14.9	15.0	13.3	13.4	7.8	13.9	17.3	1.6	-	1.1	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.3 %

Fertility Rate 66.9

Delivered By:

Born in Hospital:

Fourth & over 14.3 %

Premature Births 7.5

Physician 94.7 %

Physician 94.7 %

Rate of Illegitimacy 88.1

Midwife 5.0 %

Midwife 4.9 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	9	9	-	-	-	-
Rate	12.3	12.4	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 77.8 %

Fetal Causes 22.2 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	381	378	3	21	6	2	13
Rate	7.8	7.8	10.0	43.1	12.3	4.1	26.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	391	386	5	-	4	4	13
Rate	8.0	8.0	16.6	-	5.5	5.5	13.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	69						

SELECTED CAUSES OF DEATH BY AGE GROUP

	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	4	424.2	2	212.1	-	-	-	-	Under 1	2	212.1	-	-
1 - 5	-	-	1	23.1	-	-	-	-	1 - 5	1	23.1	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	22.6	-	-
15 - 34	-	-	-	-	-	-	1	6.1	11	-	-	-	-
35 - 44	-	-	-	-	-	-	4	76.0	12	-	-	-	-
45 - 64	-	-	-	-	1	11.2	40	449.9	13	-	-	-	-
65 & over	-	-	-	-	5	103.1	94	1937.3	14	-	-	-	-
Total	4	8.2	3	6.2	6	12.3	139	285.0	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	112.5	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	2	48.5	-	-
									25 - 29	-	-	1	24.1
									30 - 34	1	26.3	1	26.3
									35 - 44	5	95.0	2	38.0
									45 - 64	10	112.5	2	22.5
									65 & over	4	82.4	-	-
									Total	27	55.4	6	12.3
									Ky. Rate		46.1		12.1
									U.S. Rate		44.0		11.4
				</									

1981

JOHNSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	191	189	2	88	-	73	1	16	1	12	-
Rate	7.8	7.8	27.4	7.3	-	5.9	26.3	1.3	28.6	1.0	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	-	-	-	-	1	-	1	-
15 - 19	87	87	-	38	-	31	-	14	-	4	-
20 - 29	231	230	1	108	1	103	-	13	-	6	-
30 - 39	63	62	1	30	-	31	1	-	-	1	-
40 & over	6	6	-	4	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	389	387	2	180	1	167	1	28	-	12	-
Rate	15.9	15.9	27.4	15.0	28.6	13.5	26.3	2.3	-	1.0	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.8 %

Fertility Rate 70.9

Delivered By:

Born in Hospital:

Fourth & over 17.7 %

Premature Births 5.9

Physician 97.7 %

Physician 97.7 %

Rate of illegitimacy 109.4

Midwife 1.5 %

Midwife 1.5 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	3	3	-
Rate	10.3	10.3	-	75.0	75.0	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %

Fetal Causes 25.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	153	153	-	5	2	1	2
Rate	6.3	6.3	-	20.5	8.2	4.1	8.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	215	215	-	1	5	5	9	6
Rate	8.8	8.8	-	25.7	12.9	12.9	22.9	15.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	No.	Rate
Under 1	5	1298.7	1	259.7	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	2	24.4	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	1	230.4	-
45 - 64	-	-	-	-	-	-	22	497.4	-	-	-	-	-
65 & over	-	-	-	-	5	179.9	71	2554.9	-	-	-	-	-
Total	5	20.5	1	4.1	5	20.5	95	388.8	-	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6					
U.S. Rate		9.4		5.8		24.0		328.7					
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema						
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	2	45.2	-	-	-	-	-	-	-	-	-	-	-
65 & over	23	827.6	3	108.0	6	215.9	-	-	-	-	2	98.1	-
Total	25	102.3	3	12.3	6	24.6	-	-	-	-	1	49.1	-
Ky. Rate		81.9		17.0		13.4		6.0			2	106.1	-
U.S. Rate		71.0		15.0		12.6		5.9			1	22.6	-
											1	36.0	-
											6	24.6	4 16.4
												49.1	12.1
												44.0	11.4

1981

MAGOFFIN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1	1	-	-	-	1	-	-	-	-	-
Rate	0.1	0.1	-	-	-	0.1	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	77	77	-	28	-	36	-	9	-	4	-
20 - 29	163	163	-	83	-	63	-	8	-	9	-
30 - 39	35	35	-	22	-	12	-	-	-	1	-
40 & over	5	5	-	1	-	2	-	1	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	280	280	-	134	-	113	-	18	-	15	-
Rate	20.7	20.8	-	19.8	-	16.8	-	2.7	-	2.2	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.9 %

Fertility Rate 92.3

Delivered By:

Born in Hospital:

Fourth & over 16.1 %

Premature Births 6.1

Physician 98.2 %

Physician 97.9 %

Rate of Illegitimacy 118.9

Midwife 1.8 %

Midwife 1.8 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	6	6	-	1	1	-
Rate	21.4	21.4	-	20.3	30.3	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	42	42	-	10	6	-	4
Rate	3.1	3.1	-	74.0	44.4	-	29.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	103	103	-	-	-	-	6	2
Rate	7.6	7.6	-	-	-	-	21.0	7.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	70							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	1	389.1	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	1	74.1	-	-	1 - 5	3	222.4	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	-	-	8	371.2	13	-	-	-	-
65 & over	-	-	-	-	2	168.9	37	3125.0	14	-	-	-	-
Total	1	7.4	-	-	3	22.2	45	333.0	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	2	740.7	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-	-
35 - 44	1	68.1	-	-	-	-	-	-	25 - 29	-	-	-	-
45 - 64	2	92.8	-	-	-	-	-	-	30 - 34	1	103.5	-	-
65 & over	6	506.8	3	253.4	1	84.5	1	84.5	35 - 44	3	204.2	-	-
Total	9	66.6	3	22.2	1	7.4	1	7.4	45 - 64	1	46.4	1	46.4
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	1	84.5	2	168.9
U.S. Rate		71.0		15.0		12.6		5.9	Total	11	81.4	3	22.2
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

MARTIN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male Nonwhite	White	Female Nonwhite	White	Male Nonwhite	White	Female Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.5

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male Nonwhite	White	Female Nonwhite	White	Male Nonwhite	White	Female Nonwhite
10 - 14	1	1	-	1	-	-	-	-	-	-	-
15 - 19	56	55	1	17	-	28	-	4	1	6	-
20 - 29	160	159	1	72	-	78	-	4	1	5	-
30 - 39	31	30	1	10	-	18	1	1	-	1	-
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	249	246	3	101	-	124	1	9	2	12	-
Rate	17.9	17.7	107.1	14.6	-	17.8	83.3	1.3	125.0	1.2	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 35.7 %

Fertility Rate 77.9

Delivered By:

Born in Hospital:

Fourth & over 18.9 %

Premature Births 8.8

Physician 99.6 %

Physician 99.6 %

Rate of Illegitimacy 92.0

Midwife 0.4 %

Midwife 0.4 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	4.0	4.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes 100.0 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	32	32	-	3	2	-	1
Rate	2.3	2.3	-	21.5	14.4	-	7.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	89	88	1	-	3	3	4	8
Rate	6.4	6.3	35.7	-	12.0	12.0	16.0	32.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	3	1034.5	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	7	341.8	-	-	-	-
65 & over	-	-	-	-	3	286.0	33	3145.9	-	-	-	-
Total	3	21.5	-	-	3	21.5	40	287.3	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	1	322.6	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	48.8	1	48.8	1	48.8	-	-	1	73.7	-	-
65 & over	5	476.6	-	-	-	-	-	-	-	-	1	95.3
Total	6	43.1	1	7.2	1	7.2	-	-	4	28.7	1	7.2
Ky. Rate		81.9		17.0		13.6		6.0		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9		44.0		11.4

1981

PIKE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,902	1,879	23	896	13	831	9	75	1	77	-
Rate	23.4	23.3	46.7	22.5	59.6	20.4	32.8	1.9	4.6	1.9	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.6	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	6	6	-	2	-	2	-	1	-	1	-
15 - 19	285	284	1	127	1	116	-	19	-	22	-
20 - 29	804	800	4	401	4	346	-	26	-	27	-
30 - 39	148	142	6	76	4	54	2	4	-	8	-
40 & over	5	5	-	2	-	3	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	1,248	1,237	11	608	9	521	2	50	-	58	-
Rate	15.4	15.3	22.4	15.3	41.3	12.8	7.3	1.3	-	1.4	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.8 %

Fertility Rate 66.8

Delivered By:

Born in Hospital:

Fourth & over 11.8 %

Premature Births 8.1

Physician 99.6 %

Physician 99.6 %

Rate of Illegitimacy 86.0

Midwife 0.4 %

Midwife 0.4 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	19	18	1	1	1	-
Rate	15.2	14.6	90.9	9.3	9.3	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 68.4 %

Fetal Causes 31.6 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	689	679	10	63	36	1	26
Rate	8.5	8.4	20.3	77.7	44.6	1.2	32.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	630	626	4	1	15	12	31	19
Rate	7.8	7.8	8.1	8.0	12.0	9.6	24.5	15.2
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	69							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	11	743.2	3	202.7	1	67.6	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	3	40.3	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	12.9	-
15 - 34	-	-	-	-	-	-	1	3.5	11	1	68.8	-
35 - 44	-	-	-	-	1	11.3	2	22.6	12	-	-	-
45 - 64	-	-	-	-	3	21.0	67	468.8	13	-	-	-
65 & over	-	-	1	14.8	19	282.0	163	2419.1	14	-	-	-
Total	11	13.6	4	4.9	24	29.6	233	287.2	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	64.4	1 64.4
									18	-	-	-
									19	1	72.5	-
									20 - 24	9	122.7	-
									25 - 29	10	137.9	-
									30 - 34	9	138.4	-
									35 - 44	8	90.6	2 22.6
									45 - 64	15	105.0	1 7.0
									65 & over	3	44.5	-
									Total	61	75.2	4 4.9
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	1	3.5	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	4	28.0	4	28.0	-	-	2	14.0
65 & over	46	682.7	11	162.3	2	29.7	5	74.2
Total	50	61.6	16	19.7	2	2.5	7	8.6
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

DISTRICT 12 - KENTUCKY RIVER



1981

DISTRICT 12

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,583	1,558	25	684	10	652	9	113	4	109	2
Rate	11.8	11.7	18.0	10.4	14.8	9.7	12.7	1.7	5.9	1.6	2.8
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	14	14	-	3	-	2	-	3	-	6	-
15 - 19	576	569	7	219	3	232	2	64	1	54	1
20 - 24	1,320	1,303	17	616	5	564	8	62	3	61	1
30 - 39	270	265	5	127	4	113	1	19	-	6	-
40 & over	22	22	-	10	-	9	-	2	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	2,202	2,173	29	975	12	920	11	150	4	128	2
Rate	16.4	16.3	20.9	14.8	17.8	13.7	15.5	2.3	5.9	1.9	2.8
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.7 %

Fertility Rate 73.0

Delivered By:

Born in Hospital:

Fourth & over 14.8 %

Premature Births 6.2

Physician 86.5 %

Physician 83.4 %

Rate of Illegitimacy 130.2

Midwife 13.4 %

Midwife 12.9 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	17	15	2	5	3	2
Rate	7.7	6.9	69.0	17.6	10.8	333.3
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 76.5 %

Fetal Causes 23.5 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	817	808	9	87	43	3	41
Rate	6.1	6.1	6.5	64.7	32.0	2.2	30.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	1,116	1,104	12	-	22	20	37	32
Rate	8.3	8.3	8.7	-	10.0	9.1	16.7	14.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	14	557.1	9	358.1	2	79.6	1	39.8	Under 1	1	39.8	-
1 - 5	-	-	1	8.2	-	-	-	-	1 - 5	4	32.9	-
6 - 14	-	-	-	-	-	-	1	4.4	6 - 10	4	32.2	-
15 - 34	-	-	-	-	2	4.3	4	8.6	11	-	-	-
35 - 44	-	-	1	7.0	1	7.0	5	35.2	12	-	-	-
45 - 64	-	-	-	-	4	17.7	76	336.6	13	1	38.0	-
65 & over	-	-	-	-	20	145.6	331	2409.4	14	1	35.8	-
Total	14	10.4	11	8.2	29	21.6	418	310.9	15	1	33.1	-
Ky. Rate		9.2		6.1		27.4		350.6	16	3	107.2	1 35.7
U.S. Rate		9.4		5.8		24.0		328.7	17	4	143.7	1 35.9
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	5	196.1	-
6 - 14	-	-	1	4.4	-	-	-	-	19	2	80.8	-
15 - 34	2	4.3	-	-	-	-	-	-	20 - 24	11	94.5	3 25.8
35 - 44	4	28.2	2	14.1	-	-	-	-	25 - 29	11	98.3	1 8.9
45 - 64	12	53.1	5	22.1	-	-	2	8.9	30 - 34	8	81.7	3 30.6
65 & over	56	407.6	17	123.7	6	43.7	13	94.6	35 - 44	13	91.6	2 14.1
Total	74	55.0	25	18.6	6	4.5	15	11.2	45 - 64	14	62.0	3 13.3
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	9	65.5	3 21.8
U.S. Rate		71.0		15.0		12.6		5.9	Total	92	68.4	17 12.6
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

BREATHITT

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	4	4	-	1	-	1	-	-	-	2	-
15 - 19	73	73	-	27	-	30	-	9	-	7	-
20 - 29	150	150	-	76	-	54	-	8	-	12	-
30 - 39	35	35	-	23	-	9	-	1	-	2	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	262	262	-	127	-	94	-	18	-	23	-
Rate	15.4	15.5	-	15.2	-	11.0	-	2.2	-	2.7	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.2 %

Fertility Rate 66.4

Delivered By:

Born in Hospital:

Fourth & over 13.0 %

Premature Births 8.0

Physician 97.3 %

Physician 96.6 %

Rate of Illegitimacy 157.9

Midwife 2.7 %

Midwife 2.7 %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	1	1	-
Rate	15.3	15.3	-	24.4	24.4	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %

Fetal Causes 25.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	65	65	-	12	5	-	7
Rate	3.8	3.8	-	70.6	29.4	-	41.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Maternal</u>	<u>Neonatal</u>	<u>Under 1 week</u>	<u>(Early Neonatal)</u>	<u>Infant</u>
No.	148	148	-	-	3	3	7	3
Rate	8.7	8.7	-	-	11.5	11.5	26.3	11.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	70							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	2	573.1	1	286.5	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	64.7	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	2	127.8	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	1	58.2	-	-	12	-	-	-	-
45 - 64	-	-	-	-	1	37.1	12	445.8	13	-	-	-	-
65 & over	-	-	-	-	3	173.9	48	2782.6	14	-	-	-	-
Total	2	11.8	1	5.9	5	29.4	60	352.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	255.1	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	267.4	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	2	132.2	-	-
									25 - 29	-	-	-	-
									30 - 34	-	-	-	-
									35 - 44	2	116.3	-	-
									45 - 64	2	76.3	-	-
									65 & over	1	58.0	-	-
									Total	12	70.6	-	-
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.6

1981

KNOTT

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	74	74	-	31	-	38	-	2	-	3	-
Rate	4.1	4.2	-	3.5	-	4.3	-	0.2	-	0.3	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	1	-	-	-	1	-	-	-
15 - 19	79	78	1	32	-	32	1	3	-	11	-
20 - 29	175	172	3	81	3	83	-	3	-	5	-
30 - 39	35	35	-	18	-	16	-	1	-	-	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	292	288	4	132	3	132	1	8	-	16	-
Rate	16.3	16.2	28.4	14.7	43.5	14.9	13.9	0.9	-	1.8	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.3 %

Fertility Rate 72.7

Delivered By:

Born in Hospital:

Fourth & over 17.1 %

Premature Births 4.8

Physician 93.2 %

Physician 75.3 %

Rate of Illegitimacy 87.2

Midwife 6.5 %

Midwife 3.4 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	6	5	1	2	1	1
Rate	20.5	17.4	250.0	83.3	41.7	-
Ky. Rate	9.8	9.2	13.6	15.7	13.7	19.3

Maternal Causes 66.7 %

Fetal Causes 33.3 %

Abortion - %

OCCURRENCE DEATHS

RESIDENT DEATHS

SELECTED CAUSES OF DEATH BY AGE GROUP

381

1981

LEE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1	1	-	-	-	1	-	-	-	-	-
Rate	0.1	0.1	-	-	-	0.3	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	27	27	-	14	-	9	-	1	-	3	-
20 - 29	74	74	-	36	-	20	-	5	-	3	-
30 - 39	19	19	-	9	-	9	-	-	-	1	-
40 & over	2	2	-	1	-	-	-	-	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	122	122	-	60	-	48	-	6	-	8	-
Rate	15.7	15.8	-	15.7	-	12.4	-	1.6	-	2.1	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.9 %Fertility Rate 76.2

Delivered By:

Born in Hospital:

Fourth & over 17.2 %Premature Births 4.9Physician 96.7 %Physician 96.7 %Rate of Illegitimacy 113.8Midwife 2.5 %Midwife 2.5 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	8.2	8.2	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	31	31	-	2	-	-	2
Rate	4.0	4.0	-	25.8	-	-	25.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	77	77	-	-	2	2	3	2
Rate	9.9	10.0	-	-	16.4	16.4	24.4	16.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 77

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	2	1626.0	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	1	123.9	-	-	1	123.9	12	-	-	-
45 - 64	-	-	-	-	1	67.1	-	-	13	-	-	-
65 & over	-	-	-	-	2	167.8	26	2181.2	14	-	-	-
Total	-	-	3	38.7	3	38.7	27	348.2	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	1	699.3	-
									19	1	757.6	-
									20 - 24	1	187.3	-
									25 - 29	1	188.7	-
									30 - 34	-	-	-
									35 - 44	-	-	-
									45 - 64	1	67.1	-
									65 & over	1	83.9	-
									Total	6	77.4	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	-	-
65 & over	7	587.2	3	251.7	1	83.9	-	-
Total	7	90.3	3	38.7	1	12.9	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

LESLIE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	340	340	-	139	-	143	-	31	-	27	-
Rate	22.8	22.9	-	18.6	-	19.3	-	4.2	-	3.6	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	1	-	-	-	-	-	1	-
15 - 19	65	65	-	23	-	27	-	9	-	6	-
20 - 29	140	140	-	57	-	67	-	6	-	10	-
30 - 39	22	22	-	8	-	9	-	4	-	1	-
40 & over	5	5	-	2	-	3	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	234	234	-	91	-	106	-	19	-	18	-
Rate	15.7	15.7	-	12.2	-	14.3	-	2.5	-	2.4	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.3 %

Fertility Rate 65.9

Delivered By:

Born in Hospital:

Fourth & over 15.8 %

Premature Births 6.8

Physician 34.6 %

Physician 34.6 %

Rate of Illegitimacy 158.1

Midwife 65.4 %

Midwife 64.1 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	64	64	-	11	4	1	6
Rate	4.3	4.3	-	73.9	26.9	6.7	40.3
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	96	96	-	-	3	3	3	5
Rate	6.5	6.5	-	-	12.8	12.8	12.8	21.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	69							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	335.6	2	671.1	-	-	1	335.6	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	8	344.7	13	-	-	-
65 & over	-	-	-	-	3	263.2	15	1315.8	14	-	-	-
Total	1	6.7	2	13.4	3	20.2	24	161.3	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	2	604.2	-
									18	1	358.4	-
									19	-	-	-
									20 - 24	1	69.2	1 69.2
									25 - 29	1	75.1	-
									30 - 34	2	190.8	-
									35 - 44	1	62.2	-
									45 - 64	2	86.2	-
									65 & over	2	175.4	1 87.7
									Total	12	80.6	2 13.4
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-				
6 - 14	-	-	-	-	-	-	-	-				
15 - 34	-	-	-	-	-	-	-	-				
35 - 44	-	-	-	-	-	-	-	-				
45 - 64	1	43.1	1	43.1	-	-	-	-				
65 & over	5	438.6	-	-	2	175.4	2	175.4				
Total	6	40.3	1	6.7	2	13.4	2	13.4				
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				

1981

LETCHER

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	383	376	7	166	3	163	3	27	1	20	-
Rate	12.5	12.4	18.4	11.1	16.7	10.6	14.9	1.8	5.6	1.3	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	1	-	-	-	-	-
15 - 19	130	129	1	48	-	57	1	14	-	10	-
20 - 29	303	298	5	139	1	135	3	12	1	12	-
30 - 39	65	62	3	29	2	26	1	6	-	1	-
40 & over	3	3	-	-	-	2	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	502	493	9	216	3	221	5	33	1	23	-
Rate	16.4	16.3	23.6	14.5	16.7	14.4	24.9	2.2	5.6	1.5	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.3 %

Fertility Rate 74.1

Delivered By:

Born in Hospital:

Fourth & over 13.3 %

Premature Births 8.0

Physician 90.4 %

Physician 89.8 %

Rate of Illegitimacy 112.9

Midwife 9.4 %

Midwife 9.4 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	3	3	-	-	-	-
Rate	6.0	6.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	200	197	3	16	10	-	6
Rate	6.5	6.5	7.9	52.1	32.6	-	19.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	247	244	3	-	3	2	5	8
Rate	8.0	8.1	7.9	-	6.0	4.0	9.9	15.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 70

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	4	722.0	1	180.5	2	361.0	-	-	Under 1	1	180.5	-	-
1 - 5	-	-	1	35.6	-	-	-	-	1 - 5	1	35.6	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	34.9	-	-
15 - 34	-	-	-	-	2	19.4	2	19.4	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	30.4	12	-	-	-	-
45 - 64	-	-	-	-	1	18.7	15	280.3	13	1	171.5	-	-
65 & over	-	-	-	-	4	127.1	77	2447.6	14	-	-	-	-
Total	4	13.0	2	6.5	9	29.3	95	309.6	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	2	343.6	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	2	387.6	-	-
									19	-	-	-	-
									20 - 24	1	38.3	-	-
									25 - 29	1	39.3	1	39.3
									30 - 34	-	-	-	-
									35 - 44	2	60.8	2	60.8
									45 - 64	3	56.1	-	-
									65 & over	2	63.6	-	-
									Total	17	55.4	3	9.8
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

OWSLEY

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
	3	3	-	1	-	1	-	-	-	1	-
Rate	0.5	0.5	-	0.3	-	0.4	-	-	-	0.4	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	-	-	-	-	2	-	-	-
15 - 19	23	23	-	10	-	7	-	4	-	2	-
20 - 29	35	35	-	16	-	13	-	6	-	-	-
30 - 39	10	10	-	2	-	8	-	-	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	70	70	-	28	-	28	-	12	-	2	-
Rate	12.3	12.3	-	9.8	-	9.9	-	4.2	-	0.7	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.6 %Fertility Rate 59.3

Delivered By:

Born in Hospital:

Fourth & over 21.4 %Premature Births 4.3Physician 90.0 %Physician 87.1 %Rate of Illegitimacy 200.0Midwife 10.0 %Midwife 10.0 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	22	22	-	3	3	-	-
Rate	3.9	3.9	-	52.5	52.5	-	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.5	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	48	48	-	-	2	2	2	2
Rate	8.4	8.4	-	-	28.6	28.6	28.6	28.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	1052.6	1	1052.6	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	5	486.4	13	-	-	-
65 & over	-	-	-	-	1	126.6	18	2278.5	14	-	-	-
Total	1	17.5	1	17.5	1	17.5	23	402.9	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	1	900.9
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	1	900.9	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	-	-	-	-	-	-	-	-	30 - 34	2	545.0	-
65 & over	1	126.6	1	126.6	1	126.6	2	253.2	35 - 44	-	-	-
Total	1	17.5	1	17.5	1	17.5	2	35.0	45 - 64	1	97.3	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	4	70.1	1
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

PERRY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	780	762	18	346	7	306	6	52	3	58	2
Rate	23.1	23.0	25.9	21.2	20.7	18.2	16.8	3.2	8.9	3.5	5.6
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	3	3	-	-	-	-	-	-	-	3	-
15 - 19	143	138	5	53	3	53	-	19	1	13	1
20 - 29	367	358	9	175	1	149	5	18	2	16	1
30 - 39	69	67	2	32	2	30	-	4	-	1	-
40 & over	6	6	-	5	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	588	572	16	265	6	233	5	41	3	33	2
Rate	17.4	17.3	23.0	16.3	17.8	13.9	14.0	2.5	8.9	2.0	5.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.0 %Fertility Rate 76.9

Delivered By:

Born in Hospital:

Fourth & over 13.6 %Premature Births 4.8Physician 90.5 %Physician 89.1 %Rate of Illegitimacy 137.1Midwife 9.5 %Midwife 9.5 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	3	2	1	2	1	1
Rate	5.1	3.5	62.5	25.3	13.5	200.0
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	346	341	5	19	11	2	6
Rate ^a	10.2	10.3	7.2	56.3	32.6	5.9	17.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	308	302	6	-	5	4	7
Rate	9.1	9.1	8.6	-	8.5	6.8	11.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6

Median Age at Death 70

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	4	632.9	1	158.2	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	31.2	-
15 - 34	-	-	-	-	-	-	1	8.5	11	-	-	-
35 - 44	-	-	-	-	-	-	1	28.1	12	-	-	-
45 - 64	-	-	-	-	1	17.7	24	425.8	13	-	-	-
65 & over	-	-	-	-	5	155.2	90	2793.3	14	1	140.6	-
Total	4	11.8	1	3.0	6	17.8	116	343.6	15	1	136.6	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	1 153.6
									18	-	-	-
									19	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		20 - 24	3	101.1	1 33.7
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	25 - 29	3	102.4	-
Under 6	-	-	-	-	-	-	-	-	30 - 34	3	117.9	3 117.9
6 - 14	-	-	-	-	-	-	-	-	35 - 44	3	84.3	-
15 - 34	2	17.0	-	-	-	-	-	-	45 - 64	3	53.2	3 53.2
35 - 44	1	28.1	1	28.1	-	-	-	-	65 & over	2	62.1	1 31.0
45 - 64	5	88.7	-	-	-	-	-	-	Total	20	59.2	9 26.7
65 & over	14	434.5	2	62.1	1	31.0	1	31.0	Ky. Rate		49.1	12.1
Total	22	65.2	3	8.9	1	3.0	1	3.0	U.S. Rate		44.0	11.4
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				

1981

WOLFE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	2	2	-	1	-	-	-	1	-	-	-
Rate	0.3	0.3	-	0.3	-	-	-	0.3	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	36	36	-	12	-	17	-	5	-	2	-
20 - 29	76	76	-	36	-	33	-	4	-	3	-
30 - 39	15	15	-	6	-	6	-	3	-	-	-
40 & over	5	5	-	2	-	2	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	132	132	-	56	-	58	-	13	-	5	-
Rate	19.7	19.7	-	16.6	-	17.5	-	3.8	-	1.5	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.7 %Fertility Rate 90.7

Delivered By:

Born in Hospital:

Fourth & over 15.9 %Premature Births 6.1Physician 97.7 %Physician 97.0 %Rate of illegitimacy 136.4Midwife 2.3 %Midwife 2.3 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	29	29	-	4	2	-	2
Rate	4.3	4.3	-	59.7	29.9	-	29.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS


	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	67	67	-	-	1	1	1	2
Rate	10.0	10.0	-	-	7.6	7.6	7.6	15.2
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	746.3	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	1	99.3	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	1	83.4	-	-	-	-
65 & over	-	-	-	-	1	120.9	24	2902.1	-	-	-	-
Total	1	14.9	-	-	1	14.9	26	388.2	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6				
U.S. Rate		9.4		5.8		24.0		328.7				
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	-	-	2	166.8	-	-	-	-	-	-	-	-
65 & over	6	725.5	2	241.8	-	-	-	-	-	-	-	-
Total	6	89.6	4	59.7	-	-	-	-	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				
Age Group												
Under 1	-	-	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	1	787.4	-	-	-	-	-	-	-	-	-	-
20 - 24	1	174.2	1	174.2	-	-	-	-	-	-	-	-
25 - 29	-	-	-	-	-	-	-	-	-	-	-	-
30 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	83.4	-	-	-	-	-	-	-	-	-	-
65 & over	1	120.9	-	-	-	-	-	-	-	-	-	-
Total	4	59.7	1	14.9	-	-	-	-	-	-	-	-
Ky. Rate		49.1		12.1								
U.S. Rate		44.0		11.4								

DISTRICT 13

CUMBERLAND VALLEY



1981

DISTRICT 13

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
No.	3,226	3,167	59	1,373	10	1,372	8	222	19	200	22
Rate	14.2	14.2	12.8	12.6	4.6	12.1	3.3	2.0	8.7	1.8	9.0
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
10 - 14	13	12	1	1	-	6	-	3	1	2	-
15 - 19	951	939	12	365	1	375	-	103	5	96	6
20 - 29	2,200	2,161	39	964	7	986	9	110	9	101	14
30 - 39	507	501	6	248	2	206	-	28	2	19	2
40 & over	31	31	-	12	-	17	-	1	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	3,702	3,644	58	1,590	10	1,590	9	245	17	219	22
Rate	16.3	16.3	12.6	14.5	4.6	14.0	3.7	2.2	7.8	1.9	9.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.0 %Fertility Rate 73.5

Delivered By:

Born in Hospital:

Fourth & over 14.7 %Premature Births 7.2Physician 96.1 %Physician 96.0 %Rate of Illegitimacy 136.3Midwife 3.8 %Midwife 3.5 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	26	26	-	5	5	-
Rate	7.0	7.1	-	9.9	10.8	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 76.9 %Fetal Causes 23.1 %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	1,772	1,738	34	131	66	13	52
Rate	7.8	7.8	7.4	57.6	29.0	5.7	22.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	2,108	2,073	35	-	22	20	46	46
Rate	9.3	9.3	7.6	-	5.9	5.4	12.3	12.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease			Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	18	457.5	12	305.0	1	25.4	-	-	Under 1	1	25.4	-	-
1 - 5	-	-	3	16.0	-	-	-	-	1 - 5	4	21.3	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	3	14.4	-	-
15 - 34	-	-	-	-	-	-	7	9.2	11	1	23.8	-	-
35 - 44	-	-	-	-	-	-	18	73.8	12	1	24.6	-	-
45 - 64	-	-	1	2.5	7	17.2	191	469.7	13	1	22.6	-	-
65 & over	-	-	-	-	32	123.3	602	2319.6	14	-	-	-	-
Total	18	7.9	16	7.0	40	17.6	818	359.5	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	7	149.7	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	7	153.3	-	-
									18	4	99.2	1	24.8
									19	1	24.7	-	-
									20 - 24	20	103.7	1	5.2
									25 - 29	20	111.6	2	11.2
									30 - 34	11	66.5	4	24.2
									35 - 44	13	53.3	3	12.3
									45 - 64	21	51.6	7	17.2
									65 & over	34	131.0	4	15.4
									Total	149	65.5	22	9.7
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema						
	No.	Rate	No.	Rate	No.	Rate	No.	Rate					
Under 6	-	-	-	-	-	-	-	-					
6 - 14	-	-	-	-	-	-	-	-					
15 - 34	1	1.3	1	1.3	-	-	-	-					
35 - 44	5	20.5	-	-	1	4.1	-	-					
45 - 64	14	34.4	10	24.6	3	7.4	6	14.8					
65 & over	145	558.7	39	150.3	32	123.3	12	46.2					
Total	165	72.5	50	22.0	36	15.8	18	7.9					
Ky. Rate		81.9		17.0		13.4		6.0					
U.S. Rate		71.0		15.0		12.6		5.9					

1981

BELL

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	799	783	16	324	3	340	3	61	6	58	4
Rate	23.3	23.5	16.4	20.0	6.7	19.8	5.7	3.8	13.4	3.4	7.6
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	4	4	-	-	-	2	-	2	-	-	-
15 - 19	136	134	2	45	-	57	-	15	1	17	1
20 - 29	310	301	9	132	2	133	4	18	1	18	2
30 - 39	71	69	2	33	-	28	-	6	1	2	1
40 & over	4	4	-	-	-	4	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	525	512	13	210	2	224	4	41	3	17	4
Rate	15.3	15.4	13.3	13.0	4.5	13.1	7.6	2.5	6.7	2.2	7.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 34.5 %Fertility Rate 70.1

Delivered By:

Born in Hospital:

Fourth & over 14.9 %Premature Births 8.2Physician 99.2 %Physician 99.0 %Rate of Illegitimacy 163.8Midwife 0.6 %Midwife 0.4 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	6	6	-	2	2	-
Rate	11.4	11.7	-	23.5	25.6	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	329	321	8	16	10	-	6
Rate	9.6	9.6	8.2	46.6	29.1	-	17.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	351	342	9	-	6	5	11	9
Rate	10.2	10.3	9.2	-	11.4	9.5	20.7	17.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	69							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	5	924.2	2	369.7	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	1	36.8	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	2	62.5	-
15 - 34	-	-	-	-	-	-	1	8.9	11	-	-	-
35 - 44	-	-	-	-	-	-	2	54.0	12	-	-	-
45 - 64	-	-	-	-	2	31.6	36	568.1	13	1	152.0	-
65 & over	-	-	-	-	6	149.4	98	2440.8	14	-	-	-
Total	5	14.6	3	8.7	8	23.3	137	399.1	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	139.5	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	143.7	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	5	179.0	1 35.8
35 - 44	1	27.0	-	-	1	27.0	-	-	25 - 29	3	109.8	1 36.6
45 - 64	3	47.3	2	31.6	2	31.6	1	15.8	30 - 34	1	39.6	1 39.6
65 & over	17	423.4	9	224.2	13	323.8	6	149.4	35 - 44	2	54.0	2 54.0
Total	21	61.2	11	32.0	16	46.6	7	20.4	45 - 64	2	31.6	2 31.6
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	2	49.8	- -
U.S. Rate		71.0		15.0		12.6		5.9	Total	20	58.3	7 20.4
											Ky. Rate	49.1 12.1
											U.S. Rate	44.0 11.4

1981

CLAY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	390	385	5	171	1	157	2	36	-	21	2
Rate	17.1	17.2	12.7	15.3	5.3	14.1	9.6	3.1	-	1.9	9.6
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	3	3	-	-	-	3	-	-	-	-	-
15 - 19	103	102	1	40	-	38	-	17	-	7	1
20 - 29	235	232	3	101	1	100	1	16	-	15	1
30 - 39	55	55	-	26	-	21	-	4	-	4	-
40 & over	6	6	-	3	-	2	-	-	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	402	398	4	170	1	164	1	37	-	27	2
Rate	17.7	17.8	10.1	15.2	5.3	14.7	4.8	3.3	-	2.4	9.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 32.3 %

Fertility Rate 78.8

Delivered By:

Born in Hospital:

Fourth & over 18.2 %

Premature Births 9.5

Physician 73.9 %

Physician 73.6 %

Rate of Illegitimacy 165.0

Midwife 26.1 %

Midwife 26.1 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	1	1	-
Rate	10.0	10.1	-	15.2	15.6	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 25.0 %

Fetal Causes 75.0 %

Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	155	151	4	11	8	-	3
Rate	6.8	6.8	10.1	48.3	35.2	-	13.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	172	169	3	-	1	1	5	5
Rate	7.6	7.6	7.6	-	2.5	2.5	12.3	12.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	69							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	228.8	-	-	1	228.8	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1	50.8	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	2	25.5	-	-	-	-
35 - 44	-	-	-	-	-	-	1	40.8	-	-	-	-
45 - 64	-	-	1	27.2	1	27.2	19	517.1	-	-	-	-
65 & over	-	-	-	-	3	137.1	52	2376.0	-	-	-	-
Total	1	4.4	1	4.4	5	22.0	74	325.2	-	-	-	-
Ky. Rate	-	9.2	-	6.1	-	27.4	-	350.6	-	-	-	-
U.S. Rate	-	9.4	-	5.8	-	24.0	-	328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	1	12.8	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	-	-	2	54.4	-	-	1	27.2	-	-	-	-
65 & over	8	365.6	1	45.7	3	137.1	-	-	-	-	-	-
Total	9	39.6	3	13.2	3	13.2	1	4.4	-	-	-	-
Ky. Rate	-	81.9	-	17.0	-	13.4	-	6.0	-	-	-	-
U.S. Rate	-	71.0	-	15.0	-	12.6	-	5.9	-	-	-	-
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	-	-	-	-
1 - 5	1	50.8	-	-	-	-	-	-	-	-	-	-
6 - 10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18	1	232.0	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20 - 24	1	51.5	-	-	-	-	-	-	-	-	-	-
25 - 29	2	113.7	-	-	-	-	-	-	-	-	-	-
30 - 34	2	120.9	-	-	-	-	-	-	-	-	-	-
35 - 44	2	81.7	-	-	-	-	-	-	-	-	-	-
45 - 64	1	27.2	-	-	-	-	-	-	-	-	-	-
65 & over	1	45.7	1	45.7	-	-	-	-	-	-	-	-
Total	11	48.3	1	4.4	-	-	-	-	-	-	-	-
Ky. Rate	-	49.1	-	12.1	-	-	-	-	-	-	-	-
U.S. Rate	-	44.0	-	11.4	-	-	-	-	-	-	-	-

1981

HARLAN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	720	689	31	295	4	306	1	43	11	45	15
Rate	17.2	17.3	14.7	15.2	4.0	15.0	0.9	2.2	11.0	2.2	13.5
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	3	2	1	-	-	-	-	1	1	1	-
15 - 19	183	176	7	63	-	70	-	25	3	18	4
20 - 29	442	419	23	190	4	190	1	16	7	23	11
30 - 39	84	84	-	38	-	39	-	4	-	3	-
40 & over	3	3	-	1	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	715	684	31	292	4	301	1	46	11	45	15
Rate	17.1	17.2	14.7	15.1	4.0	14.7	0.9	2.4	11.0	2.2	13.5
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.4 %Fertility Rate 78.7

Delivered By:

Born in Hospital:

Fourth & over 13.3 %Premature Births 7.4Physician 99.2 %Physician 99.2 %Rate of Illegitimacy 163.0Midwife 0.8 %Midwife 0.8 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	3	3	-	-	-	-
Rate	4.2	4.4	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 66.7 %Fetal Causes 33.3 %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	388	371	17	32	13	2	17
Rate	9.3	9.3	8.1	76.4	31.0	4.8	40.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	430	412	18	-	3	3	6
Rate	10.3	10.4	8.5	-	4.2	4.2	8.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA
Median Age at Death	69						

SELECTED CAUSES OF DEATH BY AGE GROUP

	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease			Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	-	-	6	769.2	-	-	-	-	Under 1	1	128.2	-	-
1 - 5	-	-	1	27.5	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	5	121.4	12	-	-	-	-
45 - 64	-	-	-	-	2	26.2	39	511.7	13	-	-	-	-
65 & over	-	-	-	-	-	-	121	2643.1	14	-	-	-	-
Total	-	-	7	16.7	2	4.8	165	393.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	118.6	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	3	380.2	-	-
									18	2	299.9	1	149.9
									19	-	-	-	-
									20 - 24	7	190.6	-	-
									25 - 29	5	144.5	-	-
									30 - 34	3	95.2	3	95.2
									35 - 44	3	72.9	1	24.3
									45 - 64	6	78.7	2	26.2
									65 & over	6	131.1	-	-
									Total	37	88.3	7	16.7
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.8

1981

JACKSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	-	-	-	-	1	-
15 - 19	50	50	-	24	-	19	-	4	-	3	-
20 - 29	110	110	-	56	-	46	-	5	-	3	-
30 - 39	33	33	-	17	-	14	-	1	-	1	-
40 & over	4	4	-	2	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	198	198	-	99	-	81	-	10	-	8	-
Rate	16.5	16.5	-	16.5	-	13.6	-	1.7	-	1.3	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 33.8 %Fertility Rate 77.3

Delivered By:

Born in Hospital:

Fourth & over 18.7 %Premature Births 7.6Physician 97.5 %Physician 97.5 %Rate of Illegitimacy 90.0Midwife 2.5 %Midwife 2.5 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	10.1	10.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %Fetal Causes 50.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	39	39	-	3	-	-	3
Rate	3.3	3.3	-	25.0	-	-	25.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	120	120	-	-	2	2	4	2
Rate	10.0	10.0	-	-	10.1	10.1	20.0	10.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	970.9	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1	97.5	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	1	45.5	9	409.8	-	-	-	-
65 & over	-	-	-	-	5	137.2	30	2022.9	-	-	-	-
Total	2	16.7	-	-	6	50.0	39	325.1	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6				
U.S. Rate		9.4		5.8		24.0		328.7				
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	45.5	1	45.5	1	45.5	2	91.1	-	-	-	-
65 & over	7	472.0	-	-	2	134.9	-	-	-	-	-	-
Total	8	66.7	1	8.3	3	25.0	2	16.7	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				
20 - 24	-	-	-	-	-	-	-	-	-	-	-	-
25 - 29	1	105.8	-	-	-	-	-	-	-	-	-	-
30 - 34	2	244.5	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	45.5	-	-	-	-	-	-	-	-	-	-
65 & over	6	404.6	1	67.4	-	-	-	-	-	-	-	-
Total	12	100.0	1	8.3	-	-	-	-	-	-	-	-
Ky. Rate		49.1		12.1								
U.S. Rate		44.0		11.4								

1981

KNOX

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	350	347	3	142	1	136	-	36	1	33	1
Rate	11.6	11.6	7.7	9.8	5.5	8.8	-	2.5	5.5	2.1	4.8
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	1	-	-	-	-	-	-	-
15 - 19	141	139	2	59	1	49	-	13	1	18	-
20 - 29	281	280	1	125	-	121	-	16	1	18	-
30 - 39	69	68	1	32	-	28	-	4	-	4	1
40 & over	2	2	-	2	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	494	490	4	219	1	198	-	33	2	40	1
Rate	16.3	16.4	10.2	15.1	5.5	12.9	-	2.3	10.9	2.6	4.8
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 42.9 %Fertility Rate 73.1

Delivered By:

Born in Hospital:

Fourth & over 14.8 %Premature Births 8.3Physician 98.4 %Physician 98.2 %Rate of Illegitimacy 155.2Midwife 1.4 %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	2	2	-	1	1	-
Rate	4.0	4.1	-	13.2	13.7	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	179	177	2	20	10	2	8
Rate	5.9	5.9	3.1	66.1	33.1	6.6	26.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	281	278	3	-	1	1	3	3
Rate	9.3	9.3	7.7	-	2.0	2.0	6.0	6.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 72

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	180.2	1	180.2	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1	39.3	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	5	149.8	-	-	-	-
45 - 64	-	-	-	-	1	19.3	22	423.9	-	-	-	-
65 & over	-	-	-	-	6	167.9	90	2518.9	-	-	-	-
Total	1	3.3	1	3.3	7	23.1	117	386.9	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	1	171.5	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	2	38.5	2	38.5	-	-	-	-	-	-	-	-
65 & over	26	727.7	3	84.0	2	56.0	1	28.0	-	-	-	-
Total	28	92.6	5	16.5	2	6.6	1	3.3	5	220.1	1	44.0
Ky. Rate		81.9		17.0		13.4		6.0	1	46.3	-	-
U.S. Rate		71.0		15.0		12.6		5.9	5	149.8	-	-
									7	134.9	1	19.3
									4	112.0	-	-
									25	82.7	2	6.6
										49.1		12.1
										44.0		11.4

1981

LAURFL

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	335	331	4	145	1	146	2	26	1	14	-
Rate	8.6	8.6	10.2	7.6	4.8	7.5	10.8	1.4	4.8	0.7	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	1	-	-	-	-	-
15 - 19	158	158	-	63	-	70	-	15	-	10	-
20 - 29	418	415	3	174	-	211	3	23	-	7	-
30 - 39	105	103	2	56	1	42	-	3	1	2	-
40 & over	5	5	-	2	-	3	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	687	682	5	295	1	327	3	41	1	19	-
Rate	17.6	17.7	12.7	15.4	4.8	16.8	16.1	2.1	4.8	1.0	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.1 %Fertility Rate 77.9

Delivered By:

Born in Hospital:

Fourth & over 13.5 %Premature Births 5.1Physician 98.5 %Physician 98.4 %Rate of Illegitimacy 89.6Midwife 1.5 %Midwife 1.2 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	5	-	1	1	-
Rate	7.3	7.3	-	16.4	16.7	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	283	281	2	16	7	4	5
Rate	7.3	7.3	5.1	41.0	18.0	10.3	12.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	318	317	1	-	5	4	9	10
Rate	8.2	8.2	2.5	-	7.3	5.8	13.0	14.6
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	5	740.7	2	296.3	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	1	7.6	-	-	-	-
35 - 44	-	-	-	-	-	-	3	68.8	-	-	-	-
45 - 64	-	-	-	-	-	-	27	385.3	-	-	-	-
65 & over	-	-	-	-	6	142.2	77	1825.1	-	-	-	-
Total	5	12.8	2	5.1	6	15.4	108	277.1	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6				
U.S. Rate		9.4		5.8		24.0		328.7				
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	5	71.4	2	28.5	-	-	-	-	-	-	1	14.3
65 & over	40	948.1	4	94.8	2	47.4	1	23.7	-	-	-	-
Total	45	115.4	6	15.4	2	5.1	1	2.6	-	-	1	2.6
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	3	369.0	-	-	-	-	-	-	-	-	-	-
17	1	126.6	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	1	144.9	-	-	-	-	-	-	-	-	-	-
20 - 24	2	62.4	-	-	-	-	-	-	-	-	-	-
25 - 29	1	31.2	-	-	-	-	-	-	-	-	-	-
30 - 34	1	33.9	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	-	-	-	-	-	-
65 & over	8	189.6	-	-	-	-	-	-	-	-	-	-
Total	17	43.6	1	2.6	-	-	-	-	-	-	-	-
Ky. Rate		49.1		12.1								
U.S. Rate		44.0		11.4								

1981

ROCKCASTLE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	71	71	-	24	-	33	-	5	-	9	-
Rate	5.1	5.1	-	3.4	-	4.7	-	0.7	-	1.3	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	46	46	-	17	-	22	-	3	-	4	-
20 - 29	115	115	-	50	-	54	-	6	-	5	-
30 - 39	27	27	-	14	-	8	-	3	-	2	-
40 & over	2	2	-	-	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	190	190	-	81	-	86	-	12	-	11	-
Rate	13.6	13.6	-	11.6	-	12.4	-	1.7	-	1.6	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.9 %Fertility Rate 64.1

Delivered By:

Born in Hospital:

Fourth & over 19.5 %Premature Births 5.3Physician 98.9 %Physician 98.9 %Rate of Illegitimacy 121.1Midwife 1.1 %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	98	97	1	8	7	-	1
Rate	7.0	7.0	26.3	57.3	50.1	-	7.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	146	146	-	-	-	-	-	-
Rate	10.4	10.5	-	-	-	-	-	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	96.3	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	-	-	14	527.1	13	-	-	-	-
65 & over	-	-	-	-	2	111.4	43	2395.5	14	-	-	-	-
Total	-	-	-	-	2	14.3	57	407.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	1	93.8	-	-
									25 - 29	-	-	-	-
									30 - 34	-	-	-	-
									35 - 44	-	-	-	-
									45 - 64	1	37.7	-	-
									65 & over	2	111.4	-	-
									Total	5	35.8	-	-
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	1	62.7	-	-	-	-	-	-
45 - 64	1	37.7	-	-	-	-	-	-
65 & over	12	668.5	1	55.7	-	-	1	55.7
Total	14	100.2	1	7.2	-	-	1	7.2
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

WHITLEY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	561	561	-	272	-	254	-	15	-	20	-
Rate	16.8	16.9	-	17.0	-	14.8	-	0.9	-	1.2	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	134	134	-	54	-	50	-	11	-	19	-
20 - 29	289	289	-	136	-	131	-	10	-	12	-
30 - 39	63	62	1	32	1	26	-	3	-	1	-
40 & over	5	5	-	2	-	2	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	491	490	1	224	1	209	-	25	-	32	-
Rate	14.7	14.8	3.4	14.0	7.9	12.2	-	1.6	-	1.9	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 40.9 %Fertility Rate 64.8

Delivered By:

Born in Hospital:

Fourth & over 12.0 %Premature Births 6.3Physician 99.4 %Physician 99.4 %Rate of Illegitimacy 115.2Midwife 0.4 %Midwife 0.4 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	-	-	-
Rate	8.1	8.2	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %Fetal Causes 25.0 %Abortion - %

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	301	301	-	25	11	5	9
Rate	9.0	9.1	-	74.9	32.9	15.0	26.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS


	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	290	289	1	-	4	4	8	7
Rate	8.7	8.7	3.4	-	8.1	8.1	16.2	14.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	4	760.5	1	190.1	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	1	37.9	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	35.5	-
15 - 34	-	-	-	-	-	-	3	26.3	11	1	186.6	-
35 - 44	-	-	-	-	-	-	2	55.8	12	1	173.0	-
45 - 64	-	-	-	-	-	-	25	417.9	13	-	-	-
65 & over	-	-	-	-	4	97.5	91	2218.4	14	-	-	-
Total	4	12.0	2	6.0	4	12.0	121	362.3	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	149.7	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	160.0	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	4	126.7	-
35 - 44	1	27.9	-	-	-	-	-	-	25 - 29	3	118.1	-
45 - 64	-	-	-	-	-	-	1	16.7	30 - 34	1	42.7	-
65 & over	16	390.1	7	170.6	4	97.5	2	48.8	35 - 44	1	27.9	-
Total	17	50.9	7	21.0	4	12.0	3	9.0	45 - 64	3	50.2	1 16.7
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	5	121.9	2 48.8
U.S. Rate		71.0		15.0		12.6		5.9	Total	22	65.9	3 9.0
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

DISTRICT 14

LAKE CUMBERLAND



1981

DISTRICT 14

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2,268	2,223	45	1,047	11	966	11	112	9	98	14
Rate	13.3	13.3	11.1	12.8	5.4	11.3	5.5	1.4	4.4	1.1	7.0
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	10	9	1	1	-	2	-	4	1	2	-
15 - 19	548	538	10	229	1	213	1	50	2	46	6
20 - 29	1,500	1,467	33	715	12	651	5	54	6	47	10
30 - 39	343	338	5	166	-	149	4	9	1	14	-
40 & over	19	19	-	11	-	6	-	-	-	2	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	2,420	2,371	49	1,122	13	1,021	10	117	10	111	16
Rate	14.1	14.2	12.1	13.8	6.3	11.9	5.0	1.4	4.9	1.3	8.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.9 %Fertility Rate 65.8

Delivered By:

Born in Hospital:

Fourth & over 13.3 %Premature Births 6.5Physician 95.5 %Physician 95.2 %Rate of Illegitimacy 106.3Midwife 4.0 %Midwife 2.1 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	16	15	1	5	4	1
Rate	6.6	6.3	20.4	19.7	17.5	38.5
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %Fetal Causes 20.0 %Abortion - %

OCCURRENCE DEATHS

	Total	White	Nonwhite	ACCIDENTAL			
				Total	Motor Vehicle	Falls	Other
No.	1,372	1,328	44	87	42	11	34
Rate	8.0	8.0	10.8	50.9	24.6	6.4	19.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	1,642	1,596	46	-	19	18	34	34
Rate	9.6	9.6	11.3	-	7.9	7.4	14.0	14.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	NA							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	14	551.0	7	275.5	-	-	1	39.4	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	2	16.4	-
6 - 14	-	-	2	7.8	-	-	-	-	6 - 10	1	7.2	-
15 - 34	-	-	-	-	1	1.9	3	5.6	11	-	-	-
35 - 44	-	-	-	-	2	10.4	7	36.4	12	-	-	-
45 - 64	-	-	2	5.8	8	23.1	111	320.5	13	-	-	-
65 & over	-	-	-	-	40	176.7	511	2257.3	14	-	-	-
Total	14	8.2	11	6.4	51	29.8	633	370.1	15	1	29.9	-
Ky. Rate	-	9.2	-	6.1	-	27.4	-	350.6	16	2	60.2	-
U.S. Rate	-	9.4	-	5.8	-	24.0	-	328.7	17	3	90.5	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	6	195.1	1 32.5
6 - 14	-	-	-	-	-	-	-	-	19	3	102.9	-
15 - 34	-	-	1	1.9	-	-	-	-	20 - 24	9	66.4	4 29.5
35 - 44	3	15.6	-	-	-	-	-	-	25 - 29	8	63.7	3 23.9
45 - 64	17	49.1	8	23.1	3	8.7	5	14.4	20 - 34	7	58.6	1 8.4
65 & over	147	649.4	18	79.5	26	114.9	6	26.5	35 - 44	11	57.2	2 10.4
Total	167	97.6	27	15.8	29	17.0	11	6.4	45 - 64	19	54.9	8 23.1
Ky. Rate	-	81.9	-	17.0	-	13.4	-	6.0	65 & over	17	75.1	2 8.8
U.S. Rate	-	71.0	-	15.0	-	12.6	-	5.9	Total	89	52.0	21 12.3
										Ky. Rate	49.1	12.1
										U.S. Rate	44.0	11.4

1981

ADAIR

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	66	64	2	24	1	29	-	5	-	6	1
Rate	4.3	4.4	3.6	3.3	3.7	3.9	-	0.7	-	0.8	3.5
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	44	42	2	20	-	16	-	3	-	3	2
20 - 29	117	113	4	58	-	51	1	1	-	3	3
30 - 39	30	30	-	13	-	16	-	1	-	-	-
40 & over	1	1	-	-	-	-	-	-	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	192	186	6	91	-	83	1	5	-	7	5
Rate	12.6	12.7	10.9	12.7	-	11.0	3.5	0.7	-	0.9	17.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 34.9 %Fertility Rate 61.2

Delivered By:

Born in Hospital:

Fourth & over 12.5 %Premature Births 7.3Physician 94.3 %Physician 93.2 %Rate of Illegitimacy 86.7Midwife 4.2 %Midwife 4.2 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	-	-	-
Rate	20.8	21.5	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %Fetal Causes 50.0 %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	113	105	8	8	6	2	-
Rate	7.4	7.2	14.5	52.5	39.4	13.1	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	138	130	8	-	1	1	5	2
Rate	9.1	8.9	14.5	-	5.2	5.2	25.5	10.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	526.3	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	1	45.0	-	-	-	-	6 - 0	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	3	91.4	15	456.8	13	-	-	-
65 & over	-	-	-	-	8	346.6	42	1819.8	14	-	-	-
Total	1	6.6	1	6.6	11	72.2	57	374.2	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	332.2	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	1	383.1	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	1	90.7	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	1	30.5	-	-	1	30.5	-	-	30 - 34	-	-	-
65 & over	10	433.3	1	43.3	1	43.3	1	43.3	35 - 44	1	57.4	-
Total	11	72.2	1	6.6	2	13.1	1	6.6	45 - 64	1	30.5	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	3	120.0	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	8	52.5	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

CASEY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	101	101	-	39	-	43	-	8	-	11	-
Rate	6.8	6.8	-	5.4	-	5.7	-	1.1	-	1.5	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	-	-	1	-	-	-
15 - 19	70	70	-	31	-	23	-	9	-	7	-
20 - 29	144	144	-	66	-	67	-	4	-	7	-
30 - 39	35	35	-	18	-	14	-	-	-	3	-
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	252	252	-	116	-	105	-	14	-	17	-
Rate	17.0	17.1	-	15.9	-	14.0	-	1.9	-	2.3	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.3 %

Fertility Rate 82.5

Delivered By:

Born in Hospital:

Fourth & over 16.3 %

Premature Births 7.5

Physician 93.3 %

Physician 93.3 %

Rate of Illegitimacy 126.0

Midwife 5.2 %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	1	1	1	-	1
Rate	7.9	4.0	-	32.3	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	80	80	-	10	4	-	6
Rate	5.4	5.4	-	67.5	27.0	-	40.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	157	157	-	-	2	2	4	3
Rate	10.6	10.6	-	-	7.9	7.9	15.7	11.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	823.0	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	89.7	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	81.2	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	6	197.9	13	-	-	-
65 & over	-	-	-	-	3	151.4	35	1766.8	14	-	-	-
Total	2	13.5	-	-	3	20.2	41	276.7	15	1	319.5	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	347.2	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	1	375.9	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	2	180.8	1 90.4
35 - 44	1	64.4	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	4	131.9	-	-	-	-	3	98.9	30 - 34	1	94.3	-
65 & over	25	1262.0	3	151.4	5	252.4	-	-	35 - 44	1	64.4	-
Total	30	202.5	3	20.2	5	33.7	3	20.2	45 - 64	2	66.0	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	2	101.0	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	13	87.7	1 6.7
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

CLINTON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	127	126	1	55	-	60	1	6	-	5	-
Rate	13.6	13.5	52.6	12.2	-	12.5	83.3	1.3	-	1.0	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	25	25	-	12	-	10	-	2	-	1	-
20 - 29	78	77	1	40	1	33	-	1	-	3	-
30 - 39	20	20	-	9	-	10	-	-	-	1	-
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	125	124	1	62	1	54	-	3	-	5	-
Rate	13.4	13.3	52.6	13.7	142.9	11.3	-	0.7	-	1.0	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.0 %

Fertility Rate 62.6

Delivered By:

Born in Hospital:

Fourth & over 12.8 %

Premature Births 5.6

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 63.5

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	8.0	8.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	78	78	-	4	2	1	1
Rate	8.4	8.4	-	42.9	21.5	10.7	10.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	102	102	-	-	1	1	2	1
Rate	10.9	11.0	-	-	8.0	8.0	15.9	8.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	1	833.3	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	1	35.2	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	89.6	12	-	-	-	-
45 - 64	-	-	-	-	-	-	5	264.7	13	-	-	-	-
65 & over	-	-	-	-	2	152.2	31	2359.2	14	-	-	-	-
Total	1	10.7	-	-	2	21.5	38	407.7	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	571.4	-	-
									18	2	1257.9	-	-
									19	-	-	-	-
									20 - 24	-	-	-	-
									25 - 29	-	-	-	-
									30 - 34	-	-	-	-
									35 - 44	-	-	-	-
									45 - 64	3	158.8	1	52.9
									65 & over	-	-	-	-
									Total	6	64.4	1	10.7
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	1	35.2	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	52.9	-	-	-	-	-	-
65 & over	12	913.2	2	152.2	-	-	-	-
Total	13	139.5	3	32.2	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

CUMBERLAND

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	39	39	-	18	-	15	-	3	-	3	-
Rate	5.4	5.7	-	5.4	-	4.2	-	0.9	-	0.8	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	-	-	-	-	1	-
15 - 19	21	19	2	3	-	11	1	2	-	3	1
20 - 29	51	49	2	18	2	25	-	3	-	3	-
30 - 39	19	19	-	7	-	10	-	2	-	-	-
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	93	89	4	29	2	46	1	7	-	7	1
Rate	12.8	12.9	10.1	8.7	10.9	12.9	4.7	2.1	-	2.0	4.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 28.0 %Fertility Rate 62.8

Delivered By:

Born in Hospital:

Fourth & over 15.1 %Premature Births 3.2Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 161.3Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	62	60	2	2	1	-	1
Rate	8.5	8.7	5.1	27.4	13.7	-	13.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	76	72	4	-	-	-	-	-
Rate	10.4	10.4	10.1	-	-	-	-	-
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	8	483.1	13	-	-	-
65 & over	-	-	-	-	3	259.5	25	2162.6	14	-	-	-
Total	-	-	-	-	3	41.2	33	452.7	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	1	813.0	-
									20 - 24	1	203.7	-
									25 - 29	-	-	-
									30 - 34	-	-	-
									35 - 44	-	-	-
									45 - 64	1	60.4	-
									65 & over	-	-	-
									Total	4	54.9	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-				
6 - 14	-	-	-	-	-	-	-	-				
15 - 34	-	-	-	-	-	-	-	-				
35 - 44	-	-	-	-	-	-	-	-				
45 - 64	-	-	1	60.4	-	-	1	60.4				
65 & over	7	605.5	1	86.5	-	-	-	-				
Total	7	96.0	2	27.4	-	-	1	13.7				
Ky. Rate		81.9		17.0		13.4		6.0				
U.S. Rate		71.0		15.0		12.6		5.9				

1981

GREEN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male	Nonwhite	Female	White	Male	Nonwhite	Female
No.	84	78	6	42	-	29	2	4	1	3	3
Rate	7.6	7.3	15.7	8.0	-	5.3	10.5	0.8	5.2	0.6	15.8
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	White	Male	Nonwhite	Female	White	Male	Nonwhite	Female
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	30	30	-	15	-	13	-	1	-	1	-
20 - 29	90	86	4	45	-	37	2	3	1	1	1
30 - 39	15	14	1	12	-	2	1	-	-	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	135	130	5	72	-	52	3	4	1	2	1
Rate	12.2	12.2	13.1	13.8	-	9.6	15.8	0.8	5.2	0.4	5.3
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.5 %Fertility Rate 59.5

Delivered By:

Born in Hospital:

Fourth & over 11.1 %Premature Births 7.4Physician 73.3 %Physician 73.3 %Rate of Illegitimacy 59.3Midwife 26.7 %Midwife 26.7 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL					
	Total	White	Nonwhite	Total	Motor Vehicle	Falls Other
No.	98	92	6	6	3	- 3
Rate	8.9	8.6	15.7	54.3	27.2	- 27.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9 18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	114	111	3	-	1	1	1 3
Rate	10.3	10.4	7.9	-	7.4	7.4	7.4 22.2
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA 12.6
Median Age at Death	71						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	591.7	1	591.7	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	1	30.2	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	1	78.9	-	-	-	-
45 - 64	-	-	-	-	-	-	6	250.0	-	-	-	-
65 & over	-	-	-	-	5	291.9	37	2160.0	-	-	-	-
Total	1	9.1	1	9.1	6	54.3	44	398.4	-	-	-	-
Ky. Rate	-	9.2	-	6.1	-	27.4	-	350.6	-	-	-	-
U.S. Rate	-	9.4	-	5.8	-	24.0	-	328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	41.7	-	-	-	-	-	-	-	-	-	-
65 & over	11	642.1	-	-	6	350.3	1	58.4	-	-	-	-
Total	12	108.7	-	-	6	54.3	1	9.1	-	-	-	-
Ky. Rate	-	81.9	-	17.0	-	13.4	-	6.0	-	-	-	-
U.S. Rate	-	71.0	-	15.0	-	12.6	-	5.9	-	-	-	-
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	1	645.2	-	-
19	1	568.2	-	-	-	-	-	-	-	-	-	-
20 - 24	-	-	-	-	-	-	-	-	-	-	-	-
25 - 29	-	-	-	-	-	-	-	-	-	-	-	-
30 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	1	78.9	-	-	-	-	-	-	-	-	-	-
45 - 64	1	41.7	2	83.3	-	-	-	-	-	-	-	-
65 & over	1	58.4	-	-	-	-	-	-	-	-	-	-
Total	4	36.2	3	27.2	-	-	-	-	-	-	-	-
Ky. Rate	-	49.1	-	12.1	-	-	-	-	-	-	-	-
U.S. Rate	-	44.0	-	11.4	-	-	-	-	-	-	-	-

1981

MCCREARY

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	33	33	-	12	-	14	-	3	-	4	-
Rate	2.1	2.1	-	1.6	-	1.8	-	0.4	-	0.5	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	4	4	-	-	-	1	-	2	-	1	-
15 - 19	68	68	-	30	-	24	-	7	-	7	-
20 - 29	151	151	-	61	-	75	-	9	-	6	-
30 - 39	35	35	-	17	-	14	-	2	-	2	-
40 & over	2	2	-	2	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	260	260	-	110	-	114	-	20	-	16	-
Rate	16.6	16.9	-	14.5	-	14.6	-	2.6	-	2.1	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 29.2 %Fertility Rate 77.9

Delivered By:

Born in Hospital:

Fourth & over 14.2 %Premature Births 7.7Physician 88.5 %Physician 88.5 %Rate of Illegitimacy 137.9Midwife 11.2 %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	3.8	3.8	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	62	62	-	11	7	-	4
Rate	4.0	4.0	-	70.4	44.8	-	25.6
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	144	143	1	-	3	3	4
Rate	9.2	9.3	3.7	-	11.5	11.5	15.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	69						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Under 1	2	722.0	1	361.0	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	61.4	12	-	-	-	-
45 - 64	-	-	-	-	3	114.1	16	608.6	13	-	-	-	-
65 & over	-	-	-	-	1	62.0	37	2292.4	14	-	-	-	-
Total	2	12.8	1	6.4	4	25.6	54	345.4	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	1	316.5	-	-
									20 - 24	2	167.8	1	83.9
									25 - 29	2	178.1	2	178.1
									30 - 34	1	86.6	-	-
									35 - 44	2	122.8	-	-
									45 - 64	4	152.1	-	-
									65 & over	2	123.9	1	62.0
									Total	14	89.5	4	25.6
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

PULASKI

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	1,270	1,262	8	594	2	553	2	65	1	50	3
Rate	27.7	28.0	11.9	27.0	6.1	23.9	5.8	3.0	3.1	2.2	8.7
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	1	1	-	-	-	-	1	1	-	-
15 - 19	145	143	2	62	-	53	-	16	-	12	2
20 - 29	413	410	3	211	1	168	1	16	1	15	-
30 - 39	81	81	-	36	-	41	-	-	-	4	-
40 & over	5	5	-	2	-	2	-	-	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	646	640	6	311	1	264	1	33	2	32	2
Rate	14.1	14.2	8.9	14.2	3.1	11.4	2.9	1.5	6.1	1.4	5.8
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.5 %Fertility Rate 63.9

Delivered By:

Born in Hospital:

Fourth & over 12.8 %Premature Births 6.2Physician 99.2 %Physician 98.9 %Rate of Illegitimacy 109.1Midwife 0.6 %Midwife 0.3 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	5	5	-	2	2	-
Rate	7.7	7.8	-	29.0	30.8	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 20.0 %Fetal Causes 80.0 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	554	542	12	25	8	6	11
Rate	12.1	12.0	17.9	54.6	17.5	13.1	24.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	449	438	11	-	7	7	12
Rate	9.8	9.7	16.4	-	10.8	10.8	17.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	12.6
Median Age at Death	75						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	4	606.1	3	454.5	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1	30.5	-	-
6 - 14	-	-	1	14.7	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	2	13.5	-	-	-	-
35 - 44	-	-	-	-	-	-	3	56.7	-	-	-	-
45 - 64	-	-	1	10.9	1	10.9	19	206.5	-	-	-	-
65 & over	-	-	-	-	10	172.7	148	2555.2	-	-	-	-
Total	4	8.7	5	10.9	11	24.0	172	375.5	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	5	54.4	2	21.7	1	10.9	-	-	-	-	-	-
65 & over	41	707.9	7	120.9	13	224.4	1	17.3	-	-	-	-
Total	46	100.4	9	19.6	14	30.6	1	2.2	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	-	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	-	-	-	-
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20 - 24	1	26.8	2	53.7	-	-	-	-	-	-	-	-
25 - 29	3	83.0	-	-	-	-	-	-	-	-	-	-
30 - 34	4	122.1	1	30.5	-	-	-	-	-	-	-	-
35 - 44	4	75.7	1	18.9	-	-	-	-	-	-	-	-
45 - 64	5	54.4	2	21.7	-	-	-	-	-	-	-	-
65 & over	2	34.5	1	17.3	-	-	-	-	-	-	-	-
Total	20	43.7	7	15.3	-	-	-	-	-	-	-	-
Ky. Rate		49.1		12.1	-	-	-	-	-	-	-	-
U.S. Rate		44.0		11.4	-	-	-	-	-	-	-	-

1981

RUSSELL

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	21	21	-	10	-	10	-	-	-	1	-
Rate	1.5	1.5	-	1.5	-	1.4	-	-	-	0.1	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	1	1	-	-	-	1	-	-	-	-	-
15 - 19	45	45	-	19	-	21	-	3	-	2	-
20 - 29	114	113	1	53	1	55	-	3	-	2	-
30 - 39	25	25	-	11	-	11	-	-	-	3	-
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	187	186	1	84	1	89	-	6	-	7	-
Rate	13.6	13.7	7.9	12.7	16.7	12.7	-	0.9	-	1.0	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.6 %Fertility Rate 65.9

Delivered By:

Born in Hospital:

Fourth & over 15.5 %Premature Births 5.3Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 69.5Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	72	70	2	9	5	1	3
Rate	5.3	5.2	15.7	65.7	36.5	7.3	21.9
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	131	130	1	-	-	-	-	3
Rate	9.6	9.6	7.9	-	-	-	-	16.0
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	72							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	1	568.2	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	1	66.8	-	-	-	-
45 - 64	-	-	-	-	1	33.4	9	301.0	-	-	-	-
65 & over	-	-	-	-	2	99.2	36	1785.7	-	-	-	-
Total	-	-	1	7.3	3	21.9	46	335.6	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6				
U.S. Rate		9.4		5.8		24.0		328.7				
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	33.4	1	33.4	1	33.4	-	-	1	95.0	-	-
65 & over	12	595.2	1	49.6	1	49.6	2	99.2	-	-	-	-
Total	13	94.8	2	14.6	2	14.6	2	14.6	7	51.1	-	-
Ky. Rate		81.9		17.0		13.4		6.0		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9		44.0		11.4

1981

TAYLOR

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	450	425	25	214	6	187	5	15	7	9	7
Rate	21.2	21.3	21.1	22.1	10.6	18.2	8.1	1.5	12.4	0.9	11.3
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	46	42	4	18	1	14	-	3	2	7	1
20 - 29	186	171	15	80	5	85	1	5	4	1	5
30 - 39	43	40	3	23	-	16	2	1	1	-	-
40 & over	3	3	-	3	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	278	256	22	124	6	115	3	9	7	8	6
Rate	13.1	12.8	18.5	12.8	10.6	11.2	4.8	0.9	12.4	0.8	9.1
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 34.5 %

Fertility Rate 56.6

Delivered By:

Born in Hospital:

Fourth & over 11.2 %

Premature Births 5.8

Physician 96.8 %

Physician 96.8 %

Rate of Illegitimacy 113.9

Midwife 2.5 %

Midwife 2.2 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	3	3	-	2	2	-
Rate	10.8	11.7	-	66.7	117.6	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	178	165	13	10	6	1	3
Rate	8.4	8.3	11.0	47.2	28.3	4.7	14.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	170	157	13	-	2	2	5	4
Rate	8.0	7.9	11.0	-	7.2	7.2	17.8	14.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	595.2	-	-	-	-	1	297.6	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	1	39.9	-	-	12	-	-	-
45 - 64	-	-	-	-	-	-	13	306.0	13	-	-	-
65 & over	-	-	-	-	5	192.6	55	2118.6	14	-	-	-
Total	2	9.4	-	-	6	28.3	69	325.8	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	258.4	-
									18	2	451.5	-
									19	-	-	-
									20 - 24	-	-	-
									25 - 29	2	124.0	1 62.0
									30 - 34	-	-	-
									35 - 44	-	-	1 39.9
									45 - 64	1	23.5	1 23.5
									65 & over	1	38.5	-
									Total	7	33.1	3 14.2
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	1	39.9	-	-	-	-	-	-
45 - 64	3	70.6	2	47.1	-	-	-	-
65 & over	20	770.4	1	38.5	-	-	-	-
Total	24	113.3	3	14.2	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

WAYNE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	77	74	3	39	2	26	1	3	-	6	-
Rate	4.5	4.5	7.3	4.8	9.0	3.1	5.3	0.4	-	0.7	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	1	-	-	-	-	-	-	-
15 - 19	54	54	-	19	-	28	-	4	-	3	-
20 - 29	156	153	3	83	2	55	-	9	-	6	1
30 - 39	40	39	1	20	-	15	1	3	-	1	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	252	248	4	123	2	99	1	16	-	10	1
Rate	14.8	14.9	9.8	15.0	9.0	11.7	5.3	2.0	-	1.2	5.3
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 43.3 %

Fertility Rate 69.4

Delivered By:

Born in Hospital:

Fourth & over 12.3 %

Premature Births 7.1

Physician 99.2 %

Physician 98.8 %

Rate of Illegitimacy 107.1

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	75	74	1	2	-	-	2
Rate	4.4	4.5	2.4	11.7	-	-	11.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	161	156	5	-	2	1	1	3
Rate	9.5	9.4	12.2	-	7.9	4.0	4.0	11.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	366.3	1	366.3	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	1	53.4	-	-	12	-	-	-
45 - 64	-	-	1	30.3	-	-	14	424.2	13	-	-	-
65 & over	-	-	-	-	1	46.6	65	3026.1	14	-	-	-
Total	1	5.9	2	11.7	2	11.7	79	464.1	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	285.7	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	1	73.2	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	1	30.3	2	60.6	-	-	-	-	30 - 34	1	85.4	-
65 & over	4	186.2	2	93.1	-	-	-	-	35 - 44	1	53.4	-
Total	5	29.4	4	23.5	-	-	-	-	45 - 64	-	-	2 60.6
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	2	93.1	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	6	35.2	2 11.7
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

DISTRICT 15 - BLUEGRASS



1981

DISTRICT 15

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	9,673	8,724	949	3,923	203	3,787	185	545	293	469	268
Rate	17.7	17.6	18.7	16.3	8.4	14.8	6.9	2.3	12.2	1.8	10.0
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.2	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	28	23	5	3	-	6	-	6	1	8	4
15 - 19	1,401	1,169	232	417	9	413	14	172	113	167	96
20 - 29	5,251	4,686	565	2,173	151	2,081	124	234	148	198	142
30 - 39	1,369	1,255	114	591	41	612	43	30	18	22	12
40 & over	50	46	4	14	3	25	1	4	-	3	-
Unknown	3	1	2	-	-	1	-	-	1	-	1
Total	8,102	7,180	922	3,198	204	3,138	182	446	281	398	255
Rate	14.8	14.5	18.2	13.3	8.5	12.3	6.8	1.9	11.7	1.6	9.5
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.5 %

Fertility Rate 58.5

Delivered By:

Born in Hospital:

Fourth & over 10.1 %

Premature Births 6.6

Physician 98.8 %

Physician 98.6 %

Rate of Illegitimacy 170.9

Midwife 1.0%

Midwife 0.7%

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	91	78	13	20	11	9
Rate	11.2	10.9	14.1	14.5	13.0	16.8
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 53.8 %

Fetal Causes 46.2 %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	5,712	5,186	526	270	132	48	90
Rate	10.4	10.4	10.4	49.3	24.1	8.8	16.4
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	4,619	4,108	511	-	62	54	145	93
Rate	8.4	8.3	10.1	-	7.7	6.7	17.7	11.5
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death NA

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	44	527.6	26	311.8	1	12.0	2	24.0	Under 1	4	48.0	-	-
1 - 5	-	-	3	7.7	-	-	2	5.1	1 - 5	8	20.6	-	-
6 - 14	-	-	-	-	1	1.3	1	1.3	6 - 10	3	7.2	-	-
15 - 34	-	-	1	0.5	1	0.5	4	1.9	11	1	12.0	-	-
35 - 44	-	-	2	3.2	3	4.8	30	48.5	12	2	25.1	-	-
45 - 64	-	-	3	3.1	23	23.4	368	374.4	13	1	12.0	-	-
65 & over	-	-	1	1.8	131	235.3	1,396	2507.8	14	1	11.4	-	-
Total	44	8.0	36	6.6	160	29.2	1,803	329.4	15	2	20.7	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	4	42.4	1	10.6
U.S. Rate		9.4		5.8		24.0		328.7	17	5	53.0	1	10.6
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	11	93.4	1	8.5
6 - 14	-	-	-	-	-	-	-	-	19	6	44.5	-	-
15 - 34	3	1.4	2	1.0	-	-	-	-	20 - 24	24	39.5	8	13.2
35 - 44	5	8.1	2	3.2	-	-	-	-	25 - 29	12	23.9	2	4.0
45 - 64	47	47.8	13	13.2	3	3.1	3	3.1	30 - 34	14	31.6	4	9.0
65 & over	311	558.7	53	95.2	76	136.5	16	28.7	35 - 44	23	37.2	6	9.7
Total	366	66.9	70	12.8	79	14.4	19	3.5	45 - 64	39	39.7	21	21.4
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	63	113.2	17	30.5
U.S. Rate		71.0		15.0		12.6		5.9	Total	223	40.7	61	11.1
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

ANDERSON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite
No.	1	1	-	-	-	1	-	-	-	-	-
Rate	0.1	0.1	-	-	-	0.2	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite	Male White	Female Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	26	26	-	10	-	10	-	2	-	4	-
20 - 29	137	130	7	61	-	55	5	8	1	6	1
30 - 39	19	19	-	8	-	11	-	-	-	-	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	183	176	7	79	-	77	5	10	1	10	1
Rate	14.6	14.6	14.1	13.4	-	12.5	20.0	1.7	4.1	1.6	4.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.3 %Fertility Rate 63.8

Delivered By:

Born in Hospital:

Fourth & over 9.3 %Premature Births 7.7Physician 98.9 %Physician 98.9 %Rate of Illegitimacy 118.9Midwife 0.5 %Midwife 0.5 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	10.9	11.4	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %Fetal Causes 50.0 %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	45	42	3	3	2	-	1
Rate	3.6	3.5	6.1	23.9	15.9	-	8.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal) Infant
No.	115	108	7	-	1	1	3 2
Rate	9.2	8.9	14.1	-	5.5	5.5	16.2 10.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA 12.6
Median Age at Death	73						

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	1	518.1	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	1	492.6	-
45 - 64	-	-	-	-	-	-	6	260.2	13	1	480.8	-
65 & over	-	-	-	-	6	394.2	31	2036.8	14	-	-	-
Total	-	-	1	8.0	6	47.7	37	294.4	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	-	1	467.3
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	-	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	2	86.7	-	-	-	-	-	-	30 - 34	-	-	-
65 & over	5	328.5	1	65.7	2	131.4	-	-	35 - 44	-	-	-
Total	7	55.7	1	8.0	2	15.9	-	-	45 - 64	3	130.1	1 43.4
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	-	1	65.7
U.S. Rate		71.0		15.0		12.6		5.9	Total	5	39.8	3 23.9
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

BOURBON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	2	2	-	-	-	-	-	1	-	1	-
Rate	0.1	0.1	-	-	-	-	-	0.1	-	0.1	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	1	1	-	-	1	-	-	-	-	1
15 - 19	48	40	8	13	-	20	1	5	4	2	3
20 - 29	166	152	14	75	3	67	-	6	7	4	4
30 - 39	41	37	4	18	-	16	1	3	2	-	1
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	1	1	-	-	-	1	-	-	-	-	-
Total	259	232	27	107	3	105	2	14	13	6	9
Rate	13.3	13.3	13.7	12.5	3.3	11.9	1.9	1.6	14.1	0.7	8.5
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 32.8 %Fertility Rate 61.9

Delivered By:

Born in Hospital:

Fourth & over 9.7 %Premature Births 7.7Physician 99.6 %Physician 98.8 %Rate of Illegitimacy 166.7Midwife 0.4 %Midwife 0.4 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	4	1	2	1	1
Rate	19.3	17.2	37.0	47.6	50.0	45.5
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 40.0 %Fetal Causes 60.0 %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
<u>No.</u>	152	140	12	11	5	1	5
<u>Rate</u>	7.8	8.0	6.1	56.7	25.8	5.2	25.8
<u>Ky. Rate</u>	9.0	9.0	9.1	48.7	23.7	6.9	18.

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Maternal</u>	<u>Neonatal</u>	<u>Under 1 week</u>	<u>(Early Neonatal)</u>	<u>Infant</u>
<u>No.</u>	216	195	21	-	4	3	8	6
<u>Rate</u>	11.1	11.2	10.6	-	15.4	11.6	30.3	23.2
<u>U.S. Rate</u>	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 71

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	3	996.7	1	332.2	-	-	-	-	Under 1	1	332.2	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	3	133.9	12	-	-	-	-
45 - 64	-	-	-	-	1	25.1	16	402.2	13	-	-	-	-
65 & over	-	-	-	-	6	243.0	55	2227.6	14	-	-	-	-
Total	3	15.5	1	5.2	7	36.1	74	381.3	15	2	515.5	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	18	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	3	206.6	-	-
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-	-
45 - 64	2	50.3	2	50.3	-	-	-	-	30 - 34	-	-	-	-
65 & over	12	486.0	4	162.0	8	324.0	1	40.5	35 - 44	1	44.6	-	-
Total	14	72.1	6	30.9	8	41.2	1	5.2	45 - 64	3	75.4	1	25.1
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	4	162.0	-	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	14	72.1	1	5.2
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

BOYLE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	785	743	42	330	5	344	13	40	14	29	10
Rate	31.3	32.8	17.6	30.2	4.4	29.3	10.3	3.7	12.4	2.5	7.9
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	-	-	1	-	-	-	1	-
15 - 19	35	56	9	21	-	12	2	12	2	11	5
20 - 29	182	163	19	76	4	75	3	8	8	4	4
30 - 39	56	50	6	19	-	29	3	2	3	-	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	305	271	34	116	4	117	8	22	13	16	9
Rate	12.2	12.0	14.2	10.6	3.5	10.0	6.4	2.0	11.5	1.4	7.1
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 43.0 %Fertility Rate 53.6

Delivered By:

Born in Hospital:

Fourth & over 11.8 %Premature Births 6.2Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 196.7Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	-	-	-	-	-	-
Rate	-	-	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes - %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
<u>No.</u>	265	239	26	8	6	1	1
<u>Rate</u>	10.6	10.5	10.9	31.9	23.9	4.0	4.0
<u>Ky. Rate</u>	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant	
No.	245	211	34	-	6	5	5	6
Rate	9.8	9.3	14.2	-	19.7	16.4	16.4	19.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 73

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	5	1623.4	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	1	11.9	1	11.9	11	-	-	-	-
35 - 44	-	-	-	-	2	70.9	1	35.4	12	1	250.6	-	-
45 - 64	-	-	-	-	-	-	24	472.3	13	-	-	-	-
65 & over	-	-	-	-	5	166.5	76	2530.8	14	-	-	-	-
Total	5	19.9	-	-	8	31.9	102	406.9	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	-	-	-	-
									25 - 29	1	53.6	-	-
									30 - 34	-	-	-	-
									35 - 44	3	106.3	-	-
									45 - 64	3	59.0	2	39.4
									65 & over	-	-	2	66.6
									Total	8	31.9	4	16.0
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	5	98.4	-	-	-	-	-	-
65 & over	20	666.0	4	133.2	3	99.9	1	33.3
Total	25	99.7	4	16.0	3	12.0	1	4.0
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

CLARK

OCCURRENCE BIRTHS

No.	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	355	339	16	147	4	138	1	24	8	30	3
Rate	12.5	12.8	8.7	11.4	4.7	10.2	1.0	1.9	9.4	2.2	3.1
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	105	95	10	35	1	38	-	9	7	13	2
20 - 29	256	243	13	121	6	100	1	12	4	10	2
30 - 39	75	68	7	35	3	28	3	3	-	2	1
40 & over	2	2	-	-	-	-	-	1	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	438	408	30	191	10	166	4	25	11	26	5
Rate	15.5	15.4	16.4	14.8	11.7	12.2	4.1	1.9	12.9	1.9	5.1
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.9 %Fertility Rate 66.7

Delivered By:

Born in Hospital:

Fourth & over 11.0 %Premature Births 5.5Physician 99.5 %Physician 99.5 %Rate of Illegitimacy 155.8Midwife 0.2 %Midwife - %

RESIDENT STILLBIRTHS

No.	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	4	1	2	1	1
Rate	11.4	9.8	33.3	29.9	19.6	62.5
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 40.0 %Fetal Causes 60.0 %Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
<u>No.</u>	206	182	24	11	4	1	6
<u>Rate</u>	7.3	6.9	13.1	38.8	14.1	3.5	21.2
<u>Ky. Rate</u>	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Maternal</u>	<u>Neonatal</u>	<u>Under 1 week</u>	<u>(Early Neonatal)</u>	<u>Infant</u>
No.	217	186	31	-	2	1	6	4
Rate	7.7	7.0	16.9	-	4.6	2.3	13.5	9.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	74							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	1	216.0	2	432.0	-	-	-	-	Under 1	1	216.0	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	4	181.2	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	2	59.0	12	-	-	-	-
45 - 64	-	-	-	-	2	37.0	25	462.8	13	-	-	-	-
65 & over	-	-	-	-	7	237.0	75	2538.9	14	-	-	-	-
Total	1	3.5	2	7.1	9	31.8	102	360.1	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	-	-	-	-
									19	-	-	-	-
									20 - 24	2	88.7	-	-
									25 - 29	1	42.9	-	-
									30 - 34	1	40.8	-	-
									35 - 44	-	-	-	-
									45 - 64	1	18.5	3	55.5
									65 & over	3	101.6	1	33.9
									Total	13	45.9	4	14.1
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

1981

ESTILL

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	128	128	-	49	-	58	-	12	-	9	-
Rate	8.8	8.8	-	7.0	-	7.8	-	1.7	-	1.2	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	-	-	-	-	1	-	-	-
15 - 19	64	64	-	27	-	25	-	2	-	10	-
20 - 29	133	133	-	45	-	73	-	6	-	9	-
30 - 39	31	31	-	9	-	21	-	-	-	1	-
40 & over	3	3	-	-	-	2	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	232	232	-	81	-	121	-	10	-	20	-
Rate	16.0	16.0	-	11.5	-	16.2	-	1.4	-	2.7	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 34.5 %Fertility Rate 73.1

Delivered By:

Born in Hospital:

Fourth & over 17.7 %Premature Births 9.5Physician 99.6 %Physician 99.1 %Rate of Illegitimacy 128.8Midwife 0.4 %Midwife 0.4 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	4.3	4.3	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	93	93	-	9	7	-	2
Rate	6.4	6.4	-	62.1	48.3	-	13.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	141	140	1	-	1	1	2	3
Rate	9.7	9.7	38.5	-	4.3	4.3	8.6	12.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	448.4	1	448.4	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	79.0	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	1	58.8	-	-	1	58.8	12	-	-	-
45 - 64	-	-	-	-	-	-	9	348.8	13	-	-	-
65 & over	-	-	-	-	4	204.4	52	2657.1	14	-	-	-
Total	1	6.9	2	13.8	4	27.6	62	427.7	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate				
Under 6	-	-	-	-	-	-	-	-	18	1	386.1	-
6 - 14	-	-	-	-	-	-	-	-	19	-	-	-
15 - 34	-	-	-	-	-	-	-	-	20 - 24	1	93.0	1
35 - 44	-	-	-	-	-	-	-	-	25 - 29	-	-	-
45 - 64	1	38.8	-	-	-	-	-	-	30 - 34	-	-	-
65 & over	11	562.1	2	102.2	2	102.2	2	102.2	35 - 44	1	58.8	-
Total	12	82.8	2	13.8	2	13.8	2	13.8	45 - 64	1	38.8	-
Ky. Rate		81.9		17.0		13.4		6.0	65 & over	2	102.2	-
U.S. Rate		71.0		15.0		12.6		5.9	Total	7	48.3	1
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

1981

FAYETTE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	5,822	5,080	742	2,326	154	2,166	136	331	239	257	213
Rate	28.5	29.1	25.1	27.5	11.1	24.1	8.7	3.9	17.3	2.9	13.5
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	9	6	3	-	-	3	-	1	1	2	2
15 - 19	462	233	169	99	5	88	8	60	87	46	69
20 - 29	2,082	1,719	363	810	92	726	77	103	101	80	93
30 - 39	615	545	70	279	26	242	21	13	13	11	10
40 & over	21	18	3	5	3	10	-	2	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	3,189	2,581	608	1,193	126	1,069	106	179	202	140	174
Rate	15.6	14.8	20.6	14.1	9.1	11.9	6.7	2.1	14.6	1.6	11.1
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.5 %

Fertility Rate 57.1

Delivered By:

Born in Hospital:

Fourth & over 8.9 %

Premature Births 6.2

Physician 98.5 %

Physician 98.2 %

Rate of Illegitimacy 217.6

Midwife 1.3 %

Midwife 1.0 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	33	26	7	6	2	4
Rate	10.3	10.1	11.5	8.6	6.3	10.6
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 48.5 %

Fetal Causes 51.5 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	3,198	2,842	356	128	63	28	37
Rate	15.7	16.3	12.0	62.7	30.9	13.7	18.1
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

				BIRTH-RELATED AND INFANT DEATHS				
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	1,561	1,300	261	-	22	21	54	33
Rate	7.6	7.4	8.8	-	6.9	6.6	16.8	10.3
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

		Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease					Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate	
Under 1	16	520.2	9	292.6	-	-	1	32.5	Under 1	1	32.5	-	-			
1 - 5	-	-	1	7.3	-	-	1	7.3	1 - 5	1	7.3	-	-			
6 - 14	-	-	-	-	-	-	1	3.9	6 - 10	1	7.0	-	-			
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-			
35 - 44	-	-	1	4.4	-	-	8	35.5	12	-	-	-	-			
45 - 64	-	-	1	2.9	8	22.8	127	362.2	13	-	-	-	-			
65 & over	-	-	1	5.7	33	188.1	461	2627.4	14	-	-	-	-			
Total	16	7.8	13	6.4	41	20.1	599	293.4	15	-	-	-	-			
Ky. Rate		9.2		6.1		27.4		350.6	16	1	32.8	1	32.8			
U.S. Rate		9.4		5.8		24.0		328.7	17	1	30.8	-	-			
									18	3	64.3	-	-			
									19	2	36.1	-	-			
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema									
	No.	Rate	No.	Rate	No.	Rate	No.	Rate								
Under 6	-	-	-	-	-	-	-	-	20 - 24	8	29.3	4	14.7			
6 - 14	-	-	-	-	-	-	-	-	25 - 29	5	22.6	2	9.0			
15 - 34	1	1.2	1	1.2	-	-	-	-	30 - 34	1	5.6	3	16.9			
35 - 44	2	8.9	1	4.4	-	-	-	-	35 - 44	4	17.8	-	-			
45 - 64	18	51.3	7	20.0	-	-	1	2.9	45 - 64	11	31.4	10	28.5			
65 & over	94	535.7	16	91.2	13	74.1	4	22.8	65 & over	17	96.9	4	22.8			
Total	115	56.3	25	12.2	13	6.4	5	2.4	Total	56	27.4	24	11.8			
Ky. Rate		81.9		17.0		13.4		6.0	Ky. Rate		49.1		12.1			
U.S. Rate		71.0		15.0		12.6		5.9	U.S. Rate		44.0		11.4			

1981

FRANKLIN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	839	750	89	323	28	328	21	50	17	49	23
Rate	20.1	19.6	24.5	17.6	15.5	16.5	11.5	2.7	9.4	2.5	12.6
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	6	6	-	1	-	1	-	2	-	2	-
15 - 19	98	92	6	29	1	31	-	13	1	19	4
20 - 29	368	305	63	132	23	142	13	17	12	14	15
30 - 39	120	105	15	50	9	52	6	3	-	-	-
40 & over	3	2	1	1	-	1	1	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	595	510	85	213	33	227	20	35	13	35	19
Rate	14.2	13.4	23.4	11.6	18.2	11.4	11.0	1.9	7.2	1.8	10.4
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 42.4 %Fertility Rate 58.0

Delivered By:

Born in Hospital:

Fourth & over 7.9 %Premature Births 7.6Physician 99.5 %Physician 99.3 %Rate of Illegitimacy 169.7Midwife 0.2 %Midwife 0.2 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	6	5	1	-	-	-
Rate	10.1	9.8	11.8	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 83.3 %Fetal Causes 16.7 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	364	344	20	14	5	2	7
Rate	8.7	9.0	5.5	33.5	12.0	4.8	16.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	387	360	27	-	2	1	7	6
Rate	9.3	9.4	7.4	-	3.4	1.7	11.6	10.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 71

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	3	506.8	2	337.8	-	-	-	-
1 - 5	-	-	-	-	-	-	1	34.3
6 - 14	-	-	-	-	1	17.0	-	-
15 - 34	-	-	-	-	-	-	2	13.3
35 - 44	-	-	-	-	1	19.9	3	59.6
45 - 64	-	-	1	12.2	3	36.6	37	451.4
65 & over	-	-	-	-	11	259.7	124	2928.0
Total	3	7.2	3	7.2	16	38.3	167	399.2
Ky. Rate		9.2		6.1		27.4		350.6
U.S. Rate		9.4		5.8		24.0		328.7

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	1	6.7	-	-	-	-
35 - 44	1	19.9	-	-	-	-	-	-
45 - 64	5	61.0	1	12.2	-	-	-	-
65 & over	21	495.9	7	165.3	-	-	-	-
Total	27	64.5	9	21.5	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate
Under 1	-	-	-	-
1 - 5	-	-	-	-
6 - 10	-	-	-	-
11	1	153.8	-	-
12	-	-	-	-
13	-	-	-	-
14	-	-	-	-
15	-	-	-	-
16	-	-	-	-
17	-	-	-	-
18	-	-	-	-
19	-	-	-	-
20 - 24	-	-	1	26.5
25 - 29	-	-	-	-
30 - 34	4	108.7	-	-
35 - 44	2	39.7	2	39.7
45 - 64	3	36.6	-	-
65 & over	3	70.8	2	47.2
Total	13	31.1	5	12.0
Ky. Rate		49.1		12.1
U.S. Rate		44.0		11.4

1981

GARRARD

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	47	45	2	15	1	23	-	3	-	4	1
Rate	4.3	4.4	3.4	3.0	3.6	4.4	-	0.6	-	0.8	3.1
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	28	26	2	8	-	13	-	3	1	2	1
20 - 29	95	92	3	48	1	37	-	3	2	4	-
30 - 39	21	21	-	4	-	17	-	-	-	-	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	145	140	5	60	1	68	-	6	3	6	1
Rate	13.4	13.6	8.4	11.9	3.6	13.1	-	1.2	10.9	1.2	3.1
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.2 %Fertility Rate 62.1

Delivered By:

Born in Hospital:

Fourth & over 12.4 %Premature Births 7.6Physician 98.6 %Physician 97.9 %Rate of Illegitimacy 108.8Midwife 0.7 %Midwife 0.7 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	-	-	-
Rate	13.8	14.3	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %Fetal Causes - %Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	81	72	9	5	4	-	1
Rate	7.5	7.0	15.1	46.1	36.9	-	9.2
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	103	93	10	-	1	1	3	1
Rate	9.5	9.1	16.8	-	6.9	6.9	20.4	6.9
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 76

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	625.0	-	-	-	-	-	-	Under 1	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	3	240.8	12	-	-	-
45 - 64	-	-	-	-	-	-	8	342.8	13	-	-	-
65 & over	-	-	-	-	2	131.0	30	1964.6	14	-	-	-
Total	1	9.2	-	-	2	18.4	41	377.8	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	518.1	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-
									18	-	-	-
									19	-	-	-
									20 - 24	1	122.5	-
									25 - 29	1	117.5	-
									30 - 34	1	127.7	-
									35 - 44	-	-	-
									45 - 64	-	-	-
									65 & over	5	327.4	-
									Total	9	82.9	-
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	42.8	-	-	-	-	-	-
65 & over	8	523.9	1	65.5	1	65.5	-	-
Total	9	82.9	1	9.2	1	9.2	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

HARRISON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	317	312	5	143	-	141	4	16	-	12	1
Rate	20.9	21.3	10.2	20.0	-	18.7	15.5	2.2	-	1.6	3.9
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	1	1	-	1	-	-	-	-	-	-	-
15 - 19	40	40	-	14	-	13	-	7	-	6	-
20 - 29	174	168	6	79	-	79	4	4	1	6	1
30 - 39	35	34	1	15	-	18	1	1	-	-	-
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	252	245	7	110	-	111	5	12	1	12	1
Rate	16.6	16.7	14.3	15.4	-	14.7	19.4	1.7	4.3	1.6	3.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 35.3 %Fertility Rate 79.6

Delivered By:

Born in Hospital:

Fourth & over 12.3 %Premature Births 7.1Physician 98.8 %Physician 98.8 %Rate of Illegitimacy 102.8Midwife 0.4 %Midwife 0.4 %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	4.0	4.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes - %Fetal Causes 100.0 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	226	215	11	7	4	-	3
Rate	14.9	14.6	22.4	46.2	26.4	-	19.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	224	213	11	-	4	3	4	6
Rate	14.8	14.5	22.4	-	15.9	11.9	15.8	23.8
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	2	952.4	1	476.2	1	476.2	-	-	Under 1	1	476.2	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	1	88.0	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-
35 - 44	-	-	-	-	-	-	1	59.5	12	-	-	-
45 - 64	-	-	-	-	-	-	12	384.2	13	-	-	-
65 & over	-	-	-	-	8	337.3	52	2192.2	14	-	-	-
Total	2	13.2	1	6.6	9	59.3	65	428.6	15	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	357.1	-
									18	-	-	-
									19	-	-	-
									20 - 24	1	85.4	-
									25 - 29	-	-	-
									30 - 34	3	302.4	1 100.8
									35 - 44	2	118.9	-
									45 - 64	-	-	-
									65 & over	2	84.3	-
									Total	11	72.5	1 6.6
									Ky. Rate		49.1	12.1
									U.S. Rate		44.0	11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	2	64.0	-	-	-	-	-	-
65 & over	23	969.6	4	168.6	19	801.0	1	42.2
Total	25	164.8	4	26.4	19	125.3	1	6.6
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

JESSAMINE

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
No.	3	3	-	1	-	2	-	-	-	-	-
Rate	0.1	0.1	-	0.1	-	0.2	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite	Male White	Male Nonwhite	Female White	Female Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	68	60	8	28	-	21	1	5	2	6	5
20 - 29	339	327	12	154	5	152	6	14	-	7	1
30 - 39	71	70	1	36	-	32	1	1	-	1	-
40 & over	2	2	-	-	-	2	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	480	459	21	218	5	207	8	20	2	14	6
Rate	18.4	18.4	17.4	17.8	8.5	16.3	12.9	1.6	3.4	1.1	9.7
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 37.5 %

Fertility Rate 70.2

Delivered By:

Born in Hospital:

Fourth & over 7.5 %

Premature Births 4.6

Physician 97.7 %

Physician 97.5 %

Rate of Illegitimacy 93.7

Midwife 1.9 %

Midwife 1.9 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	11	8	3	4	1	3
Rate	22.9	17.4	162.9	95.2	29.4	375.0
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 63.6 %

Fetal Causes 36.4 %

Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
<u>No.</u>	64	58	6	7	1	1	5
<u>Rate</u>	2.4	2.3	5.0	26.8	3.8	3.8	19.1
<u>Ky. Rate</u>	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Maternal</u>	<u>Neonatal</u>	<u>Under 1 week</u>	<u>(Early Neonatal)</u>	<u>Infant</u>
No.	177	156	21	-	6	5	16	8
Rate	6.8	6.3	17.4	-	12.5	10.4	32.6	16.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	70							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	3	590.6	4	787.4	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	2	66.5	12	-	-	-	-
45 - 64	-	-	-	-	-	-	14	347.5	13	-	-	-	-
65 & over	-	-	-	-	3	145.9	36	1751.0	14	-	-	-	-
Total	3	11.5	4	15.3	3	11.5	52	198.9	15	-	-	-	-
Ky. Rate	9.2		6.1		27.4		350.6		16	-	-	-	-
U.S. Rate	9.4		5.8		24.0		328.7		17	2	445.4	-	-
									18	-	-	-	-
									19	1	161.3	-	-
									20 - 24	1	32.8	2	65.7
									25 - 29	-	-	-	-
									30 - 34	2	88.8	-	-
									35 - 44	1	33.3	-	-
									45 - 64	1	24.8	2	49.6
									65 & over	1	48.6	1	48.6
									Total	9	34.4	5	19.1
									Ky. Rate	49.1		12.1	
									U.S. Rate	44.0		11.4	

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	24.8	-	-	2	49.6	2	49.6
65 & over	11	535.0	2	97.3	6	291.8	-	-
Total	12	45.9	2	7.6	8	30.6	2	7.6
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

LINCOLN

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
No.	-	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-	-	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite	Male White	Nonwhite	Female White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	59	58	1	15	-	26	-	11	-	6	1
20 - 29	160	156	4	72	1	71	2	9	1	4	-
30 - 39	27	25	2	8	-	15	2	2	-	-	-
40 & over	4	4	-	1	-	2	-	-	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	250	243	7	96	1	114	4	22	1	11	1
Rate	13.1	13.3	8.8	10.6	2.4	12.4	10.4	2.4	2.4	1.2	2.6
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 36.4 %Fertility Rate 62.6

Delivered By:

Born in Hospital:

Fourth & over 13.6 %Premature Births 12.8Physician 100.0 %Physician 100.0 %Rate of Illegitimacy 142.3Midwife - %Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	3	3	-	1	1	-
Rate	12.0	12.3	-	28.6	30.3	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 33.3 %Fetal Causes 66.7 %Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	141	139	2	10	6	-	4
Rate	7.4	7.6	2.5	52.5	31.5	-	21.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS						
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week (Early Neonatal)	Infant
No.	214	203	11	-	4	3	6
Rate	11.2	11.1	13.9	-	16.0	12.0	23.7
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA
Median Age at Death	74						12.6

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	4	1393.7	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	1	65.0	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	1	26.4	17	448.5	13	-	-	-	-
65 & over	-	-	-	-	9	361.6	76	3053.4	14	-	-	-	-
Total	4	21.0	-	-	10	52.5	93	488.1	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
									18	2	696.9	-	-
									19	1	366.3	-	-
									20 - 24	1	71.2	-	-
									25 - 29	1	71.5	-	-
									30 - 34	-	-	-	-
									35 - 44	2	93.8	-	-
									45 - 64	2	52.8	-	-
									65 & over	4	160.7	-	-
									Total	14	73.5	-	-
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	1	17.0	-	-	-	-	-	-
35 - 44	1	46.9	-	-	-	-	-	-
45 - 64	3	79.2	-	-	-	-	-	-
65 & over	12	482.1	-	-	2	80.4	-	-
Total	17	89.2	-	-	2	10.5	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

MADISON

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	974	947	27	414	4	439	3	40	9	54	11
Rate	18.3	19.0	7.4	17.6	2.3	16.8	1.6	1.7	5.2	2.1	5.8
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	135	125	10	47	2	48	-	10	5	20	3
20 - 29	458	440	18	209	4	197	2	13	4	21	8
30 - 39	84	82	2	31	-	47	2	1	-	3	-
40 & over	4	4	-	2	-	2	-	-	-	-	-
Unknown	2	-	2	-	-	-	-	-	1	-	1
Total	683	651	32	289	6	294	4	24	10	44	12
Rate	12.8	13.1	8.8	12.3	3.4	11.2	2.1	1.0	5.7	1.7	6.3
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 41.6 %Fertility Rate 43.5

Delivered By:

Born in Hospital:

Fourth & over 11.1 %Premature Births 6.1Physician 98.1 %Physician 97.8 %Rate of Illegitimacy 130.8Midwife 1.3 %Midwife 0.3 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	5	-	-	-	-
Rate	7.3	7.7	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 40.0 %Fetal Causes 60.0 %Abortion - %

1981

OCCURRENCE DEATHS

	ACCIDENTAL						
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	364	340	24	27	7	10	10
Rate	6.8	6.8	6.6	50.6	13.1	18.7	18.7
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	352	326	26	-	3	3	8	3
Rate	6.6	6.6	7.1	-	4.4	4.4	11.6	4.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	73							

SELECTED CAUSES OF DEATH BY AGE GROUP

		Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease				Accidents		Suicide	
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 1	3	403.8	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	1	28.9	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	1	4.1	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	18.8	-	-	12	-	-	-	-
45 - 64	-	-	-	-	1	12.3	29	355.6	-	-	13	-	-	-	-
65 & over	-	-	-	-	8	166.0	124	2572.6	-	-	14	-	-	-	-
Total	3	5.6	2	3.7	9	16.9	154	288.6	-	-	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6			16	1	121.2	-	-
U.S. Rate		9.4		5.8		24.0		328.7			17	-	-	-	-
		Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema							
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	Age Group	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	18	1	48.2	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	20 - 24	1	11.0	-	-
35 - 44	1	18.8	-	-	-	-	-	-	-	-	25 - 29	-	-	-	-
45 - 64	2	24.5	1	12.3	-	-	-	-	-	-	30 - 34	2	55.1	-	-
65 & over	27	560.2	2	41.5	5	103.7	3	62.2	-	-	35 - 44	4	75.0	-	-
Total	30	56.2	3	5.6	5	9.4	3	5.6	-	-	45 - 64	6	73.6	1	12.3
Ky. Rate		81.9		17.0		13.4		6.0			65 & over	9	186.7	3	62.2
U.S. Rate		71.0		15.0		12.6		5.9			Total	24	45.0	4	7.5
											Ky. Rate		49.1		12.1
											U.S. Rate		44.0		11.4

1981

MERCER

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	178	163	15	76	2	63	4	10	4	14	5
Rate	9.4	9.0	17.2	8.7	5.0	6.7	8.6	1.1	9.9	1.5	10.7
Ky. Rate	15.8	15.4	21.5	14.3	10.8	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	51	46	5	19	-	16	1	5	3	6	1
20 - 29	177	164	13	79	3	75	3	3	2	7	5
30 - 39	43	41	2	21	-	19	2	-	-	1	-
40 & over	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	271	251	20	119	3	110	6	8	5	14	6
Rate	14.3	13.8	23.0	13.6	7.4	11.7	12.9	0.9	12.4	1.5	12.9
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 39.1 %

Fertility Rate 65.4

Delivered By:

Born in Hospital:

Fourth & over 10.7 %

Premature Births 7.0

Physician 99.6 %

Physician 99.6 %

Rate of Illegitimacy 124.5

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	2	2	-	1	1	-
Rate	7.4	8.0	-	30.3	45.5	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 50.0 %

Fetal Causes 50.0 %

Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
No.	164	158	6	6	2	2	2
Rate	8.6	8.7	6.9	31.6	10.5	10.5	10.5
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	186	177	9	-	2	2	4	3
Rate	9.8	9.8	10.3	-	7.4	7.4	14.7	11.1
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	77							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	342.5	1	342.5	-	-	-	-	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1	72.4	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	1	16.9	-	-	-	-
35 - 44	-	-	-	-	-	-	1	44.9	-	-	-	-
45 - 64	-	-	-	-	1	25.2	16	402.7	-	-	-	-
65 & over	-	-	-	-	12	481.5	68	2728.7	-	-	-	-
Total	1	5.3	1	5.3	13	68.4	86	452.4	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6				
U.S. Rate		9.4		5.8		24.0		328.7				

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	1 - 5	1	72.4	-	-
15 - 34	1	16.9	-	-	-	-	-	-	6 - 10	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	11	-	-	-	-
45 - 64	1	25.2	-	-	-	-	-	-	12	-	-	-	-
65 & over	10	401.3	4	160.5	2	80.3	-	-	13	-	-	-	-
Total	12	63.1	4	21.0	2	10.5	-	-	14	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	15	-	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	16	-	-	-	-

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	17	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	18	1	333.3	-	-
15 - 34	1	16.9	-	-	-	-	-	-	19	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	20 - 24	1	69.3	-	-
45 - 64	1	25.2	-	-	-	-	-	-	25 - 29	-	-	-	-
65 & over	10	401.3	4	160.5	2	80.3	-	-	30 - 34	-	-	-	-
Total	12	63.1	4	21.0	2	10.5	-	-	35 - 44	1	44.9	3	134.7
Ky. Rate		81.9		17.0		13.4		6.0	45 - 64	1	25.2	-	-
U.S. Rate		71.0		15.0		12.6		5.9	65 & over	3	120.4	-	-

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	Total	8	42.1	3	15.8
6 - 14	-	-	-	-	-	-	-	-	Ky. Rate		49.1		12.1
15 - 34	1	16.9	-	-	-	-	-	-	U.S. Rate		44.0		11.4
35 - 44	-	-	-	-	-	-	-	-					
45 - 64	1	25.2	-	-	-	-	-	-					
65 & over	10	401.3	4	160.5	2	80.3	-	-					
Total	12	63.1	4	21.0	2	10.5	-	-					
Ky. Rate		81.9		17.0		13.4		6.0					
U.S. Rate		71.0		15.0		12.6		5.9					

1981

NICHOLAS

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	55	54	1	21	1	18	-	8	-	7	-
Rate	7.7	7.7	7.4	6.2	14.9	5.0	-	2.4	-	1.9	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	-	-	-	-	-	-	-	-	-	-	-
15 - 19	18	18	-	7	-	6	-	3	-	2	-
20 - 29	51	51	-	25	-	24	-	1	-	1	-
30 - 39	17	16	1	7	1	9	-	-	-	-	-
40 & over	2	2	-	1	-	-	-	-	-	1	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	88	87	1	40	1	39	-	4	-	4	-
Rate	12.3	12.4	7.4	11.8	14.9	10.8	-	1.2	-	1.1	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.6 %

Fertility Rate 59.2

Delivered By:

Born in Hospital:

Fourth & over 10.2 %

Premature Births 3.4

Physician 100.0 %

Physician 100.0 %

Rate of Illegitimacy 89.9

Midwife - %

Midwife - %

RESIDENT STILLBIRTHS

	Total	White	Nonwhite	Illegitimate		
				Total	White	Nonwhite
No.	1	1	-	-	-	-
Rate	11.4	11.5	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 100.0 %

Fetal Causes - %

Abortion - %

1981

OCCURRENCE DEATHS

ACCIDENTAL

	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	57	57	-	3	3	-	-
Rate	8.0	8.1	-	41.9	41.9	-	-
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

BIRTH-RELATED AND INFANT DEATHS

	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	78	78	-	-	-	-	1	1
Rate	10.9	11.1	-	-	-	-	11.2	11.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6

Median Age at Death 75

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	1	833.3	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	12	-	-	-	-
45 - 64	-	-	-	-	-	-	6	414.9	13	-	-	-	-
65 & over	-	-	-	-	1	95.2	11	1047.6	14	-	-	-	-
Total	-	-	-	-	1	14.0	18	251.5	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	1	740.7
									18	1	819.7	-	-
									19	-	-	-	-
									20 - 24	2	386.1	-	-
									25 - 29	1	194.6	-	-
									30 - 34	-	-	-	-
									35 - 44	-	-	1	127.7
									45 - 64	-	-	-	-
									65 & over	2	190.5	1	95.2
									Total	6	83.8	3	41.9
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	-	-	-	-	-	-	-	-
65 & over	16	1523.8	3	285.7	5	476.2	1	95.2
Total	16	223.6	3	41.9	5	69.9	1	14.0
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

1981

POWELL

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	3	3	-	1	-	2	-	-	-	-	-
Rate	0.3	0.3	-	0.2	-	0.4	-	-	-	-	-
Ky. Rate	15.8	13.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	-	-	-	-	1	-	1	-
15 - 19	41	41	-	17	-	12	-	8	-	4	-
20 - 29	115	115	-	42	-	57	-	9	-	7	-
30 - 39	27	27	-	15	-	10	-	-	-	2	-
40 & over	1	1	-	-	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	186	186	-	74	-	80	-	18	-	14	-
Rate	16.8	17.0	-	13.5	-	14.6	-	3.3	-	2.6	-
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 31.7 %

Fertility Rate 72.0

Delivered By:

Born in Hospital:

Fourth & over 18.3 %

Premature Births 7.0

Physician 98.4 %

Physician 97.3 %

Rate of Illegitimacy 178.9

Midwife 1.1 %

Midwife 1.1 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	4	4	-	2	2	-
Rate	21.5	21.5	-	62.5	62.5	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 75.0 %

Fetal Causes 25.0 %

Abortion - %

1981

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	38	36	2	9	7	1	1
Rate	3.4	3.3	15.3	81.1	63.1	9.0	9.0
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	89	86	3	-	-	-	4	1
Rate	8.0	7.8	22.9	-	-	-	21.1	5.4
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	71							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Accidents			Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	2	151.3	12	-	-	-	-
45 - 64	-	-	1	56.5	1	56.5	5	282.6	13	-	-	-	-
65 & over	-	-	-	-	2	179.4	26	2331.8	14	-	-	-	-
Total	-	-	1	9.0	3	27.0	33	297.3	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	1	423.7	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	-	-	-	-
	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema		18	2	1075.3	-	-
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	19	-	-	-	-
Under 6	-	-	-	-	-	-	-	-	20 - 24	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	25 - 29	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	30 - 34	-	-	-	-
35 - 44	-	-	1	75.6	-	-	-	-	35 - 44	1	75.6	-	-
45 - 54	-	-	1	56.5	-	-	-	-	45 - 64	1	56.5	-	-
65 & over	8	717.5	1	89.7	2	179.4	1	89.7	65 & over	3	269.1	-	-
Total	8	72.1	3	27.0	2	18.0	1	9.0	Total	8	72.1	-	-
Ky. Rate		81.9		17.0		13.4		6.0	Ky. Rate		49.1		12.1
U.S. Rate		71.0		15.0		12.6		5.9	U.S. Rate		44.0		11.4

1981

SCOTT

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	55	54	1	23	-	23	1	5	-	3	-
Rate	2.5	2.7	0.6	2.3	-	2.2	1.2	0.5	-	0.3	-
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	2	2	-	1	-	-	-	1	-	-	-
15 - 19	57	54	3	15	-	26	1	7	1	6	1
20 - 29	200	186	14	84	4	79	4	14	2	9	4
30 - 39	49	49	-	24	-	24	-	1	-	-	-
40 & over	1	1	-	1	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	309	292	17	125	4	129	5	23	3	15	5
Rate	14.2	14.4	10.7	12.6	5.2	12.5	6.1	2.3	3.9	1.5	6.1
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 35.0 %

Fertility Rate 59.1

Delivered By:

Born in Hospital:

Fourth & over 10.0 %

Premature Births 5.8

Physician 98.4 %

Physician 98.4 %

Rate of Illegitimacy 146.5

Midwife 1.6 %

Midwife 1.3 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	5	-	-	-	-
Rate	16.2	17.1	-	-	-	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 40.0 %

Fetal Causes 60.0 %

Abortion - %

OCCURRENCE DEATHS

				ACCIDENTAL			
	Total	White	Nonwhite	Total	Motor Vehicle	Falls	Other
No.	138	126	12	8	4	1	3
Rate	6.3	6.2	7.6	36.7	18.3	4.6	13.8
Ky. Rate	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	Total	White	Nonwhite	Maternal	Neonatal	Under 1 week	(Early Neonatal)	Infant
No.	181	166	15	-	4	4	9	5
Rate	8.3	8.2	9.4	-	12.9	12.9	28.7	16.2
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	76							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and influenza		Heart Disease		Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	1	274.7	4	1098.9	-	-	-	-	-	-	-	-
1 - 5	-	-	1	57.1	-	-	-	-	1	57.1	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	1	38.9	-	-	-	-
45 - 64	-	-	-	-	3	77.6	9	232.7	-	-	-	-
65 & over	-	-	-	-	11	475.0	55	2374.8	-	-	-	-
Total	1	4.6	5	22.9	14	64.2	65	298.0	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	-	-	-	-
U.S. Rate		9.4		5.8		21.0		328.7	-	-	-	-
Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema					
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-	-	-	-	-
45 - 64	1	25.9	-	-	1	25.9	-	-	-	-	-	-
65 & over	15	647.7	1	43.2	3	129.5	1	43.2	-	-	-	-
Total	16	73.4	1	4.6	4	18.3	1	4.6	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0	-	-	-	-
U.S. Rate		71.0		15.0		12.6		5.9	-	-	-	-
Age Group	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	-	-	-	-
1 - 5	1	57.1	-	-	-	-	-	-	-	-	-	-
6 - 10	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	1	189.8	-	-	-	-	-	-	-	-	-	-
20 - 24	1	46.9	-	-	-	-	-	-	-	-	-	-
25 - 29	-	-	-	-	-	-	-	-	-	-	-	-
30 - 34	-	-	-	-	-	-	-	-	-	-	-	-
35 - 44	1	38.9	-	-	-	-	-	-	-	-	-	-
45 - 64	2	51.7	-	-	-	-	-	-	-	-	-	-
65 & over	4	172.7	1	43.2	-	-	-	-	-	-	-	-
Total	10	45.8	1	4.6	-	-	-	-	-	-	-	-
Ky. Rate		49.1		12.1	-	-	-	-	-	-	-	-
U.S. Rate		44.0		11.4	-	-	-	-	-	-	-	-

1981

WOODFORD

OCCURRENCE BIRTHS

	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
No.	109	100	9	54	4	41	2	5	2	-	1
Rate	6.1	6.1	6.4	6.2	6.0	4.8	2.7	0.6	3.0	-	1.3
Ky. Rate	15.8	15.4	21.5	14.3	10.9	13.0	10.2	1.8	11.3	1.6	10.6

RESIDENT BIRTHS

Age of Mother	Total			Legitimate				Illegitimate			
	Total	White	Nonwhite	Male		Female		Male		Female	
				White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
10 - 14	3	2	1	-	-	-	-	-	-	2	1
15 - 19	36	35	1	13	-	8	-	10	-	4	1
20 - 29	158	142	16	61	5	72	4	4	3	5	4
30 - 39	38	35	3	12	2	23	1	-	-	-	-
40 & over	2	2	-	1	-	1	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-
Total	237	216	21	87	7	104	5	14	3	11	6
Rate	13.3	13.2	14.8	11.0	10.5	12.3	6.7	1.8	4.5	1.3	8.0
Ky. Rate	15.6	15.2	20.7	14.1	10.2	12.9	9.5	1.8	11.1	1.6	10.5
U.S. Rate	15.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

First Births 38.4 %

Fertility Rate 53.7

Delivered By:

Born in Hospital:

Fourth & over 8.4 %

Premature Births 6.8

Physician 99.2 %

Physician 99.2 %

Rate of Illegitimacy 148.8

Midwife 0.8 %

Midwife 0.4 %

RESIDENT STILLBIRTHS

	Total			Illegitimate		
	Total	White	Nonwhite	Total	White	Nonwhite
No.	5	5	-	2	2	-
Rate	21.1	23.1	-	58.8	80.0	-
Ky. Rate	9.8	9.2	15.6	15.7	13.7	19.3

Maternal Causes 60.0 %

Fetal Causes 40.0 %

Abortion - %

OCCURRENCE DEATHS

	ACCIDENTAL						
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Total</u>	<u>Motor Vehicle</u>	<u>Falls</u>	<u>Other</u>
<u>No.</u>	116	103	13	4	2	-	2
<u>Rate</u>	6.5	6.3	9.2	22.5	11.2	-	11.2
<u>Ky. Rate</u>	9.0	9.0	9.1	48.7	23.7	6.9	18.1

RESIDENT DEATHS

	BIRTH-RELATED AND INFANT DEATHS							
	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>	<u>Maternal</u>	<u>Neonatal</u>	<u>Under 1 week</u> <u>(Early Neonatal)</u>	<u>Infant</u>	
No.	133	110	23	-	-	-	5	1
Rate	7.5	6.7	16.2	-	-	-	20.7	4.2
U.S. Rate	8.7	8.9	7.6	0.1	7.9	NA	NA	12.6
Median Age at Death	75							

SELECTED CAUSES OF DEATH BY AGE GROUP

Age Group	Certain Causes in Early Infancy		Congenital Malformations		Pneumonia and Influenza		Heart Disease		Age Group	Accidents		Suicide	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Under 1	-	-	-	-	-	-	-	-	Under 1	-	-	-	-
1 - 5	-	-	-	-	-	-	-	-	1 - 5	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-	6 - 10	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-	11	-	-	-	-
35 - 44	-	-	-	-	-	-	1	41.4	12	-	-	-	-
45 - 64	-	-	-	-	2	62.4	8	249.5	13	-	-	-	-
65 & over	-	-	-	-	3	172.1	44	2524.4	14	1	276.2	-	-
Total	-	-	-	-	5	28.1	53	298.1	15	-	-	-	-
Ky. Rate		9.2		6.1		27.4		350.6	16	-	-	-	-
U.S. Rate		9.4		5.8		24.0		328.7	17	1	257.7	-	-
									18	-	-	-	-
									19	1	342.5	-	-
									20 - 24	1	73.6	-	-
									25 - 29	2	141.8	-	-
									30 - 34	-	-	-	-
									35 - 44	-	-	-	-
									45 - 64	1	31.2	1	31.2
									65 & over	1	57.4	1	57.4
									Total	8	45.0	2	10.2
									Ky. Rate		49.1		12.1
									U.S. Rate		44.0		11.4

Age Group	Cerebrovascular Disease		Diabetes Mellitus		Arteriosclerosis		Emphysema	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Under 6	-	-	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-	-	-
15 - 34	-	-	-	-	-	-	-	-
35 - 44	-	-	-	-	-	-	-	-
45 - 64	1	31.2	1	31.2	-	-	-	-
65 & over	13	745.8	-	-	-	-	-	-
Total	14	78.7	1	5.6	-	-	-	-
Ky. Rate		81.9		17.0		13.4		6.0
U.S. Rate		71.0		15.0		12.6		5.9

SECTION III

1981

SELECTED

CANCER DEATHS


1981

KENTUCKY

SELECTED CANCER DEATHS

		AGE GROUPS									
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER	
TOTAL MALIGNANT NEOPLASMS (140 - 208)		No. Rate	6,973 190.5	9 3.2	23 3.9	38 5.4	94 16.1	222 54.9	718 202.7	1,605 483.3	4,264 1040.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)		No. Rate	123 3.4	0 -	0 -	1 0.1	1 0.2	4 1.0	16 4.5	40 12.0	61 14.9
DIGESTIVE ORGANS (150 - 159)		No. Rate	1,799 49.1	0 -	0 -	2 0.3	14 2.4	30 7.4	144 40.6	347 104.5	1,262 307.9
Stomach (151)		No. Rate	197 5.4	0 -	0 -	0 -	2 0.3	3 0.7	16 4.5	40 12.0	136 33.2
Colon and Rectum (153 - 154) Male		No. Rate	442 24.7	0 -	0 -	0 -	6 2.1	10 5.0	36 21.1	89 57.3	301 179.6
Female		No. Rate	445 23.8	0 -	0 -	1 0.3	2 0.7	3 2.4	29 15.8	77 43.6	331 136.7
Liver (155)		No. Rate	96 2.6	0 -	0 -	0 -	0 -	2 0.5	4 1.1	19 5.7	71 17.3
Pancreas (157)		No. Rate	348 9.5	0 -	0 -	0 -	0 -	4 1.0	25 7.1	69 20.8	250 61.0
RESPIRATORY & INTRATHORACIC (160 - 165)		No. Rate	2,142 58.5	0 -	0 -	2 0.3	3 0.5	53 13.1	268 75.7	662 199.3	1,154 281.6
Larynx (161)		No. Rate	55 1.5	0 -	0 -	0 -	0 -	1 0.2	5 1.4	15 4.5	34 8.3
Trachea, Bronchus, Lungs (162) Male		No. Rate	1,531 85.5	0 -	0 -	0 -	3 1.0	32 16.1	171 100.1	482 310.2	842 502.3
Female		No. Rate	538 28.7	0 -	0 -	1 0.3	0 -	20 9.7	89 48.5	161 91.1	267 110.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)		No. Rate	732 20.0	0 -	3 0.5	7 1.0	30 5.1	51 12.6	107 30.2	159 67.9	375 91.5
Bone & Articular Cartilage (170)		No. Rate	31 0.8	0 -	2 0.3	3 0.4	1 0.2	2 0.5	3 0.8	6 1.8	14 3.4
Skin (172 - 173)		No. Rate	115 3.1	0 -	0 -	1 0.1	9 1.5	10 2.5	14 4.0	14 4.2	67 16.3
Breast, female (174)		No. Rate	535 28.6	0 -	0 -	0 -	16 5.4	37 18.0	84 45.8	126 71.3	272 112.3
GENITOURINARY ORGANS (179 - 189)		No. Rate	1,039 28.4	1 0.4	2 0.3	6 0.9	11 1.9	42 10.4	79 22.3	164 49.4	734 179.1
Uterus (179, 182)		No. Rate	93 5.0	0 -	0 -	1 0.3	0 -	3 1.5	8 4.4	18 10.2	62 26.0
Cervix (180)		No. Rate	120 6.4	0 -	0 -	1 0.3	3 1.7	17 8.3	22 12.0	26 14.7	49 20.2
Prostate (185)		No. Rate	338 18.9	0 -	0 -	0 -	0 -	0 -	6 3.5	31 20.0	301 179.6
Bladder (188)		No. Rate	157 4.3	0 -	0 -	0 -	0 -	3 0.7	6 1.7	23 6.9	125 30.3
OTHER UNSPECIFIED SITES (190 - 199)		No. Rate	561 15.3	7 2.5	6 1.0	6 0.9	14 2.4	18 4.4	63 17.8	125 37.6	322 78.6
Brain (191)		No. Rate	154 4.2	5 1.8	4 0.7	4 0.6	10 1.7	8 2.0	25 7.1	48 14.5	50 12.2
Thyroid (193)		No. Rate	16 0.4	0 -	0 -	0 -	0 -	2 0.5	0 -	2 0.6	12 2.9
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)		No. Rate	577 15.8	1 0.4	12 2.0	14 2.0	21 3.6	24 5.9	41 11.6	108 32.5	356 86.9
Lymphosarcoma & Reticulosarcoma (200)		No. Rate	59 1.6	0 -	0 -	2 0.3	0 -	3 0.7	5 1.4	8 2.4	41 10.0
Hodgkin's Disease (201)		No. Rate	45 1.2	0 -	1 0.2	1 0.1	5 0.9	5 1.2	5 1.4	6 1.8	22 5.4
Leukemia (204 - 208)		No. Rate	242 6.6	1 0.4	11 1.9	10 1.4	12 2.0	9 2.2	14 4.0	39 11.7	146 35.6

DISTRICT 1 - PURCHASE



1981

DISTRICT 1

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	386 214.0	1 8.4	1 4.0	2 6.2	6 23.2	7 34.9	25 139.4	79 411.5	265 939.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	3 1.7	0 -	0 -	0 -	0 -	0 -	0 -	2 10.4	1 3.5
DIGESTIVE ORGANS (150 - 159)	No. Rate	89 49.3	0 -	0 -	0 -	3 11.6	0 -	1 5.6	11 57.3	74 262.4
Stomach (151)	No. Rate	6 3.3	0 -	0 -	0 -	0 -	0 -	0 -	2 10.4	4 14.2
Colon and Rectum (153 - 154) Male	No. Rate	25 29.0	0 -	0 -	0 -	3 23.4	0 -	1 11.7	4 45.3	17 149.5
Female	No. Rate	28 29.8	0 -	0 -	0 -	0 -	0 -	0 -	4 38.6	24 142.7
Liver (155)	No. Rate	3 1.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 10.6
Pancreas (157)	No. Rate	16 8.9	0 -	0 -	0 -	0 -	0 -	0 -	1 5.2	15 53.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	121 67.1	0 -	0 -	0 -	1 3.9	2 10.0	13 72.5	37 192.7	68 241.2
Larynx (161)	No. Rate	3 1.7	0 -	0 -	0 -	0 -	0 -	0 -	2 10.4	1 3.5
Trachea, Bronchus, Lungs (162) Male	No. Rate	90 104.3	0 -	0 -	0 -	1 7.8	1 10.2	9 105.3	27 305.9	52 457.1
Female	No. Rate	27 28.7	0 -	0 -	0 -	0 -	1 9.7	3 32.0	8 77.1	15 89.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	36 20.0	0 -	0 -	0 -	0 -	3 14.9	3 16.7	10 52.1	20 70.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	5 2.8	0 -	0 -	0 -	0 -	0 -	1 5.6	0 -	4 14.2
Breast, female (174)	No. Rate	27 28.7	0 -	0 -	0 -	0 -	3 29.2	1 10.7	9 86.8	14 83.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	66 36.6	0 -	0 -	0 -	0 -	0 -	4 23.3	5 26.0	57 202.2
Uterus (179, 182)	No. Rate	6 6.4	0 -	0 -	0 -	0 -	0 -	0 -	2 19.3	4 23.8
Cervix (180)	No. Rate	7 7.4	0 -	0 -	0 -	0 -	0 -	1 10.7	2 19.3	4 23.8
Prostate (185)	No. Rate	24 27.8	0 -	0 -	0 -	0 -	0 -	2 23.4	0 -	22 193.4
Bladder (188)	No. Rate	15 8.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	15 53.2
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	33 18.3	0 -	0 -	1 3.1	2 7.7	0 -	3 16.7	5 26.0	22 78.0
Brain (191)	No. Rate	11 6.1	0 -	0 -	1 3.1	1 3.9	0 -	1 5.6	3 15.6	5 17.7
Thyroid (193)	No. Rate	1 0.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 3.5
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	38 21.1	1 8.4	1 4.0	1 3.1	0 -	2 10.0	1 5.6	9 46.9	23 81.6
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	2 1.1	0 -	0 -	0 -	0 -	0 -	0 -	1 5.2	1 3.5
Hodgkin's Disease (201)	No. Rate	3 1.7	0 -	0 -	0 -	0 -	1 5.0	0 -	0 -	2 7.1
Leukemia (204 - 208)	No. Rate	18 10.0	1 8.4	1 4.0	1 3.1	0 -	0 -	0 -	5 26.0	10 35.5

1981

BALLARD

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	20 227.3	0 -	0 -	0 -	0 -	1 98.9	0 -	9 1009.0	10 658.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	2 22.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 131.7
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	1 11.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 65.8
Pancreas (157)	No. Rate	1 11.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 65.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 79.6	0 -	0 -	0 -	0 -	0 -	0 -	4 448.4	3 197.5
Larynx (161)	No. Rate	1 11.4	0 -	0 -	0 -	0 -	0 -	0 -	1 112.1	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	6 141.2	0 -	0 -	0 -	0 -	0 -	0 -	3 742.6	3 468.0
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 22.7	0 -	0 -	0 -	0 -	0 -	0 -	1 112.1	1 65.8
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 22.7	0 -	0 -	0 -	0 -	0 -	0 -	1 112.1	1 65.8
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 34.1	0 -	0 -	0 -	0 -	0 -	0 -	1 112.1	2 131.7
Brain (191)	No. Rate	1 11.4	0 -	0 -	0 -	0 -	0 -	0 -	1 112.1	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 45.5	0 -	0 -	0 -	0 -	1 98.9	0 -	2 224.2	1 65.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 11.4	0 -	0 -	0 -	0 -	0 -	0 -	1 112.1	0 -

1981

CALLOWAY

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	49	0	0	1	0	2	1	4	41
	Rate	163.2	-	-	12.5	-	64.0	40.4	139.8	941.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	17	0	0	0	0	0	0	1	16
	Rate	56.6	-	-	-	-	-	-	34.9	367.5
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	4	0	0	0	0	0	0	0	4
	Rate	27.7	-	-	-	-	-	-	-	216.5
Female	No.	6	0	0	0	0	0	0	0	6
	Rate	38.5	-	-	-	-	-	-	-	239.4
Liver (155)	No.	1	0	0	0	0	0	0	0	1
	Rate	3.3	-	-	-	-	-	-	-	23.0
Pancreas (157)	No.	5	0	0	0	0	0	0	1	4
	Rate	16.6	-	-	-	-	-	-	34.9	91.9
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	9	0	0	0	0	0	0	2	7
	Rate	30.0	-	-	-	-	-	-	69.9	160.8
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	9	0	0	0	0	0	0	2	7
	Rate	62.3	-	-	-	-	-	-	150.3	378.8
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	3	0	0	0	0	1	0	1	1
	Rate	10.0	-	-	-	-	32.0	-	34.9	23.0
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	3.3	-	-	-	-	-	-	-	23.0
Breast, female (174)	No.	2	0	0	0	0	1	0	1	0
	Rate	12.8	-	-	-	-	63.4	-	65.3	-
GENITOURINARY ORGANS (179 - 189)	No.	11	0	0	0	0	0	1	0	10
	Rate	36.6	-	-	-	-	-	40.4	-	229.7
Uterus (179, 182)	No.	1	0	0	0	0	0	0	0	1
	Rate	6.4	-	-	-	-	-	-	-	39.9
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	3	0	0	0	0	0	1	0	2
	Rate	20.8	-	-	-	-	-	84.5	-	108.2
Bladder (188)	No.	5	0	0	0	0	0	0	0	5
	Rate	16.6	-	-	-	-	-	-	-	114.8
OTHER UNSPECIFIED SITES (190 - 199)	No.	3	0	0	0	0	0	0	0	3
	Rate	10.0	-	-	-	-	-	-	-	68.9
Brain (191)	No.	1	0	0	0	0	0	0	0	1
	Rate	3.3	-	-	-	-	-	-	-	23.0
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	6	0	0	1	0	1	0	0	4
	Rate	20.0	-	-	12.5	-	32.0	-	-	91.9
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	1	0	0	0	0	1	0	0	0
	Rate	3.3	-	-	-	-	32.0	-	-	-
Leukemia (204 - 208)	No.	3	0	0	1	0	0	0	0	2
	Rate	10	-	-	12.5	-	-	-	-	45.9

1981

CARLISLE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	16 291.6	0 -	0 -	0 -	0 -	1 170.1	1 166.4	3 499.2	11 1122.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 72.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 408.2
Stomach (151)	No. Rate	1 18.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 102.0
Colon and Rectum (153 - 154) Male	No. Rate	1 37.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 239.8
Female	No. Rate	1 35.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 177.6
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 18.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 102.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 91.1	0 -	0 -	0 -	0 -	0 -	1 166.4	1 166.4	3 306.1
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	4 148.6	0 -	0 -	0 -	0 -	0 -	1 340.1	1 375.9	2 479.6
Female	No. Rate	1 35.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 177.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 36.4	0 -	0 -	0 -	0 -	1 170.1	0 -	0 -	1 102.0
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 71.6	0 -	0 -	0 -	0 -	1 331.1	0 -	0 -	1 177.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 36.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 204.1
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	2 74.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 479.6
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 18.2	0 -	0 -	0 -	0 -	0 -	0 -	1 166.4	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 36.4	0 -	0 -	0 -	0 -	0 -	0 -	1 166.4	1 102.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 18.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 102.0
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 18.2	0 -	0 -	0 -	0 -	0 -	0 -	1 166.4	0 -

1981

FULTON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	27 301.0	1 162.3	0 -	0 -	0 -	1 112.0	3 369.9	7 723.9	15 876.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 44.6	0 -	0 -	0 -	0 -	0 -	0 -	1 103.4	3 175.3
Stomach (151)	No. Rate	1 11.1	0 -	0 -	0 -	0 -	0 -	0 -	1 103.4	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	1 20.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 90.6
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	9 100.3	0 -	0 -	0 -	0 -	0 -	1 123.3	4 413.7	4 233.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	6 166.4	0 -	0 -	0 -	0 -	0 -	0 -	3 744.4	3 494.2
Female	No. Rate	3 61.6	0 -	0 -	0 -	0 -	0 -	1 242.1	1 177.3	1 90.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 44.6	0 -	0 -	0 -	0 -	1 112.0	1 123.3	0 -	2 116.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 11.1	0 -	0 -	0 -	0 -	0 -	1 123.3	0 -	0 -
Breast, female (174)	No. Rate	3 61.6	0 -	0 -	0 -	0 -	1 210.5	0 -	0 -	2 181.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	7 78.0	0 -	0 -	0 -	0 -	0 -	1 123.3	1 103.4	5 292.2
Uterus (179, 182)	No. Rate	1 20.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 90.6
Cervix (180)	No. Rate	3 61.6	0 -	0 -	0 -	0 -	0 -	1 242.1	1 177.3	1 90.6
Prostate (185)	No. Rate	2 48.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	- 329.5
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193) *	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 33.4	1 162.3	0 -	0 -	0 -	0 -	0 -	1 103.4	1 58.4
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 22.3	1 162.3	0 -	0 -	0 -	0 -	0 -	0 -	1 58.4

1981

GRAVES

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	85 249.6	0 -	0 -	0 -	2 42.2	2 52.2	4 122.8	16 409.5	61 1024.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	21 61.7	0 -	0 -	0 -	1 21.1	0 -	1 30.7	2 51.2	17 285.5
Stomach (151)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 16.8
Colon and Rectum (153 - 154) Male	No. Rate	6 36.7	0 -	0 -	0 -	1 41.7	0 -	1 64.6	0 -	4 165.2
Female	No. Rate	7 39.5	0 -	0 -	0 -	0 -	0 -	0 -	2 93.8	5 141.6
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	4 11.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 67.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	28 82.2	0 -	0 -	0 -	1 21.1	2 52.2	2 61.4	8 204.8	15 251.9
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	20 122.4	0 -	0 -	0 -	1 41.7	1 53.0	2 129.3	5 281.7	11 454.2
Female	No. Rate	8 45.2	0 -	0 -	0 -	0 -	1 51.5	0 -	3 140.7	4 113.3
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	8 23.5	0 -	0 -	0 -	0 -	0 -	1 30.7	2 51.2	5 84.0
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 16.8
Breast, female (174)	No. Rate	7 39.5	0 -	0 -	0 -	0 -	0 -	1 58.4	2 93.8	4 113.3
GENITOURINARY ORGANS (179 - 189)	No. Rate	17 49.9	0 -	0 -	0 -	0 -	0 -	0 -	2 51.2	15 251.9
Uterus (179, 182)	No. Rate	2 11.3	0 -	0 -	0 -	0 -	0 -	0 -	2 93.8	0 -
Cervix (180)	No. Rate	2 11.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 56.6
Prostate (185)	No. Rate	5 30.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 206.4
Bladder (188)	No. Rate	7 20.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	7 117.6
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	6 17.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	6 100.8
Brain (191)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 16.8
Thyroid (193)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 16.8
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 14.7	0 -	0 -	0 -	0 -	0 -	0 -	2 51.2	3 50.4
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	3 8.8	0 -	0 -	0 -	0 -	0 -	0 -	2 51.2	1 16.8

1981

HICKMAN

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	13 214.3	0 -	0 -	0 -	0 -	0 -	1 177.3	3 448.4	9 794.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	5 82.4	0 -	0 -	0 -	0 -	0 -	0 -	1 149.5	4 353.0
Stomach (151)	No. Rate	1 16.5	0 -	0 -	0 -	0 -	0 -	0 -	1 149.5	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	1 31.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 148.4
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 16.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 88.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 82.4	0 -	0 -	0 -	0 -	0 -	1 177.3	2 299.0	2 176.5
Larynx (161)	No. Rate	1 16.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 88.3
Trachea, Bronchus, Lungs (162) Male	No. Rate	4 137.6	0 -	0 -	0 -	0 -	0 -	1 380.2	2 641.0	1 217.9
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 16.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 88.3
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 31.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 148.4
GENITOURINARY ORGANS (179 - 189)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 16.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 88.3
Brain (191)	No. Rate	1 16.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 88.3
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 16.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 88.3
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

MCCRACKEN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	133 216.9	0 -	0 -	1 10.1	3 31.2	0 -	11 168.2	30 463.3	88 1005.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 3.3	0 -	0 -	0 -	0 -	0 -	0 -	1 15.4	1 11.4
DIGESTIVE ORGANS (150 - 159)	No. Rate	25 40.8	0 -	0 -	0 -	1 10.4	0 -	0 -	5 77.2	19 217.1
Stomach (151)	No. Rate	1 1.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 11.4
Colon and Rectum (153 - 154) Male	No. Rate	11 38.0	0 -	0 -	0 -	1 21.2	0 -	0 -	3 100.3	7 212.0
Female	No. Rate	8 24.7	0 -	0 -	0 -	0 -	0 -	0 -	2 57.4	6 110.1
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	3 4.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 34.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	46 75.0	0 -	0 -	0 -	0 -	0 -	6 91.7	13 200.8	27 308.5
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	33 114.0	0 -	0 -	0 -	0 -	0 -	3 98.1	9 300.9	21 636.0
Female	No. Rate	12 37.1	0 -	0 -	0 -	0 -	0 -	2 57.4	4 114.8	6 110.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	13 21.2	0 -	0 -	0 -	0 -	0 -	1 15.3	5 77.2	7 80.0
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	11 34.0	0 -	0 -	0 -	0 -	0 -	0 -	5 143.5	6 110.1
GENITOURINARY ORGANS (179 - 189)	No. Rate	20 32.6	0 -	0 -	0 -	0 -	0 -	1 15.3	1 15.4	18 205.7
Uterus (179, 182)	No. Rate	1 3.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 18.3
Cervix (180)	No. Rate	2 6.2	0 -	0 -	0 -	0 -	0 -	0 -	1 28.7	1 18.3
Prostate (185)	No. Rate	7 24.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	7 212.0
Bladder (188)	No. Rate	3 4.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 34.3
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	15 24.5	0 -	0 -	1 10.1	2 20.8	0 -	2 30.6	2 30.9	8 91.4
Brain (191)	No. Rate	5 8.2	0 -	0 -	1 10.1	1 10.4	0 -	0 -	1 15.4	2 22.9
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	12 19.6	0 -	0 -	0 -	0 -	0 -	1 15.3	3 46.3	8 91.4
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 1.6	0 -	0 -	0 -	0 -	0 -	0 -	1 15.4	0 -
Hodgkin's Disease (201)	No. Rate	1 1.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 11.4
Leukemia (204 - 208)	No. Rate	6 9.8	0 -	0 -	0 -	0 -	0 -	0 -	1 15.4	5 57.1


1981

MARSHALL

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	43 167.7	0 -	1 27.6	0 -	1 27.8	0 -	4 142.5	7 247.9	30 790.9
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 3.9	0 -	0 -	0 -	0 -	0 -	0 -	1 35.4	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	11 42.9	0 -	0 -	0 -	1 27.8	0 -	0 -	1 35.4	9 237.3
Stomach (151)	No. Rate	1 3.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 26.4
Colon and Rectum (153 - 154) Male	No. Rate	3 23.8	0 -	0 -	0 -	1 55.6	0 -	0 -	1 74.3	1 59.6
Female	No. Rate	4 30.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 189.2
Liver (155)	No. Rate	1 3.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 26.4
Pancreas (157)	No. Rate	1 3.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 26.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	12 46.8	0 -	0 -	0 -	0 -	0 -	2 71.3	3 106.2	7 184.6
Larynx (161)	No. Rate	1 3.9	0 -	0 -	0 -	0 -	0 -	0 -	1 35.4	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	8 63.5	0 -	0 -	0 -	0 -	0 -	2 143.6	2 148.7	4 238.2
Female	No. Rate	3 23.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 141.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 11.7	0 -	0 -	0 -	0 -	0 -	0 -	1 35.4	2 52.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 7.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 52.7
Breast, female (174)	No. Rate	1 7.7	0 -	0 -	0 -	0 -	0 -	0 -	1 67.6	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	7 27.3	0 -	0 -	0 -	0 -	0 -	1 35.6	0 -	6 158.2
Uterus (179, 182)	No. Rate	1 7.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 47.3
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	5 39.7	0 -	0 -	0 -	0 -	0 -	1 71.8	0 -	4 238.2
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	4 15.6	0 -	0 -	0 -	0 -	0 -	1 35.6	1 35.4	2 52.7
Brain (191)	No. Rate	2 7.8	0 -	0 -	0 -	0 -	0 -	1 35.6	1 35.4	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 19.5	0 -	1 27.6	0 -	0 -	0 -	0 -	0 -	4 105.5
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 3.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 26.4
Leukemia (204 - 208)	No. Rate	2 7.8	0 -	1 27.6	0 -	0 -	0 -	0 -	0 -	1 26.4

DISTRICT 2 - PENNYRILE



1981

DISTRICT 2

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	417 203.5	0 -	5 15.7	1 2.5	4 12.6	9 41.4	38 206.3	86 461.2	274 1051.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	10 4.9	0 -	0 -	0 -	0 -	1 4.6	0 -	4 21.3	5 19.2
DIGESTIVE ORGANS (150 - 159)	No. Rate	86 42.0	0 -	0 -	0 -	0 -	0 -	11 59.7	16 85.8	59 226.3
Stomach (151)	No. Rate	7 3.4	0 -	0 -	0 -	0 -	0 -	1 5.4	1 5.4	5 19.2
Colon and Rectum (153 - 154) Male	No. Rate	21 20.3	0 -	0 -	0 -	0 -	0 -	2 22.6	4 45.9	15 139.2
Female	No. Rate	21 20.7	0 -	0 -	0 -	0 -	0 -	1 10.5	5 50.3	15 98.1
Liver (155)	No. Rate	1 0.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 3.8
Pancreas (157)	No. Rate	24 11.7	0 -	0 -	0 -	0 -	0 -	4 21.7	4 21.5	16 61.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	141.0 68.8	0 -	0 -	0 -	0 -	2 9.2	13 70.6	33 177.0	93 356.7
Larynx (161)	No. Rate	4 2.0	0 -	0 -	0 -	0 -	1 4.6	0 -	2 10.7	1 3.8
Trachea, Bronchus, Lungs (162) Male	No. Rate	103 99.7	0 -	0 -	0 -	0 -	1 9.2	10 112.8	21 241.0	71 659.0
Female	No. Rate	33 32.5	0 -	0 -	0 -	0 -	0 -	3 31.4	10 100.7	20 130.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	40 19.5	0 -	1 3.1	0 -	2 6.3	2 9.2	4 21.7	8 42.9	23 88.2
Bone & Articular Cartilage (170)	No. Rate	2 1.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 7.7
Skin (172 - 173)	No. Rate	11 5.4	0 -	0 -	0 -	0 -	0 -	1 5.4	1 5.4	9 34.5
Breast, female (174)	No. Rate	24 23.6	0 -	0 -	0 -	1 6.5	2 18.4	3 31.4	7 70.5	11 71.9
GENITOURINARY ORGANS (179 - 189)	No. Rate	68 33.2	0 -	0 -	1 2.5	0 -	2 9.2	6 32.6	9 48.3	50 191.8
Uterus (179, 182)	No. Rate	9 8.9	0 -	0 -	0 -	0 -	1 9.2	2 20.9	2 20.1	4 26.2
Cervix (180)	No. Rate	5 4.9	0 -	0 -	0 -	0 -	0 -	1 10.5	1 10.1	3 19.6
Prostate (185)	No. Rate	24 23.2	0 -	0 -	0 -	0 -	0 -	1 11.3	3 34.4	20 185.6
Bladder (188)	No. Rate	9 4.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	9 34.5
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	33 16.1	0 -	2 6.3	0 -	1 3.1	0 -	3 16.3	9 48.3	18 69.0
Brain (191)	No. Rate	7 3.4	0 -	2 6.3	0 -	0 -	0 -	1 5.4	3 16.1	1 3.8
Thyroid (193)	No. Rate	1 0.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 3.8
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	39 19.0	0 -	2 6.3	0 -	1 3.1	2 9.2	1 5.4	7 37.5	26 99.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	3 1.5	0 -	0 -	0 -	0 -	0 -	0 -	1 5.4	2 7.7
Hodgkin's Disease (201)	No. Rate	1 0.5	0 -	0 -	0 -	0 -	1 4.6	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	17 8.3	0 -	2 6.3	0 -	1 3.1	1 4.6	0 -	1 5.4	12 46.0

1981

CALDWELL

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	35 259.8	0 -	0 -	0 -	0 -	2 140.9	6 417.0	6 398.9	21 870.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 7.4	0 -	0 -	0 -	0 -	1 70.5	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	8 59.4	0 -	0 -	0 -	0 -	0 -	2 139.0	2 133.0	4 165.8
Stomach (151)	No. Rate	2 14.8	0 -	0 -	0 -	0 -	0 -	1 69.5	1 66.5	0 -
Colon and Rectum (153 - 154) Male	No. Rate	2 31.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 205.3
Female	No. Rate	1 14.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 69.5
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	3 22.3	0 -	0 -	0 -	0 -	0 -	1 69.5	1 66.5	1 41.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	10 74.2	0 -	0 -	0 -	0 -	0 -	2 139.0	2 133.0	6 248.7
Larynx (161)	No. Rate	1 7.4	0 -	0 -	0 -	0 -	0 -	0 -	1 66.5	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	8 124.7	0 -	0 -	0 -	0 -	0 -	2 299.9	1 146.4	5 513.3
Female	No. Rate	1 14.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 69.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	7 52.0	0 -	0 -	0 -	0 -	0 -	1 69.5	2 133.0	4 165.8
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 14.8	0 -	0 -	0 -	0 -	0 -	1 69.5	0 -	1 41.4
Breast, female (174)	No. Rate	5 70.9	0 -	0 -	0 -	0 -	0 -	0 -	2 243.6	3 208.5
GENITOURINARY ORGANS (179 - 189)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 22.3	0 -	0 -	0 -	0 -	0 -	1 69.5	0 -	2 82.9
Brain (191)	No. Rate	1 7.4	0 -	0 -	0 -	0 -	0 -	1 69.5	0 -	0 -
Thyroid (193)	No. Rate	1 7.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 41.4
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	6 44.5	0 -	0 -	0 -	0 -	1 70.5	0 -	0 -	5 207.2
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 7.4	0 -	0 -	0 -	0 -	1 70.5	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	3 22.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 124.3

1981

CHRISTIAN

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)		No. Rate	92 137.6	0 -	1 9.7	0 -	1 9.0	2 31.3	13 238.0	63 1066.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)		No. Rate	5 7.5	0 -	0 -	0 -	0 -	0 -	3 68.4	2 33.8
DIGESTIVE ORGANS (150 - 159)		No. Rate	16 23.9	0 -	0 -	0 -	0 -	4 79.3	2 45.6	10 169.2
Stomach (151)		No. Rate	2 3.0	0 -	0 -	0 -	0 -	0 -	0 -	2 33.8
Colon and Rectum (153 - 154) Male		No. Rate	3 8.4	0 -	0 -	0 -	0 -	1 41.7	0 -	2 84.1
Female		No. Rate	4 12.9	0 -	0 -	0 -	0 -	1 37.8	1 43.0	2 56.6
Liver (155)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)		No. Rate	4 6.0	0 -	0 -	0 -	0 -	1 19.8	1 22.8	2 33.8
RESPIRATORY & INTRATHORACIC (160 - 165)		No. Rate	34 50.8	0 -	0 -	0 -	1 15.6	4 79.3	4 91.2	25 423.0
Larynx (161)		No. Rate	3 4.5	0 -	0 -	0 -	1 15.6	0 -	1 22.8	1 16.9
Trachea, Bronchus, Lungs (162) Male		No. Rate	24 67.0	0 -	0 -	0 -	0 -	3 125.1	2 97.0	19 799.0
Female		No. Rate	7 22.5	0 -	0 -	0 -	0 -	1 37.8	1 43.0	5 141.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)		No. Rate	5 7.5	0 -	1 9.7	0 -	0 -	1 19.8	0 -	3 50.8
Bone & Articular Cartilage (170)		No. Rate	1 1.5	0 -	0 -	0 -	0 -	0 -	0 -	1 16.9
Skin (172 - 173)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)		No. Rate	3 9.7	0 -	0 -	0 -	0 -	1 37.8	0 -	2 56.6
GENITOURINARY ORGANS (179 - 189)		No. Rate	19 28.4	0 -	0 -	0 -	1 15.6	2 39.7	2 45.6	14 236.9
Uterus (179, 182)		No. Rate	3 9.7	0 -	0 -	0 -	0 -	0 -	2 85.9	1 28.3
Cervix (180)		No. Rate	2 6.4	0 -	0 -	0 -	0 -	1 37.8	0 -	1 28.3
Prostate (185)		No. Rate	6 16.7	0 -	0 -	0 -	0 -	1 41.7	0 -	5 210.3
Bladder (188)		No. Rate	2 3.0	0 -	0 -	0 -	0 -	0 -	0 -	2 33.8
OTHER UNSPECIFIED SITES (190 - 199)		No. Rate	4 6.0	0 -	0 -	1 9.0	0 -	0 -	1 22.8	2 33.8
Brain (191)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)		No. Rate	9 13.5	0 -	0 -	0 -	0 -	1 19.8	1 22.8	7 118.4
Lymphosarcoma & Reticulosarcoma (200)		No. Rate	1 1.5	0 -	0 -	0 -	0 -	0 -	0 -	1 16.9
Hodgkin's Disease (201)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)		No. Rate	1 1.5	0 -	0 -	0 -	0 -	0 -	0 -	1 16.9

1981

CRITTENDEN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	29 315.0	0 -	1 72.2	0 -	1 77.8	1 91.3	1 120.3	5 500.5	20 1278.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 10.9	0 -	0 -	0 -	0 -	0 -	0 -	1 100.1	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	9 97.8	0 -	0 -	0 -	0 -	0 -	0 -	1 100.1	8 511.2
Stomach (151)	No. Rate	1 10.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 63.9
Colon and Rectum (153 - 154) Male	No. Rate	2 45.2	0 -	0 -	0 -	0 -	0 -	0 -	1 212.3	1 160.8
Female	No. Rate	2 41.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 212.1
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	3 32.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 191.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	8 86.9	0 -	0 -	0 -	0 -	0 -	1 120.3	1 100.1	6 383.4
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	7 158.4	0 -	0 -	0 -	0 -	0 -	1 240.4	1 212.3	5 803.9
Female	No. Rate	1 20.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 106.0
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 43.4	0 -	0 -	0 -	0 -	1 91.3	0 -	1 100.1	2 127.8
Bone & Articular Cartilage (170)	No. Rate	1 10.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 63.9
Skin (172 - 173)	No. Rate	1 10.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 63.9
Breast, female (174)	No. Rate	2 41.8	0 -	0 -	0 -	0 -	1 175.1	0 -	1 189.4	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 32.6	0 -	0 -	0 -	0 -	0 -	0 -	1 100.1	2 127.8
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	2 45.2	0 -	0 -	0 -	0 -	0 -	0 -	1 212.3	1 160.8
Bladder (188)	No. Rate	1 10.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 63.9
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 21.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 127.8
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 21.7	0 -	1 72.2	0 -	1 77.8	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 21.7	0 -	1 72.2	0 -	1 77.8	0 -	0 -	0 -	0 -

1981

HOPKINS

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	107 231.7	0 -	0 -	0 -	1 13.6	1 19.4	8 185.5	30 673.9	67 1093.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 2.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 16.3
DIGESTIVE ORGANS (150 - 159)	No. Rate	21 45.5	0 -	0 -	0 -	0 -	0 -	4 92.7	6 134.8	11 179.5
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	7 31.5	0 -	0 -	0 -	0 -	0 -	1 48.4	1 49.5	5 205.2
Female	No. Rate	4 16.7	0 -	0 -	0 -	0 -	0 -	0 -	2 82.2	2 54.2
Liver (155)	No. Rate	1 2.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 16.3
Pancreas (157)	No. Rate	4 8.7	0 -	0 -	0 -	0 -	0 -	1 23.2	1 22.5	2 32.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	49 106.1	0 -	0 -	0 -	0 -	0 -	2 46.4	16 359.4	31 505.9
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	36 162.2	0 -	0 -	0 -	0 -	0 -	2 96.7	11 544.8	23 943.8
Female	No. Rate	13 54.2	0 -	0 -	0 -	0 -	0 -	0 -	5 205.5	8 216.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	11 23.8	0 -	0 -	0 -	1 13.6	0 -	1 23.2	3 67.4	6 97.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	3 6.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 49.0
Breast, female (174)	No. Rate	7 29.2	0 -	0 -	0 -	1 26.9	0 -	1 44.5	3 123.3	2 54.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	14 30.3	0 -	0 -	0 -	0 -	0 -	1 23.2	2 44.9	11 179.5
Uterus (179, 182)	No. Rate	2 8.3	0 -	0 -	0 -	0 -	0 -	1 44.5	0 -	1 27.1
Cervix (180)	No. Rate	1 4.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 27.1
Prostate (185)	No. Rate	6 27.0	0 -	0 -	0 -	0 -	0 -	0 -	1 49.5	5 205.2
Bladder (188)	No. Rate	1 2.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 16.3
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 6.5	0 -	0 -	0 -	0 -	0 -	0 -	2 44.9	1 16.3
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	8 17.3	0 -	0 -	0 -	0 -	1 19.4	0 -	1 22.5	6 97.9
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	5 10.8	0 -	0 -	0 -	0 -	1 19.4	0 -	0 -	4 65.3

1981

LIVINGSTON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	18	0	0	0	0	0	2	4	12
	Rate	195.2	-	-	-	-	-	210.1	422.8	913.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	3	0	0	0	0	0	1	0	2
	Rate	32.5	-	-	-	-	-	105.0	-	152.2
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	1	0	0	0	0	0	0	0	1
	Rate	21.8	-	-	-	-	-	-	-	172.1
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	2	0	0	0	0	0	1	0	1
	Rate	21.7	-	-	-	-	-	105.0	-	76.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	6	0	0	0	0	0	0	2	4
	Rate	65.1	-	-	-	-	-	-	211.4	304.4
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	5	0	0	0	0	0	0	2	3
	Rate	108.8	-	-	-	-	-	-	439.6	516.4
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.8	-	-	-	-	-	-	-	76.1
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Breast, female (174)	No.	1	0	0	0	0	0	0	0	1
	Rate	21.6	-	-	-	-	-	-	-	136.4
GENITOURINARY ORGANS (179 - 189)	No.	3	0	0	0	0	0	0	0	3
	Rate	32.5	-	-	-	-	-	-	-	228.3
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	1	0	0	0	0	0	0	0	1
	Rate	21.8	-	-	-	-	-	-	-	172.1
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.8	-	-	-	-	-	-	-	76.1
OTHER UNSPECIFIED SITES (190 - 199)	No.	3	0	0	0	0	0	1	1	1
	Rate	32.5	-	-	-	-	-	105.0	105.7	76.1
Brain (191)	No.	1	0	0	0	0	0	0	1	0
	Rate	10.8	-	-	-	-	-	-	105.7	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	0	0	0	0	0	1	1
	Rate	21.7	-	-	-	-	-	-	105.7	76.1
Lymphosarcoma & Reticulosarcoma (200)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.8	-	-	-	-	-	-	-	76.1
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	1	0	0	0	0	0	0	1	0
	Rate	10.8	-	-	-	-	-	-	105.7	-

1981

LYON

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	18	0	0	0	0	0	1	4	13
	Rate	277.3	-	-	-	-	-	149.9	516.1	1245.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	0	0	0	1
	Rate	15.4	-	-	-	-	-	-	-	95.8
DIGESTIVE ORGANS (150 - 159)	No.	3	0	0	0	0	0	0	1	2
	Rate	46.2	-	-	-	-	-	-	129.0	191.6
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Female	No.	1	0	0	0	0	0	0	0	1
	Rate	35.1	-	-	-	-	-	-	-	173.9
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	2	0	0	0	0	0	0	1	1
	Rate	30.8	-	-	-	-	-	-	129.0	95.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	6	0	0	0	0	0	1	1	4
	Rate	92.4	-	-	-	-	-	149.9	129.0	383.1
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	3	0	0	0	0	0	0	0	3
	Rate	52.5	-	-	-	-	-	-	-	639.7
Female	No.	3	0	0	0	0	0	1	1	1
	Rate	105.2	-	-	-	-	-	332.2	258.4	173.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	2	0	0	0	0	0	0	0	2
	Rate	30.8	-	-	-	-	-	-	-	191.6
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	15.4	-	-	-	-	-	-	-	95.8
Breast, female (174)	No.	1	0	0	0	0	0	0	0	1
	Rate	35.1	-	-	-	-	-	-	-	173.9
GENITOURINARY ORGANS (179 - 189)	No.	4	0	0	0	0	0	0	1	3
	Rate	61.6	-	-	-	-	-	-	129.0	287.4
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	1	0	0	0	0	0	0	1	0
	Rate	35.1	-	-	-	-	-	-	258.4	-
Prostate (185)	No.	2	0	0	0	0	0	0	0	2
	Rate	55.0	-	-	-	-	-	-	-	426.4
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	0	0	0	0	0	1	1
	Rate	30.8	-	-	-	-	-	-	129.0	95.8
Lymphosarcoma & Peticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	1	0	0	0	0	0	0	0	1
	Rate	15.4	-	-	-	-	-	-	-	95.8

1981

MUHLENBERG

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	64 198.5	0 -	1 19.3	1 17.9	1 20.7	2 56.8	4 132.6	18 568.0	37 848.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 3.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 22.9
DIGESTIVE ORGANS (150 - 159)	No. Rate	11 34.1	0 -	0 -	0 -	0 -	0 -	0 -	1 31.6	10 229.3
Stomach (151)	No. Rate	1 3.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 22.9
Colon and Rectum (153 - 154) Male	No. Rate	1 6.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 54.4
Female	No. Rate	5 30.5	0 -	0 -	0 -	0 -	0 -	0 -	1 58.9	4 158.5
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	3 9.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 68.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	14 43.4	0 -	0 -	0 -	0 -	1 28.4	0 -	5 157.8	8 183.4
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	10 63.1	0 -	0 -	0 -	0 -	1 57.5	0 -	2 136.0	7 381.1
Female	No. Rate	4 24.4	0 -	0 -	0 -	0 -	0 -	0 -	3 176.7	1 39.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 12.4	0 -	0 -	0 -	1 20.7	0 -	1 33.1	1 31.6	1 22.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 6.2	0 -	0 -	0 -	0 -	0 -	0 -	1 31.6	1 22.9
Breast, female (174)	No. Rate	1 6.1	0 -	0 -	0 -	0 -	0 -	1 64.1	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	15 46.5	0 -	0 -	1 17.9	0 -	1 28.4	2 66.3	3 94.7	8 183.4
Uterus (179, 182)	No. Rate	2 12.2	0 -	0 -	0 -	0 -	1 56.2	0 -	0 -	1 39.6
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	5 31.6	0 -	0 -	0 -	0 -	0 -	0 -	1 68.0	4 217.7
Bladder (188)	No. Rate	3 9.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 68.8
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	13 40.3	0 -	1 19.3	0 -	0 -	0 -	1 33.1	5 157.8	6 137.6
Brain (191)	No. Rate	4 12.4	0 -	1 19.3	0 -	0 -	0 -	0 -	2 63.1	1 22.9
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	6 18.6	0 -	0 -	0 -	0 -	0 -	0 -	3 94.7	3 68.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 3.1	0 -	0 -	0 -	0 -	0 -	0 -	1 31.6	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 6.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 45.9

1981

TODD

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	24	0	1	0	0	0	4	2	17
	Rate	202.1	-	52.8	-	-	-	345.4	160.5	918.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	6	0	0	0	0	0	0	1	5
	Rate	50.5	-	-	-	-	-	-	80.3	270.1
Stomach (151)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.4	-	-	-	-	-	-	-	54.0
Colon and Rectum (153 - 154) Male	No.	1	0	0	0	0	0	0	1	0
	Rate	17.3	-	-	-	-	-	-	166.9	-
Female	No.	2	0	0	0	0	0	0	0	2
	Rate	32.7	-	-	-	-	-	-	-	189.9
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	2	0	0	0	0	0	0	0	2
	Rate	16.8	-	-	-	-	-	-	-	108.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	7	0	0	0	0	0	3	0	4
	Rate	59.0	-	-	-	-	-	259.1	-	216.1
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	5	0	0	0	0	0	2	0	3
	Rate	86.7	-	-	-	-	-	359.7	-	375.9
Female	No.	2	0	0	0	0	0	1	0	1
	Rate	32.7	-	-	-	-	-	166.1	-	95.0
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	3	0	0	0	0	0	0	1	2
	Rate	25.3	-	-	-	-	-	-	80.3	108.0
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.4	-	-	-	-	-	-	-	54.0
Breast, female (174)	No.	2	0	0	0	0	0	0	1	1
	Rate	32.7	-	-	-	-	-	-	154.6	95.0
GENITOURINARY ORGANS (179 - 189)	No.	5	0	0	0	0	0	1	0	4
	Rate	42.1	-	-	-	-	-	86.4	-	216.1
Uterus (179, 182)	No.	1	0	0	0	0	0	1	0	0
	Rate	16.4	-	-	-	-	-	166.1	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	2	0	0	0	0	0	0	0	2
	Rate	34.7	-	-	-	-	-	-	-	250.6
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.4	-	-	-	-	-	-	-	54.0
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	1	0	0	0	0	0	1
	Rate	16.8	-	52.8	-	-	-	-	-	54.0
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	1	0	1	0	0	0	0	0	0
	Rate	8.4	-	52.8	-	-	-	-	-	-


1981

TRIGG

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	30	0	1	0	0	1	0	4	24
	Rate	319.7	-	68.4	-	-	94.8	-	343.1	1618.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	9	0	0	0	0	0	0	2	7
	Rate	95.9	-	-	-	-	-	-	171.5	472.0
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	4	0	0	0	0	0	0	1	3
	Rate	87.1	-	-	-	-	-	-	176.4	442.5
Female	No.	2	0	0	0	0	0	0	1	1
	Rate	41.7	-	-	-	-	-	-	166.9	124.2
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.7	-	-	-	-	-	-	-	67.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	7	0	0	0	0	0	0	2	5
	Rate	74.6	-	-	-	-	-	-	171.5	337.2
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	5	0	0	0	0	0	0	2	3
	Rate	108.9	-	-	-	-	-	-	352.7	442.5
Female	No.	2	0	0	0	0	0	0	0	2
	Rate	41.7	-	-	-	-	-	-	-	248.4
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	3	0	0	0	0	1	0	0	2
	Rate	32.0	-	-	-	-	94.8	-	-	134.9
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.7	-	-	-	-	-	-	-	67.4
Breast, female (174)	No.	2	0	0	0	0	1	0	0	1
	Rate	41.7	-	-	-	-	190.8	-	-	124.2
GENITOURINARY ORGANS (179 - 189)	No.	5	0	0	0	0	0	0	0	5
	Rate	53.3	-	-	-	-	-	-	-	337.2
Uterus (179, 182)	No.	1	0	0	0	0	0	0	0	1
	Rate	20.9	-	-	-	-	-	-	-	124.2
Cervix (180)	No.	1	0	0	0	0	0	0	0	1
	Rate	20.9	-	-	-	-	-	-	-	124.2
Prostate (185)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.7	-	-	-	-	-	-	-	67.4
OTHER UNSPECIFIED SITES (190 - 199)	No.	4	0	1	0	0	0	0	0	3
	Rate	42.6	-	68.4	-	-	-	-	-	202.3
Brain (191)	No.	1	0	1	0	0	0	0	0	0
	Rate	10.7	-	68.4	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	0	0	0	0	0	0	2
	Rate	21.3	-	-	-	-	-	-	-	134.9
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.7	-	-	-	-	-	-	-	67.4

DISTRICT 3 - GREEN RIVER



1981

DISTRICT 3

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	412	0	0	2	4	17	45	81	263
	Rate	207.0	-	-	5.4	13.1	78.4	230.8	439.8	1117.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	6	0	0	0	0	0	0	0	6
	Rate	3.0	-	-	-	-	-	-	-	25.5
DIGESTIVE ORGANS (150 - 159)	No.	104	0	0	0	1	3	7	11	82
	Rate	52.2	-	-	-	3.3	13.8	35.9	59.7	348.3
Stomach (151)	No.	11	0	0	0	0	0	1	2	8
	Rate	5.5	-	-	-	-	-	5.1	10.9	34.0
Colon and Rectum (153 - 154) Male	No.	21	0	0	0	0	1	1	2	17
	Rate	21.7	-	-	-	-	9.3	10.7	23.5	176.1
Female	No.	26	0	0	0	0	0	2	2	22
	Rate	25.5	-	-	-	-	-	19.7	20.2	158.4
Liver (155)	No.	7	0	0	0	0	0	0	1	6
	Rate	3.5	-	-	-	-	-	-	5.4	25.5
Pancreas (157)	No.	20	0	0	0	0	1	0	2	17
	Rate	10.0	-	-	-	-	4.6	-	10.9	72.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	123	0	0	0	0	3	18	30	72
	Rate	61.8	-	-	-	-	13.8	92.3	162.9	305.8
Larynx (161)	No.	5	0	0	0	0	0	1	1	3
	Rate	2.5	-	-	-	-	-	5.1	5.4	12.7
Trachea, Bronchus, Lungs (162) Male	No.	83	0	0	0	0	3	7	20	53
	Rate	83.7	-	-	-	-	28.0	74.7	234.7	548.9
Female	No.	34	0	0	0	0	0	10	9	15
	Rate	33.3	-	-	-	-	-	98.7	90.9	108.0
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	49	0	0	1	1	6	7	12	22
	Rate	24.6	-	-	2.7	3.3	27.7	35.9	65.2	93.4
Bone & Articular Cartilage (170)	No.	3	0	0	0	0	2	1	0	0
	Rate	1.5	-	-	-	-	9.2	5.1	-	-
Skin (172 - 173)	No.	5	0	0	0	0	2	0	1	2
	Rate	2.5	-	-	-	-	9.2	-	5.4	8.5
Breast, female (174)	No.	38	0	0	0	1	2	6	10	19
	Rate	37.2	-	-	-	6.4	18.2	59.2	101.1	136.8
GENITOURINARY ORGANS (179 - 189)	No.	64	0	0	1	1	3	6	14	39
	Rate	32.2	-	-	2.7	3.3	13.8	30.8	76.0	165.6
Uterus (179, 182)	No.	3	0	0	0	0	0	1	0	2
	Rate	2.9	-	-	-	-	-	9.9	-	14.4
Cervix (180)	No.	5	0	0	0	0	0	2	1	2
	Rate	4.7	-	-	-	-	-	19.7	10.1	14.4
Prostate (185)	No.	19	0	0	0	0	0	0	3	16
	Rate	19.6	-	-	-	-	-	-	35.2	165.7
Bladder (188)	No.	11	0	0	0	0	0	0	3	8
	Rate	5.5	-	-	-	-	-	-	16.3	34.0
OTHER UNSPECIFIED SITES (190 - 199)	No.	31	0	0	0	1	1	6	9	14
	Rate	15.6	-	-	-	3.3	4.6	30.8	48.9	59.5
Brain (191)	No.	10	0	0	0	1	1	3	2	3
	Rate	5.0	-	-	-	3.3	4.6	15.4	10.9	12.7
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	35	0	0	0	0	1	1	5	28
	Rate	17.6	-	-	-	-	4.6	5.1	27.1	118.9
Lymphosarcoma & Reticulosarcoma (200)	No.	3	0	0	0	0	0	0	0	3
	Rate	1.5	-	-	-	-	-	-	-	12.7
Hodgkin's Disease (201)	No.	2	0	0	0	0	0	0	0	2
	Rate	1.0	-	-	-	-	-	-	-	8.5
Leukemia (204 - 208)	No.	16	0	0	0	0	0	1	3	12
	Rate	8.0	-	-	-	-	-	5.1	16.3	51.0

1981

DAVISS

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	165 192.0	0 -	0 -	1 6.2	1 7.5	12 125.9	20 227.1	38 481.9	93 994.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	3 3.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 32.1
DIGESTIVE ORGANS (150 - 159)	No. Rate	40 46.5	0 -	0 -	0 -	0 -	2 21.0	2 22.7	6 76.1	30 320.7
Stomach (151)	No. Rate	4 4.7	0 -	0 -	0 -	0 -	0 -	1 11.4	1 12.7	2 21.4
Colon and Rectum (153 - 154) Male	No. Rate	7 17.0	0 -	0 -	0 -	0 -	1 21.5	0 -	1 28.3	5 137.1
Female	No. Rate	9 20.1	0 -	0 -	0 -	0 -	0 -	1 21.6	1 23.0	7 122.6
Liver (155)	No. Rate	4 4.7	0 -	0 -	0 -	0 -	0 -	0 -	1 12.7	3 32.1
Pancreas (157)	No. Rate	9 10.5	0 -	0 -	0 -	0 -	1 10.5	0 -	1 12.7	7 74.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	55 64.0	0 -	0 -	0 -	0 -	3 31.5	10 113.5	13 164.9	29 310.0
Larynx (161)	No. Rate	3 3.5	0 -	0 -	0 -	0 -	0 -	1 11.4	0 -	2 21.4
Trachea, Bronchus, Lungs (162) Male	No. Rate	34 82.4	0 -	0 -	0 -	0 -	3 64.5	5 119.4	8 226.1	18 493.7
Female	No. Rate	17 38.0	0 -	0 -	0 -	0 -	0 -	4 86.6	5 115.0	8 140.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	19 22.1	0 -	0 -	1 6.2	0 -	3 31.5	3 34.1	3 38.0	9 96.2
Bone & Articular Cartilage (170)	No. Rate	1 1.2	0 -	0 -	0 -	0 -	1 10.5	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 2.3	0 -	0 -	0 -	0 -	1 10.5	0 -	0 -	1 10.7
Breast, female (174)	No. Rate	15 33.5	0 -	0 -	0 -	0 -	1 20.5	3 64.9	3 69.0	8 140.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	23 26.8	0 -	0 -	0 -	1 7.5	2 21.0	1 11.4	9 114.1	10 106.9
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	3 6.7	0 -	0 -	0 -	0 -	0 -	1 21.6	1 23.0	1 17.5
Prostate (185)	No. Rate	3 7.3	0 -	0 -	0 -	0 -	0 -	0 -	2 56.5	1 27.4
Bladder (188)	No. Rate	3 3.5	0 -	0 -	0 -	0 -	0 -	0 -	1 12.7	2 21.4
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	12 14.0	0 -	0 -	0 -	0 -	1 10.5	3 34.1	3 38.0	5 53.5
Brain (191)	No. Rate	3 3.5	0 -	0 -	0 -	0 -	1 10.5	1 11.4	0 -	1 10.7
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	13 15.1	0 -	0 -	0 -	0 -	1 10.5	1 11.4	4 50.7	7 74.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 1.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 10.7
Hodgkin's Disease (201)	No. Rate	1 1.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 10.7
Leukemia (204 - 208)	No. Rate	6 7.0	0 -	0 -	0 -	0 -	0 -	1 11.4	2 25.4	3 32.1

1981

HANCOCK

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	7 90.4	0 -	0 -	0 -	0 -	0 -	1 140.3	1 166.9	5 633.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 126.7
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	1 26.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 243.9
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	2 25.8	0 -	0 -	0 -	0 -	0 -	1 140.3	0 -	1 126.7
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	2 52.1	0 -	0 -	0 -	0 -	0 -	1 283.3	0 -	1 243.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	1 166.9	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 26.0	0 -	0 -	0 -	0 -	0 -	0 -	1 326.8	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 126.7
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 126.7
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 126.7
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 126.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 126.7

1981

HENDERSON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	88 215.4	0 -	0 -	0 -	0 -	1 21.8	8 193.7	19 495.3	60 1291.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 2.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 21.5
DIGESTIVE ORGANS (150 - 159)	No. Rate	20 49.0	0 -	0 -	0 -	0 -	0 -	1 24.2	2 52.1	17 366.0
Stomach (151)	No. Rate	1 2.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 21.5
Colon and Rectum (153 - 154) Male	No. Rate	3 15.2	0 -	0 -	0 -	0 -	0 -	0 -	1 55.3	2 107.6
Female	No. Rate	9 42.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	9 322.9
Liver (155)	No. Rate	1 2.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 21.5
Pancreas (157)	No. Rate	2 4.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 43.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	31 75.9	0 -	0 -	0 -	0 -	0 -	1 24.2	10 260.7	20 430.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	25 126.3	0 -	0 -	0 -	0 -	0 -	0 -	8 442.7	17 915.0
Female	No. Rate	6 28.5	0 -	0 -	0 -	0 -	0 -	1 46.5	2 98.6	3 107.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	9 22.0	0 -	0 -	0 -	0 -	0 -	2 48.4	3 78.2	4 86.1
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 4.9	0 -	0 -	0 -	0 -	0 -	0 -	1 26.1	1 21.5
Breast, female (174)	No. Rate	5 23.7	0 -	0 -	0 -	0 -	0 -	2 93.0	1 49.3	2 71.8
GENITOURINARY ORGANS (179 - 189)	No. Rate	13 31.8	0 -	0 -	0 -	0 -	1 21.8	2 48.4	0 -	10 215.3
Uterus (179, 182)	No. Rate	2 9.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 71.8
Cervix (180)	No. Rate	1 4.7	0 -	0 -	0 -	0 -	0 -	1 46.5	0 -	0 -
Prostate (185)	No. Rate	3 15.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 161.5
Bladder (188)	No. Rate	3 7.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 64.6
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	7 17.1	0 -	0 -	0 -	0 -	0 -	2 48.4	3 78.2	2 43.1
Brain (191)	No. Rate	2 4.9	0 -	0 -	0 -	0 -	0 -	1 24.2	0 -	1 21.5
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	7 17.1	0 -	0 -	0 -	0 -	0 -	0 -	1 26.1	6 129.2
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 2.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 21.5
Leukemia (204 - 208)	No. Rate	5 12.2	0 -	0 -	0 -	0 -	0 -	0 -	1 26.1	4 86.1

1981

MCLEAN

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES

		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	18 178.4	0 -	0 -	1 63.1	0 -	0 -	2 213.7	3 284.4	12 840.9
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 39.6	0 -	0 -	0 -	0 -	0 -	1 106.8	1 94.8	2 140.2
Stomach (151)	No. Rate	2 19.8	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	1 70.1
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	1 19.4	0 -	0 -	0 -	0 -	0 -	1 213.7	0 -	0 -
Liver (155)	No. Rate	1 9.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 70.1
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 69.4	0 -	0 -	0 -	0 -	0 -	1 106.8	0 -	6 420.5
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	7 141.5	0 -	0 -	0 -	0 -	0 -	1 213.7	0 -	6 925.9
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 9.9	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 19.4	0 -	0 -	0 -	0 -	0 -	0 -	1 175.4	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 29.7	0 -	0 -	1 63.1	0 -	0 -	0 -	0 -	2 140.2
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 19.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 128.4
Prostate (185)	No. Rate	1 20.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 154.3
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 19.8	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	1 70.1
Brain (191)	No. Rate	2 19.8	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	1 70.1
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 9.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 70.1
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 9.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 70.1

1981

OHIO

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	55 252.7	0 -	0 -	0 -	2 60.8	2 83.1	5 244.4	9 427.4	37 1226.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 9.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 66.3
DIGESTIVE ORGANS (150 - 159)	No. Rate	14 64.3	0 -	0 -	0 -	0 -	0 -	2 97.8	1 47.5	11 364.7
Stomach (151)	No. Rate	2 9.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 66.3
Colon and Rectum (153 - 154) Male	No. Rate	5 47.1	0 -	0 -	0 -	0 -	0 -	1 98.7	0 -	4 296.5
Female	No. Rate	3 26.9	0 -	0 -	0 -	0 -	0 -	0 -	1 90.6	2 120.0
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 33.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	12 55.1	0 -	0 -	0 -	0 -	0 -	2 97.8	3 142.5	7 232.1
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	9 84.7	0 -	0 -	0 -	0 -	0 -	1 98.7	2 199.6	6 444.8
Female	No. Rate	3 26.9	0 -	0 -	0 -	0 -	0 -	1 96.8	1 90.6	1 60.0
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	8 36.8	0 -	0 -	0 -	1 30.4	2 83.1	0 -	2 95.0	3 99.5
Bone & Articular Cartilage (170)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	1 41.6	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	1 41.6	0 -	0 -	0 -
Breast, female (174)	No. Rate	6 53.8	0 -	0 -	0 -	1 59.6	0 -	0 -	2 181.2	3 180.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	10 45.9	0 -	0 -	0 -	0 -	0 -	0 -	2 95.0	8 265.3
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	5 47.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 370.6
Bladder (188)	No. Rate	3 13.8	0 -	0 -	0 -	0 -	0 -	0 -	2 95.0	1 33.2
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	4 18.4	0 -	0 -	0 -	1 30.4	0 -	1 48.9	1 47.5	1 33.2
Brain (191)	No. Rate	3 13.8	0 -	0 -	0 -	1 30.4	0 -	1 48.9	1 47.5	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 23.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 165.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 33.2
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 9.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 66.3

1981

UNION

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	42 235.7	0 -	0 -	0 -	1 40.2	2 129.6	5 339.0	4 276.6	30 1579.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	11 61.7	0 -	0 -	0 -	1 40.2	1 64.8	0 -	1 69.2	8 421.3
Stomach (151)	No. Rate	2 11.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 105.3
Colon and Rectum (153 - 154) Male	No. Rate	2 21.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 259.1
Female	No. Rate	1 11.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 88.7
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	4 22.4	0 -	0 -	0 -	0 -	0 -	0 -	1 69.2	3 158.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	10 56.1	0 -	0 -	0 -	0 -	0 -	3 203.4	0 -	7 368.6
Larynx (161)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 52.7
Trachea, Bronchus, Lungs (162) Male	No. Rate	4 43.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 518.1
Female	No. Rate	5 58.7	0 -	0 -	0 -	0 -	0 -	3 379.3	0 -	2 177.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 16.8	0 -	0 -	0 -	0 -	1 64.8	0 -	0 -	2 105.3
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 35.2	0 -	0 -	0 -	0 -	1 129.9	0 -	0 -	2 177.5
GENITOURINARY ORGANS (179 - 189)	No. Rate	8 44.9	0 -	0 -	0 -	0 -	0 -	2 135.6	2 138.3	4 210.6
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	4 43.0	0 -	0 -	0 -	0 -	0 -	0 -	1 141.6	3 388.6
Bladder (188)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 52.7
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	4 22.4	0 -	0 -	0 -	0 -	0 -	0 -	1 69.2	3 158.0
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	6 33.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	6 316.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 52.7
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 52.7


1981

WEBSTER

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	37	0	0	0	0	0	4	7	26
	Rate	249.5	-	-	-	-	-	287.6	469.5	1077.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	14	0	0	0	0	0	1	0	13
	Rate	94.4	-	-	-	-	-	71.9	-	538.5
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	4	0	0	0	0	0	0	0	4
	Rate	56.4	-	-	-	-	-	-	-	398.8
Female	No.	2	0	0	0	0	0	0	0	2
	Rate	25.8	-	-	-	-	-	-	-	141.7
Liver (155)	No.	1	0	0	0	0	0	0	0	1
	Rate	6.7	-	-	-	-	-	-	-	41.4
Pancreas (157)	No.	4	0	0	0	0	0	0	0	4
	Rate	27.0	-	-	-	-	-	-	-	165.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	6	0	0	0	0	0	0	4	2
	Rate	40.5	-	-	-	-	-	-	268.3	82.9
Larynx (161)	No.	1	0	0	0	0	0	0	1	0
	Rate	6.7	-	-	-	-	-	-	67.1	-
Trachea, Bronchus, Lungs (162) Male	No.	4	0	0	0	0	0	0	2	2
	Rate	56.4	-	-	-	-	-	-	289.9	199.4
Female	No.	1	0	0	0	0	0	0	1	0
	Rate	12.9	-	-	-	-	-	-	124.8	-
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	8	0	0	0	0	0	2	2	4
	Rate	53.9	-	-	-	-	-	143.8	134.1	165.7
Bone & Articular Cartilage (170)	No.	1	0	0	0	0	0	1	0	0
	Rate	6.7	-	-	-	-	-	71.9	-	-
Skin (172 - 173)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Breast, female (174)	No.	7	0	0	0	0	0	1	2	4
	Rate	90.4	-	-	-	-	-	139.7	249.7	283.5
GENITOURINARY ORGANS (179 - 189)	No.	6	0	0	0	0	0	1	1	4
	Rate	40.5	-	-	-	-	-	71.9	67.1	165.7
Uterus (179, 182)	No.	1	0	0	0	0	0	1	0	0
	Rate	12.9	-	-	-	-	-	139.7	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	3	0	0	0	0	0	0	0	3
	Rate	42.3	-	-	-	-	-	-	-	299.1
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	1	0	0	0	0	0	0	0	1
	Rate	6.7	-	-	-	-	-	-	-	41.4
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	0	0	0	0	0	0	2
	Rate	13.5	-	-	-	-	-	-	-	82.9
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

DISTRICT 4 - BARREN RIVER



1981

DISTRICT 4

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)		No. 458	0	1	2	3	13	48	114	277
		Rate 211.0	-	3.0	4.7	9.3	53.6	229.9	553.9	1006.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)		No. 6	0	0	0	0	1	1	0	4
		Rate 2.8	-	-	-	-	4.1	4.8	-	14.5
DIGESTIVE ORGANS (150 - 159)		No. 131	0	0	0	1	1	9	23	97
		Rate 60.4	-	-	-	3.1	4.1	43.1	111.8	352.5
Stomach (151)		No. 11	0	0	0	0	0	0	3	8
		Rate 5.1	-	-	-	-	-	-	14.6	29.1
Colon and Rectum (153 - 154) Male		No. 37	0	0	0	0	1	3	6	27
		Rate 35.1	-	-	-	-	8.4	29.5	62.2	230.6
Female		No. 33	0	0	0	1	0	2	2	28
		Rate 29.6	-	-	-	6.2	-	18.7	18.3	177.1
Liver (155)		No. 7	0	0	0	0	0	0	2	5
		Rate 3.2	-	-	-	-	-	-	9.7	18.2
Pancreas (157)		No. 23	0	0	0	0	0	1	9	13
		Rate 10.6	-	-	-	-	-	4.8	43.7	47.2
RESPIRATORY & INTRATHORACIC (160 - 165)		No. 131	0	0	0	0	2	17	53	59
		Rate 60.4	-	-	-	-	8.3	81.4	257.5	214.4
Larynx (161)		No. 4	0	0	0	0	0	1	0	3
		Rate 1.8	-	-	-	-	-	4.8	-	10.9
Trachea, Bronchus, Lungs (162) Male		No. 103	0	0	0	0	2	12	41	48
		Rate 97.6	-	-	-	-	16.9	117.9	425.1	409.9
Female		No. 22	0	0	0	0	0	4	11	7
		Rate 19.7	-	-	-	-	-	37.4	100.6	44.3
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)		No. 54	0	0	1	0	6	7	11	29
		Rate 24.9	-	-	2.3	-	24.8	33.5	53.4	105.4
Bone & Articular Cartilage (170)		No. 3	0	0	1	0	0	0	0	2
		Rate 1.4	-	-	2.3	-	-	-	-	7.3
Skin (172 - 173)		No. 11	0	0	0	0	1	1	1	8
		Rate 5.1	-	-	-	-	4.1	4.8	4.9	29.1
Breast, female (174)		No. 39	0	0	0	0	5	6	10	18
		Rate 35.0	-	-	-	-	40.3	56.1	91.4	113.9
GENITOURINARY ORGANS (179 - 189)		No. 78	0	0	1	1	2	6	13	55
		Rate 35.9	-	-	2.3	3.1	8.3	28.7	63.2	199.9
Uterus (179, 182)		No. 5	0	0	1	0	0	0	0	4
		Rate 4.5	-	-	4.7	-	-	-	-	25.3
Cervix (180)		No. 7	0	0	0	0	0	3	2	2
		Rate 6.3	-	-	-	-	-	28.0	18.3	12.7
Prostate (185)		No. 32	0	0	0	0	0	1	3	28
		Rate 30.3	-	-	-	-	-	9.8	31.1	239.1
Bladder (188)		No. 11	0	0	0	0	1	0	2	8
		Rate 5.1	-	-	-	-	4.1	-	9.7	29.1
OTHER UNSPECIFIED SITES (190 - 199)		No. 23	0	1	0	0	0	4	7	11
		Rate 10.6	-	3.0	-	-	-	19.2	34.0	40.0
Brain (191)		No. 4	0	1	0	0	0	1	1	1
		Rate 1.8	-	3.0	-	-	-	4.8	4.9	3.6
Thyroid (193)		No. 3	0	0	0	0	0	0	1	2
		Rate 1.4	-	-	-	-	-	-	4.9	7.3
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)		No. 35	0	0	0	1	1	4	7	22
		Rate 16.1	-	-	-	3.1	4.1	19.2	34.0	80.0
Lymphosarcoma & Reticulosarcoma (200)		No. 1	0	0	0	0	0	0	1	0
		Rate 0.5	-	-	-	-	-	-	4.9	-
Hodgkin's Disease (201)		No. 5	0	0	0	1	0	1	2	1
		Rate 2.3	-	-	-	3.1	-	4.8	9.7	3.6
Leukemia (204 - 208)		No. 10	0	0	0	0	0	2	1	7
		Rate 4.6	-	-	-	-	-	9.6	4.9	25.4

1981

ALLEN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	29 205.3	0 -	0 -	1 44.0	1 53.1	0 -	1 66.9	6 374.3	20 923.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.2
DIGESTIVE ORGANS (150 - 159)	No. Rate	10 70.8	0 -	0 -	0 -	0 -	0 -	0 -	2 124.8	8 369.5
Stomach (151)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.2
Colon and Rectum (153 - 154) Male	No. Rate	6 86.8	0 -	0 -	0 -	0 -	0 -	0 -	2 251.9	4 431.0
Female	No. Rate	2 27.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 161.7
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 42.5	0 -	0 -	0 -	0 -	0 -	0 -	1 62.4	5 230.9
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 72.3	0 -	0 -	0 -	0 -	0 -	0 -	1 125.9	4 431.0
Female	No. Rate	1 13.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 80.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 21.2	0 -	0 -	0 -	0 -	0 -	1 66.9	1 62.4	1 46.2
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	1 66.9	0 -	0 -
Breast, female (174)	No. Rate	2 27.7	0 -	0 -	0 -	0 -	0 -	0 -	1 123.6	1 80.8
GENITOURINARY ORGANS (179 - 189)	No. Rate	7 49.5	0 -	0 -	1 44.0	0 -	0 -	0 -	2 124.8	4 184.8
Uterus (179, 182)	No. Rate	2 27.7	0 -	0 -	1 91.6	0 -	0 -	0 -	0 -	1 80.8
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.2
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.2
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.2
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 7.1	0 -	0 -	0 -	1 53.1	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 7.1	0 -	0 -	0 -	1 53.1	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

BARREN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	65 191.1	0 -	0 -	0 -	1 19.8	1 25.7	10 282.6	17 495.0	36 751.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	1 28.3	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	19 55.9	0 -	0 -	0 -	1 19.8	0 -	3 84.8	3 87.4	12 250.4
Stomach (151)	No. Rate	2 5.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 41.7
Colon and Rectum (153 - 154) Male	No. Rate	4 24.4	0 -	0 -	0 -	0 -	0 -	1 59.5	0 -	3 148.1
Female	No. Rate	4 22.7	0 -	0 -	0 -	1 40.1	0 -	1 53.8	0 -	2 72.3
Liver (155)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	0 -	1 29.1	0 -
Pancreas (157)	No. Rate	5 14.7	0 -	0 -	0 -	0 -	0 -	1 28.3	2 58.2	2 41.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	18 52.9	0 -	0 -	0 -	0 -	1 25.7	0 -	7 203.8	10 208.7
Larynx (161)	No. Rate	2 5.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 41.7
Trachea, Bronchus, Lungs (162) Male	No. Rate	16 97.7	0 -	0 -	0 -	0 -	1 53.9	0 -	7 437.0	8 394.9
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	5 14.7	0 -	0 -	0 -	0 -	0 -	1 28.3	2 58.2	2 41.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	5 28.4	0 -	0 -	0 -	0 -	0 -	1 53.8	2 109.2	2 72.3
GENITOURINARY ORGANS (179 - 189)	No. Rate	10 29.4	0 -	0 -	0 -	0 -	0 -	1 28.3	2 58.2	7 146.1
Uterus (179, 182)	No. Rate	1 5.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 36.2
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	3 18.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 148.1
Bladder (188)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 20.9
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	7 20.6	0 -	0 -	0 -	0 -	0 -	3 84.8	2 58.2	2 41.7
Brain (191)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	1 28.3	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 14.7	0 -	0 -	0 -	0 -	0 -	1 28.3	1 29.1	3 62.6
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	0 -	1 29.1	0 -
Leukemia (204 - 208)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 20.9

1981

BUTLER

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	32 289.2	0 -	0 -	0 -	0 -	0 -	4 406.9	7 657.9	21 1312.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	9 81.3	0 -	0 -	0 -	0 -	0 -	0 -	2 188.0	7 437.5
Stomach (151)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.5
Colon and Rectum (153 - 154) Male	No. Rate	4 72.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 566.6
Female	No. Rate	2 36.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 233.7
Liver (155)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	1 94.0	0 -
Pancreas (157)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	1 94.0	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	10 90.4	0 -	0 -	0 -	0 -	0 -	2 203.5	2 188.0	6 375.0
Larynx (161)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.5
Trachea, Bronchus, Lungs (162) Male	No. Rate	7 127.2	0 -	0 -	0 -	0 -	0 -	1 200.0	2 389.1	4 566.6
Female	No. Rate	2 36.0	0 -	0 -	0 -	0 -	0 -	1 207.0	0 -	1 111.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 27.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 187.5
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.5
Breast, female (174)	No. Rate	2 26.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 223.7
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 45.2	0 -	0 -	0 -	0 -	0 -	1 101.7	1 94.0	3 187.5
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 18.0	0 -	0 -	0 -	0 -	0 -	1 207.0	0 -	0 -
Prostate (185)	No. Rate	1 18.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 141.6
Bladder (188)	No. Rate	2 18.1	0 -	0 -	0 -	0 -	0 -	0 -	1 94.0	1 62.5
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	1 94.0	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 36.2	0 -	0 -	0 -	0 -	0 -	1 101.7	1 94.0	2 125.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	1 101.7	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.5

1981

EDMONSON

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)		No. Rate	16 160.6	0 -	0 -	0 -	0 -	1 100.4	5 520.8	10 819.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)		No. Rate	4 40.2	0 -	0 -	0 -	0 -	0 -	0 -	4 327.6
Stomach (151)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male		No. Rate	1 20.1	0 -	0 -	0 -	0 -	0 -	0 -	1 181.8
Female		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)		No. Rate	1 10.0	0 -	0 -	0 -	0 -	0 -	0 -	1 81.9
Pancreas (157)		No. Rate	2 20.1	0 -	0 -	0 -	0 -	0 -	0 -	2 163.8
RESPIRATORY & INTRATHORACIC (160 - 165)		No. Rate	11 110.4	0 -	0 -	0 -	0 -	1 100.4	5 520.8	5 409.5
Larynx (161)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male		No. Rate	8 160.8	0 -	0 -	0 -	0 -	0 -	4 849.3	4 727.3
Female		No. Rate	2 40.1	0 -	0 -	0 -	0 -	1 199.2	1 204.5	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bone & Articular Cartilage (170)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Uterus (179, 182)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)		No. Rate	1 10.0	0 -	0 -	0 -	0 -	0 -	0 -	1 81.9
Brain (191)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

HART

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	35 227.2	0 -	0 -	0 -	0 -	1 58.2	7 443.0	9 525.7	18 887.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	10 64.9	0 -	0 -	0 -	0 -	0 -	0 -	2 116.8	8 394.5
Stomach (151)	No. Rate	2 13.0	0 -	0 -	0 -	0 -	0 -	0 -	2 116.8	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	3 38.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 264.8
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 6.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 49.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	11 71.4	0 -	0 -	0 -	0 -	0 -	4 253.2	5 292.1	2 98.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	10 132.9	0 -	0 -	0 -	0 -	0 -	4 522.2	4 475.6	2 223.5
Female	No. Rate	1 12.7	0 -	0 -	0 -	0 -	0 -	0 -	1 114.8	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	5 32.5	0 -	0 -	0 -	0 -	1 58.2	1 63.3	1 58.4	2 98.6
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	5 63.5	0 -	0 -	0 -	0 -	1 112.0	1 122.9	1 114.8	2 176.5
GENITOURINARY ORGANS (179 - 189)	No. Rate	4 26.0	0 -	0 -	0 -	0 -	0 -	1 63.3	0 -	3 147.9
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 12.7	0 -	0 -	0 -	0 -	0 -	1 122.9	0 -	0 -
Prostate (185)	No. Rate	1 13.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 111.7
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 19.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 147.9
Brain (191)	No. Rate	1 6.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 49.3
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 13.0	0 -	0 -	0 -	0 -	0 -	1 63.3	1 58.4	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 6.5	0 -	0 -	0 -	0 -	0 -	1 63.3	0 -	0 -

1981

LOGAN

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)		No. Rate	60 248.6	0 -	0 -	0 -	0 71.2	2 206.5	5 445.0	11 1203.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)		No. Rate	2 8.3	0 -	0 -	0 -	0 -	0 -	0 -	2 57.3
DIGESTIVE ORGANS (150 - 159)		No. Rate	13 53.9	0 -	0 -	0 -	0 -	1 41.3	1 40.5	11 315.3
Stomach (151)		No. Rate	1 4.1	0 -	0 -	0 -	0 -	0 -	0 -	1 28.7
Colon and Rectum (153 - 154) Male		No. Rate	4 34.1	0 -	0 -	0 -	0 -	1 82.1	0 -	3 195.6
Female		No. Rate	5 40.3	0 -	0 -	0 -	0 -	0 -	0 -	5 255.8
Liver (155)		No. Rate	1 4.1	0 -	0 -	0 -	0 -	0 -	0 -	1 28.7
Pancreas (157)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)		No. Rate	20 82.9	0 -	0 -	0 -	0 -	3 123.9	8 323.6	9 258.0
Larynx (161)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male		No. Rate	15 127.9	0 -	0 -	0 -	0 -	1 82.1	6 547.9	8 521.5
Female		No. Rate	5 40.3	0 -	0 -	0 -	0 -	2 166.3	2 145.2	1 51.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)		No. Rate	6 24.9	0 -	0 -	0 -	0 35.6	1 -	0 -	5 143.3
Bone & Articular Cartilage (170)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)		No. Rate	1 4.1	0 -	0 -	0 -	0 -	0 -	0 -	1 28.7
Breast, female (174)		No. Rate	5 40.3	0 -	0 -	0 -	1 69.1	0 -	0 -	4 204.6
GENITOURINARY ORGANS (179 - 189)		No. Rate	14 58.0	0 -	0 -	0 -	0 35.6	1 -	0 40.5	12 343.9
Uterus (179, 182)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)		No. Rate	8 68.2	0 -	0 -	0 -	0 -	0 -	1 91.3	7 456.3
Bladder (188)		No. Rate	3 12.4	0 -	0 -	0 -	0 -	0 -	0 -	3 86.0
OTHER UNSPECIFIED SITES (190 - 199)		No. Rate	2 8.3	0 -	0 -	0 -	0 -	1 41.3	0 -	1 28.7
Brain (191)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)		No. Rate	3 12.4	0 -	0 -	0 -	0 -	0 -	1 40.5	2 57.3
Lymphosarcoma & Reticulosarcoma (200)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)		No. Rate	1 4.1	0 -	0 -	0 -	0 -	0 -	1 40.5	0 -
Leukemia (204 - 208)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

METCALFE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	16 168.7	0 -	0 -	0 -	0 -	0 -	1 98.5	5 506.6	10 728.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	3 31.6	0 -	0 -	0 -	0 -	0 -	1 98.5	1 101.3	1 72.8
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 21.2	0 -	0 -	0 -	0 -	0 -	0 -	1 218.3	0 -
Female	No. Rate	1 20.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 132.8
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	4 42.2	0 -	0 -	0 -	0 -	0 -	0 -	3 304.0	1 72.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	2 42.5	0 -	0 -	0 -	0 -	0 -	0 -	1 218.3	1 161.3
Female	No. Rate	2 41.9	0 -	0 -	0 -	0 -	0 -	0 -	2 378.1	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 31.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 218.5
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 21.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 145.7
Breast, female (174)	No. Rate	1 20.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 132.8
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 31.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 218.5
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	2 42.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 322.6
Bladder (188)	No. Rate	1 10.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 72.8
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 10.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 72.8
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	1 10.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 72.8
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 21.1	0 -	0 -	0 -	0 -	0 -	0 -	1 101.3	1 72.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 10.5	0 -	0 -	0 -	0 -	0 -	0 -	1 101.3	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

MONROE

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	25 202.4	0 -	0 -	0 -	0 -	1 70.9	3 234.9	6 477.3	15 812.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	9 72.9	0 -	0 -	0 -	0 -	1 70.9	1 78.3	3 238.7	4 216.6
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 16.6	0 -	0 -	0 -	0 -	1 145.3	0 -	0 -	0 -
Female	No. Rate	3 47.4	0 -	0 -	0 -	0 -	0 -	1 150.6	1 147.9	1 98.1
Liver (155)	No. Rate	1 8.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 54.1
Pancreas (157)	No. Rate	3 24.3	0 -	0 -	0 -	0 -	0 -	0 -	2 159.1	1 54.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 48.6	0 -	0 -	0 -	0 -	0 -	2 156.6	0 -	4 216.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 83.1	0 -	0 -	0 -	0 -	0 -	2 326.3	0 -	3 362.3
Female	No. Rate	1 15.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 98.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 8.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 54.1
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 15.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 98.1
GENITOURINARY ORGANS (179 - 189)	No. Rate	4 32.4	0 -	0 -	0 -	0 -	0 -	0 -	1 79.6	3 162.4
Uterus (179, 182)	No. Rate	1 15.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 98.1
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	3 49.8	0 -	0 -	0 -	0 -	0 -	0 -	1 172.1	2 241.5
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 8.1	0 -	0 -	0 -	0 -	0 -	0 -	1 79.6	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 32.4	0 -	0 -	0 -	0 -	0 -	0 -	1 79.6	3 162.4
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

SIMPSON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	34 231.7	0 -	0 -	0 -	0 -	3 185.6	4 786.1	9 618.1	18 927.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 6.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 51.5
DIGESTIVE ORGANS (150 - 159)	No. Rate	14 95.4	0 -	0 -	0 -	0 -	0 -	2 143.1	2 137.4	10 515.2
Stomach (151)	No. Rate	2 13.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 103.0
Colon and Rectum (153 - 154) Male	No. Rate	6 84.9	0 -	0 -	0 -	0 -	0 -	1 149.7	1 148.8	4 497.5
Female	No. Rate	2 26.3	0 -	0 -	0 -	0 -	0 -	0 -	1 127.6	1 88.0
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	10 68.2	0 -	0 -	0 -	0 -	0 -	0 -	6 412.1	4 206.1
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	7 99.0	0 -	0 -	0 -	0 -	0 -	0 -	4 595.2	3 373.1
Female	No. Rate	3 39.5	0 -	0 -	0 -	0 -	0 -	0 -	2 255.1	1 88.0
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	6 40.9	0 -	0 -	0 -	0 -	2 123.8	1 71.5	0 -	3 154.6
Bone & Articular Cartilage (170)	No. Rate	1 6.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 51.5
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	5 65.8	0 -	0 -	0 -	0 -	2 236.7	1 137.0	0 -	2 175.9
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 13.6	0 -	0 -	0 -	0 -	1 61.9	1 71.5	0 -	0 -
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 14.1	0 -	0 -	0 -	0 -	0 -	1 149.7	0 -	0 -
Bladder (188)	No. Rate	1 6.8	0 -	0 -	0 -	0 -	1 61.9	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 6.8	0 -	0 -	0 -	0 -	0 -	0 -	1 68.7	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 6.8	0 -	0 -	0 -	0 -	0 -	0 -	1 68.7	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 6.8	0 -	0 -	0 -	0 -	0 -	0 -	1 68.7	0 -


1981

WARREN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	146	0	1	1	1	5	12	39	87
	Rate	203.3	-	10.0	5.5	8.5	65.9	194.3	692.0	1232.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	1	0	0	0
	Rate	1.4	-	-	-	-	13.2	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	40	0	0	0	0	0	1	7	32
	Rate	55.7	-	-	-	-	-	16.2	124.2	453.3
Stomach (151)	No.	2	0	0	0	0	0	0	1	1
	Rate	2.8	-	-	-	-	-	-	17.7	14.2
Colon and Rectum (153 - 154) Male	No.	10	0	0	0	0	0	0	2	8
	Rate	28.8	-	-	-	-	-	-	76.4	283.9
Female	No.	11	0	0	0	0	0	0	0	11
	Rate	29.6	-	-	-	-	-	-	-	259.4
Liver (155)	No.	2	0	0	0	0	0	0	0	2
	Rate	2.8	-	-	-	-	-	-	-	28.3
Pancreas (157)	No.	10	0	0	0	0	0	0	4	6
	Rate	13.9	-	-	-	-	-	-	71.0	85.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	35	0	0	0	0	1	5	16	13
	Rate	48.7	-	-	-	-	13.2	80.9	283.9	184.2
Larynx (161)	No.	1	0	0	0	0	0	1	0	0
	Rate	1.4	-	-	-	-	-	16.2	-	-
Trachea, Bronchus, Lungs (162) Male	No.	28	0	0	0	0	1	4	12	11
	Rate	80.7	-	-	-	-	26.6	132.7	458.5	390.3
Female	No.	5	0	0	0	0	0	0	3	2
	Rate	13.5	-	-	-	-	-	-	99.4	47.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	22	0	0	1	0	2	3	7	9
	Rate	30.6	-	-	5.5	-	26.4	48.6	124.2	127.5
Bone & Articular Cartilage (170)	No.	2	0	0	1	0	0	0	0	1
	Rate	2.8	-	-	5.5	-	-	-	-	14.2
Skin (172 - 173)	No.	6	0	0	0	0	1	0	1	4
	Rate	8.4	-	-	-	-	13.2	-	17.7	56.7
Breast, female (174)	No.	13	0	0	0	0	1	3	6	3
	Rate	35.0	-	-	-	-	26.1	94.8	198.7	70.7
GENITOURINARY ORGANS (179 - 189)	No.	29	0	0	0	1	0	2	6	20
	Rate	40.4	-	-	-	8.5	-	32.4	106.5	283.3
Uterus (179, 182)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.7	-	-	-	-	-	-	-	23.6
Cervix (180)	No.	5	0	0	0	0	0	1	2	2
	Rate	13.5	-	-	-	-	-	31.6	66.2	47.2
Prostate (185)	No.	13	0	0	0	0	0	0	1	12
	Rate	37.5	-	-	-	-	-	-	38.2	425.8
Bladder (188)	No.	2	0	0	0	0	0	0	1	1
	Rate	2.8	-	-	-	-	-	-	17.7	14.2
OTHER UNSPECIFIED SITES (190 - 199)	No.	6	0	1	0	0	0	0	3	2
	Rate	8.4	-	10.0	-	-	-	-	53.2	28.3
Brain (191)	No.	2	0	1	0	0	0	0	1	0
	Rate	2.8	-	10.0	-	-	-	-	17.7	-
Thyroid (193)	No.	1	0	0	0	0	0	0	1	0
	Rate	1.4	-	-	-	-	-	-	17.7	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	13	0	0	0	0	1	1	0	11
	Rate	18.1	-	-	-	-	13.2	16.2	-	155.8
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	1	0	0	0	0	0	0	0	1
	Rate	1.4	-	-	-	-	-	-	-	14.2
Leukemia (204 - 208)	No.	6	0	0	0	0	0	1	0	5
	Rate	8.4	-	-	-	-	-	16.2	-	70.8

DISTRICT 5 - LINCOLN TRAIL



1981

DISTRICT 5

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	306 140.6	2 10.7	0 -	4 7.7	6 17.3	7 30.8	42 230.7	60 375.9	185 936.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	5 2.3	0 -	0 -	0 -	0 -	0 -	2 11.0	2 12.5	1 5.1
DIGESTIVE ORGANS (150 - 159)	No. Rate	86 39.5	0 -	0 -	0 -	0 -	0 -	8 43.9	15 94.0	63 319.0
Stomach (151)	No. Rate	9 4.1	0 -	0 -	0 -	0 -	0 -	2 11.0	0 -	7 35.4
Colon and Rectum (153 - 154) Male	No. Rate	22 19.2	0 -	0 -	0 -	0 -	0 -	1 11.2	4 51.8	17 199.7
Female	No. Rate	17 16.5	0 -	0 -	0 -	0 -	0 -	0 -	1 12.1	16 142.4
Liver (155)	No. Rate	7 3.2	0 -	0 -	0 -	0 -	0 -	1 5.5	2 12.5	4 20.3
Pancreas (157)	No. Rate	19 8.7	0 -	0 -	0 -	0 -	0 -	2 11.0	5 31.3	12 60.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	93 42.7	0 -	0 -	0 -	0 -	3 13.2	13 71.4	23 144.1	54 273.4
Larynx (161)	No. Rate	2 0.9	0 -	0 -	0 -	0 -	0 -	0 -	1 6.3	1 5.1
Trachea, Bronchus, Lungs (162) Male	No. Rate	68 59.2	0 -	0 -	0 -	0 -	1 8.8	10 111.6	14 181.4	43 505.1
Female	No. Rate	22 21.4	0 -	0 -	0 -	0 -	2 17.5	3 32.5	8 97.0	9 80.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	31 14.2	0 -	0 -	2 3.8	2 5.8	2 8.8	7 38.5	3 18.8	15 76.0
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	12 5.5	0 -	0 -	1 1.9	1 2.9	1 4.4	2 11.0	1 6.3	6 30.4
Breast, female (174)	No. Rate	17 16.5	0 -	0 -	0 -	1 6.0	1 8.8	5 54.1	2 24.3	8 71.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	43 19.8	0 -	0 -	0 -	2 5.8	1 4.4	7 38.5	7 43.9	26 131.7
Uterus (179, 182)	No. Rate	1 1.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 8.9
Cervix (180)	No. Rate	5 4.9	0 -	0 -	0 -	2 12.1	0 -	1 10.8	1 12.1	1 8.9
Prostate (185)	No. Rate	17 14.8	0 -	0 -	0 -	0 -	0 -	0 -	3 38.9	14 164.5
Bladder (188)	No. Rate	4 1.8	0 -	0 -	0 -	0 -	0 -	1 5.5	1 6.3	2 10.1
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	26 11.9	2 10.7	0 -	2 3.8	0 -	0 -	4 22.0	6 37.6	12 60.8
Brain (191)	No. Rate	11 5.1	2 10.7	0 -	2 3.8	0 -	0 -	2 11.0	4 25.1	1 5.1
Thyroid (193)	No. Rate	1 0.5	0 -	0 -	0 -	0 -	0 -	0 -	1 6.3	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	22 10.1	0 -	0 -	0 -	2 5.8	1 4.4	1 5.5	4 25.1	14 70.9
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	2 0.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 10.1
Hodgkin's Disease (201)	No. Rate	2 0.9	0 -	0 -	0 -	1 2.9	0 -	0 -	0 -	1 5.1
Leukemia (204 - 208)	No. Rate	8 3.7	0 -	0 -	0 -	1 2.9	0 -	0 -	1 6.3	6 30.4

1981

BRECKINRIDGE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	33 195.7	0 -	0 -	3 103.1	1 40.9	2 110.5	2 125.8	7 410.8	18 767.9
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 5.9	0 -	0 -	0 -	0 -	0 -	0 -	1 58.7	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	11 65.2	0 -	0 -	0 -	0 -	0 -	0 -	1 58.7	10 426.6
Stomach (151)	No. Rate	2 11.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 85.3
Colon and Rectum (153 - 154) Male	No. Rate	2 23.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 184.7
Female	No. Rate	3 35.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 237.9
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 35.6	0 -	0 -	0 -	0 -	1 55.2	1 62.9	1 58.7	3 128.0
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	2 23.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 184.7
Female	No. Rate	4 47.2	0 -	0 -	0 -	0 -	1 108.9	1 121.2	1 119.0	1 79.3
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	5 29.7	0 -	0 -	2 68.7	0 -	1 55.2	0 -	0 -	2 85.3
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	4 23.7	0 -	0 -	1 34.4	0 -	1 55.2	0 -	0 -	2 85.3
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	6 35.6	0 -	0 -	0 -	0 -	0 -	1 62.9	2 117.4	3 128.0
Uterus (179, 182)	No. Rate	1 11.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 79.3
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	3 35.7	0 -	0 -	0 -	0 -	0 -	0 -	1 115.7	2 184.7
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 11.9	0 -	0 -	1 34.4	0 -	0 -	0 -	1 58.7	0 -
Brain (191)	No. Rate	2 11.9	0 -	0 -	1 34.4	0 -	0 -	0 -	1 58.7	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 11.9	0 -	0 -	0 -	1 40.9	0 -	0 -	1 58.7	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 5.9	0 -	0 -	0 -	1 40.9	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

GRAYSON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	37 177.4	0 -	0 -	0 -	0 -	1 44.5	2 99.8	11 519.6	23 805.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	12 57.5	0 -	0 -	0 -	0 -	0 -	1 49.9	4 188.9	7 245.2
Stomach (151)	No. Rate	1 4.8	0 -	0 -	0 -	0 -	0 -	1 49.9	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	2 19.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 150.6
Female	No. Rate	2 19.1	0 -	0 -	0 -	0 -	0 -	0 -	1 93.0	1 65.5
Liver (155)	No. Rate	3 14.4	0 -	0 -	0 -	0 -	0 -	0 -	1 47.2	2 70.1
Pancreas (157)	No. Rate	4 19.2	0 -	0 -	0 -	0 -	0 -	0 -	2 94.5	2 70.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	11 52.7	0 -	0 -	0 -	0 -	0 -	1 49.9	4 188.9	6 210.2
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	10 96.3	0 -	0 -	0 -	0 -	0 -	1 101.8	4 383.9	5 376.5
Female	No. Rate	1 9.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 65.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 14.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 105.1
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 4.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 35.0
Breast, female (174)	No. Rate	2 19.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 131.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 24.0	0 -	0 -	0 -	0 -	0 -	0 -	1 47.2	4 140.1
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	4 38.5	0 -	0 -	0 -	0 -	0 -	0 -	1 96.0	3 225.9
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 14.4	0 -	0 -	0 -	0 -	0 -	0 -	2 94.5	1 35.0
Brain (191)	No. Rate	3 14.4	0 -	0 -	0 -	0 -	0 -	0 -	2 94.5	1 35.0
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 14.4	0 -	0 -	0 -	0 -	1 44.5	0 -	0 -	2 70.1
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 4.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 35.0
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 4.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 35.0

1981

HARDIN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	89 100.1	2 26.6	0 -	1 3.5	2 14.0	3 33.5	16 236.2	17 353.6	48 939.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 1.1	0 -	0 -	0 -	0 -	0 -	1 14.8	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	16 18.0	0 -	0 -	0 -	0 -	0 -	2 29.5	3 62.4	11 215.2
Stomach (151)	No. Rate	1 1.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 19.6
Colon and Rectum (153 - 154) Male	No. Rate	3 5.9	0 -	0 -	0 -	0 -	0 -	1 29.8	1 43.2	1 45.4
Female	No. Rate	5 13.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 172.0
Liver (155)	No. Rate	1 1.1	0 -	0 -	0 -	0 -	0 -	0 -	1 20.8	0 -
Pancreas (157)	No. Rate	5 5.6	0 -	0 -	0 -	0 -	0 -	1 14.8	1 20.8	3 58.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	36 40.5	0 -	0 -	0 -	0 -	2 22.4	7 73.8	9 187.2	20 391.3
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	27 52.8	0 -	0 -	0 -	0 -	1 22.4	5 148.8	5 216.2	16 726.0
Female	No. Rate	8 21.2	0 -	0 -	0 -	0 -	1 11.3	0 -	4 160.3	3 103.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	9 10.1	0 -	0 -	0 -	1 7.0	0 -	3 44.3	1 20.8	4 78.3
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	4 4.5	0 -	0 -	0 -	1 7.0	0 -	1 14.8	1 20.8	1 19.6
Breast, female (174)	No. Rate	5 13.2	0 -	0 -	0 -	0 -	0 -	2 58.6	0 -	3 103.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	12 13.5	0 -	0 -	0 -	1 7.0	1 11.2	3 44.3	2 41.6	5 97.8
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	2 5.3	0 -	0 -	0 -	1 15.5	0 -	1 29.3	0 -	0 -
Prostate (185)	No. Rate	3 5.9	0 -	0 -	0 -	0 -	0 -	0 -	1 43.2	2 90.7
Bladder (188)	No. Rate	1 1.1	0 -	0 -	0 -	0 -	0 -	1 14.8	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	11 12.4	2 26.6	0 -	1 3.5	0 -	0 -	2 29.5	1 20.8	5 97.8
Brain (191)	No. Rate	3 3.4	2 26.6	0 -	1 3.5	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 4.5	0 -	0 -	0 -	0 -	0 -	0 -	1 20.8	3 58.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 1.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 19.6
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 1.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 19.6

1981

LARUE

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	23 192.9	0 -	0 -	0 -	0 -	0 -	5 405.2	1 82.6	17 979.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	9 75.5	0 -	0 -	0 -	0 -	0 -	2 162.1	0 -	7 403.5
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	4 68.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 531.9
Female	No. Rate	1 16.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 101.7
Liver (155)	No. Rate	1 8.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 57.6
Pancreas (157)	No. Rate	2 16.8	0 -	0 -	0 -	0 -	0 -	1 81.0	0 -	1 57.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 41.9	0 -	0 -	0 -	0 -	0 -	0 -	1 82.6	4 230.5
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 51.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 398.9
Female	No. Rate	2 33.0	0 -	0 -	0 -	0 -	0 -	0 -	1 155.5	1 101.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 16.8	0 -	0 -	0 -	0 -	0 -	1 81.0	0 -	1 57.6
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 33.0	0 -	0 -	0 -	0 -	0 -	1 163.7	0 -	1 101.7
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 16.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 115.3
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	1 8.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 57.6
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 25.2	0 -	0 -	0 -	0 -	0 -	2 162.1	0 -	1 57.6
Brain (191)	No. Rate	2 16.8	0 -	0 -	0 -	0 -	0 -	2 162.1	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 16.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 115.3
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 16.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 115.3

1981

MARION

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	24 134.0	0 -	0 -	0 -	0 -	0 -	3 184.2	2 138.9	19 903.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	7 39.1	0 -	0 -	0 -	0 -	0 -	1 61.4	0 -	6 285.2
Stomach (151)	No. Rate	3 16.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 142.6
Colon and Rectum (153 - 154) Male	No. Rate	2 22.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 235.6
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	1 61.4	0 -	0 -
Pancreas (157)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 47.5
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	9 50.3	0 -	0 -	0 -	0 -	0 -	1 61.4	2 138.9	6 285.2
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	4 45.8	0 -	0 -	0 -	0 -	0 -	1 130.4	0 -	3 353.4
Female	No. Rate	5 54.5	0 -	0 -	0 -	0 -	0 -	0 -	2 268.1	3 239.0
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 22.3	0 -	0 -	0 -	0 -	0 -	1 61.4	0 -	3 142.6
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 11.2	0 -	0 -	0 -	0 -	0 -	1 61.4	0 -	1 47.5
Breast, female (174)	No. Rate	2 21.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 159.4
GENITOURINARY ORGANS (179 - 189)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 47.5
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 11.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 117.8
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 47.5
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 11.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 95.1
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 47.5
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 47.5

1981

MEADE

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	32 140.0	0 -	0 -	0 -	0 -	0 -	3 193.7	7 549.5	22 1664.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	1 64.6	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	7 30.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	7 529.5
Stomach (151)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 75.6
Colon and Rectum (153 - 154) Male	No. Rate	3 25.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 524.5
Female	No. Rate	1 8.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 133.3
Liver (155)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 75.6
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	15 65.6	0 -	0 -	0 -	0 -	0 -	2 129.1	4 314.0	9 680.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	14 120.6	0 -	0 -	0 -	0 -	0 -	1 127.4	4 622.1	9 1573.4
Female	No. Rate	1 8.9	0 -	0 -	0 -	0 -	0 -	1 130.9	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 75.6
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 75.6
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	6 26.3	0 -	0 -	0 -	0 -	0 -	0 -	1 78.5	5 378.2
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	4 34.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 699.3
Bladder (188)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	0 -	1 78.5	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	0 -	1 78.5	0 -
Brain (191)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	0 -	1 78.5	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 4.4	0 -	0 -	0 -	0 -	0 -	0 -	1 78.5	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

NELSON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	45 163.1	0 -	0 -	0 -	3 69.6	1 34.3	5 206.4	11 472.5	25 885.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 7.3	0 -	0 -	0 -	0 -	0 -	0 -	1 43.0	1 35.4
DIGESTIVE ORGANS (150 - 159)	No. Rate	17 61.6	0 -	0 -	0 -	0 -	0 -	2 82.6	4 171.8	11 389.5
Stomach (151)	No. Rate	1 3.6	0 -	0 -	0 -	0 -	0 -	1 41.3	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	5 37.2	0 -	0 -	0 -	0 -	0 -	0 -	2 182.8	3 269.3
Female	No. Rate	3 21.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 175.4
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	5 18.1	0 -	0 -	0 -	0 -	0 -	0 -	1 43.0	4 141.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 25.4	0 -	0 -	0 -	0 -	0 -	1 41.3	2 85.9	4 141.6
Larynx (161)	No. Rate	2 7.3	0 -	0 -	0 -	0 -	0 -	0 -	1 43.0	1 35.4
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 37.2	0 -	0 -	0 -	0 -	0 -	1 83.0	1 91.4	3 269.3
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	5 18.1	0 -	0 -	0 -	1 23.2	1 34.3	1 41.3	2 85.9	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	5 35.4	0 -	0 -	0 -	1 46.2	1 67.8	1 82.2	2 162.1	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	6 21.8	0 -	0 -	0 -	1 23.2	0 -	0 -	1 43.0	4 141.6
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	3 21.2	0 -	0 -	0 -	1 46.2	0 -	0 -	1 81.0	1 58.5
Prostate (185)	No. Rate	1 7.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 89.8
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 10.9	0 -	0 -	0 -	0 -	0 -	0 -	1 43.0	2 70.8
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	1 3.6	0 -	0 -	0 -	0 -	0 -	0 -	1 43.0	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 18.1	0 -	0 -	0 -	1 23.2	0 -	1 41.3	0 -	3 106.2
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 3.6	0 -	0 -	0 -	1 23.2	0 -	0 -	0 -	0 -

1981


WASHINGTON

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	23 213.7	0 -	0 -	0 -	0 -	0 -	6 600.0	4 369.7	13 894.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	7 65.0	0 -	0 -	0 -	0 -	0 -	0 -	3 277.3	4 275.1
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 19.0	0 -	0 -	0 -	0 -	0 -	0 -	1 200.0	0 -
Female	No. Rate	2 36.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 237.2
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	2 18.6	0 -	0 -	0 -	0 -	0 -	0 -	1 92.4	1 68.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	4 37.2	0 -	0 -	0 -	0 -	0 -	2 200.0	0 -	2 137.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 57.1	0 -	0 -	0 -	0 -	0 -	1 210.5	0 -	1 327.3
Female	No. Rate	1 18.1	0 -	0 -	0 -	0 -	0 -	1 190.5	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 18.6	0 -	0 -	0 -	0 -	0 -	1 100.0	0 -	1 68.8
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 18.1	0 -	0 -	0 -	0 -	0 -	1 190.5	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 46.5	0 -	0 -	0 -	0 -	0 -	3 300.0	0 -	2 137.6
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 19.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 163.7
Bladder (188)	No. Rate	1 9.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 68.8
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 18.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 137.6
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 27.9	0 -	0 -	0 -	0 -	0 -	0 -	1 92.4	2 137.6
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 9.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 68.8
Leukemia (204 - 208)	No. Rate	2 18.6	0 -	0 -	0 -	0 -	0 -	0 -	1 92.4	1 68.8

DISTRICT 6 - KENTUCKIANA



1981

DISTRICT 6

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	1616 200.9	1 1.7	5 4.0	7 4.8	26 19.0	59 65.1	161 191.2	397 519.3	960 1124.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	42 5.2	0 -	0 -	0 -	1 0.7	0 -	10 11.9	15 19.6	16 18.7
DIGESTIVE ORGANS (150 - 159)	No. Rate	440 54.7	0 -	0 -	1 0.7	4 2.9	3 3.3	34 40.4	102 133.4	296 346.6
Stomach (151)	No. Rate	45 5.6	0 -	0 -	0 -	1 0.7	2 2.2	1 1.2	9 11.8	32 37.5
Colon and Rectum (153 - 154) Male	No. Rate	105 27.2	0 -	0 -	0 -	1 1.5	0 -	11 27.4	27 75.8	66 205.1
Female	No. Rate	111 26.5	0 -	0 -	1 1.4	1 1.4	1 2.1	5 11.3	23 56.3	80 150.3
Liver (155)	No. Rate	16 2.0	0 -	0 -	0 -	0 -	0 -	1 1.2	3 3.9	12 14.1
Pancreas (157)	No. Rate	85 10.6	0 -	0 -	0 -	0 -	0 -	8 9.5	19 24.9	58 67.9
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	504 62.7	0 -	0 -	1 0.7	0 -	15 16.5	64 76.0	174 227.6	250 292.7
Larynx (161)	No. Rate	12 1.5	0 -	0 -	0 -	0 -	0 -	0 -	3 3.9	9 10.5
Trachea, Bronchus, Lungs (162) Male	No. Rate	342 88.6	0 -	0 -	0 -	0 -	5 11.4	39 97.3	125 350.8	173 537.5
Female	No. Rate	143 34.2	0 -	0 -	0 -	0 -	10 21.4	23 52.1	45 110.2	65 122.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	171 21.3	0 -	1 0.8	0 -	8 5.9	16 17.7	19 22.6	32 41.9	95 111.2
Bone & Articular Cartilage (170)	No. Rate	5 0.6	0 -	1 0.8	0 -	0 -	0 -	0 -	1 1.3	3 3.5
Skin (172 - 173)	No. Rate	15 1.9	0 -	0 -	0 -	2 1.5	1 1.1	0 -	4 5.2	8 9.4
Breast, female (174)	No. Rate	140 33.5	0 -	0 -	0 -	6 8.6	14 30.0	17 38.5	25 61.2	78 146.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	212 26.4	1 1.7	1 0.8	1 0.7	2 1.5	13 14.3	11 13.1	33 43.2	150 175.6
Uterus (179, 182)	No. Rate	23 5.5	0 -	0 -	0 -	0 -	1 2.1	0 -	2 4.9	20 37.6
Cervix (180)	No. Rate	26 6.2	0 -	0 -	0 -	1 1.4	6 12.8	2 4.5	3 7.3	14 26.3
Prostate (185)	No. Rate	58 15.0	0 -	0 -	0 -	0 -	0 -	1 2.5	4 11.2	53 164.7
Bladder (188)	No. Rate	39 4.8	0 -	0 -	0 -	0 -	1 1.1	3 3.6	9 11.8	26 30.4
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	124 15.4	0 -	1 0.8	0 -	7 5.1	6 6.6	11 13.1	16 20.9	83 97.2
Brain (191)	No. Rate	28 3.5	0 -	1 0.8	0 -	6 4.4	2 2.2	3 3.6	6 7.8	10 11.7
Thyroid (193)	No. Rate	1 0.1	0 -	0 -	0 -	0 -	1 1.1	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	123 15.3	0 -	2 1.6	4 2.7	4 2.9	6 6.6	12 14.3	25 32.7	70 82.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	13 1.6	0 -	0 -	2 1.4	0 -	0 -	2 2.4	0 -	9 10.5
Hodgkin's Disease (201)	No. Rate	8 1.0	0 -	0 -	1 0.7	0 -	0 -	1 1.2	2 2.6	4 4.7
Leukemia (204 - 208)	No. Rate	51 6.3	0 -	2 1.6	0 -	3 2.2	5 5.5	3 3.6	10 13.1	28 32.8

1981

BULLITT

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	47 108.4	0 -	1 10.3	0 -	0 -	1 17.0	7 187.6	14 535.0	24 1061.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	3 6.9	0 -	0 -	0 -	0 -	0 -	3 80.4	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	13 30.0	0 -	0 -	0 -	0 -	0 -	1 26.8	5 191.1	7 309.6
Stomach (151)	No. Rate	2 4.6	0 -	0 -	0 -	0 -	0 -	0 -	2 76.4	0 -
Colon and Rectum (153 - 154) Male	No. Rate	5 23.1	0 -	0 -	0 -	0 -	0 -	0 -	1 76.2	4 398.0
Female	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	1 76.7	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	3 6.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 132.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	18 41.5	0 -	0 -	0 -	0 -	0 -	2 53.6	7 267.5	9 398.1
Larynx (161)	No. Rate	2 4.6	0 -	0 -	0 -	0 -	0 -	0 -	1 38.2	1 44.2
Trachea, Bronchus, Lungs (162) Male	No. Rate	14 64.7	0 -	0 -	0 -	0 -	0 -	2 102.4	5 380.8	7 696.5
Female	No. Rate	2 9.2	0 -	0 -	0 -	0 -	0 -	0 -	1 76.7	1 79.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 6.9	0 -	0 -	0 -	0 -	0 -	0 -	2 76.4	1 44.2
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 2.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 44.2
Breast, female (174)	No. Rate	2 9.2	0 -	0 -	0 -	0 -	0 -	0 -	2 153.4	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 88.5
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 92.5
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	5 11.5	0 -	0 -	0 -	0 -	0 -	1 26.8	0 -	4 176.9
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 6.9	0 -	1 10.3	0 -	0 -	1 17.0	0 -	0 -	1 44.2
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 4.6	0 -	1 10.3	0 -	0 -	1 17.0	0 -	0 -	0 -

1981

HENRY

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	30 235.5	0 -	0 -	0 -	0 -	1 64.6	0 -	7 515.1	22 1270.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 7.8	0 -	0 -	0 -	0 -	0 -	0 -	1 73.6	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	6 47.1	0 -	0 -	0 -	0 -	0 -	0 -	3 220.8	3 173.2
Stomach (151)	No. Rate	1 7.8	0 -	0 -	0 -	0 -	0 -	0 -	1 73.6	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 15.8	0 -	0 -	0 -	0 -	0 -	0 -	1 149.7	0 -
Female	No. Rate	1 15.6	0 -	0 -	0 -	0 -	0 -	0 -	1 144.7	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	2 15.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 115.5
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 47.1	0 -	0 -	0 -	0 -	0 -	0 -	1 73.6	5 288.7
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 79.1	0 -	0 -	0 -	0 -	0 -	0 -	1 149.7	4 528.4
Female	No. Rate	1 15.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 102.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 15.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 115.5
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 15.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 102.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	7 54.9	0 -	0 -	0 -	0 -	1 64.6	0 -	1 73.6	5 288.7
Uterus (179, 182)	No. Rate	2 31.1	0 -	0 -	0 -	0 -	0 -	0 -	1 144.7	1 102.6
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 15.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 132.1
Bladder (188)	No. Rate	1 7.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 57.7
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	5 39.2	0 -	0 -	0 -	0 -	0 -	0 -	1 73.6	4 230.9
Brain (191)	No. Rate	1 7.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 57.7
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 23.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 173.2
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 15.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 115.5

1981

JEFFERSON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	1442 210.5	1 2.0	4 3.9	6 4.8	22 19.0	49 65.8	142 193.4	357 528.9	861 1140.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	37 5.4	0 -	0 -	0 -	1 0.9	0 -	6 8.2	14 20.7	16 21.2
DIGESTIVE ORGANS (150 - 159)	No. Rate	390 56.9	0 -	0 -	0 -	4 3.5	2 2.7	31 42.2	85 125.9	268 355.0
Stomach (151)	No. Rate	41 6.0	0 -	0 -	0 -	1 0.9	1 1.3	1 1.4	6 8.9	32 42.4
Colon and Rectum (153 - 154) Male	No. Rate	90 27.6	0 -	0 -	0 -	1 1.8	0 -	11 31.9	23 73.7	55 197.7
Female	No. Rate	103 28.7	0 -	0 -	0 -	1 1.7	1 2.6	4 10.3	19 52.3	78 163.6
Liver (155)	No. Rate	16 2.3	0 -	0 -	0 -	0 -	0 -	1 1.4	3 4.4	12 15.9
Pancreas (157)	No. Rate	71 10.4	0 -	0 -	0 -	0 -	0 -	8 10.9	15 22.2	48 63.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	453 66.1	0 -	0 -	1 0.8	0 -	13 17.5	57 77.6	161 238.5	221 292.7
Larynx (161)	No. Rate	7 1.0	0 -	0 -	0 -	0 -	0 -	0 -	2 3.0	5 6.6
Trachea, Bronchus, Lungs (162) Male	No. Rate	308 94.6	0 -	0 -	0 -	0 -	4 11.3	34 98.5	117 375.0	153 549.8
Female	No. Rate	132 36.7	0 -	0 -	0 -	0 -	9 23.1	21 54.0	41 113.0	61 127.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	157 22.9	0 -	1 1.0	0 -	8 6.9	14 18.8	18 24.5	30 44.4	86 113.9
Bone & Articular Cartilage (170)	No. Rate	5 0.7	0 -	1 1.0	0 -	0 -	0 -	0 -	1 1.5	3 4.0
Skin (172 - 173)	No. Rate	13 1.9	0 -	0 -	0 -	2 1.7	1 1.3	0 -	4 5.9	6 7.9
Breast, female (174)	No. Rate	129 35.9	0 -	0 -	0 -	6 10.1	12 30.8	16 41.1	23 63.4	72 151.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	191 27.9	1 2.0	1 1.0	1 0.8	2 1.7	10 13.4	9 12.3	29 43.0	138 182.8
Uterus (179, 182)	No. Rate	21 5.8	0 -	0 -	0 -	0 -	1 2.6	0 -	1 2.8	19 39.9
Cervix (180)	No. Rate	25 7.0	0 -	0 -	0 -	1 1.7	5 12.8	2 5.1	3 8.3	14 29.4
Prostate (185)	No. Rate	53 16.3	0 -	0 -	0 -	0 -	0 -	1 2.9	4 12.8	48 172.5
Bladder (188)	No. Rate	36 5.3	0 -	0 -	0 -	0 -	1 1.3	3 4.1	8 11.9	24 31.8
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	106 15.5	0 -	1 1.0	0 -	6 5.2	5 6.7	9 12.3	15 22.2	70 92.7
Brain (191)	No. Rate	25 3.6	0 -	1 1.0	0 -	5 4.3	2 2.7	3 4.1	6 8.9	8 10.6
Thyroid (193)	No. Rate	1 0.1	0 -	0 -	0 -	0 -	1 1.3	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	108 15.8	0 -	1 1.0	4 3.2	1 0.9	5 6.7	12 16.3	23 34.1	62 82.1
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	13 1.9	0 -	0 -	2 1.6	0 -	0 -	2 2.7	0 -	9 11.9
Hodgkin's Disease (201)	No. Rate	8 1.2	0 -	0 -	1 0.8	0 -	0 -	1 1.4	2 3.0	4 5.3
Leukemia (204 - 208)	No. Rate	43 6.3	0 -	1 1.0	0 -	0 -	4 5.4	3 4.1	0 14.4	25 33.1

1981

OLDHAM

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	24 86.3	0 -	0 -	0 -	1 17.5	4 92.5	4 180.1	2 119.9	13 812.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	6 21.6	0 -	0 -	0 -	0 -	1 23.1	0 -	1 60.0	4 249.8
Stomach (151)	No. Rate	1 3.6	0 -	0 -	0 -	0 -	1 23.1	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	2 13.4	0 -	0 -	0 -	0 -	0 -	0 -	1 118.8	1 142.0
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	2 7.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 124.9
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	8 28.8	0 -	0 -	0 -	0 -	1 23.1	3 135.1	1 60.0	3 187.4
Larynx (161)	No. Rate	1 3.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.5
Trachea, Bronchus, Lungs (162) Male	No. Rate	4 26.7	0 -	0 -	0 -	0 -	1 41.9	2 159.0	0 -	1 142.0
Female	No. Rate	3 23.4	0 -	0 -	0 -	0 -	0 -	1 103.8	1 121.1	1 111.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 10.8	0 -	0 -	0 -	0 -	1 23.1	0 -	0 -	2 124.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 23.4	0 -	0 -	0 -	0 -	1 51.6	0 -	0 -	2 223.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	4 14.4	0 -	0 -	0 -	0 -	1 23.1	0 -	0 -	3 187.4
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	2 13.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 284.1
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 10.8	0 -	0 -	0 -	1 17.5	0 -	1 45.0	0 -	1 62.5
Brain (191)	No. Rate	1 3.6	0 -	0 -	0 -	1 17.5	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

SHELBY

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	47 201.5	0 -	0 -	0 -	2 55.5	3 103.2	5 214.4	15 694.4	22 756.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 4.3	0 -	0 -	0 -	0 -	0 -	1 42.9	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	18 77.2	0 -	0 -	0 -	0 -	0 -	0 -	7 324.1	11 378.1
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	6 52.8	0 -	0 -	0 -	0 -	0 -	0 -	1 97.1	5 401.3
Female	No. Rate	4 33.4	0 -	0 -	0 -	0 -	0 -	0 -	2 177.0	2 120.3
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	5 21.4	0 -	0 -	0 -	0 -	0 -	0 -	3 138.9	2 68.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	13 55.7	0 -	0 -	0 -	0 -	1 34.4	2 85.8	4 185.2	6 206.3
Larynx (161)	No. Rate	1 4.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 34.4
Trachea, Bronchus, Lungs (162) Male	No. Rate	7 61.6	0 -	0 -	0 -	0 -	0 -	1 87.5	2 194.2	4 321.0
Female	No. Rate	5 41.8	0 -	0 -	0 -	0 -	1 68.9	1 84.1	2 177.0	1 60.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	6 25.7	0 -	0 -	0 -	0 -	1 34.4	2 85.8	2 92.6	1 34.4
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 8.4	0 -	0 -	0 -	0 -	1 68.9	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	1 4.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 34.4
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	4 17.1	0 -	0 -	0 -	0 -	1 34.4	0 -	0 -	3 103.1
Brain (191)	No. Rate	1 4.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 34.4
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 21.4	0 -	0 -	0 -	2 55.5	0 -	0 -	2 92.6	1 34.4
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 8.6	0 -	0 -	0 -	2 55.5	0 -	0 -	0 -	0 -

1981

SPENCER

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	10 168.7	0 -	0 -	0 -	1 110.9	1 135.3	2 334.4	1 180.8	5 754.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	3 50.6	0 -	0 -	0 -	0 -	0 -	1 167.2	1 180.8	1 150.8
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	1 34.2	0 -	0 -	0 -	0 -	0 -	1 328.9	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	2 33.7	0 -	0 -	0 -	0 -	0 -	0 -	1 180.8	1 150.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	4 67.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 603.3
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 99.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 955.4
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 33.7	0 -	0 -	0 -	0 -	1 135.3	1 167.2	0 -	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 68.4	0 -	0 -	0 -	0 -	1 289.9	1 328.9	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 16.9	0 -	0 -	0 -	1 110.9	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 16.9	0 -	0 -	0 -	1 110.9	0 -	0 -	0 -	0 -

1981

TRIMBLE


SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	16 255.9	0 -	0 -	1 100.8	0 -	0 -	1 166.1	1 166.9	13 1773.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 64.0	0 -	0 -	1 100.8	0 -	0 -	1 166.1	0 -	2 272.9
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 32.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 301.2
Female	No. Rate	1 31.8	0 -	0 -	1 207.9	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	2 32.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 272.9
Larynx (161)	No. Rate	1 16.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 136.4
Trachea, Bronchus, Lungs (162) Male	No. Rate	1 32.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 301.2
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 64.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 545.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 16.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 136.4
Breast, female (174)	No. Rate	3 95.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 748.1
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 32.0	0 -	0 -	0 -	0 -	0 -	0 -	1 166.9	1 136.4
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 32.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 301.2
Bladder (188)	No. Rate	1 16.0	0 -	0 -	0 -	0 -	0 -	0 -	1 166.9	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 16.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 136.4
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 48.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 409.3
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 16.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 136.4

DISTRICT 7

NORTHERN KENTUCKY



1981

DISTRICT 7

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	678	0	2	5	9	15	69	154	424
	Rate	216.2	-	3.8	8.8	18.1	43.8	222.0	535.6	1223.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	13	0	0	0	0	1	1	5	6
	Rate	4.1	-	-	-	-	2.9	3.2	17.4	17.3
DIGESTIVE ORGANS (150 - 159)	No.	172	0	0	0	0	5	15	33	119
	Rate	54.9	-	-	-	-	14.6	48.3	114.8	343.4
Stomach (151)	No.	18	0	0	0	0	0	1	4	13
	Rate	5.7	-	-	-	-	-	3.2	13.9	37.5
Colon and Rectum (153 - 154) Male	No.	40	0	0	0	0	1	3	7	29
	Rate	26.5	-	-	-	-	6	19.9	53.2	213.9
Female	No.	49	0	0	0	0	3	12	34	34
	Rate	30.2	-	-	-	-	-	18.7	77.0	161.2
Liver (155)	No.	10	0	0	0	0	1	0	2	7
	Rate	3.2	-	-	-	-	2.9	-	7.0	20.2
Pancreas (157)	No.	32	0	0	0	0	1	4	3	24
	Rate	10.2	-	-	-	-	2.9	12.9	10.4	69.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	212	0	0	0	0	1	25	62	124
	Rate	67.6	-	-	-	-	2.9	80.4	215.6	357.8
Larynx (161)	No.	9	0	0	0	0	0	1	3	5
	Rate	2.9	-	-	-	-	-	3.2	10.4	14.4
Trachea, Bronchus, Lungs (162) Male	No.	141	0	0	0	0	0	15	44	82
	Rate	93.2	-	-	-	-	-	99.6	334.3	604.9
Female	No.	59	0	0	0	0	1	9	14	35
	Rate	36.3	-	-	-	-	5.7	56.2	89.8	165.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	69	0	0	1	3	3	9	20	33
	Rate	22.0	-	-	1.8	6.0	8.8	29.0	69.6	95.2
Bone & Articular Cartilage (170)	No.	2	0	0	0	0	0	0	0	2
	Rate	0.6	-	-	-	-	-	-	-	5.8
Skin (172 - 173)	No.	9	0	0	0	2	0	0	3	4
	Rate	2.9	-	-	-	4.0	-	-	10.4	11.5
Breast, female (174)	No.	51	0	0	0	1	3	9	14	24
	Rate	31.4	-	-	-	4.0	17.0	56.2	89.8	113.8
GENITOURINARY ORGANS (179 - 189)	No.	106	0	1	0	0	2	12	17	74
	Rate	33.8	-	1.9	-	-	5.8	38.6	59.1	213.5
Uterus (179, 182)	No.	13	0	0	0	0	0	0	2	11
	Rate	8.0	-	-	-	-	-	-	12.8	52.1
Cervix (180)	No.	9	0	0	0	0	2	3	1	3
	Rate	5.5	-	-	-	-	11.3	18.7	6.4	14.2
Prostate (185)	No.	35	0	0	0	0	0	0	4	31
	Rate	23.1	-	-	-	-	-	-	30.4	228.7
Bladder (188)	No.	13	0	0	0	0	0	1	2	10
	Rate	4.1	-	-	-	-	-	3.2	7.0	28.9
OTHER UNSPECIFIED SITES (190 - 199)	No.	48	0	0	1	1	0	3	9	34
	Rate	15.3	-	-	1.8	2.0	-	9.7	31.3	98.1
Brain (191)	No.	13	0	0	1	1	0	1	2	8
	Rate	4.1	-	-	1.8	2.0	-	3.2	7.0	23.1
Thyroid (193)	No.	2	0	0	0	0	0	0	0	2
	Rate	0.6	-	-	-	-	-	-	-	5.8
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	58	0	1	3	5	3	4	8	34
	Rate	18.5	-	1.9	5.3	10.0	8.8	12.9	27.8	98.1
Lymphosarcoma & Reticulosarcoma (200)	No.	7	0	0	0	0	1	0	0	6
	Rate	2.2	-	-	-	-	2.9	-	-	17.3
Hodgkin's Disease (201)	No.	6	0	0	0	2	1	1	0	2
	Rate	1.9	-	-	-	4.0	2.9	3.2	-	5.8
Leukemia (204 - 208)	No.	26	0	1	3	2	0	2	4	14
	Rate	8.3	-	1.9	5.3	4.0	-	6.4	13.9	40.4

1981

BOONE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	73 159.2	0 -	0 -	2 24.4	1 12.2	4 68.8	13 285.0	15 443.5	38 1216.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 2.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 32.0
DIGESTIVE ORGANS (150 - 159)	No. Rate	17 37.1	0 -	0 -	0 -	0 -	1 17.2	3 65.8	4 118.3	9 288.0
Stomach (151)	No. Rate	2 4.4	0 -	0 -	0 -	0 -	0 -	0 -	2 59.1	0 -
Colon and Rectum (153 - 154) Male	No. Rate	6 26.6	0 -	0 -	0 -	0 -	0 -	1 43.8	1 61.2	4 311.8
Female	No. Rate	2 8.6	0 -	0 -	0 -	0 -	0 -	1 43.9	0 -	1 54.3
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	4 8.7	0 -	0 -	0 -	0 -	1 17.2	0 -	0 -	3 96.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	27 58.9	0 -	0 -	0 -	0 -	0 -	6 131.5	7 207.0	14 448.0
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	20 88.7	0 -	0 -	0 -	0 -	0 -	3 131.4	6 367.0	11 857.4
Female	No. Rate	6 25.8	0 -	0 -	0 -	0 -	0 -	3 131.6	0 -	3 162.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	9 19.6	0 -	0 -	0 -	1 12.2	1 17.2	2 43.8	2 59.1	3 96.0
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 4.4	0 -	0 -	0 -	1 12.2	0 -	0 -	0 -	1 32.0
Breast, female (174)	No. Rate	7 30.1	0 -	0 -	0 -	0 -	1 34.1	2 87.8	2 114.5	2 108.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	8 17.5	0 -	0 -	0 -	0 -	1 17.2	1 21.9	1 29.6	5 160.0
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	2 8.6	0 -	0 -	0 -	0 -	1 34.1	1 43.9	0 -	0 -
Prostate (185)	No. Rate	3 13.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 233.8
Bladder (188)	No. Rate	2 4.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 64.0
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 6.5	0 -	0 -	1 12.2	0 -	0 -	0 -	0 -	2 64.0
Brain (191)	No. Rate	1 2.2	0 -	0 -	1 12.2	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	8 17.5	0 -	0 -	1 12.2	0 -	1 17.2	1 21.9	1 29.6	4 128.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	2 4.4	0 -	0 -	0 -	0 -	1 17.2	0 -	0 -	1 32.0
Leukemia (204 - 208)	No. Rate	2 4.4	0 -	0 -	1 12.2	0 -	0 -	0 -	0 -	1 32.0

1981

CAMPBELL

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	195 234.0	0 -	0 -	2 12.9	1 8.2	1 11.8	18 209.2	46 554.2	127 1254.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	3 3.6	0 -	0 -	0 -	0 -	0 -	0 -	2 24.1	1 9.9
DIGESTIVE ORGANS (150 - 159)	No. Rate	54 64.8	0 -	0 -	0 -	0 -	0 -	5 58.1	12 144.6	37 365.5
Stomach (151)	No. Rate	3 3.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 29.6
Colon and Rectum (153 - 154) Male	No. Rate	13 32.7	0 -	0 -	0 -	0 -	0 -	0 -	4 106.8	9 233.8
Female	No. Rate	18 41.3	0 -	0 -	0 -	0 -	0 -	1 22.3	5 109.7	12 191.3
Liver (155)	No. Rate	6 7.2	0 -	0 -	0 -	0 -	0 -	0 -	2 24.1	4 39.5
Pancreas (157)	No. Rate	8 9.6	0 -	0 -	0 -	0 -	0 -	1 11.6	1 12.0	6 59.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	54 64.8	0 -	0 -	0 -	0 -	0 -	3 34.9	17 204.8	34 335.9
Larynx (161)	No. Rate	3 3.6	0 -	0 -	0 -	0 -	0 -	0 -	1 12.0	2 19.8
Trachea, Bronchus, Lungs (162) Male	No. Rate	34 85.5	0 -	0 -	0 -	0 -	0 -	1 24.3	11 293.7	22 571.6
Female	No. Rate	17 39.0	0 -	0 -	0 -	0 -	0 -	2 44.6	5 109.7	10 159.4
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	20 24.0	0 -	0 -	0 -	1 8.2	1 11.8	4 46.5	7 84.3	7 69.1
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	3 3.6	0 -	0 -	0 -	0 -	0 -	0 -	2 24.1	1 9.9
Breast, female (174)	No. Rate	15 34.4	0 -	0 -	0 -	1 16.2	1 22.5	4 89.2	4 87.8	5 79.7
GENITOURINARY ORGANS (179 - 189)	No. Rate	35 42.0	0 -	0 -	0 -	0 -	0 -	4 46.5	6 72.3	25 247.0
Uterus (179, 182)	No. Rate	2 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 31.9
Cervix (180)	No. Rate	1 2.3	0 -	0 -	0 -	0 -	0 -	1 22.3	0 -	0 -
Prostate (185)	No. Rate	13 32.7	0 -	0 -	0 -	0 -	0 -	0 -	3 80.1	10 259.8
Bladder (188)	No. Rate	5 6.0	0 -	0 -	0 -	0 -	0 -	0 -	1 12.0	4 39.5
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	16 19.2	0 -	0 -	0 -	0 -	0 -	0 -	1 12.0	15 148.2
Brain (191)	No. Rate	5 6.0	0 -	0 -	0 -	0 -	0 -	0 -	1 12.0	4 39.5
Thyroid (193)	No. Rate	1 1.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 9.9
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	13 15.6	0 -	0 -	2 12.9	0 -	0 -	2 23.2	1 12.0	8 79.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	2 2.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 19.8
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	7 8.4	0 -	0 -	2 12.9	0 -	0 -	2 23.2	0 -	3 29.6

1981

CARROLL

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	17 183.4	0 -	1 67.6	0 -	1 77.0	1 91.5	3 317.5	2 206.2	9 743.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	5 53.9	0 -	0 -	0 -	0 -	0 -	1 105.8	0 -	4 330.3
Stomach (151)	No. Rate	1 10.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 82.6
Colon and Rectum (153 - 154) Male	No. Rate	3 66.5	0 -	0 -	0 -	0 -	0 -	1 218.3	0 -	2 371.1
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 53.9	0 -	0 -	0 -	0 -	0 -	2 211.6	1 103.1	2 165.2
Larynx (161)	No. Rate	1 10.8	0 -	0 -	0 -	0 -	0 -	0 -	1 103.1	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 66.5	0 -	0 -	0 -	0 -	0 -	2 436.7	0 -	1 185.5
Female	No. Rate	1 21.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 148.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 21.6	0 -	0 -	0 -	0 -	0 -	0 -	1 103.1	1 82.6
Bone & Articular Cartilage (170)	No. Rate	1 10.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 82.6
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 21.0	0 -	0 -	0 -	0 -	0 -	0 -	1 193.1	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 21.6	0 -	1 67.6	0 -	0 -	0 -	0 -	0 -	1 82.6
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 10.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 82.6
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 21.6	0 -	0 -	0 -	1 77.0	1 91.5	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 10.8	0 -	0 -	0 -	1 77.0	0 -	0 -	0 -	0 -

1981

GALLATIN

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	13 268.5	0 -	0 -	0 -	0 -	1 170.6	1 201.2	3 694.4	8 1473.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 82.6	0 -	0 -	0 -	0 -	1 170.6	0 -	1 231.5	2 368.3
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 40.7	0 -	0 -	0 -	0 -	0 -	0 -	1 456.6	0 -
Female	No. Rate	1 41.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 322.6
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 20.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 184.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	3 62.0	0 -	0 -	0 -	0 -	0 -	1 201.2	1 231.5	1 184.2
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	1 40.7	0 -	0 -	0 -	0 -	0 -	1 387.6	0 -	0 -
Female	No. Rate	2 83.8	0 -	0 -	0 -	0 -	0 -	0 -	1 469.5	1 322.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 41.3	0 -	0 -	0 -	0 -	0 -	0 -	1 231.5	1 184.2
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 41.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 322.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 62.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 552.5
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 41.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 322.6
Prostate (185)	No. Rate	1 40.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 429.2
Bladder (188)	No. Rate	1 20.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 184.2
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 20.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 184.2
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 20.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 184.2
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

GRANT

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	29 217.9	0 -	1 41.7	0 -	0 -	1 60.0	3 249.2	5 409.2	19 1184.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 15.0	0 -	0 -	0 -	0 -	1 60.0	1 83.1	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	5 37.6	0 -	0 -	0 -	0 -	0 -	0 -	2 163.7	3 187.0
Stomach (151)	No. Rate	1 7.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.3
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	3 44.3	0 -	0 -	0 -	0 -	0 -	0 -	1 150.8	2 230.7
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 45.1	0 -	0 -	0 -	0 -	0 -	1 83.1	1 81.8	4 249.4
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	6 91.7	0 -	0 -	0 -	0 -	0 -	1 168.9	1 178.9	4 542.7
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 22.5	0 -	0 -	0 -	0 -	0 -	0 -	1 81.8	2 124.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 7.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.3
Breast, female (174)	No. Rate	2 29.6	0 -	0 -	0 -	0 -	0 -	0 -	1 150.8	1 115.3
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 22.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 187.0
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 14.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 115.3
Prostate (185)	No. Rate	1 15.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 135.7
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	6 45.1	0 -	0 -	0 -	0 -	0 -	1 83.1	0 -	5 311.7
Brain (191)	No. Rate	1 7.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.3
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 30.1	0 -	1 41.7	0 -	0 -	0 -	0 -	1 81.8	2 124.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	4 30.1	0 -	1 41.7	0 -	0 -	0 -	0 -	1 81.8	2 124.7

1981

KENTON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	317 231.3	0 -	0 -	1 4.0	6 26.6	7 48.4	24 180.8	76 609.1	203 1326.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	7 5.1	0 -	0 -	0 -	0 -	0 -	0 -	3 24.0	4 26.1
DIGESTIVE ORGANS (150 - 159)	No. Rate	76 55.5	0 -	0 -	0 -	0 -	3 20.8	3 22.6	12 96.2	58 379.0
Stomach (151)	No. Rate	11 8.0	0 -	0 -	0 -	0 -	0 -	1 7.5	2 16.0	8 52.3
Colon and Rectum (153 - 154) Male	No. Rate	16 24.4	0 -	0 -	0 -	0 -	1 14.3	1 15.8	1 17.9	13 228.2
Female	No. Rate	21 29.4	0 -	0 -	0 -	0 -	0 -	0 -	5 72.7	16 166.5
Liver (155)	No. Rate	2 1.5	0 -	0 -	0 -	0 -	1 6.9	0 -	0 -	1 6.5
Pancreas (157)	No. Rate	17 12.4	0 -	0 -	0 -	0 -	0 -	1 7.5	2 16.0	14 91.5
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	109 79.5	0 -	0 -	0 -	0 -	1 6.9	10 75.3	33 264.5	65 424.7
Larynx (161)	No. Rate	5 3.6	0 -	0 -	0 -	0 -	0 -	1 7.5	1 8.0	3 19.6
Trachea, Bronchus, Lungs (162) Male	No. Rate	71 108.4	0 -	0 -	0 -	0 -	0 -	6 94.6	24 428.8	41 719.6
Female	No. Rate	31 43.3	0 -	0 -	0 -	0 -	1 13.4	3 43.3	8 116.3	19 197.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	30 21.9	0 -	0 -	1 4.0	1 4.4	1 6.9	3 22.6	8 64.1	16 104.5
Bone & Articular Cartilage (170)	No. Rate	1 0.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 6.5
Skin (172 - 173)	No. Rate	3 2.2	0 -	0 -	0 -	1 4.4	0 -	0 -	1 8.0	1 6.5
Breast, female (174)	No. Rate	22 30.8	0 -	0 -	0 -	0 -	1 13.4	3 43.3	6 87.2	12 124.9
GENITOURINARY ORGANS (179 - 189)	No. Rate	50 36.5	0 -	0 -	0 -	0 -	1 6.9	6 45.2	9 72.1	34 222.1
Uterus (179, 182)	No. Rate	11 15.4	0 -	0 -	0 -	0 -	0 -	0 -	2 29.1	9 93.7
Cervix (180)	No. Rate	4 5.6	0 -	0 -	0 -	0 -	1 13.4	1 14.4	1 14.5	1 10.4
Prostate (185)	No. Rate	15 22.9	0 -	0 -	0 -	0 -	0 -	0 -	1 17.9	14 245.7
Bladder (188)	No. Rate	5 3.6	0 -	0 -	0 -	0 -	0 -	1 7.5	1 8.0	3 19.6
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	21 15.3	0 -	0 -	0 -	1 4.4	0 -	2 15.1	7 56.1	11 71.9
Brain (191)	No. Rate	6 4.4	0 -	0 -	0 -	1 4.4	0 -	1 7.5	1 8.0	3 19.6
Thyroid (193)	No. Rate	1 0.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 6.5
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	24 17.5	0 -	0 -	0 -	4 17.8	1 6.9	0 -	4 32.1	15 98.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	4 2.9	0 -	0 -	0 -	0 -	1 6.9	0 -	0 -	3 19.6
Hodgkin's Disease (201)	No. Rate	3 2.2	0 -	0 -	0 -	2 8.9	0 -	0 -	0 -	1 6.5
Leukemia (204 - 208)	No. Rate	8 5.8	0 -	0 -	0 -	1 4.4	0 -	0 -	2 16.0	5 32.7

1981

OWEN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	14 156.9	0 -	0 -	0 -	0 -	0 -	2 220.8	5 525.2	7 507.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 44.8	0 -	0 -	0 -	0 -	0 -	0 -	1 105.0	3 217.5
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	2 44.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 260.1
Liver (155)	No. Rate	1 11.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 72.5
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	3 33.6	0 -	0 -	0 -	0 -	0 -	1 110.4	2 210.1	0 -
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 68.0	0 -	0 -	0 -	0 -	0 -	1 211.9	2 426.4	0 -
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 11.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 72.5
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 22.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 130.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	1 11.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 72.5
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 22.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 163.9
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 11.2	0 -	0 -	0 -	0 -	0 -	0 -	1 105.0	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 44.8	0 -	0 -	0 -	0 -	0 -	1 110.4	1 105.0	2 145.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 11.2	0 -	0 -	0 -	0 -	0 -	1 110.4	0 -	0 -
Leukemia (204 - 208)	No. Rate	3 33.6	0 -	0 -	0 -	0 -	0 -	0 -	1 105.0	2 145.0


1981

PENDLETON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	20 182.0	0 -	0 -	0 -	0 -	0 -	5 461.7	2 196.5	13 952.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	7 63.7	0 -	0 -	0 -	0 -	0 -	3 277.0	1 98.2	3 219.8
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 18.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 164.5
Female	No. Rate	2 36.3	0 -	0 -	0 -	0 -	0 -	1 180.5	1 188.3	0 -
Liver (155)	No. Rate	1 9.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 73.3
Pancreas (157)	No. Rate	2 18.2	0 -	0 -	0 -	0 -	0 -	2 184.7	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 43.5	0 -	0 -	0 -	0 -	0 -	1 92.3	0 -	4 293.0
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 54.8	1 -	0 -	0 -	0 -	0 -	0 -	0 -	3 493.4
Female	No. Rate	2 36.3	0 -	0 -	0 -	0 -	0 -	1 180.5	0 -	1 132.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 18.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 146.5
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 36.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 264.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	4 36.4	0 -	0 -	0 -	0 -	0 -	1 92.3	1 98.2	2 146.5
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 18.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 164.5
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 18.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 146.5
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 9.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 73.3

DISTRICT 8 - BUFFALO TRACE



1981

DISTRICT 8

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	95	0	0	0	3	3	9	20	60
	Rate	173.9	-	-	-	38.3	51.6	165.3	366.1	819.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	2	0	0	0	0	0	1	0	1
	Rate	3.7	-	-	-	-	-	18.4	-	13.7
DIGESTIVE ORGANS (150 - 159)	No.	26	0	0	0	0	0	4	2	20
	Rate	47.6	-	-	-	-	-	73.4	36.6	273.1
Stomach (151)	No.	3	0	0	0	0	0	0	0	3
	Rate	5.5	-	-	-	-	-	-	-	41.0
Colon and Rectum (153 - 154) Male	No.	6	0	0	0	0	0	1	0	5
	Rate	22.4	-	-	-	-	-	37.8	-	156.4
Female	No.	6	0	0	0	0	0	0	1	5
	Rate	21.6	-	-	-	-	-	-	34.6	121.2
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	6	0	0	0	0	0	1	1	4
	Rate	11.0	-	-	-	-	-	18.4	18.3	54.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	28	0	0	0	0	0	2	11	15
	Rate	51.2	-	-	-	-	-	36.7	201.4	204.9
Larynx (161)	No.	1	0	0	0	0	0	0	0	1
	Rate	1.8	-	-	-	-	-	-	-	13.7
Trachea, Bronchus, Lungs (162) Male	No.	20	0	0	0	0	0	1	9	10
	Rate	74.6	-	-	-	-	-	37.8	349.4	312.9
Female	No.	7	0	0	0	0	0	1	2	4
	Rate	25.2	-	-	-	-	-	35.7	69.3	96.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	10	0	0	0	1	0	1	3	5
	Rate	18.3	-	-	-	12.8	-	18.4	54.9	68.3
Bone & Articular Cartilage (170)	No.	1	0	0	0	0	0	0	0	1
	Rate	1.8	-	-	-	-	-	-	-	13.7
Skin (172 - 173)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Breast, female (174)	No.	9	0	0	0	1	0	1	3	4
	Rate	32.3	-	-	-	25.3	-	35.7	103.9	96.9
GENITOURINARY ORGANS (179 - 189)	No.	17	0	0	0	0	1	0	2	14
	Rate	31.1	-	-	-	-	17.2	-	36.6	191.2
Uterus (179, 182)	No.	2	0	0	0	0	0	0	0	2
	Rate	7.2	-	-	-	-	-	-	-	48.5
Cervix (180)	No.	2	0	0	0	0	0	0	0	2
	Rate	7.2	-	-	-	-	-	-	-	48.5
Prostate (185)	No.	4	0	0	0	0	0	0	1	3
	Rate	14.9	-	-	-	-	-	-	38.8	93.9
Bladder (188)	No.	3	0	0	0	0	0	0	0	3
	Rate	5.5	-	-	-	-	-	-	-	41.0
OTHER UNSPECIFIED SITES (190 - 199)	No.	6	0	0	0	0	1	1	0	4
	Rate	11.0	-	-	-	-	17.2	18.4	-	54.6
Brain (191)	No.	3	0	0	0	0	0	1	0	2
	Rate	5.5	-	-	-	-	-	18.4	-	27.3
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	6	0	0	0	2	1	0	2	1
	Rate	11.0	-	-	-	25.5	17.2	-	36.6	13.7
Lymphosarcoma & Reticulosarcoma (200)	No.	1	0	0	0	0	0	0	1	0
	Rate	1.8	-	-	-	-	-	-	18.3	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	1	0	0	0	0	1	0	0	0
	Rate	1.8	-	-	-	-	17.2	-	-	-

1981

BRACKEN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	19 245.5	0 -	0 -	0 -	1 98.8	1 121.1	0 -	4 483.1	13 1106.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 85.1
DIGESTIVE ORGANS (150 - 159)	No. Rate	7 90.5	0 -	0 -	0 -	0 -	0 -	0 -	1 120.8	6 510.6
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	2 53.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 392.9
Female	No. Rate	2 50.2	0 -	0 -	0 -	0 -	0 -	0 -	1 225.2	1 150.2
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 85.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 77.5	0 -	0 -	0 -	0 -	0 -	0 -	2 241.5	4 340.4
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 133.3	0 -	0 -	0 -	0 -	0 -	0 -	2 520.8	3 589.4
Female	No. Rate	1 25.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 150.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	1 120.8	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 25.1	0 -	0 -	0 -	0 -	0 -	0 -	1 225.2	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 25.8	0 -	0 -	0 -	0 -	1 121.1	0 -	0 -	1 85.1
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 25.8	0 -	0 -	0 -	1 98.8	0 -	0 -	0 -	1 85.1
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

FLEMING

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	19 154.2	0 -	0 -	0 -	2 107.6	0 -	0 -	5 414.9	12 681.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 32.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 227.0
Stomach (151)	No. Rate	2 16.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 113.5
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	2 32.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 201.2
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 40.6	0 -	0 -	0 -	0 -	0 -	0 -	3 249.0	2 113.5
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	4 65.9	0 -	0 -	0 -	0 -	0 -	0 -	3 514.6	1 130.2
Female	No. Rate	1 16.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 100.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 16.2	0 -	0 -	0 -	1 53.8	0 -	0 -	1 83.0	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 32.0	0 -	0 -	0 -	1 107.8	0 -	0 -	1 160.8	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 40.6	0 -	0 -	0 -	0 -	0 -	0 -	1 83.0	4 227.0
Uterus (179, 182)	No. Rate	1 16.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 100.6
Cervix (180)	No. Rate	1 16.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 100.6
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	1 8.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 56.8
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 16.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 113.5
Brain (191)	No. Rate	1 8.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 56.8
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 6.1	0 -	0 -	0 -	1 53.8	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

LEWIS

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	18 123.8	0 -	0 -	0 -	0 -	0 -	2 153.5	4 334.4	12 749.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	3 20.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 187.4
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 13.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 128.0
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	2 13.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 124.9
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 48.1	0 -	0 -	0 -	0 -	0 -	1 76.7	2 167.2	4 249.8
Larynx (161)	No. Rate	1 6.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.5
Trachea, Bronchus, Lungs (162) Male	No. Rate	4 54.7	0 -	0 -	0 -	0 -	0 -	0 -	1 179.5	3 384.1
Female	No. Rate	2 27.7	0 -	0 -	0 -	0 -	0 -	1 155.5	1 156.5	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 20.6	0 -	0 -	0 -	0 -	0 -	1 76.7	1 83.6	1 62.5
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 41.5	0 -	0 -	0 -	0 -	0 -	1 155.5	1 156.5	1 122.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	4 27.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 249.8
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 13.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 122.0
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	2 13.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 124.9
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 6.9	0 -	0 -	0 -	0 -	0 -	0 -	1 83.6	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

MASON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	36	0	0	0	0	2	6	7	21
	Rate	202.6	-	-	-	-	110.4	312.8	352.5	869.9
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	0	1	0	0
	Rate	5.6	-	-	-	-	-	52.1	-	-
DIGESTIVE ORGANS (150 - 159)	No.	11	0	0	0	0	0	3	1	7
	Rate	61.9	-	-	-	-	-	156.4	50.4	290.0
Stomach (151)	No.	1	0	0	0	0	0	0	0	1
	Rate	5.6	-	-	-	-	-	-	-	41.4
Colon and Rectum (153 - 154) Male	No.	3	0	0	0	0	0	1	0	2
	Rate	35.2	-	-	-	-	-	111.1	-	208.1
Female	No.	2	0	0	0	0	0	0	0	2
	Rate	21.7	-	-	-	-	-	-	-	137.6
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	3	0	0	0	0	0	1	1	1
	Rate	16.9	-	-	-	-	-	52.1	50.4	41.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	9	0	0	0	0	0	1	4	4
	Rate	50.7	-	-	-	-	-	52.1	201.4	165.7
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	7	0	0	0	0	0	1	3	3
	Rate	82.0	-	-	-	-	-	111.1	321.5	312.2
Female	No.	2	0	0	0	0	0	0	1	1
	Rate	21.7	-	-	-	-	-	-	95.0	68.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	4	0	0	0	0	0	0	0	4
	Rate	22.5	-	-	-	-	-	-	-	165.7
Bone & Articular Cartilage (170)	No.	1	0	0	0	0	0	0	0	1
	Rate	5.6	-	-	-	-	-	-	-	41.4
Skin (172 - 173)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Breast, female (174)	No.	3	0	0	0	0	0	0	0	3
	Rate	32.5	-	-	-	-	-	-	-	206.5
GENITOURINARY ORGANS (179 - 189)	No.	5	0	0	0	0	0	0	1	4
	Rate	28.1	-	-	-	-	-	-	50.4	165.7
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	4	0	0	0	0	0	0	1	3
	Rate	46.9	-	-	-	-	-	-	107.2	312.2
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	4	0	0	0	0	1	1	0	2
	Rate	22.5	-	-	-	-	55.2	52.1	-	82.9
Brain (191)	No.	2	0	0	0	0	0	1	0	1
	Rate	11.3	-	-	-	-	-	52.1	-	41.4
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	0	0	0	1	0	1	0
	Rate	11.3	-	-	-	-	55.2	-	50.4	-
Lymphosarcoma & Reticulosarcoma (200)	No.	1	0	0	0	0	0	0	1	0
	Rate	5.6	-	-	-	-	-	-	50.4	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	1	0	0	0	0	1	0	0	0
	Rate	5.6	-	-	-	-	55.2	-	-	-


1981

ROBERTSON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	3 132.5	0 -	0 -	0 -	0 -	0 -	1 403.2	0 -	2 540.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	1 44.2	0 -	0 -	0 -	0 -	0 -	1 403.2	0 -	0 -
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	1 44.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 270.3
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	1 88.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 518.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	1 44.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 270.3
Uterus (179, 182)	No. Rate	1 88.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 518.1
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

DISTRICT 9 - GATEWAY



1981

DISTRICT 9

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	AGE GROUPS							
			UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	109 164.3	1 19.4	0 -	1 7.0	2 20.1	4 56.2	10 166.1	22 396.7	69 942.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 3.0	0 -	0 -	0 -	0 -	0 -	0 -	2 36.1	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	28 42.2	0 -	0 -	0 -	0 -	0 -	1 16.6	5 90.2	22 300.4
Stomach (151)	No. Rate	2 3.0	0 -	0 -	0 -	0 -	0 -	0 -	1 18.0	1 13.7
Colon and Rectum (153 - 154) Male	No. Rate	12 36.8	0 -	0 -	0 -	0 -	0 -	0 -	3 111.7	9 280.4
Female	No. Rate	3 8.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 72.9
Liver (155)	No. Rate	2 3.0	0 -	0 -	0 -	0 -	0 -	0 -	1 18.0	1 13.7
Pancreas (157)	No. Rate	5 7.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 68.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	28 42.2	0 -	0 -	0 -	0 -	1 14.1	6 99.7	6 108.2	15 204.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	19 58.2	0 -	0 -	0 -	0 -	1 28.4	4 138.1	5 186.2	9 280.4
Female	No. Rate	9 26.7	0 -	0 -	0 -	0 -	0 -	2 64.0	1 35.0	6 145.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	14 21.1	0 -	0 -	0 -	1 10.0	2 28.1	3 49.8	1 18.0	7 95.6
Bone & Articular Cartilage (170)	No. Rate	1 1.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 13.7
Skin (172 - 173)	No. Rate	5 7.5	0 -	0 -	0 -	1 10.0	0 -	2 33.2	0 -	2 27.3
Breast, female (174)	No. Rate	8 23.7	0 -	0 -	0 -	0 -	2 55.8	1 32.0	1 35.0	4 97.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	18 27.1	0 -	0 -	0 -	0 -	0 -	0 -	4 72.1	14 191.2
Uterus (179, 182)	No. Rate	2 5.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 48.6
Cervix (180)	No. Rate	2 5.9	0 -	0 -	0 -	0 -	0 -	0 -	2 69.9	0 -
Prostate (185)	No. Rate	6 18.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	6 186.9
Bladder (188)	No. Rate	2 3.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 27.3
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	7 10.6	1 19.4	0 -	0 -	0 -	1 14.1	0 -	1 18.0	4 54.6
Brain (191)	No. Rate	2 3.0	0 -	0 -	0 -	0 -	1 14.1	0 -	1 18.0	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	12 18.1	0 -	0 -	1 7.0	1 10.0	0 -	0 -	3 54.1	7 95.6
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	2 3.0	0 -	0 -	0 -	1 10.0	0 -	0 -	1 18.0	0 -
Leukemia (204 - 208)	No. Rate	6 9.0	0 -	0 -	1 7.0	0 -	0 -	0 -	1 18.0	4 54.6

1981

BATH

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	22	0	0	0	1	1	0	5	15
	Rate	219.5	-	-	-	69.1	89.3	-	531.9	1071.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	8	0	0	0	0	0	0	1	7
	Rate	79.8	-	-	-	-	-	-	106.4	500.0
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	4	0	0	0	0	0	0	1	3
	Rate	80.6	-	-	-	-	-	-	211.4	489.4
Female	No.	1	0	0	0	0	0	0	0	1
	Rate	19.8	-	-	-	-	-	-	-	127.1
Liver (155)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.0	-	-	-	-	-	-	-	71.4
Pancreas (157)	No.	2	0	0	0	0	0	0	0	2
	Rate	20.0	-	-	-	-	-	-	-	142.9
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	3	0	0	0	0	0	0	2	1
	Rate	29.9	-	-	-	-	-	-	212.8	71.4
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	3	0	0	0	0	0	0	2	1
	Rate	60.4	-	-	-	-	-	-	422.8	163.1
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	3	0	0	0	0	1	0	0	2
	Rate	29.9	-	-	-	-	89.3	-	-	142.9
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.0	-	-	-	-	-	-	-	71.4
Breast, female (174)	No.	2	0	0	0	0	1	0	0	1
	Rate	39.5	-	-	-	-	175.4	-	-	127.1
GENITOURINARY ORGANS (179 - 189)	No.	6	0	0	0	0	0	0	1	5
	Rate	59.9	-	-	-	-	-	-	106.4	357.1
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	1	0	0	0	0	0	0	1	0
	Rate	19.8	-	-	-	-	-	-	214.1	-
Prostate (185)	No.	2	0	0	0	0	0	0	0	2
	Rate	40.3	-	-	-	-	-	-	-	326.3
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	10.0	-	-	-	-	-	-	-	71.4
OTHER UNSPECIFIED SITES (190 - 199)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	0	0	1	0	0	1	0
	Rate	20.0	-	-	-	69.1	-	-	106.4	-
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	2	0	0	0	1	0	0	1	0
	Rate	20.0	-	-	-	69.1	-	-	106.4	-
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

1981

MENIFEE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	AGE GROUPS							
			UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	7	0	0	0	0	0	1	0	6
	Rate	136.8	-	-	-	-	-	218.8	-	1052.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	4	0	0	0	0	0	0	0	4
	Rate	78.2	-	-	-	-	-	-	-	701.8
Stomach (151)	No.	1	0	0	0	0	0	0	0	1
	Rate	19.5	-	-	-	-	-	-	-	175.4
Colon and Rectum (153 - 154) Male	No.	2	0	0	0	0	0	0	0	2
	Rate	75.4	-	-	-	-	-	-	-	714.3
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	2	0	0	0	0	0	1	0	1
	Rate	39.1	-	-	-	-	-	218.8	-	175.4
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	1	0	0	0	0	0	0	0	1
	Rate	37.7	-	-	-	-	-	-	-	357.1
Female	No.	1	0	0	0	0	0	1	0	0
	Rate	40.6	-	-	-	-	-	442.5	-	-
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	1	0	0	0	0	0	0	0	1
	Rate	19.5	-	-	-	-	-	-	-	175.4
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	19.5	-	-	-	-	-	-	-	175.4
Breast, female (174)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
GENITOURINARY ORGANS (179 - 189)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

1981

MONTGOMERY

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	33 164.6	1 59.0	0 -	0 -	1 30.1	1 43.6	5 263.4	8 452.5	17 803.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 10.0	0 -	0 -	0 -	0 -	0 -	0 -	2 113.1	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 20.0	0 -	0 -	0 -	0 -	0 -	0 -	1 56.6	3 141.7
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 10.3	0 -	0 -	0 -	0 -	0 -	0 -	1 121.2	0 -
Female	No. Rate	1 9.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 80.9
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 5.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 47.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 34.9	0 -	0 -	0 -	0 -	0 -	3 158.1	1 56.6	3 141.7
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 51.4	0 -	0 -	0 -	0 -	0 -	2 227.0	1 121.2	2 227.0
Female	No. Rate	2 19.4	0 -	0 -	0 -	0 -	0 -	1 98.3	0 -	1 80.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	5 24.9	0 -	0 -	0 -	1 30.1	1 43.6	2 105.4	0 -	1 47.2
Bone & Articular Cartilage (170)	No. Rate	1 5.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 47.2
Skin (172 - 173)	No. Rate	3 15.0	0 -	0 -	0 -	1 30.1	0 -	2 105.4	0 -	0 -
Breast, female (174)	No. Rate	1 9.7	0 -	0 -	0 -	0 -	1 87.4	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	8 39.9	0 -	0 -	0 -	0 -	0 -	0 -	3 169.7	5 236.2
Uterus (179, 182)	No. Rate	1 9.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 80.9
Cervix (180)	No. Rate	1 9.7	0 -	0 -	0 -	0 -	0 -	0 -	1 106.0	0 -
Prostate (185)	No. Rate	3 30.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 340.5
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	4 20.0	1 59.0	0 -	0 -	0 -	0 -	0 -	0 -	3 141.7
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 15.0	0 -	0 -	0 -	0 -	0 -	0 -	1 56.6	2 94.5
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

MORGAN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	19 157.0	0 -	0 -	0 -	0 -	0 -	3 258.4	5 473.9	11 754.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	5 41.3	0 -	0 -	0 -	0 -	0 -	1 85.1	1 94.8	3 205.8
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	2 33.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 291.1
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	1 8.3	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	0 -
Pancreas (157)	No. Rate	1 8.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 68.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	9 74.4	0 -	0 -	0 -	0 -	0 -	2 172.3	1 94.8	6 411.5
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	4 65.9	0 -	0 -	0 -	0 -	0 -	2 351.5	1 194.6	1 145.6
Female	No. Rate	5 82.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 648.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 16.5	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	1 68.6
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 33.1	0 -	0 -	0 -	0 -	0 -	0 -	1 184.8	1 129.7
GENITOURINARY ORGANS (179 - 189)	No. Rate	1 8.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 68.6
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	1 8.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 68.6
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 8.3	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	0 -
Brain (191)	No. Rate	1 8.3	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 8.3	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	0 -
Lymphosarcoma & Reti:ulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 8.3	0 -	0 -	0 -	0 -	0 -	0 -	1 94.8	0 -


1981

ROWAN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	28 147.0	0 -	0 -	1 16.9	0 -	2 104.0	1 66.5	4 297.0	20 1124.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	7 36.7	0 -	0 -	0 -	0 -	0 -	0 -	2 148.5	5 281.1
Stomach (151)	No. Rate	1 5.2	0 -	0 -	0 -	0 -	0 -	0 -	1 74.2	0 -
Colon and Rectum (153 - 154) Male	No. Rate	3 32.5	0 -	0 -	0 -	0 -	0 -	0 -	1 150.4	2 267.0
Female	No. Rate	1 10.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 97.1
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 5.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 56.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 36.7	0 -	0 -	0 -	0 -	1 52.0	0 -	2 148.5	4 224.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	6 65.1	0 -	0 -	0 -	0 -	1 104.3	0 -	1 150.4	4 534.0
Female	No. Rate	1 10.2	0 -	0 -	0 -	0 -	0 -	0 -	1 146.6	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 15.7	0 -	0 -	0 -	0 -	0 -	1 66.5	0 -	2 112.4
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 30.5	0 -	0 -	0 -	0 -	0 -	1 127.6	0 -	2 194.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 15.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 168.6
Uterus (179, 182)	No. Rate	1 10.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 97.1
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 10.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 133.5
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 10.5	0 -	0 -	0 -	0 -	1 52.0	0 -	0 -	1 56.2
Brain (191)	No. Rate	1 5.2	0 -	0 -	0 -	0 -	1 52.0	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	6 31.5	0 -	0 -	1 16.9	0 -	0 -	0 -	0 -	5 281.1
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	5 26.2	0 -	0 -	1 16.9	0 -	0 -	0 -	0 -	4 224.8

DISTRICT 10 - FIVCO



1981

DISTRICT 10

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	286	0	1	2	2	3	35	79	164
	Rate	203.2	-	4.2	8.2	9.2	18.0	239.9	602.8	1061.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	8	0	0	0	0	0	0	4	4
	Rate	5.7	-	-	-	-	-	-	30.5	25.9
DIGESTIVE ORGANS (150 - 159)	No.	84	0	0	0	1	0	6	21	56
	Rate	59.7	-	-	-	4.6	-	41.1	160.2	362.3
Stomach (151)	No.	11	0	0	0	0	0	1	2	8
	Rate	7.8	-	-	-	-	-	6.9	15.3	51.8
Colon and Rectum (153 - 154) Male	No.	23	0	0	0	0	0	1	7	15
	Rate	33.4	-	-	-	-	-	14.0	113.5	228.2
Female	No.	20	0	0	0	0	0	0	5	15
	Rate	27.9	-	-	-	-	-	-	72.1	168.9
Liver (155)	No.	6	0	0	0	0	0	1	0	5
	Rate	4.3	-	-	-	-	-	6.9	-	32.4
Pancreas (157)	No.	13	0	0	0	0	0	0	4	9
	Rate	9.2	-	-	-	-	-	-	30.5	58.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	74	0	0	0	0	1	15	23	35
	Rate	52.6	-	-	-	-	6.0	102.8	175.5	226.5
Larynx (161)	No.	2	0	0	0	0	0	1	0	1
	Rate	1.4	-	-	-	-	-	6.9	-	6.5
Trachea, Bronchus, Lungs (162) Male	No.	54	0	0	0	0	0	13	17	24
	Rate	78.3	-	-	-	-	-	182.4	275.5	365.1
Female	No.	18	0	0	0	0	1	1	6	10
	Rate	25.1	-	-	-	-	11.8	13.4	86.5	112.6
BONE, CONNECTIVE TISSUE, SKIN, AND SKELETON (170 - 175)	No.	27	0	0	0	1	0	5	8	13
	Rate	19.2	-	-	-	4.6	-	34.3	61.0	84.1
Bone & Articular Cartilage (170)	No.	2	0	0	0	0	0	0	2	0
	Rate	1.4	-	-	-	-	-	-	15.3	-
Skin (172 - 173)	No.	4	0	0	0	0	0	1	0	3
	Rate	2.8	-	-	-	-	-	6.9	-	19.4
Breast, female (174)	No.	19	0	0	0	0	0	4	6	9
	Rate	26.5	-	-	-	-	-	53.6	86.5	101.3
GENITOURINARY ORGANS (179 - 189)	No.	44	0	0	1	0	1	6	8	28
	Rate	31.3	-	-	4.1	-	6.0	41.1	61.0	181.2
Uterus (179, 182)	No.	1	0	0	0	0	0	0	0	1
	Rate	1.4	-	-	-	-	-	-	-	11.3
Cervix (180)	No.	5	0	0	0	0	1	4	0	0
	Rate	7.0	-	-	-	-	11.8	53.6	-	-
Prostate (185)	No.	12	0	0	0	0	0	0	2	10
	Rate	17.4	-	-	-	-	-	-	32.4	152.1
Bladder (188)	No.	10	-	-	-	-	-	-	2	8
	Rate	7.1	-	-	-	-	-	-	15.3	51.8
OTHER UNSPECIFIED SITES (190 - 199)	No.	21	0	0	0	0	1	1	11	8
	Rate	14.9	-	-	-	-	6.0	6.9	83.9	51.8
Brain (191)	No.	8	0	0	0	0	1	1	5	1
	Rate	5.7	-	-	-	-	6.0	6.9	38.2	6.5
Thyroid (193)	No.	2	0	0	0	0	0	0	0	2
	Rate	1.4	-	-	-	-	-	-	-	12.9
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	28	0	1	1	0	0	2	4	20
	Rate	19.9	-	4.2	4.1	-	-	13.7	30.5	129.4
Lymphosarcoma & Reticulosarcoma (200)	No.	8	0	0	0	0	0	0	0	8
	Rate	5.7	-	-	-	-	-	-	-	51.8
Hodgkin's Disease (201)	No.	2	0	0	0	0	0	1	0	1
	Rate	1.4	-	-	-	-	-	6.9	-	6.5
Leukemia (204 - 208)	No.	11	0	1	1	0	0	1	2	6
	Rate	7.8	-	4.2	4.1	-	-	6.9	15.3	38.8

1981

BOYD

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	130 234.2	0 -	1 11.8	2 21.4	0 -	2 30.5	15 243.7	41 716.9	69 1042.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	5 9.0	0 -	0 -	0 -	0 -	0 -	0 -	2 35.0	3 45.3
DIGESTIVE ORGANS (150 - 159)	No. Rate	36 64.8	0 -	0 -	0 -	0 -	0 -	3 48.7	8 139.9	25 377.7
Stomach (151)	No. Rate	1 1.8	0 -	0 -	0 -	0 -	0 -	0 -	1 17.5	0 -
Colon and Rectum (153 - 154) Male	No. Rate	12 44.5	0 -	0 -	0 -	0 -	0 -	0 -	2 76.2	10 379.8
Female	No. Rate	6 21.0	0 -	0 -	0 -	0 -	0 -	0 -	1 32.3	5 125.4
Liver (155)	No. Rate	3 5.4	0 -	0 -	0 -	0 -	0 -	1 16.2	0 -	2 30.2
Pancreas (157)	No. Rate	7 12.6	0 -	0 -	0 -	0 -	0 -	0 -	2 35.0	5 75.5
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	30 54.0	0 -	0 -	0 -	0 -	1 15.3	7 113.7	12 209.8	10 151.1
Larynx (161)	No. Rate	1 1.8	0 -	0 -	0 -	0 -	0 -	1 16.2	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	21 77.9	0 -	0 -	0 -	0 -	0 -	6 201.5	8 304.6	7 265.9
Female	No. Rate	8 28.0	0 -	0 -	0 -	0 -	1 29.9	0 -	4 129.3	3 75.3
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	16 28.8	0 -	0 -	0 -	0 -	0 -	1 16.2	6 104.9	9 136.0
Bone & Articular Cartilage (170)	No. Rate	1 1.8	0 -	0 -	0 -	0 -	0 -	0 -	1 17.5	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	15 52.6	0 -	0 -	0 -	0 -	0 -	1 31.5	5 161.7	9 225.8
GENITOURINARY ORGANS (179 - 189)	No. Rate	25 45.0	0 -	0 -	1 10.7	0 -	0 -	2 32.5	7 122.4	15 226.6
Uterus (179, 182)	No. Rate	1 3.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 25.1
Cervix (180)	No. Rate	1 3.5	0 -	0 -	0 -	0 -	0 -	1 31.5	0 -	0 -
Prostate (185)	No. Rate	6 22.2	0 -	0 -	0 -	0 -	0 -	0 -	2 76.2	4 151.9
Bladder (188)	No. Rate	7 12.6	0 -	0 -	0 -	0 -	0 -	0 -	2 35.0	5 75.5
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	9 16.2	0 -	0 -	0 -	0 -	1 15.3	1 16.2	4 69.9	3 45.3
Brain (191)	No. Rate	4 7.2	0 -	0 -	0 -	0 -	1 15.3	1 16.2	2 35.0	0 -
Thyroid (193)	No. Rate	1 1.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 15.1
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	9 16.2	0 -	1 11.8	1 10.7	0 -	0 -	1 16.2	2 35.0	4 60.4
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 1.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 15.1
Hodgkin's Disease (201)	No. Rate	1 1.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 15.1
Leukemia (204 - 208)	No. Rate	4 7.2	0 -	1 11.8	1 10.7	0 -	0 -	1 16.2	1 17.5	0 -

1981

CARTER

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	44	0	0	0	2	0	1	11	30
	Rate	175.6	-	-	-	53.2	-	43.8	515.2	1088.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	0	0	1	0
	Rate	4.0	-	-	-	-	-	-	46.8	-
DIGESTIVE ORGANS (150 - 159)	No.	14	0	0	0	1	0	0	3	10
	Rate	55.9	-	-	-	26.6	-	-	140.5	362.7
Stomach (151)	No.	5	0	0	0	0	0	0	1	4
	Rate	20.0	-	-	-	-	-	-	46.8	145.1
Colon and Rectum (153 - 154) Male	No.	2	0	0	0	0	0	0	1	1
	Rate	16.2	-	-	-	-	-	-	99.2	79.3
Female	No.	3	0	0	0	0	0	0	1	2
	Rate	23.5	-	-	-	-	-	-	88.7	133.7
Liver (155)	No.	2	0	0	0	0	0	0	0	2
	Rate	8.0	-	-	-	-	-	-	-	72.5
Pancreas (157)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.0	-	-	-	-	-	-	-	36.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	12	0	0	0	0	0	0	3	9
	Rate	47.9	-	-	-	-	-	-	140.5	326.4
Larynx (161)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.0	-	-	-	-	-	-	-	36.3
Trachea, Bronchus, Lungs (162) Male	No.	9	0	0	0	0	0	0	3	6
	Rate	73.1	-	-	-	-	-	-	297.6	475.8
Female	No.	2	0	0	0	0	0	0	0	2
	Rate	15.7	-	-	-	-	-	-	-	133.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	4	0	0	0	1	0	0	2	1
	Rate	16.0	-	-	-	26.6	-	-	93.7	36.3
Bone & Articular Cartilage (170)	No.	1	0	0	0	0	0	0	1	0
	Rate	4.0	-	-	-	-	-	-	46.8	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.0	-	-	-	-	-	-	-	36.3
Breast, female (174)	No.	1	0	0	0	0	0	0	1	0
	Rate	7.8	-	-	-	-	-	-	88.7	-
GENITOURINARY ORGANS (179 - 189)	No.	4	0	0	0	0	0	1	0	3
	Rate	16.0	-	-	-	-	-	43.8	-	108.8
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	1	0	0	0	0	0	1	0	0
	Rate	7.8	-	-	-	-	-	84.0	-	-
Prostate (185)	No.	2	0	0	0	0	0	0	0	2
	Rate	16.2	-	-	-	-	-	-	-	158.6
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.0	-	-	-	-	-	-	-	36.3
OTHER UNSPECIFIED SITES (190 - 199)	No.	4	0	0	0	0	0	0	2	2
	Rate	16.0	-	-	-	-	-	-	93.7	72.5
Brain (191)	No.	2	0	0	0	0	0	0	1	1
	Rate	8.0	-	-	-	-	-	-	46.8	36.3
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	5	0	0	0	0	0	0	0	5
	Rate	20.0	-	-	-	-	-	-	-	181.4
Lymphosarcoma & Reticulosarcoma (200,	No.	3	0	0	0	0	0	0	0	3
	Rate	12.0	-	-	-	-	-	-	-	108.8
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	2	0	0	0	0	0	0	0	2
	Rate	8.0	-	-	-	-	-	-	-	72.5

1981

ELLIOTT

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	18 260.6	0 -	0 -	0 -	0 -	0 -	3 511.1	1 173.0	14 1839.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 14.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 131.4
DIGESTIVE ORGANS (150 - 159)	No. Rate	6 86.9	0 -	0 -	0 -	0 -	0 -	1 170.4	0 -	5 657.0
Stomach (151)	No. Rate	2 29.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 262.8
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	1 29.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 255.1
Liver (155)	No. Rate	1 14.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 131.4
Pancreas (157)	No. Rate	1 14.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 131.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	4 57.9	0 -	0 -	0 -	0 -	0 -	0 -	1 173.0	3 394.2
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 86.2	0 -	0 -	0 -	0 -	0 -	0 -	1 350.9	2 542.0
Female	No. Rate	1 29.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 255.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 29.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 262.8
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 14.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 131.4
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 29.0	0 -	0 -	0 -	0 -	0 -	1 170.4	0 -	1 131.4
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	1 14.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 131.4
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 43.4	0 -	0 -	0 -	0 -	0 -	1 170.4	0 -	2 262.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 14.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 131.4
Hodgkin's Disease (201)	No. Rate	1 14.5	0 -	0 -	0 -	0 -	0 -	1 170.4	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 14.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 131.4

1981

GREENUP

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	76 194.2	0 -	0 -	0 -	0 -	1 20.1	13 300.0	21 611.9	41 1175.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	21 53.7	0 -	0 -	0 -	0 -	0 -	1 23.1	9 262.2	11 315.4
Stomach (151)	No. Rate	2 5.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 57.3
Colon and Rectum (153 - 154) Male	No. Rate	8 41.6	0 -	0 -	0 -	0 -	0 -	1 46.9	3 180.6	4 269.4
Female	No. Rate	7 35.2	0 -	0 -	0 -	0 -	0 -	0 -	3 169.4	4 199.7
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	3 7.7	0 -	0 -	0 -	0 -	0 -	0 -	2 58.3	1 28.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	22 56.2	0 -	0 -	0 -	0 -	0 -	6 138.5	5 145.7	11 315.4
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	15 78.0	0 -	0 -	0 -	0 -	0 -	5 234.3	3 180.6	7 471.4
Female	No. Rate	7 35.2	0 -	0 -	0 -	0 -	0 -	1 45.5	2 112.9	4 199.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	5 12.8	0 -	0 -	0 -	0 -	0 -	4 92.3	0 -	1 28.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 5.1	0 -	0 -	0 -	0 -	0 -	1 23.1	0 -	1 28.7
Breast, female (174)	No. Rate	3 15.1	0 -	0 -	0 -	0 -	0 -	3 136.4	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	12 30.7	0 -	0 -	0 -	0 -	1 20.1	2 46.2	0 -	9 258.0
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	3 15.1	0 -	0 -	0 -	0 -	1 39.1	2 91.0	0 -	0 -
Prostate (185)	No. Rate	4 20.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 269.4
Bladder (188)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 28.7
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	7 17.9	0 -	0 -	0 -	0 -	0 -	0 -	5 145.7	2 57.3
Brain (191)	No. Rate	2 5.1	0 -	0 -	0 -	0 -	0 -	0 -	2 58.3	0 -
Thyroid (193)	No. Rate	1 2.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 28.7
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	9 23.0	0 -	0 -	0 -	0 -	0 -	0 -	2 58.3	7 200.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 2.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 28.7
Hodgkin's Disease (201)	No. Rate	4 10.2	0 -	0 -	0 -	0 -	0 -	0 -	1 29.1	3 86.0
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -


1981

LAWRENCE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	18 127.5	0 -	0 -	0 -	0 -	0 -	3 243.5	5 402.9	10 546.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	1 80.6	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	7 49.6	0 -	0 -	0 -	0 -	0 -	1 81.2	1 80.6	5 273.2
Stomach (151)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	1 81.2	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 14.4	0 -	0 -	0 -	0 -	0 -	0 -	1 169.5	0 -
Female	No. Rate	3 41.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 298.5
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 54.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 42.5	0 -	0 -	0 -	0 -	0 -	2 162.3	2 161.2	2 109.3
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	6 86.3	0 -	0 -	0 -	0 -	0 -	2 320.0	2 339.0	2 242.4
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	1 80.6	0 -
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 54.6
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 14.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 109.3
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	2 14.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 109.3
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

DISTRICT 11 - BIG SANDY



1981

DISTRICT 11

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	265 145.8	1 6.0	1 3.0	2 6.1	2 6.6	11 55.7	34 204.0	60 396.2	154 927.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 0.6	0 -	0 -	0 -	0 -	0 -	0 -	1 6.6	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	58 31.9	0 -	0 -	0 -	0 -	5 25.3	4 24.0	11 72.6	38 228.9
Stomach (151)	No. Rate	13 7.2	0 -	0 -	0 -	0 -	0 -	2 12.0	2 13.2	9 54.2
Colon and Rectum (153 - 154) Male	No. Rate	12 13.3	0 -	0 -	0 -	0 -	2 20.0	0 -	4 55.6	6 82.7
Female	No. Rate	13 14.2	0 -	0 -	0 -	0 -	2 20.5	1 11.8	1 12.6	9 96.3
Liver (155)	No. Rate	7 3.9	0 -	0 -	0 -	0 -	1 5.1	0 -	2 13.2	4 24.1
Pancreas (157)	No. Rate	8 4.4	0 -	0 -	0 -	0 -	0 -	1 6.0	2 13.2	5 30.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	99 54.5	0 -	0 -	1 3.0	0 -	4 20.3	14 84.0	30 198.1	50 301.2
Larynx (161)	No. Rate	2 1.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 12.0
Trachea, Bronchus, Lungs (162) Male	No. Rate	71 78.9	0 -	0 -	0 -	0 -	4 40.0	8 97.9	24 333.7	35 482.4
Female	No. Rate	26 28.3	0 -	0 -	1 6.1	0 -	0 -	6 70.6	6 75.5	13 139.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	26 14.3	0 -	1 3.0	0 -	1 3.3	0 -	6 36.0	5 33.0	13 78.3
Bone & Articular Cartilage (170)	No. Rate	2 1.1	0 -	1 3.0	0 -	0 -	0 -	0 -	0 -	1 6.0
Skin (172 - 173)	No. Rate	4 2.2	0 -	0 -	0 -	0 -	0 -	2 12.0	0 -	2 12.0
Breast, female (174)	No. Rate	17 18.5	0 -	0 -	0 -	1 6.7	0 -	2 23.5	5 62.9	9 96.3
GENITOURINARY ORGANS (179 - 189)	No. Rate	32 17.6	0 -	0 -	0 -	1 3.3	1 5.1	1 6.0	5 33.0	24 144.6
Uterus (179, 182)	No. Rate	5 5.4	0 -	0 -	0 -	0 -	0 -	0 -	2 25.2	3 32.1
Cervix (180)	No. Rate	5 5.4	0 -	0 -	0 -	1 6.7	0 -	0 -	2 25.2	2 21.4
Prostate (185)	No. Rate	14 15.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	14 192.9
Bladder (188)	No. Rate	1 0.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 6.0
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	27 14.9	1 6.0	0 -	0 -	0 -	1 5.1	8 48.0	6 39.6	11 66.3
Brain (191)	No. Rate	11 6.1	0 -	0 -	0 -	0 -	1 5.1	4 24.0	5 33.0	1 6.0
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	22 12.1	0 -	0 -	1 3.0	0 -	0 -	1 6.0	2 13.2	18 108.4
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	2 1.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 12.0
Leukemia (204 - 208)	No. Rate	11 6.1	0 -	0 -	1 3.0	0 -	0 -	1 6.0	0 -	9 54.2

1981

FLOYD

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	87	0	1	1	1	2	9	23	50
	Rate	178.4	-	11.4	11.7	12.6	38.0	197.3	531.3	1030.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	18	0	0	0	0	1	1	4	12
	Rate	36.9	-	-	-	-	19.0	21.9	92.4	247.3
Stomach (151)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.1	-	-	-	-	-	-	-	20.6
Colon and Rectum (153 - 154) Male	No.	2	0	0	0	0	0	0	1	1
	Rate	8.3	-	-	-	-	-	-	48.9	47.4
Female	No.	7	0	0	0	0	1	1	1	4
	Rate	28.4	-	-	-	-	38.1	42.5	43.8	145.9
Liver (155)	No.	3	0	0	0	0	0	0	2	1
	Rate	6.2	-	-	-	-	-	-	46.2	20.6
Pancreas (157)	No.	3	0	0	0	0	0	0	0	3
	Rate	6.2	-	-	-	-	-	-	-	61.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	31	0	0	0	0	0	5	12	14
	Rate	63.6	-	-	-	-	-	109.6	277.2	288.5
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	21	0	0	0	0	0	3	9	9
	Rate	87.1	-	-	-	-	-	135.9	439.9	426.3
Female	No.	10	0	0	0	0	0	2	3	5
	Rate	40.6	-	-	-	-	-	84.9	131.4	182.0
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	9	0	1	0	1	0	2	2	3
	Rate	18.5	-	11.4	-	12.6	-	43.8	46.2	61.8
Bone & Articular Cartilage (170)	No.	1	0	1	0	0	0	0	0	0
	Rate	2.1	-	11.4	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	1	0	0
	Rate	2.1	-	-	-	-	-	21.9	-	-
Breast, female (174)	No.	6	0	0	0	1	0	1	2	2
	Rate	24.3	-	-	-	25.2	-	42.5	87.6	73.0
GENITOURINARY ORGANS (179 - 189)	No.	12	0	0	0	0	0	0	3	9
	Rate	24.6	-	-	-	-	-	-	69.3	185.5
Uterus (179, 182)	No.	2	0	0	0	0	0	0	1	1
	Rate	8.1	-	-	-	-	-	-	43.8	36.5
Cervix (180)	No.	3	0	0	0	0	0	0	1	2
	Rate	12.2	-	-	-	-	-	-	43.8	73.0
Prostate (185)	No.	5	0	0	0	0	0	0	0	5
	Rate	20.7	-	-	-	-	-	-	-	236.9
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.1	-	-	-	-	-	-	-	20.6
OTHER UNSPECIFIED SITES (190 - 199)	No.	6	0	0	0	0	1	1	1	3
	Rate	12.3	-	-	-	-	19.0	21.9	23.1	61.8
Brain (191)	No.	1	0	0	0	0	1	0	0	0
	Rate	2.1	-	-	-	-	19.0	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	11	0	0	1	0	0	0	1	9
	Rate	22.6	-	-	11.7	-	-	-	23.1	185.5
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	2	0	0	0	0	0	0	0	2
	Rate	4.1	-	-	-	-	-	-	-	41.2
Leukemia (204 - 208)	No.	6	0	0	1	0	0	0	0	5
	Rate	12.3	-	-	11.7	-	-	-	-	103.1

1981

JOHNSON

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	32	1	0	0	0	2	2	7	20
	Rate	131.0	50.5	-	-	-	70.7	87.8	126.5	719.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	0	0	1	0
	Rate	4.1	-	-	-	-	-	-	46.6	-
DIGESTIVE ORGANS (150 - 159)	No.	8	0	0	0	0	1	0	0	7
	Rate	32.7	-	-	-	-	35.3	-	-	251.9
Stomach (151)	No.	3	0	0	0	0	0	0	0	3
	Rate	12.3	-	-	-	-	-	-	-	108.0
Colon and Rectum (153 - 154) Male	No.	2	0	0	0	0	1	0	0	1
	Rate	16.6	-	-	-	-	71.2	-	-	83.8
Female	No.	1	0	0	0	0	0	0	0	1
	Rate	8.1	-	-	-	-	-	-	-	63.1
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.1	-	-	-	-	-	-	-	36.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	14	0	0	0	0	1	0	4	9
	Rate	57.3	-	-	-	-	35.3	-	186.6	323.9
Larynx (161)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.1	-	-	-	-	-	-	-	36.0
Trachea, Bronchus, Lungs (162) Male	No.	12	0	0	0	0	1	0	4	7
	Rate	99.5	-	-	-	-	71.2	-	409.0	586.8
Female	No.	1	0	0	0	0	0	0	0	1
	Rate	8.1	-	-	-	-	-	-	-	63.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	3	0	0	0	0	0	1	1	1
	Rate	12.3	-	-	-	-	-	43.9	46.6	36.0
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Breast, female (174)	No.	2	0	0	0	0	0	0	1	1
	Rate	16.2	-	-	-	-	-	-	85.8	63.1
GENITOURINARY ORGANS (179 - 189)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	5	1	0	0	0	0	1	1	2
	Rate	20.5	50.5	-	-	-	-	43.9	46.6	72.0
Brain (191)	No.	2	0	0	0	0	0	1	1	0
	Rate	8.2	-	-	-	-	-	43.9	46.6	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.1	-	-	-	-	-	-	-	36.0
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

1981

MAGOFFIN

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	14	0	0	0	0	1	4	3	6
	Rate	103.6	-	-	-	-	68.1	344.8	301.5	506.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	1	0	0	0	0	0	0	1	0
	Rate	7.4	-	-	-	-	-	-	100.5	-
Stomach (151)	No.	1	0	0	0	0	0	0	1	0
	Rate	7.4	-	-	-	-	-	-	100.5	-
Colon and Rectum (153 - 154) Male	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	4	0	0	0	0	0	1	2	1
	Rate	29.6	-	-	-	-	-	86.2	201.0	84.5
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	3	0	0	0	0	0	0	2	1
	Rate	44.4	-	-	-	-	-	-	425.5	185.2
Female	No.	1	0	0	0	0	0	1	0	0
	Rate	14.8	-	-	-	-	-	184.5	-	-
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	2	0	0	0	0	0	2	0	0
	Rate	14.8	-	-	-	-	-	172.4	-	-
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	1	0	0
	Rate	7.4	-	-	-	-	-	86.2	-	-
Breast, female (174)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
GENITOURINARY ORGANS (179 - 189)	No.	3	0	0	0	0	1	0	0	2
	Rate	22.2	-	-	-	-	68.1	-	-	168.9
Uterus (179, 182)	No.	1	0	0	0	0	0	0	0	1
	Rate	14.8	-	-	-	-	-	-	-	155.3
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	1	0	0	0	0	0	0	0	1
	Rate	14.8	-	-	-	-	-	-	-	185.2
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	2	0	0	0	0	0	1	0	1
	Rate	14.8	-	-	-	-	-	86.2	-	84.5
Brain (191)	No.	1	0	0	0	0	0	1	0	0
	Rate	7.4	-	-	-	-	-	86.2	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	0	0	0	0	0	0	2
	Rate	14.8	-	-	-	-	-	-	-	168.9
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

1981

MARTIN

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER	
TOTAL MALIGNANT NEOPLASMS (140 - 208)		No. Rate	13 93.4	0 -	0 -	1 37.5	0 -	0 -	2 182.8	3 314.5	7 667.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
DIGESTIVE ORGANS (150 - 159)		No. Rate	3 21.5	0 -	0 -	0 -	0 -	0 -	0 -	3 286.0	
Stomach (151)		No. Rate	1 7.2	0 -	0 -	0 -	0 -	0 -	0 -	1 95.3	
Colon and Rectum (153 - 154) Male		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Female		No. Rate	1 14.3	0 -	0 -	0 -	0 -	0 -	0 -	1 177.3	
Liver (155)		No. Rate	1 7.2	0 -	0 -	0 -	0 -	0 -	0 -	1 95.3	
Pancreas (157)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
RESPIRATORY & INTRATHORACIC (160 - 165)		No. Rate	6 43.1	0 -	0 -	1 37.5	0 -	0 -	1 91.4	1 104.8	3 286.0
Larynx (161)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Trachea, Bronchus, Lungs (162) Male		No. Rate	3 43.2	0 -	0 -	0 -	0 -	0 -	1 210.5	2 412.4	
Female		No. Rate	3 42.9	0 -	0 -	1 73.4	0 -	0 -	1 181.5	1 177.3	
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Bone & Articular Cartilage (170)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Skin (172 - 173)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Breast, female (174)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
GENITOURINARY ORGANS (179 - 189)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Uterus (179, 182)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Cervix (180)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Prostate (185)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Bladder (188)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
OTHER UNSPECIFIED SITES (190 - 199)		No. Rate	3 21.5	0 -	0 -	0 -	0 -	1 91.4	1 104.8	1 95.3	
Brain (191)		No. Rate	2 14.4	0 -	0 -	0 -	0 -	1 91.4	1 104.8	0 -	
Thyroid (193)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)		No. Rate	1 7.2	0 -	0 -	0 -	0 -	0 -	1 104.8	0 -	
Lymphosarcoma & Reticulosarcoma (200)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Hodgkin's Disease (201)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	
Leukemia (204 - 208)		No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	

1981


PIKE

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	119 146.7	0 -	0 -	0 -	1 7.3	6 67.9	17 224.5	24 357.1	71 1053.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	28 34.5	0 -	0 -	0 -	0 -	3 34.0	3 39.6	6 89.3	16 237.5
Stomach (151)	No. Rate	7 8.6	0 -	0 -	0 -	0 -	0 -	2 26.4	1 14.9	4 59.4
Colon and Rectum (153 - 154) Male	No. Rate	8 20.0	0 -	0 -	0 -	0 -	1 22.2	0 -	3 93.1	4 136.7
Female	No. Rate	4 9.7	0 -	0 -	0 -	0 -	1 23.1	0 -	0 -	3 78.7
Liver (155)	No. Rate	3 3.7	0 -	0 -	0 -	0 -	1 11.3	0 -	0 -	2 29.7
Pancreas (157)	No. Rate	4 4.9	0 -	0 -	0 -	0 -	0 -	1 13.2	2 29.8	1 14.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	44 54.2	0 -	0 -	0 -	0 -	3 34.0	7 92.5	11 163.7	23 341.3
Larynx (161)	No. Rate	1 1.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 14.8
Trachea, Bronchus, Lungs (162) Male	No. Rate	32 79.8	0 -	0 -	0 -	0 -	3 66.6	5 137.1	8 248.1	16 546.6
Female	No. Rate	11 26.8	0 -	0 -	0 -	0 -	0 -	2 51.0	3 85.8	6 157.4
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	12 14.8	0 -	0 -	0 -	0 -	0 -	1 13.2	2 29.8	9 133.6
Bone & Articular Cartilage (170)	No. Rate	1 1.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 14.8
Skin (172 - 173)	No. Rate	2 2.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 29.7
Breast, female (174)	No. Rate	9 21.9	0 -	0 -	0 -	0 -	0 -	1 25.5	2 57.2	6 157.4
GENITOURINARY ORGANS (179 - 189)	No. Rate	17 21.0	0 -	0 -	0 -	1 7.3	0 -	1 13.2	2 29.8	13 192.9
Uterus (179, 182)	No. Rate	2 4.9	0 -	0 -	0 -	0 -	0 -	0 -	1 28.2	1 26.2
Cervix (180)	No. Rate	2 4.9	0 -	0 -	0 -	1 14.5	0 -	0 -	1 28.6	0 -
Prostate (185)	No. Rate	8 20.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	8 273.3
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	11 13.6	0 -	0 -	0 -	0 -	0 -	4 52.8	3 44.6	4 59.4
Brain (191)	No. Rate	3 6.2	0 -	0 -	0 -	0 -	0 -	1 13.2	3 44.6	1 14.8
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	7 8.6	0 -	0 -	0 -	0 -	0 -	1 13.2	0 -	6 89.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	5 6.2	0 -	0 -	0 -	0 -	0 -	1 13.2	0 -	4 59.4

DISTRICT 12 - KENTUCKY RIVER



1981

DISTRICT 12

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	214 159.2	0 -	2 7.9	0 -	3 14.3	8 56.4	23 194.0	54 503.4	124 902.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	3 2.2	0 -	0 -	0 -	0 -	0 -	0 -	1 9.3	2 14.6
DIGESTIVE ORGANS (150 - 159)	No. Rate	54 40.2	0 -	0 -	0 -	1 4.8	1 7.0	4 33.7	12 111.9	36 262.0
Stomach (151)	No. Rate	8 6.0	0 -	0 -	0 -	0 -	0 -	1 8.4	2 18.6	5 36.4
Colon and Rectum (153 - 154) Male	No. Rate	8 12.0	0 -	0 -	0 -	0 -	0 -	0 -	2 40.0	6 97.3
Female	No. Rate	15 22.2	0 -	0 -	0 -	0 -	0 -	0 -	5 87.4	10 132.1
Liver (155)	No. Rate	7 5.2	0 -	0 -	0 -	0 -	0 -	0 -	2 18.6	5 36.4
Pancreas (157)	No. Rate	9 6.7	0 -	0 -	0 -	0 -	1 7.0	2 16.9	0 -	6 43.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	80 59.5	0 -	0 -	0 -	0 -	4 28.2	10 84.4	21 195.8	45 327.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	59 88.4	0 -	0 -	0 -	0 -	3 42.9	6 101.3	16 319.7	34 551.1
Female	No. Rate	21 31.0	0 -	0 -	0 -	0 -	1 13.9	4 67.5	5 87.4	11 145.3
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	18 13.4	0 -	0 -	0 -	1 4.8	1 7.0	3 25.3	8 74.6	5 36.4
Bone & Articular Cartilage (170)	No. Rate	4 3.0	0 -	0 -	0 -	0 -	0 -	0 -	3 28.0	1 7.3
Skin (172 - 173)	No. Rate	4 3.0	0 -	0 -	0 -	1 4.8	1 7.0	0 -	2 18.6	0 -
Breast, female (174)	No. Rate	8 11.8	0 -	0 -	0 -	0 -	0 -	2 33.7	2 35.0	4 52.8
GENITOURINARY ORGANS (179 - 189)	No. Rate	35 26.0	0 -	0 -	0 -	0 -	2 14.1	2 16.9	6 55.9	25 182.0
Uterus (179, 182)	No. Rate	2 3.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 26.4
Cervix (180)	No. Rate	7 10.3	0 -	0 -	0 -	0 -	1 13.9	1 16.9	3 52.4	2 26.4
Prostate (185)	No. Rate	14 21.0	0 -	0 -	0 -	0 -	0 -	0 -	1 20.0	13 210.7
Bladder (188)	No. Rate	4 3.0	0 -	0 -	0 -	0 -	0 -	0 -	1 9.3	3 21.8
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	11 8.2	0 -	1 3.9	0 -	0 -	0 -	1 8.4	4 37.3	5 36.4
Brain (191)	No. Rate	2 1.5	0 -	0 -	0 -	0 -	0 -	0 -	1 9.3	1 7.3
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	13 9.7	0 -	1 3.9	0 -	1 4.8	0 -	3 25.3	2 18.6	6 43.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	2 1.5	0 -	0 -	0 -	0 -	0 -	1 8.4	0 -	1 7.3
Hodgkin's Disease (201)	No. Rate	1 0.7	0 -	0 -	0 -	0 -	0 -	1 8.4	0 -	0 -
Leukemia (204 - 208)	No. Rate	8 6.0	0 -	1 3.9	0 -	1 4.8	0 -	1 8.4	1 9.3	4 29.1

1981

BREATHITT

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)		No. 27 Rate 158.8	0 -	0 -	0 -	0 -	3 174.5	5 349.4	6 475.8	13 753.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)		No. 7 Rate 41.2	0 -	0 -	0 -	0 -	0 -	1 69.9	3 237.9	3 173.9
Stomach (151)		No. 1 Rate 5.9	0 -	0 -	0 -	0 -	0 -	0 -	1 79.3	0 -
Colon and Rectum (153 - 154) Male		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female		No. 3 Rate 34.9	0 -	0 -	0 -	0 -	0 -	0 -	1 146.8	2 216.5
Liver (155)		No. 1 Rate 5.9	0 -	0 -	0 -	0 -	0 -	0 -	1 79.3	0 -
Pancreas (157)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)		No. 14 Rate 82.3	0 -	0 -	0 -	0 -	2 116.3	2 139.8	2 158.6	8 463.8
Larynx (161)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male		No. 11 Rate 130.7	0 -	0 -	0 -	0 -	2 234.2	1 138.3	1 172.4	7 873.9
Female		No. 3 Rate 34.9	0 -	0 -	0 -	0 -	0 -	1 141.2	1 146.8	1 108.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bone & Articular Cartilage (170)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)		No. 4 Rate 23.5	0 -	0 -	0 -	0 -	1 58.2	1 69.9	1 79.3	1 58.0
Uterus (179, 182)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)		No. 2 Rate 23.3	0 -	0 -	0 -	0 -	0 -	1 141.2	1 146.8	0 -
Prostate (185)		No. 1 Rate 11.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 124.8
Bladder (188)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)		No. 1 Rate 5.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 58.0
Brain (191)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)		No. 1 Rate 5.9	0 -	0 -	0 -	0 -	0 -	1 69.9	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)		No. 0 Rate -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)		No. 1 Rate 5.9	0 -	0 -	0 -	0 -	0 -	1 69.9	0 -	0 -

1981

KNOTT

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	22 122.6	0 -	0 -	0 -	0 -	1 53.5	3 208.6	5 351.4	13 766.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 22.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 235.8
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	1 11.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 108.3
Liver (155)	No. Rate	2 11.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 117.9
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 39.0	0 -	0 -	0 -	0 -	1 53.5	0 -	3 210.8	3 176.9
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	7 77.5	0 -	0 -	0 -	0 -	1 106.4	0 -	3 476.9	3 388.1
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	1 69.5	0 -	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	6 33.4	0 -	0 -	0 -	0 -	0 -	1 69.5	0 -	5 294.8
Uterus (179, 182)	No. Rate	1 11.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 108.3
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	4 44.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 517.5
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 16.7	0 -	0 -	0 -	0 -	0 -	0 -	2 140.5	1 59.0
Brain (191)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	1 70.3	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	1 69.5	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	1 69.5	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

LEE

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	16 206.3	0 -	0 -	0 -	0 -	0 -	2 251.3	3 431.7	11 922.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 83.9
DIGESTIVE ORGANS (150 - 159)	No. Rate	2 25.8	0 -	0 -	0 -	0 -	0 -	1 125.6	1 143.9	0 -
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	1 125.6	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	8 103.2	0 -	0 -	0 -	0 -	0 -	1 125.6	0 -	7 587.2
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 129.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 934.2
Female	No. Rate	3 76.9	0 -	0 -	0 -	0 -	0 -	1 258.4	0 -	2 299.4
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 38.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 251.7
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 25.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 149.7
Prostate (185)	No. Rate	1 25.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 190.8
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	1 143.9	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 12.9	0 -	0 -	0 -	0 -	0 -	0 -	1 143.9	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

LESLIE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	18 121.0	0 -	0 -	0 -	0 -	1 62.2	0 -	5 509.2	12 1052.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	3 20.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 263.2
Stomach (151)	No. Rate	1 6.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 87.7
Colon and Rectum (153 - 154) Male	No. Rate	1 13.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 183.5
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 6.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 87.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 40.3	0 -	0 -	0 -	0 -	0 -	0 -	1 101.8	5 438.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 66.9	0 -	0 -	0 -	0 -	0 -	0 -	1 210.1	4 733.9
Female	No. Rate	1 13.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 168.1
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 20.2	0 -	0 -	0 -	0 -	0 -	0 -	2 203.7	1 87.7
Bone & Articular Cartilage (170)	No. Rate	1 6.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 87.7
Skin (172 - 173)	No. Rate	1 6.7	0 -	0 -	0 -	0 -	0 -	0 -	1 101.8	0 -
Breast, female (174)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 20.2	0 -	0 -	0 -	0 -	1 62.2	0 -	0 -	2 175.4
Uterus (179, 182)	No. Rate	1 13.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 168.1
Cervix (180)	No. Rate	1 13.5	0 -	0 -	0 -	0 -	1 123.8	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 6.7	0 -	0 -	0 -	0 -	0 -	0 -	1 101.8	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 13.4	0 -	0 -	0 -	0 -	0 -	0 -	1 101.8	1 87.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 6.7	0 -	0 -	0 -	0 -	0 -	0 -	1 101.8	0 -

1981

LETCHER

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	50 162.9	0 -	1 17.3	0 -	0 -	1 30.4	3 109.0	17 654.1	28 890.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 3.3	0 -	0 -	0 -	0 -	0 -	0 -	1 38.5	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	13 42.4	0 -	0 -	0 -	0 -	0 -	0 -	2 77.0	11 349.7
Stomach (151)	No. Rate	2 6.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 63.6
Colon and Rectum (153 - 154) Male	No. Rate	3 19.9	0 -	0 -	0 -	0 -	0 -	0 -	1 83.6	2 144.0
Female	No. Rate	3 19.2	0 -	0 -	0 -	0 -	0 -	0 -	1 71.3	2 113.8
Liver (155)	No. Rate	1 3.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 31.8
Pancreas (157)	No. Rate	3 9.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 95.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	17 55.4	0 -	0 -	0 -	0 -	0 -	2 72.6	8 307.8	7 222.5
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	9 59.7	0 -	0 -	0 -	0 -	0 -	1 74.7	4 334.4	4 288.0
Female	No. Rate	8 51.3	0 -	0 -	0 -	0 -	0 -	1 70.7	4 285.1	3 170.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	7 22.8	0 -	0 -	0 -	0 -	1 30.4	1 36.3	5 192.4	0 -
Bone & Articular Cartilage (170)	No. Rate	3 9.8	0 -	0 -	0 -	0 -	0 -	0 -	3 115.4	0 -
Skin (172 - 173)	No. Rate	2 6.5	0 -	0 -	0 -	0 -	1 30.4	0 -	1 38.5	0 -
Breast, female (174)	No. Rate	2 12.8	0 -	0 -	0 -	0 -	0 -	1 70.7	1 71.3	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 16.3	0 -	0 -	0 -	0 -	0 -	0 -	1 38.5	4 127.1
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	4 26.5	0 -	0 -	0 -	0 -	0 -	0 -	1 83.6	3 216.0
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 9.8	0 -	1 17.3	0 -	0 -	0 -	0 -	0 -	2 63.6
Brain (191)	No. Rate	1 3.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 31.8
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 13.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 127.1
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	4 13.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 127.1

1981

OWSLEY

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	5	0	0	0	0	0	1	0	4
	Rate	87.6	-	-	-	-	-	192.7	-	506.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	3	0	0	0	0	0	0	0	3
	Rate	52.5	-	-	-	-	-	-	-	379.7
Stomach (151)	No.	1	0	0	0	0	0	0	0	1
	Rate	17.5	-	-	-	-	-	-	-	126.6
Colon and Rectum (153 - 154) Male	No.	2	0	0	0	0	0	0	0	2
	Rate	69.7	-	-	-	-	-	-	-	514.1
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	1	0	0	0	0	0	0	0	1
	Rate	17.5	-	-	-	-	-	-	-	126.6
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Breast, female (174)	No.	1	0	0	0	0	0	0	0	1
	Rate	35.2	-	-	-	-	-	-	-	249.4
GENITOURINARY ORGANS (179 - 189)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	1	0	0	0	0	0	1	0	0
	Rate	17.5	-	-	-	-	-	192.7	-	-
Lymphosarcoma & Reticulosarcoma (200)	No.	1	0	0	0	0	0	1	0	0
	Rate	17.5	-	-	-	-	-	192.7	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

1981

PERRY

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	64	0	1	0	2	1	9	17	34
	Rate	189.6	-	15.3	-	36.5	18.1	302.2	639.6	1055.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	0	0	0	1
	Rate	3.0	-	-	-	-	-	-	-	31.0
DIGESTIVE ORGANS (150 - 159)	No.	19	0	0	0	0	1	2	6	10
	Rate	56.3	-	-	-	-	28.1	67.2	225.7	310.4
Stomach (151)	No.	3	0	0	0	0	0	1	1	1
	Rate	8.9	-	-	-	-	-	33.6	37.6	31.0
Colon and Rectum (153 - 154) Male	No.	1	0	0	0	0	0	0	1	0
	Rate	6.0	-	-	-	-	-	-	82.6	-
Female	No.	8	0	0	0	0	0	0	3	5
	Rate	46.7	-	-	-	-	-	-	207.2	269.5
Liver (155)	No.	3	0	0	0	0	0	0	1	2
	Rate	8.9	-	-	-	-	-	-	37.6	62.1
Pancreas (157)	No.	4	0	0	0	0	1	1	0	2
	Rate	11.8	-	-	-	-	28.1	33.6	-	62.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	24	0	0	0	0	0	5	6	13
	Rate	71.1	-	-	-	-	-	167.9	225.7	403.5
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	20	0	0	0	0	0	4	6	10
	Rate	120.3	-	-	-	-	-	266.5	495.9	731.5
Female	No.	4	0	0	0	0	0	1	0	3
	Rate	23.3	-	-	-	-	-	67.7	-	161.7
BOWEL, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	5	0	0	0	1	0	1	1	2
	Rate	14.8	-	-	-	18.3	-	33.6	37.6	62.1
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	1	0	0	0	0
	Rate	3.0	-	-	-	18.3	-	-	-	-
Breast, female (174)	No.	4	0	0	0	0	0	1	1	2
	Rate	23.3	-	-	-	-	-	67.7	69.1	107.8
GENITOURINARY ORGANS (179 - 189)	No.	10	0	0	0	0	0	0	4	6
	Rate	29.6	-	-	-	-	-	-	150.5	186.2
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	2	0	0	0	0	0	0	2	0
	Rate	11.7	-	-	-	-	-	-	138.1	-
Prostate (185)	No.	1	0	0	0	0	0	0	0	1
	Rate	6.0	-	-	-	-	-	-	-	73.2
Bladder (188)	No.	4	0	0	0	0	0	0	1	3
	Rate	11.8	-	-	-	-	-	-	37.6	93.1
OTHER UNSPECIFIED SITES (190 - 199)	No.	2	0	0	0	0	0	1	0	1
	Rate	5.9	-	-	-	-	-	33.6	-	31.0
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	3	0	1	0	1	0	0	0	1
	Rate	8.9	-	15.3	-	18.3	-	-	-	31.0
Lymphosarcoma & Reticulosarcoma (200)	No.	1	0	0	0	0	0	0	0	1
	Rate	3.0	-	-	-	-	-	-	-	31.0
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	2	0	1	0	1	0	0	0	0
	Rate	5.9	-	15.3	-	18.3	-	-	-	-

1981


WOLFE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	12 179.2	0 -	0 -	0 -	1 107.2	1 137.2	0 -	1 166.9	9 1088.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	3 44.8	0 -	0 -	0 -	1 107.2	0 -	0 -	0 -	2 241.8
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 29.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 262.5
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	4 59.7	0 -	0 -	0 -	0 -	1 137.2	0 -	1 166.9	2 241.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	2 59.1	0 -	0 -	0 -	0 -	0 -	0 -	1 348.4	1 262.5
Female	No. Rate	2 60.3	0 -	0 -	0 -	0 -	1 264.6	0 -	0 -	1 224.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 14.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 120.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 30.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 224.2
GENITOURINARY ORGANS (179 - 189)	No. Rate	4 59.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 483.7
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 30.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 224.2
Prostate (185)	No. Rate	3 88.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 787.4
Bladder (188)	No. Rate	3 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

DISTRICT 13

CUMBERLAND VALLEY



1981

DISTRICT 13

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	399 175.3	1 5.3	2 4.8	6 14.5	8 23.2	20 82.0	41 201.4	87 428.5	234 901.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	5 2.2	0 -	0 -	1 2.4	0 -	0 -	0 -	1 4.9	3 11.6
DIGESTIVE ORGANS (150 - 159)	No. Rate	92 40.4	0 -	0 -	1 2.4	1 2.9	4 16.4	11 54.0	17 83.7	58 223.5
Stomach (151)	No. Rate	14 6.2	0 -	0 -	0 -	1 2.9	0 -	3 14.7	3 14.8	7 27.0
Colon and Rectum (153 - 154) Male	No. Rate	15 13.5	0 -	0 -	0 -	0 -	1 8.3	1 10.3	3 32.1	10 90.3
Female	No. Rate	22 19.0	0 -	0 -	0 -	0 -	0 -	5 46.9	5 45.7	12 80.7
Liver (155)	No. Rate	4 1.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 15.4
Pancreas (157)	No. Rate	27 11.9	0 -	0 -	0 -	0 -	1 4.1	1 4.9	5 24.6	20 77.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	122 53.6	0 -	0 -	0 -	1 2.9	6 24.6	16 78.6	38 187.2	61 235.0
Larynx (161)	No. Rate	5 2.2	0 -	0 -	0 -	0 -	0 -	1 4.9	2 9.9	2 7.7
Trachea, Bronchus, Lungs (162) Male	No. Rate	94 84.3	0 -	0 -	0 -	1 5.8	4 33.1	11 113.5	30 320.5	48 433.3
Female	No. Rate	22 19.0	0 -	0 -	0 -	0 -	2 16.2	4 37.5	6 54.8	10 67.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	43 18.9	0 -	0 -	0 -	5 14.5	3 12.3	3 14.7	6 29.6	26 100.2
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	11 4.8	0 -	0 -	0 -	2 5.8	1 4.1	0 -	0 -	8 30.8
Breast, female (174)	No. Rate	29 25.0	0 -	0 -	0 -	2 11.5	2 16.2	3 28.1	6 54.8	16 107.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	63 27.7	0 -	0 -	1 2.4	1 2.9	5 20.5	5 24.6	8 39.4	43 165.7
Uterus (179, 182)	No. Rate	5 4.3	0 -	0 -	1 4.8	1 5.8	2 16.2	1 9.4	2 18.3	2 13.4
Cervix (180)	No. Rate	11 9.5	0 -	0 -	1 4.8	1 5.8	2 16.2	1 9.4	3 27.4	3 20.2
Prostate (185)	No. Rate	18 16.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	18 162.5
Bladder (188)	No. Rate	5 2.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 19.3
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	46 20.2	1 5.3	1 2.4	2 4.8	0 -	1 4.1	4 19.6	12 59.1	25 96.3
Brain (191)	No. Rate	12 5.3	1 5.3	0 -	0 -	0 -	0 -	1 4.9	4 19.7	6 23.1
Thyroid (193)	No. Rate	1 0.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 3.9
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	28 12.3	0 -	1 2.4	1 2.4	0 -	1 4.1	2 9.8	5 24.6	18 69.4
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	2 0.9	0 -	0 -	0 -	0 -	1 4.1	1 4.9	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	14 6.2	0 -	1 2.4	1 2.4	0 -	0 -	1 4.9	2 9.9	9 34.7

1981

BELL

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	60 174.8	0 -	0 -	0 -	0 -	2 54.0	9 287.2	18 562.0	31 772.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	13 37.9	0 -	0 -	0 -	0 -	1 27.0	2 63.8	4 124.9	6 149.4
Stomach (151)	No. Rate	4 11.7	0 -	0 -	0 -	0 -	0 -	1 31.9	2 62.4	1 24.9
Colon and Rectum (153 - 154) Male	No. Rate	3 18.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 182.9
Female	No. Rate	2 11.3	0 -	0 -	0 -	0 -	0 -	1 59.1	1 57.5	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	3 8.7	0 -	0 -	0 -	0 -	0 -	0 -	1 31.2	2 49.8
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	18 52.4	0 -	0 -	0 -	0 -	1 27.0	3 95.7	6 187.3	8 199.3
Larynx (161)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	1 31.9	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	13 78.0	0 -	0 -	0 -	0 -	0 -	2 138.8	5 341.5	6 365.9
Female	No. Rate	4 22.6	0 -	0 -	0 -	0 -	1 54.2	0 -	1 57.5	2 84.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 8.7	0 -	0 -	0 -	0 -	0 -	1 31.9	1 31.2	1 24.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 17.0	0 -	0 -	0 -	0 -	0 -	1 59.1	1 57.5	1 42.1
GENITOURINARY ORGANS (179 - 189)	No. Rate	12 35.0	0 -	0 -	0 -	0 -	0 -	2 63.8	1 31.2	9 224.2
Uterus (179, 182)	No. Rate	1 5.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 42.1
Cervix (180)	No. Rate	2 11.3	0 -	0 -	0 -	0 -	0 -	0 -	1 57.5	1 42.1
Prostate (185)	No. Rate	1 6.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 61.0
Bladder (188)	No. Rate	2 5.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 49.8
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	7 20.4	0 -	0 -	0 -	0 -	0 -	0 -	3 93.7	4 99.6
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	7 20.4	0 -	0 -	0 -	0 -	0 -	1 31.9	3 93.7	3 74.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 2.9	0 -	0 -	0 -	0 -	0 -	1 31.9	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	3 8.7	0 -	0 -	0 -	0 -	0 -	0 -	2 62.4	1 24.9

1981

CLAY

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	31	0	0	0	2	1	1	11	16
	Rate	136.3	-	-	-	58.6	40.8	52.0	628.6	731.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	5	0	0	0	0	0	0	1	4
	Rate	22.0	-	-	-	-	-	-	57.1	182.8
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	1	0	0	0	0	0	0	0	1
	Rate	8.8	-	-	-	-	-	-	-	98.2
Female	No.	2	0	0	0	0	0	0	1	1
	Rate	17.6	-	-	-	-	-	-	109.4	85.5
Liver (155)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.4	-	-	-	-	-	-	-	45.7
Pancreas (157)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.4	-	-	-	-	-	-	-	45.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	13	0	0	0	0	1	0	8	4
	Rate	57.1	-	-	-	-	40.8	-	457.1	182.8
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	10	0	0	0	0	0	0	7	3
	Rate	87.8	-	-	-	-	-	-	837.3	294.7
Female	No.	3	0	0	0	0	1	0	1	1
	Rate	26.4	-	-	-	-	82.8	-	109.4	85.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	4	0	0	0	2	0	0	0	2
	Rate	17.6	-	-	-	58.6	-	-	-	91.4
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	3	0	0	0	2	0	0	0	1
	Rate	13.2	-	-	-	58.6	-	-	-	45.7
Breast, female (174)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
GENITOURINARY ORGANS (179 - 189)	No.	3	0	0	0	0	0	0	1	2
	Rate	13.2	-	-	-	-	-	-	57.1	91.4
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.8	-	-	-	-	-	-	-	98.2
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.4	-	-	-	-	-	-	-	45.7
OTHER UNSPECIFIED SITES (190 - 199)	No.	5	0	0	0	0	0	1	1	3
	Rate	22.0	-	-	-	-	-	52.0	57.1	137.1
Brain (191)	No.	1	0	0	0	0	0	0	1	0
	Rate	4.4	-	-	-	-	-	-	57.1	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.4	-	-	-	-	-	-	-	45.7
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

1981

HARLAN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	74	0	0	1	3	3	11	15	41
	Rate	176.7	-	-	13.4	45.4	72.9	295.0	385.4	895.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	23	0	0	0	1	0	3	4	15
	Rate	54.9	-	-	-	15.1	-	80.5	102.8	327.7
Stomach (151)	No.	5	0	0	0	1	0	0	0	4
	Rate	11.9	-	-	-	15.1	-	-	-	87.4
Colon and Rectum (153 - 154) Male	No.	3	0	0	0	0	0	1	1	1
	Rate	14.7	-	-	-	-	-	58.6	56.6	53.0
Female	No.	6	0	0	0	0	0	1	1	4
	Rate	27.9	-	-	-	-	-	49.5	47.0	148.7
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	8	0	0	0	0	0	1	2	5
	Rate	19.1	-	-	-	-	-	26.8	51.4	109.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	16	0	0	0	0	0	4	5	7
	Rate	38.2	-	-	-	-	-	107.3	128.5	152.9
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	13	0	0	0	0	0	3	4	6
	Rate	63.9	-	-	-	-	-	157.7	226.5	317.8
Female	No.	3	0	0	0	0	0	1	1	1
	Rate	13.9	-	-	-	-	-	49.5	47.0	37.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	9	0	0	0	2	0	0	4	3
	Rate	21.5	-	-	-	30.3	-	-	102.8	65.5
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	2	0	0	0	0	0	0	0	2
	Rate	4.8	-	-	-	-	-	-	-	43.7
Breast, female (174)	No.	6	0	0	0	1	0	0	4	1
	Rate	27.9	-	-	-	30.4	-	-	188.1	37.2
GENITOURINARY ORGANS (179 - 189)	No.	14	0	0	0	0	3	0	1	10
	Rate	33.4	-	-	-	-	72.9	-	25.7	218.4
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	3	0	0	0	0	2	0	0	1
	Rate	13.9	-	-	-	-	97.9	-	-	37.2
Prostate (185)	No.	3	0	0	0	0	0	0	0	3
	Rate	14.7	-	-	-	-	-	-	-	158.9
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.4	-	-	-	-	-	-	-	21.8
OTHER UNSPECIFIED SITES (190 - 199)	No.	7	0	0	0	0	0	3	0	4
	Rate	16.7	-	-	-	-	-	80.5	-	87.4
Brain (191)	No.	2	0	0	0	0	0	1	0	1
	Rate	4.8	-	-	-	-	-	26.8	-	21.8
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	5	0	0	1	0	0	1	1	2
	Rate	11.9	-	-	13.4	-	-	26.8	25.7	43.7
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	4	0	0	1	0	0	1	0	2
	Rate	9.5	-	-	13.4	-	-	26.8	-	43.7

1981

JACKSON

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	29	0	0	0	0	1	2	7	19
	Rate	241.7	-	-	-	-	79.9	183.3	633.5	1281.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	7	0	0	0	0	0	0	3	4
	Rate	58.4	-	-	-	-	-	-	271.5	269.7
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	4	0	0	0	0	0	0	2	2
	Rate	66.5	-	-	-	-	-	-	377.4	276.2
Female	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Liver (155)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.3	-	-	-	-	-	-	-	67.4
Pancreas (157)	No.	2	0	0	0	0	0	0	1	1
	Rate	16.7	-	-	-	-	-	-	90.5	67.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	6	0	0	0	0	0	2	1	3
	Rate	50.0	-	-	-	-	-	183.3	90.5	202.3
Larynx (161)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.3	-	-	-	-	-	-	-	67.4
Trachea, Bronchus, Lungs (162) Male	No.	4	0	0	0	0	0	2	0	2
	Rate	66.5	-	-	-	-	-	373.1	-	276.2
Female	No.	1	0	0	0	0	0	0	1	0
	Rate	16.7	-	-	-	-	-	-	173.9	-
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	5	0	0	0	0	0	0	1	4
	Rate	41.7	-	-	-	-	-	-	90.5	269.7
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	2	0	0	0	0	0	0	0	2
	Rate	16.7	-	-	-	-	-	-	-	134.9
Breast, female (174)	No.	3	0	0	0	0	0	0	1	2
	Rate	50.2	-	-	-	-	-	-	173.9	263.5
GENITOURINARY ORGANS (179 - 189)	No.	7	0	0	0	0	0	0	2	5
	Rate	58.4	-	-	-	-	-	-	181.0	337.2
Uterus (179, 182)	No.	1	0	0	0	0	0	0	1	0
	Rate	16.7	-	-	-	-	-	-	173.9	-
Cervix (180)	No.	1	0	0	0	0	0	0	1	0
	Rate	16.7	-	-	-	-	-	-	173.9	-
Prostate (185)	No.	3	0	0	0	0	0	0	0	3
	Rate	49.9	-	-	-	-	-	-	-	414.4
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.3	-	-	-	-	-	-	-	67.4
OTHER UNSPECIFIED SITES (190 - 199)	No.	3	0	0	0	0	1	0	0	2
	Rate	25.0	-	-	-	-	79.9	-	-	134.9
Brain (191)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.3	-	-	-	-	-	-	-	67.4
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.3	-	-	-	-	-	-	-	67.4
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	1	0	0	0	0	0	0	0	1
	Rate	8.3	-	-	-	-	-	-	-	67.4

1981

KNOX

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	48 158.7	0 -	2 34.8	0 -	0 -	5 149.8	4 160.4	9 333.7	28 783.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 3.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 28.0
DIGESTIVE ORGANS (150 - 159)	No. Rate	13 43.0	0 -	0 -	0 -	0 -	3 89.9	2 80.2	1 37.1	7 195.9
Stomach (151)	No. Rate	2 6.6	0 -	0 -	0 -	0 -	0 -	1 40.1	0 -	1 28.0
Colon and Rectum (153 - 154) Male	No. Rate	1 6.8	0 -	0 -	0 -	0 -	1 61.7	0 -	0 -	0 -
Female	No. Rate	2 12.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 97.5
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	4 13.2	0 -	0 -	0 -	0 -	1 30.0	0 -	0 -	3 84.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	17 56.2	0 -	0 -	0 -	0 -	1 30.0	1 40.1	5 185.4	10 279.9
Larynx (161)	No. Rate	1 3.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 28.0
Trachea, Bronchus, Lungs (162) Male	No. Rate	13 88.7	0 -	0 -	0 -	0 -	1 61.7	1 83.1	4 332.8	7 459.9
Female	No. Rate	3 19.3	0 -	0 -	0 -	0 -	0 -	0 -	1 66.9	2 97.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 6.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 56.0
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 12.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 97.5
GENITOURINARY ORGANS (179 - 189)	No. Rate	7 23.1	0 -	0 -	0 -	0 -	1 30.0	1 40.1	0 -	5 139.9
Uterus (179, 182)	No. Rate	1 6.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 48.8
Cervix (180)	No. Rate	1 6.4	0 -	0 -	0 -	0 -	0 -	1 77.5	0 -	0 -
Prostate (185)	No. Rate	3 20.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 197.1
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	7 23.1	0 -	1 17.4	0 -	0 -	0 -	0 -	3 111.2	3 84.0
Brain (191)	No. Rate	2 6.6	0 -	0 -	0 -	0 -	0 -	0 -	2 74.2	0 -
Thyroid (193)	No. Rate	1 3.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 28.0
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 3.3	0 -	1 17.8	0 -	0 -	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 3.3	0 -	1 17.4	0 -	0 -	0 -	0 -	0 -	0 -

1981

LAUREL

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	66	1	0	3	1	3	9	14	35
	Rate	169.3	30.7	-	42.6	16.2	68.8	246.0	418.0	829.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	0	0	1	0
	Rate	2.6	-	-	-	-	-	-	29.9	-
DIGESTIVE ORGANS (150 - 159)	No.	12	0	0	1	0	0	4	3	4
	Rate	30.8	-	-	14.2	-	-	109.3	89.6	94.8
Stomach (151)	No.	2	0	0	0	0	0	1	1	0
	Rate	5.1	-	-	-	-	-	27.3	29.9	-
Colon and Rectum (153 - 154) Male	No.	2	0	0	0	0	0	0	0	2
	Rate	10.4	-	-	-	-	-	-	-	107.7
Female	No.	7	0	0	0	0	0	3	2	2
	Rate	35.6	-	-	-	-	-	158.9	113.3	84.7
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	23	0	0	0	0	1	3	6	13
	Rate	59.0	-	-	-	-	22.9	82.0	179.2	308.1
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	19	0	0	0	0	1	2	6	10
	Rate	98.4	-	-	-	-	47.1	113.0	379.0	538.5
Female	No.	3	0	0	0	0	0	1	0	2
	Rate	15.3	-	-	-	-	-	53.0	-	84.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	11	0	0	0	0	2	1	0	8
	Rate	28.2	-	-	-	-	45.9	27.3	-	189.6
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	2	0	0	0	0	1	0	0	1
	Rate	5.1	-	-	-	-	22.9	-	-	23.7
Breast, female (174)	No.	8	0	0	0	0	1	1	0	6
	Rate	40.7	-	-	-	-	44.8	53.0	-	254.0
GENITOURINARY ORGANS (179 - 189)	No.	10	0	0	1	1	0	1	2	5
	Rate	25.7	-	-	14.2	16.2	-	27.3	59.7	118.5
Uterus (179, 182)	No.	1	0	0	0	0	0	0	1	0
	Rate	5.1	-	-	-	-	-	-	56.6	-
Cervix (180)	No.	3	0	0	1	1	0	0	1	0
	Rate	15.3	-	-	28.4	32.6	-	-	56.6	-
Prostate (185)	No.	5	0	0	0	0	0	0	0	5
	Rate	25.9	-	-	-	-	-	-	-	269.3
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	6	1	0	1	0	0	0	2	2
	Rate	15.4	30.7	-	14.2	-	-	-	59.7	47.4
Brain (191)	No.	2	1	0	0	0	0	0	0	1
	Rate	5.1	30.7	-	-	-	-	-	-	23.7
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	3	0	0	0	0	0	0	0	3
	Rate	7.7	-	-	-	-	-	-	-	71.1
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	2	0	0	0	0	0	0	0	2
	Rate	5.1	-	-	-	-	-	-	-	47.4

1981

ROCKCASTLE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	33 236.2	0 -	0 -	2 83.7	1 51.0	3 188.0	1 72.6	4 313.0	22 1225.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 14.3	0 -	0 -	1 41.8	0 -	0 -	0 -	0 -	1 55.7
DIGESTIVE ORGANS (150 - 159)	No. Rate	6 42.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	6 334.3
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	1 7.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 55.7
Pancreas (157)	No. Rate	5 35.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 278.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 50.1	0 -	0 -	0 -	1 51.0	1 62.7	0 -	3 234.7	2 111.4
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	7 100.1	0 -	0 -	0 -	1 104.8	1 125.5	0 -	3 489.4	2 245.4
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 21.5	0 -	0 -	0 -	0 -	1 62.7	1 72.6	0 -	1 55.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 43.0	0 -	0 -	0 -	0 -	1 125.2	1 140.8	0 -	1 102.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 35.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 278.6
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 14.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 102.0
Prostate (185)	No. Rate	2 28.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 245.4
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	5 35.8	0 -	0 -	1 41.8	0 -	0 -	0 -	1 78.2	3 167.1
Brain (191)	No. Rate	3 21.5	0 -	0 -	0 -	0 -	0 -	0 -	1 78.2	2 111.4
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 35.8	0 -	0 -	0 -	0 -	1 62.7	0 -	0 -	4 222.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 7.2	0 -	0 -	0 -	0 -	1 62.7	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 7.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 55.7

1981


WHITLEY

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	58 173.7	0 -	0 -	0 -	1 20.5	2 55.8	4 135.4	9 297.2	42 1023.9
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 3.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 24.4
DIGESTIVE ORGANS (150 - 159)	No. Rate	13 38.9	0 -	0 -	0 -	0 -	0 -	0 -	1 33.0	12 292.5
Stomach (151)	No. Rate	1 3.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 24.4
Colon and Rectum (153 - 154) Male	No. Rate	1 6.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.0
Female	No. Rate	3 17.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 120.6
Liver (155)	No. Rate	1 3.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 24.4
Pancreas (157)	No. Rate	4 12.0	0 -	0 -	0 -	0 -	0 -	0 -	1 33.0	3 73.1
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	22 65.9	0 -	0 -	0 -	0 -	1 27.9	3 101.6	4 132.1	14 341.3
Larynx (161)	No. Rate	2 6.0	0 -	0 -	0 -	0 -	0 -	0 -	2 66.1	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	15 93.1	0 -	0 -	0 -	0 -	1 57.0	1 70.0	1 73.3	12 743.5
Female	No. Rate	5 28.9	0 -	0 -	0 -	0 -	0 -	2 131.1	1 60.1	2 80.4
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	6 18.0	0 -	0 -	0 -	1 20.5	0 -	0 -	0 -	5 121.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 6.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 48.8
Breast, female (174)	No. Rate	4 23.1	0 -	0 -	0 -	1 41.0	0 -	0 -	0 -	3 120.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 15.0	0 -	0 -	0 -	0 -	1 27.9	1 33.9	1 33.0	2 48.8
Uterus (179, 182)	No. Rate	1 5.8	0 -	0 -	0 -	0 -	0 -	1 65.5	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	6 18.0	0 -	0 -	0 -	0 -	0 -	0 -	2 66.1	4 97.5
Brain (191)	No. Rate	1 3.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 24.4
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 15.0	0 -	0 -	0 -	0 -	0 -	0 -	1 33.0	4 97.5
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 6.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 48.8

DISTRICT 14

LAKE CUMBERLAND



1981

DISTRICT 14

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	335 195.9	0 -	2 7.1	1 3.4	5 20.4	14 72.8	36 207.7	70 404.7	207 914.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 0.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 4.4
DIGESTIVE ORGANS (150 - 159)	No. Rate	94 55.0	0 -	0 -	0 -	1 4.1	5 26.0	7 40.4	17 98.3	64 282.7
Stomach (151)	No. Rate	8 4.7	0 -	0 -	0 -	0 -	0 -	1 5.8	2 11.6	5 22.1
Colon and Rectum (153 - 154) Male	No. Rate	29 34.7	0 -	0 -	0 -	1 8.3	3 31.8	4 47.7	4 48.9	17 171.0
Female	No. Rate	20 22.9	0 -	0 -	0 -	0 -	1 10.2	2 22.3	1 11.0	16 126.0
Liver (155)	No. Rate	7 4.1	0 -	0 -	0 -	0 -	0 -	0 -	2 11.6	5 22.1
Pancreas (157)	No. Rate	15 8.8	0 -	0 -	0 -	0 -	0 -	0 -	3 17.3	12 53.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	102 59.6	0 -	0 -	0 -	0 -	3 15.6	15 86.5	27 156.1	57 251.8
Larynx (161)	No. Rate	1 0.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 4.4
Trachea, Bronchus, Lungs (162) Male	No. Rate	79 94.5	0 -	0 -	0 -	0 -	3 31.8	12 143.2	19 232.4	45 452.5
Female	No. Rate	22 25.2	0 -	0 -	0 -	0 -	0 -	3 33.5	8 87.7	11 86.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	31 18.1	0 -	0 -	0 -	0 -	4 20.8	6 34.6	8 46.3	13 57.4
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	5 2.9	0 -	0 -	0 -	0 -	1 5.2	1 5.8	0 -	3 13.3
Breast, female (174)	No. Rate	24 27.4	0 -	0 -	0 -	0 -	2 20.4	5 55.8	7 76.8	10 78.8
GENITOURINARY ORGANS (179 - 189)	No. Rate	41 24.0	0 -	0 -	0 -	1 4.1	0 -	3 17.3	7 40.5	30 132.5
Uterus (179, 182)	No. Rate	4 4.6	0 -	0 -	0 -	0 -	0 -	1 11.2	2 21.9	1 7.9
Cervix (180)	No. Rate	3 3.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 23.6
Prostate (185)	No. Rate	12 14.4	0 -	0 -	0 -	0 -	0 -	1 11.9	1 12.2	10 100.6
Bladder (188)	No. Rate	6 3.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	6 26.5
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	33 19.3	0 -	0 -	0 -	0 -	1 5.2	3 17.3	4 23.1	25 110.4
Brain (191)	No. Rate	6 3.5	0 -	0 -	0 -	0 -	0 -	1 5.8	2 11.6	3 13.3
Thyroid (193)	No. Rate	1 0.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 4.4
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	33 19.3	0 -	2 7.1	1 3.4	3 12.2	1 5.2	2 11.5	7 40.5	17 75.1
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 0.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 4.4
Hodgkin's Disease (201)	No. Rate	5 2.9	0 -	1 3.5	0 -	0 -	0 -	0 -	1 5.8	3 13.3
Leukemia (204 - 208)	No. Rate	18 10.5	0 -	1 3.5	1 3.4	3 12.2	1 5.2	1 5.8	3 17.3	8 35.3

1981

ADAIR

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	28 183.8	0 -	0 -	0 -	1 51.0	1 57.4	4 254.5	9 525.7	13 563.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	5 32.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 216.6
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	2 26.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 198.2
Female	No. Rate	2 25.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 154.0
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 6.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 43.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	6 39.4	0 -	0 -	0 -	0 -	0 -	2 127.2	2 116.8	2 86.7
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 67.2	0 -	0 -	0 -	0 -	0 -	2 260.8	1 124.7	2 198.2
Female	No. Rate	1 12.8	0 -	0 -	0 -	0 -	0 -	0 -	1 109.9	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 26.3	0 -	0 -	0 -	0 -	1 57.4	0 -	2 116.8	1 43.3
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	4 51.3	0 -	0 -	0 -	0 -	1 113.9	0 -	2 219.8	1 77.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	4 26.3	0 -	0 -	0 -	0 -	0 -	0 -	2 116.8	2 86.7
Uterus (181, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	3 40.3	0 -	0 -	0 -	0 -	0 -	0 -	1 124.7	2 198.2
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	7 46.0	0 -	0 -	0 -	0 -	0 -	2 127.2	2 116.8	3 130.0
Brain (191)	No. Rate	3 19.7	0 -	0 -	0 -	0 -	0 -	1 63.6	1 58.4	1 43.3
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 13.1	0 -	0 -	0 -	1 51.0	0 -	0 -	1 58.4	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 13.1	0 -	0 -	0 -	1 51.0	0 -	0 -	1 58.4	0 -

1981

CASEY

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	34 229.5	0 -	0 -	0 -	0 -	1 64.4	4 266.1	4 261.6	25 1262.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	1 6.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 50.5
DIGESTIVE ORGANS (150 - 159)	No. Rate	11 74.2	0 -	0 -	0 -	0 -	1 64.4	0 -	2 130.8	8 403.8
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	4 54.8	0 -	0 -	0 -	0 -	1 130.2	0 -	0 -	3 332.6
Female	No. Rate	1 13.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 92.7
Liver (155)	No. Rate	1 6.7	0 -	0 -	0 -	0 -	0 -	0 -	1 65.4	0 -
Pancreas (157)	No. Rate	3 20.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 151.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	9 60.7	0 -	0 -	0 -	0 -	0 -	1 65.5	0 -	8 403.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	7 95.9	0 -	0 -	0 -	0 -	0 -	1 135.9	0 -	6 665.2
Female	No. Rate	2 26.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 185.4
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 27.0	0 -	0 -	0 -	0 -	0 -	2 133.1	1 65.4	1 50.5
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	4 53.2	0 -	0 -	0 -	0 -	0 -	2 260.8	1 127.7	1 92.7
GENITOURINARY ORGANS (179 - 189)	No. Rate	6 40.5	0 -	0 -	0 -	0 -	0 -	1 66.5	1 65.4	4 201.9
Uterus (179, 182)	No. Rate	1 13.3	0 -	0 -	0 -	0 -	0 -	1 130.4	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 13.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 110.9
Bladder (188)	No. Rate	2 13.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 101.0
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 20.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 151.4
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

CLINTON

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	25 268.2	0 -	0 -	0 -	0 -	2 179.2	2 212.1	8 843.7	13 989.3
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	9 96.6	0 -	0 -	0 -	0 -	0 -	1 106.0	1 105.7	7 532.7
Stomach (151)	No. Rate	1 10.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 76.1
Colon and Rectum (153 - 154) Male	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Female	No. Rate	4 83.5	0 -	0 -	0 -	0 -	0 -	1 210.1	0 -	3 414.9
Liver (155)	No. Rate	1 10.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 76.1
Pancreas (157)	No. Rate	1 10.7	0 -	0 -	0 -	0 -	0 -	0 -	1 105.7	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	9 96.6	0 -	0 -	0 -	0 -	1 89.6	0 -	5 528.5	3 228.3
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	8 176.7	0 -	0 -	0 -	0 -	1 184.2	0 -	4 939.0	3 507.6
Female	No. Rate	1 20.9	0 -	0 -	0 -	0 -	0 -	0 -	1 192.3	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 32.2	0 -	0 -	0 -	0 -	1 89.6	0 -	1 105.7	1 76.1
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 10.7	0 -	0 -	0 -	0 -	1 89.6	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 41.7	0 -	0 -	0 -	0 -	0 -	0 -	1 192.3	1 138.3
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 32.2	0 -	0 -	0 -	0 -	0 -	0 -	1 105.7	2 152.2
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 20.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 138.3
Prostate* (185)	No. Rate	1 22.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 169.2
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 10.7	0 -	0 -	0 -	0 -	0 -	1 106.0	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

CUMBERLAND

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	15 205.8	0 -	1 92.9	0 -	0 -	2 260.1	2 242.4	2 240.7	8 692.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	3 41.2	0 -	0 -	0 -	0 -	0 -	0 -	1 120.3	2 173.0
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 28.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 189.0
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 13.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 86.5
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 68.6	0 -	0 -	0 -	0 -	0 -	1 121.2	0 -	4 346.0
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 85.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 567.1
Female	No. Rate	2 53.0	0 -	0 -	0 -	0 -	0 -	1 232.0	0 -	1 159.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 27.4	0 -	0 -	0 -	0 -	0 -	1 121.2	0 -	1 86.5
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 53.0	0 -	0 -	0 -	0 -	0 -	1 232.0	0 -	1 159.5
GENITOURINARY ORGANS (179 - 189)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 41.2	0 -	0 -	0 -	0 -	1 130.0	0 -	1 120.3	1 86.5
Brain (191)	No. Rate	1 13.7	0 -	0 -	0 -	0 -	0 -	0 -	1 120.3	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 27.4	0 -	1 92.9	0 -	0 -	1 130.0	0 -	0 -	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 27.4	0 -	1 92.9	0 -	0 -	1 130.0	0 -	0 -	0 -

1981

GREEN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	18 163.0	0 -	0 -	0 -	1 65.0	1 78.9	3 256.0	5 407.2	8 467.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	6 54.3	0 -	0 -	0 -	1 65.0	1 78.9	1 85.3	1 81.4	2 116.8
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	3 55.4	0 -	0 -	0 -	1 131.4	0 -	1 175.4	1 163.1	0 -
Female	No. Rate	1 17.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 101.9
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 45.3	0 -	0 -	0 -	0 -	0 -	2 170.6	1 81.4	2 116.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 92.3	0 -	0 -	0 -	0 -	0 -	2 350.9	1 163.1	2 273.2
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 18.1	0 -	0 -	0 -	0 -	0 -	0 -	1 81.4	1 58.4
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 35.6	0 -	0 -	0 -	0 -	0 -	0 -	1 162.6	1 101.9
GENITOURINARY ORGANS (179 - 189)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 9.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 58.4
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 36.2	0 -	0 -	0 -	0 -	0 -	0 -	2 162.9	2 116.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 9.1	0 -	0 -	0 -	0 -	0 -	0 -	1 81.4	0 -
Leukemia (204 - 208)	No. Rate	3 27.2	0 -	0 -	0 -	0 -	0 -	0 -	1 81.4	2 116.8

1981

MCCREARY

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	36 230.3	0 -	0 -	1 34.0	1 43.9	1 61.4	3 232.0	7 524.0	23 1425.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	8 51.2	0 -	0 -	0 -	0 -	0 -	0 -	1 74.9	7 433.7
Stomach (151)	No. Rate	1 6.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.0
Colon and Rectum (153 - 154) Male	No. Rate	4 51.3	0 -	0 -	0 -	0 -	0 -	0 -	1 164.2	3 416.7
Female	No. Rate	1 12.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 111.9
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	1 6.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	11 70.4	0 -	0 -	0 -	0 -	0 -	2 154.7	3 224.6	6 371.7
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	6 77.0	0 -	0 -	0 -	0 -	0 -	1 161.0	1 164.2	4 555.6
Female	No. Rate	5 63.8	0 -	0 -	0 -	0 -	0 -	1 148.8	2 275.1	2 223.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 25.6	0 -	0 -	0 -	0 -	1 61.4	0 -	1 74.9	2 123.9
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 12.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 123.9
Breast, female (174)	No. Rate	1 12.8	0 -	0 -	0 -	0 -	1 121.4	0 -	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 19.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 185.9
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 12.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 138.9
Bladder (188)	No. Rate	1 6.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 62.0
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	5 32.0	0 -	0 -	0 -	0 -	0 -	1 77.3	0 -	4 247.8
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 32.0	0 -	0 -	1 34.0	1 43.9	0 -	0 -	2 149.7	1 62.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	4 25.6	0 -	0 -	1 34.0	1 43.9	0 -	0 -	1 74.9	1 62.0

1981

PULASKI

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	89	0	0	0	0	2	12	19	56
	Rate	194.3	-	-	-	-	37.8	256.7	420.0	966.9
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	26	0	0	0	0	2	4	8	12
	Rate	56.8	-	-	-	-	37.8	85.6	176.8	207.2
Stomach (151)	No.	3	0	0	0	0	0	0	1	2
	Rate	6.5	-	-	-	-	-	-	22.1	34.5
Colon and Rectum (153 - 154) Male	No.	8	0	0	0	2	3	1	1	2
	Rate	35.9	-	-	-	76.7	132.6	46.8	80.5	80.5
Female	No.	8	0	0	0	0	1	1	1	6
	Rate	34.0	-	-	-	-	41.5	41.9	181.4	181.4
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	3	0	0	0	0	0	2	2	1
	Rate	6.5	-	-	-	-	-	44.2	17.3	17.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	25	0	0	0	0	4	8	13	13
	Rate	54.6	-	-	-	-	85.6	176.8	224.4	224.4
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	19	0	0	0	0	3	6	10	10
	Rate	85.2	-	-	-	-	132.6	280.5	402.6	402.6
Female	No.	6	0	0	0	0	1	2	3	3
	Rate	25.5	-	-	-	-	41.5	83.9	90.7	90.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	5	0	0	0	0	2	0	0	3
	Rate	10.9	-	-	-	-	42.8	-	-	51.8
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Breast, female (174)	No.	5	0	0	0	0	2	0	0	3
	Rate	21.3	-	-	-	-	82.9	-	-	90.7
GENITOURINARY ORGANS (179 - 189)	No.	16	0	0	0	0	2	2	12	12
	Rate	34.9	-	-	-	-	42.8	44.2	207.2	207.2
Uterus (179, 182)	No.	2	0	0	0	0	0	1	1	1
	Rate	8.5	-	-	-	-	-	41.9	30.2	30.2
Cervix (180)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.3	-	-	-	-	-	-	-	30.2
Prostate (185)	No.	4	0	0	0	0	1	0	3	3
	Rate	17.9	-	-	-	-	44.2	-	120.8	120.8
Bladder (188)	No.	2	0	0	0	0	0	0	2	2
	Rate	4.4	-	-	-	-	-	-	34.5	34.5
OTHER UNSPECIFIED SITES (190 - 199)	No.	9	0	0	0	0	0	0	0	9
	Rate	19.6	-	-	-	-	-	-	-	155.4
Brain (191)	No.	2	0	0	0	0	0	0	0	2
	Rate	4.4	-	-	-	-	-	-	-	34.5
Thyroid (193)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.2	-	-	-	-	-	-	-	17.3
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	8	0	0	0	0	0	1	7	7
	Rate	17.5	-	-	-	-	-	22.1	120.9	120.9
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	2	0	0	0	0	0	0	0	2
	Rate	4.4	-	-	-	-	-	-	-	34.5
Leukemia (204 - 208)	No.	3	0	0	0	0	0	0	0	3
	Rate	6.5	-	-	-	-	-	-	-	51.8

1981

RUSSELL

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	29 211.6	0 -	0 -	0 -	2 106.3	2 133.6	4 281.1	6 382.9	15 744.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	5 36.5	0 -	0 -	0 -	0 -	0 -	1 70.3	0 -	4 198.4
Stomach (151)	No. Rate	2 14.6	0 -	0 -	0 -	0 -	0 -	1 70.3	0 -	1 49.6
Colon and Rectum (153 - 154) Male	No. Rate	1 15.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 113.9
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	12 87.5	0 -	0 -	0 -	0 -	2 133.6	2 140.5	3 191.4	5 248.0
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	11 165.2	0 -	0 -	0 -	0 -	2 273.6	2 299.0	3 394.7	4 455.6
Female	No. Rate	1 14.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 87.9
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 21.9	0 -	0 -	0 -	0 -	0 -	1 70.3	1 63.8	1 49.6
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 7.3	0 -	0 -	0 -	0 -	0 -	1 70.3	0 -	0 -
Breast, female (174)	No. Rate	2 28.4	0 -	0 -	0 -	0 -	0 -	0 -	1 123.9	1 87.9
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 21.9	0 -	0 -	0 -	1 53.2	0 -	0 -	1 63.8	1 49.6
Uterus (179, 182)	No. Rate	1 14.2	0 -	0 -	0 -	0 -	0 -	0 -	1 123.9	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 15.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 113.9
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 14.6	0 -	0 -	0 -	0 -	0 -	0 -	1 63.8	1 49.6
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 29.2	0 -	0 -	0 -	1 53.2	0 -	0 -	0 -	3 148.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 7.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 49.6
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 14.6	0 -	0 -	0 -	1 53.2	0 -	0 -	0 -	1 49.6

1981

TAYLOR

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	30	0	0	0	0	2	1	3	24
	Rate	141.7	-	-	-	-	79.8	44.1	151.4	924.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	11	0	0	0	0	1	0	1	9
	Rate	51.9	-	-	-	-	39.9	-	50.5	346.7
Stomach (151)	No.	1	0	0	0	0	0	0	1	0
	Rate	4.7	-	-	-	-	-	-	50.5	-
Colon and Rectum (153 - 154) Male	No.	3	0	0	0	0	0	0	0	3
	Rate	29.3	-	-	-	-	-	-	-	271.0
Female	No.	3	0	0	0	0	1	0	0	2
	Rate	27.5	-	-	-	-	78.1	-	-	134.3
Liver (155)	No.	2	0	0	0	0	0	0	0	2
	Rate	9.4	-	-	-	-	-	-	-	77.0
Pancreas (157)	No.	2	0	0	0	0	0	0	0	2
	Rate	9.4	-	-	-	-	-	-	-	77.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	8	0	0	0	0	0	1	1	6
	Rate	37.8	-	-	-	-	-	44.1	50.5	231.1
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	6	0	0	0	0	0	1	0	5
	Rate	58.5	-	-	-	-	-	90.3	-	451.7
Female	No.	2	0	0	0	0	0	0	1	1
	Rate	18.3	-	-	-	-	-	-	93.1	67.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	2	0	0	0	0	1	0	0	1
	Rate	9.4	-	-	-	-	39.9	-	-	38.5
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Breast, female (174)	No.	1	0	0	0	0	0	0	0	1
	Rate	9.2	-	-	-	-	-	-	-	67.2
GENITOURINARY ORGANS (179 - 189)	No.	3	0	0	0	0	0	0	0	3
	Rate	14.2	-	-	-	-	-	-	-	115.6
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	1	0	0	0	0	0	0	0	1
	Rate	9.2	-	-	-	-	-	-	-	67.2
Prostate (185)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Bladder (188)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.7	-	-	-	-	-	-	-	38.5
OTHER UNSPECIFIED SITES (190 - 199)	No.	2	0	0	0	0	0	0	0	2
	Rate	9.4	-	-	-	-	-	-	-	77.0
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	4	0	0	0	0	0	0	1	3
	Rate	18.9	-	-	-	-	-	-	50.5	115.6
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.7	-	-	-	-	-	-	-	38.5
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

1981

WAYNE

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	31 182.1	0 -	1 34.0	0 -	0 -	0 -	1 60.2	7 426.8	22 1024.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	10 58.7	0 -	0 -	0 -	0 -	0 -	0 -	2 122.0	8 372.4
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	3 35.7	0 -	0 -	0 -	0 -	0 -	0 -	1 127.1	2 201.6
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	3 17.6	0 -	0 -	0 -	0 -	0 -	0 -	1 61.0	2 93.1
Pancreas (157)	No. Rate	3 17.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 139.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	12 70.5	0 -	0 -	0 -	0 -	0 -	0 -	4 243.9	8 372.4
Larynx (161)	No. Rate	1 5.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.6
Trachea, Bronchus, Lungs (162) Male	No. Rate	9 107.2	0 -	0 -	0 -	0 -	0 -	0 -	3 381.2	6 604.8
Female	No. Rate	2 23.2	0 -	0 -	0 -	0 -	0 -	0 -	1 117.2	1 86.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 11.7	0 -	0 -	0 -	0 -	0 -	0 -	1 61.0	1 46.6
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 5.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.6
Breast, female (174)	No. Rate	1 11.6	0 -	0 -	0 -	0 -	0 -	0 -	1 117.2	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	3 17.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 139.7
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	1 11.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 100.8
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 5.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 46.6
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 17.6	0 -	1 34.0	0 -	0 -	0 -	1 60.2	0 -	1 46.6
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 5.9	0 -	1 34.0	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 11.7	0 -	0 -	0 -	0 -	0 -	1 60.2	0 -	1 46.6

DISTRICT 15 - BLUEGRASS



1981

DISTRICT 15 SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER	
TOTAL MALIGNANT NEOPLASMS (140 - 208)		No. Rate	997 182.2	2 5.1	1 1.2	3 2.6	11 11.7	32 51.7	102 197.0	242 520.3	604 1085.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)		No. Rate	16 2.9	0 -	0 -	0 -	0 -	1 1.6	1 1.9	3 6.4	11 19.8
DIGESTIVE ORGANS (150 - 159)		No. Rate	255 46.6	0 -	0 -	0 -	1 1.1	3 4.8	22 42.5	51 109.6	178 319.8
Stomach (151)		No. Rate	31 5.7	0 -	0 -	0 -	0 -	1 1.6	2 3.9	7 15.0	21 37.7
Colon and Rectum (153 - 154) Male		No. Rate	66 24.9	0 -	0 -	0 -	1 2.2	1 3.3	7 28.0	12 54.6	45 200.5
Female		No. Rate	61 21.6	0 -	0 -	0 -	0 -	1 3.2	8 29.9	10 40.8	42 126.4
Liver (155)		No. Rate	12 2.2	0 -	0 -	0 -	0 -	0 -	1 1.9	2 4.3	9 16.2
Pancreas (157)		No. Rate	46 8.4	0 -	0 -	0 -	0 -	0 -	1 1.9	11 23.6	34 61.1
RESPIRATORY & INTRATHORACIC (160 - 165)		No. Rate	284 51.9	0 -	0 -	0 -	1 1.1	6 9.7	27 52.1	94 202.1	156 280.2
Larynx (161)		No. Rate	5 0.9	0 -	0 -	0 -	0 -	0 -	0 -	1 2.1	4 7.2
Trachea, Bronchus, Lungs (162) Male		No. Rate	205 77.4	0 -	0 -	0 -	1 2.2	4 13.2	14 56.0	71 323.0	115 512.0
Female		No. Rate	73 25.8	0 -	0 -	0 -	0 -	2 6.3	13 48.5	22 89.7	36 108.4
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)		No. Rate	113 20.6	0 -	0 -	2 1.7	4 4.2	3 4.8	24 46.3	24 51.6	56 100.6
Bone & Articular Cartilage (170)		No. Rate	6 1.1	0 -	0 -	2 1.7	1 1.1	0 -	2 3.9	0 -	1 1.8
Skin (172 - 173)		No. Rate	14 2.6	0 -	0 -	0 -	0 -	2 3.2	3 5.8	1 2.1	8 14.4
Breast, female (174)		No. Rate	85 30.1	0 -	0 -	0 -	2 4.1	1 3.2	19 70.9	19 77.4	44 132.4
GENITOURINARY ORGANS (179 - 189)		No. Rate	152 27.8	0 -	0 -	0 -	2 2.1	9 14.5	10 19.3	26 55.9	105 188.6
Uterus (179, 182)		No. Rate	12 4.3	0 -	0 -	0 -	0 -	1 3.2	3 11.2	4 16.3	4 12.0
Cervix (180)		No. Rate	21 7.4	0 -	0 -	0 -	0 -	5 15.8	3 11.2	5 20.4	8 24.1
Prostate (185)		No. Rate	49 18.5	0 -	0 -	0 -	0 -	0 -	0 -	6 27.3	43 191.6
Bladder (188)		No. Rate	24 4.4	0 -	0 -	0 -	0 -	1 1.6	1 1.9	3 6.4	19 34.1
OTHER UNSPECIFIED SITES (190 - 199)		No. Rate	92 16.8	2 5.1	0 -	0 -	2 2.1	5 8.1	11 21.2	26 55.9	46 82.6
Brain (191)		No. Rate	26 4.8	2 5.1	0 -	0 -	1 1.1	2 3.2	5 9.7	9 19.3	7 12.6
Thyroid (193)		No. Rate	3 0.5	0 -	0 -	0 -	0 -	1 1.6	0 -	0 -	2 3.6
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)		No. Rate	85 15.5	0 -	1 1.2	1 0.9	1 1.1	5 8.1	7 13.5	18 38.7	52 93.4
Lymphosarcoma & Reticulosarcoma (200)		No. Rate	14 2.6	0 -	0 -	0 -	0 -	1 1.6	1 1.9	4 8.6	8 14.4
Hodgkin's Disease (201)		No. Rate	6 1.1	0 -	0 -	0 -	0 -	2 3.2	0 -	0 -	4 7.2
Leukemia (204 - 208)		No. Rate	27 4.9	0 -	1 1.2	1 0.9	1 1.1	1 1.6	1 1.9	5 10.7	17 30.5

1981

ANDERSON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	28 222.8	0 -	1 47.2	0 -	0 -	0 -	2 169.3	3 266.7	22 1445.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 15.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 131.4
DIGESTIVE ORGANS (150 - 159)	No. Rate	8 63.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	8 525.6
Stomach (151)	No. Rate	1 8.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 65.7
Colon and Rectum (153 - 154) Male	No. Rate	2 32.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 309.1
Female	No. Rate	3 46.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 342.9
Liver (155)	No. Rate	1 8.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 65.7
Pancreas (157)	No. Rate	1 8.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 65.7
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	10 79.6	0 -	0 -	0 -	0 -	0 -	0 -	1 88.9	9 591.3
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	9 146.4	0 -	0 -	0 -	0 -	0 -	0 -	1 186.6	8 1236.5
Female	No. Rate	1 15.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 114.3
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	1 8.0	0 -	0 -	0 -	0 -	0 -	1 84.7	0 -	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	1 15.6	0 -	0 -	0 -	0 -	0 -	1 167.2	0 -	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 15.9	0 -	0 -	0 -	0 -	0 -	0 -	1 88.9	1 65.7
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 15.6	0 -	0 -	0 -	0 -	0 -	0 -	1 169.8	0 -
Prostate (185)	No. Rate	1 16.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 154.6
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 15.9	0 -	0 -	0 -	0 -	0 -	1 84.7	0 -	1 65.7
Brain (191)	No. Rate	1 8.0	0 -	0 -	0 -	0 -	0 -	1 84.7	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 23.9	0 -	1 47.2	0 -	0 -	0 -	0 -	1 88.9	1 65.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 15.9	0 -	1 47.2	0 -	0 -	0 -	0 -	0 -	1 65.7

1981

BOURBON

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	54 278.3	0 -	0 -	0 -	1 33.8	1 44.6	6 298.4	13 660.9	33 1336.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	3 15.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 121.5
DIGESTIVE ORGANS (150 - 159)	No. Rate	11 56.7	0 -	0 -	0 -	0 -	0 -	2 99.5	0 -	9 364.5
Stomach (151)	No. Rate	1 5.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 40.5
Colon and Rectum (153 - 154) Male	No. Rate	2 21.0	0 -	0 -	0 -	0 -	0 -	2 208.3	0 -	0 -
Female	No. Rate	3 30.3	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 204.9
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	4 20.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 162.0
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	18 92.8	0 -	0 -	0 -	0 -	0 -	3 149.2	5 254.2	10 405.0
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	15 157.7	0 -	0 -	0 -	0 -	0 -	2 208.3	4 434.3	9 895.5
Female	No. Rate	3 30.3	0 -	0 -	0 -	0 -	0 -	1 95.1	1 95.6	1 68.3
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 20.6	0 -	0 -	0 -	0 -	0 -	0 -	4 203.4	0 -
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 5.2	0 -	0 -	0 -	0 -	0 -	0 -	1 50.8	0 -
Breast, female (174)	No. Rate	3 30.3	0 -	0 -	0 -	0 -	0 -	0 -	3 286.8	0 -
GENITOURINARY ORGANS (179 - 189)	No. Rate	10 51.5	0 -	0 -	0 -	1 33.8	1 44.6	0 -	2 101.7	6 243.0
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 10.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 68.3
Prostate (185)	No. Rate	2 21.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 199.0
Bladder (188)	No. Rate	2 10.3	0 -	0 -	0 -	0 -	0 -	0 -	1 50.8	1 40.5
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	6 30.9	0 -	0 -	0 -	0 -	0 -	0 -	2 101.7	4 162.0
Brain (191)	No. Rate	4 20.6	0 -	0 -	0 -	0 -	0 -	0 -	2 101.7	2 81.0
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 10.3	0 -	0 -	0 -	0 -	0 -	1 49.7	0 -	1 40.5
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

BOYLE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	55 219.4	0 -	0 -	0 -	0 -	2 70.9	4 157.7	10 392.9	39 1298.7
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 8.0	0 -	0 -	0 -	0 -	0 -	0 -	1 39.3	1 33.3
DIGESTIVE ORGANS (150 - 159)	No. Rate	15 59.8	0 -	0 -	0 -	0 -	0 -	3 118.3	4 157.2	8 266.4
Stomach (151)	No. Rate	1 4.0	0 -	0 -	0 -	0 -	0 -	0 -	1 39.3	0 -
Colon and Rectum (153 - 154) Male	No. Rate	2 16.6	0 -	0 -	0 -	0 -	0 -	1 81.9	1 85.8	0 -
Female	No. Rate	3 23.1	0 -	0 -	0 -	0 -	0 -	1 76.0	0 -	2 109.2
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	4 16.0	0 -	0 -	0 -	0 -	0 -	0 -	1 39.3	3 99.9
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	14 55.9	0 -	0 -	0 -	0 -	0 -	1 39.4	4 157.2	9 299.7
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	11 91.1	0 -	0 -	0 -	0 -	0 -	1 81.9	3 257.3	7 597.8
Female	No. Rate	3 23.1	0 -	0 -	0 -	0 -	0 -	0 -	1 72.5	2 109.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	7 27.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	7 233.1
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 4.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 33.3
Breast, female (174)	No. Rate	5 38.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 272.9
GENITOURINARY ORGANS (179 - 189)	No. Rate	10 39.9	0 -	0 -	0 -	0 -	1 35.4	0 -	1 39.3	8 266.4
Uterus (179, 182)	No. Rate	1 7.7	0 -	0 -	0 -	0 -	1 67.8	0 -	0 -	0 -
Cervix (180)	No. Rate	1 7.7	0 -	0 -	0 -	0 -	0 -	0 -	1 72.5	0 -
Prostate (185)	No. Rate	6 49.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	6 512.4
Bladder (188)	No. Rate	1 4.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 33.3
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 8.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 66.6
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 19.9	0 -	0 -	0 -	0 -	1 35.4	0 -	0 -	4 133.2
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 4.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 33.3
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

CLARK

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	42 148.3	0 -	0 -	0 -	0 -	1 29.5	3 102.8	10 402.4	28 947.9
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	18 63.6	0 -	0 -	0 -	0 -	0 -	1 34.3	2 80.5	15 507.8
Stomach (151)	No. Rate	2 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 67.7
Colon and Rectum (153 - 154) Male	No. Rate	8 58.1	0 -	0 -	0 -	0 -	0 -	1 70.2	0 -	7 602.4
Female	No. Rate	2 13.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 111.6
Liver (155)	No. Rate	1 3.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 33.9
Pancreas (157)	No. Rate	4 14.1	0 -	0 -	0 -	0 -	0 -	0 -	1 40.2	3 101.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	7 24.7	0 -	0 -	0 -	0 -	0 -	1 34.3	3 120.7	3 101.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 36.3	0 -	0 -	0 -	0 -	0 -	1 70.2	2 171.4	2 172.1
Female	No. Rate	2 13.8	0 -	0 -	0 -	0 -	0 -	0 -	1 75.9	1 55.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 10.6	0 -	0 -	0 -	0 -	0 -	1 34.3	0 -	2 67.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 20.6	0 -	0 -	0 -	0 -	0 -	1 67.0	0 -	2 111.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 17.7	0 -	0 -	0 -	0 -	0 -	0 -	2 80.5	3 101.6
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 6.9	0 -	0 -	0 -	0 -	0 -	0 -	1 75.9	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	2 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 67.7
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	5 17.7	0 -	0 -	0 -	0 -	0 -	0 -	2 80.5	3 101.6
Brain (191)	No. Rate	2 7.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 67.7
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 14.1	0 -	0 -	0 -	0 -	1 29.5	0 -	1 40.2	2 67.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 3.5	0 -	0 -	0 -	0 -	1 29.5	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 3.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 33.9

1981

ESTILL

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	28 193.2	0 -	0 -	0 -	1 48.5	2 117.5	5 369.0	2 163.3	18 919.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	3 20.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 153.3
Stomach (151)	No. Rate	1 6.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 51.1
Colon and Rectum (153 - 154) Male	No. Rate	2 28.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 248.1
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	8 55.2	0 -	0 -	0 -	0 -	0 -	2 147.6	0 -	6 306.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	5 71.1	0 -	0 -	0 -	0 -	0 -	2 311.5	0 -	3 372.2
Female	No. Rate	3 40.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 260.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	5 34.5	0 -	0 -	0 -	0 -	0 -	2 147.6	0 -	3 153.3
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	2 13.8	0 -	0 -	0 -	0 -	0 -	1 73.8	0 -	1 51.1
Breast, female (174)	No. Rate	3 40.2	0 -	0 -	0 -	0 -	0 -	1 140.3	0 -	2 173.8
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 34.5	0 -	0 -	0 -	0 -	2 117.5	0 -	2 163.3	1 51.1
Uterus (179, 182)	No. Rate	2 26.8	0 -	0 -	0 -	0 -	0 -	0 -	2 306.7	0 -
Cervix (180)	No. Rate	2 26.8	0 -	0 -	0 -	0 -	2 236.1	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	4 27.6	0 -	0 -	0 -	1 48.5	0 -	0 -	0 -	3 153.3
Brain (191)	No. Rate	1 6.9	0 -	0 -	0 -	1 48.5	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 20.7	0 -	0 -	0 -	0 -	0 -	1 73.8	0 -	2 102.2
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 6.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 51.1
Hodgkin's Disease (201)	No. Rate	1 6.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 51.1
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

1981

FAYETTE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	370 181.2	2 14.3	0 -	0 -	5 12.5	15 66.6	38 201.8	97 597.7	213 1214.0
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	5 2.4	0 -	0 -	0 -	0 -	1 4.4	1 5.3	1 6.2	2 11.4
DIGESTIVE ORGANS (150 - 159)	No. Rate	89 43.6	0 -	0 -	0 -	1 2.5	1 4.4	7 37.2	20 123.2	60 342.0
Stomach (151)	No. Rate	10 4.9	0 -	0 -	0 -	0 -	1 4.4	1 5.3	2 12.3	6 34.2
Colon and Rectum (153 - 154) Male	No. Rate	22 22.3	0 -	0 -	0 -	1 5.1	0 -	2 22.4	5 65.2	14 209.6
Female	No. Rate	25 23.7	0 -	0 -	0 -	0 -	0 -	4 40.4	5 58.4	16 147.2
Liver (155)	No. Rate	4 2.0	0 -	0 -	0 -	0 -	0 -	0 -	1 6.2	3 17.1
Pancreas (157)	No. Rate	15 7.3	0 -	0 -	0 -	0 -	0 -	0 -	6 37.0	9 51.3
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	110 53.9	0 -	0 -	0 -	1 2.5	3 13.3	8 42.5	38 234.1	60 342.0
Larynx (161)	No. Rate	3 1.5	0 -	0 -	0 -	0 -	0 -	0 -	1 6.2	2 11.4
Trachea, Bronchus, Lungs (162) Male	No. Rate	85 86.3	0 -	0 -	0 -	1 5.1	3 27.4	3 33.6	30 391.2	48 718.7
Female	No. Rate	21 19.9	0 -	0 -	0 -	0 -	0 -	5 50.5	7 81.8	9 82.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	49 24	0 -	0 -	0 -	2 5.0	3 13.3	12 63.7	15 92.4	17 96.9
Bone & Articular Cartilage (170)	No. Rate	2 1.0	0 -	0 -	0 -	1 2.5	0 -	1 5.3	0 -	0 -
Skin (172 - 173)	No. Rate	4 2.0	0 -	0 -	0 -	0 -	2 8.9	0 -	0 -	2 11.4
Breast, female (174)	No. Rate	40 37.8	0 -	0 -	0 -	1 4.9	1 8.6	11 111.2	12 140.2	15 138.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	57 27.9	0 -	0 -	0 -	0 -	3 13.3	6 31.9	10 61.6	38 216.6
Uterus (179, 182)	No. Rate	6 5.7	0 -	0 -	0 -	0 -	0 -	2 20.2	2 23.4	2 18.4
Cervix (180)	No. Rate	10 9.5	0 -	0 -	0 -	0 -	2 17.3	3 30.3	1 11.7	4 36.8
Prostate (185)	No. Rate	19 19.3	0 -	0 -	0 -	0 -	0 -	0 -	2 26.1	17 254.5
Bladder (188)	No. Rate	9 4.4	0 -	0 -	0 -	0 -	1 4.4	0 -	1 6.2	7 39.9
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	34 16.7	2 14.3	0 -	0 -	1 2.5	2 8.9	2 10.6	10 61.6	17 96.9
Brain (191)	No. Rate	6 2.9	2 14.3	0 -	0 -	0 -	1 4.4	0 -	2 12.3	1 5.7
Thyroid (193)	No. Rate	2 1.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 11.4
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	26 12.7	0 -	0 -	0 -	0 -	2 8.9	2 10.6	3 18.5	19 108.3
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	7 3.4	0 -	0 -	0 -	0 -	1 4.4	0 -	2 12.3	4 22.8
Hodgkin's Disease (201)	No. Rate	2 1.0	0 -	0 -	0 -	0 -	1 4.4	0 -	0 -	1 5.7
Leukemia (204 - 208)	No. Rate	6 2.9	0 -	0 -	0 -	0 -	0 -	0 -	1 6.2	5 28.5

1981

FRANKLIN

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	79	0	0	0	2	5	11	21	40
	Rate	188.9	-	-	-	26.3	99.3	254.9	541.1	944.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.4	-	-	-	-	-	-	-	23.6
DIGESTIVE ORGANS (150 - 159)	No.	21	0	0	0	0	1	4	3	13
	Rate	50.2	-	-	-	-	19.9	92.7	77.3	307.0
Stomach (151)	No.	4	0	0	0	0	0	1	1	2
	Rate	9.6	-	-	-	-	-	23.2	25.8	47.2
Colon and Rectum (153 - 154) Male	No.	6	0	0	0	1	1	1	1	3
	Rate	29.7	-	-	-	-	41.3	47.4	55.3	179.0
Female	No.	4	0	0	0	0	0	1	0	3
	Rate	18.5	-	-	-	-	-	45.3	-	117.2
Liver (155)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.4	-	-	-	-	-	-	-	23.6
Pancreas (157)	No.	3	0	0	0	0	0	0	1	2
	Rate	7.2	-	-	-	-	-	-	25.8	47.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	30	0	0	0	0	2	2	11	15
	Rate	71.7	-	-	-	-	39.7	46.3	283.4	354.2
Larynx (161)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.4	-	-	-	-	-	-	-	23.6
Trachea, Bronchus, Lungs (162) Male	No.	19	0	0	0	0	1	2	8	8
	Rate	94.2	-	-	-	-	41.3	94.8	442.7	477.3
Female	No.	10	0	0	0	0	1	0	3	6
	Rate	46.2	-	-	-	-	38.3	-	144.6	234.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	7	0	0	0	2	0	1	0	4
	Rate	16.7	-	-	-	26.3	-	23.2	-	94.5
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	1	0	0
	Rate	2.4	-	-	-	-	-	23.2	-	-
Breast, female (174)	No.	4	0	0	0	1	0	0	0	3
	Rate	18.5	-	-	-	25.7	-	-	-	117.2
GENITOURINARY ORGANS (179 - 189)	No.	7	0	0	0	0	0	1	2	4
	Rate	16.7	-	-	-	-	-	23.2	51.5	94.5
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	1	0	0	0	0	0	0	0	1
	Rate	4.6	-	-	-	-	-	-	-	39.1
Prostate (185)	No.	2	0	0	0	0	0	0	0	2
	Rate	9.9	-	-	-	-	-	-	-	119.3
Bladder (188)	No.	2	0	0	0	0	0	0	1	1
	Rate	4.8	-	-	-	-	-	-	25.8	23.6
OTHER UNSPECIFIED SITES (190 - 199)	No.	5	0	0	0	0	1	1	2	1
	Rate	12.0	-	-	-	-	19.9	23.2	51.5	23.6
Brain (191)	No.	2	0	0	0	0	0	1	1	0
	Rate	4.8	-	-	-	-	-	23.2	25.8	-
Thyroid (193)	No.	1	0	0	0	0	1	0	0	0
	Rate	2.4	-	-	-	-	19.9	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	8	0	0	0	0	1	2	3	2
	Rate	19.1	-	-	-	-	19.9	46.3	77.3	47.2
Lymphosarcoma & Reticulosarcoma (200)	No.	1	0	0	0	0	0	0	0	1
	Rate	2.4	-	-	-	-	-	-	-	23.6
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	4	0	0	0	0	1	1	2	0
	Rate	9.6	-	-	-	-	19.9	23.2	51.5	-

1981

GARRARD

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	21	0	0	0	0	0	4	3	14
	Rate	193.5	-	-	-	-	-	331.7	266.0	916.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	1	0	0	0	0	0	0	0	1
	Rate	9.2	-	-	-	-	-	-	-	65.5
DIGESTIVE ORGANS (150 - 159)	No.	7	0	0	0	0	0	1	1	5
	Rate	64.5	-	-	-	-	-	82.9	88.7	327.4
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	2	0	0	0	0	0	0	1	1
	Rate	37.5	-	-	-	-	-	-	178.9	150.4
Female	No.	2	0	0	0	0	0	0	0	2
	Rate	36.2	-	-	-	-	-	-	-	232.0
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	1	0	0	0	0	0	1	0	0
	Rate	9.2	-	-	-	-	-	82.9	-	-
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	3	0	0	0	0	0	0	1	2
	Rate	27.6	-	-	-	-	-	-	88.7	131.0
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	2	0	0	0	0	0	0	1	1
	Rate	37.5	-	-	-	-	-	-	178.9	150.4
Female	No.	1	0	0	0	0	0	0	0	1
	Rate	18.1	-	-	-	-	-	-	-	116.0
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	2	0	0	0	0	0	0	0	2
	Rate	18.4	-	-	-	-	-	-	-	131.0
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	9.2	-	-	-	-	-	-	-	65.5
Breast, female (174)	No.	1	0	0	0	0	0	0	0	1
	Rate	18.1	-	-	-	-	-	-	-	116.0
GENITOURINARY ORGANS (179 - 189)	No.	4	0	0	0	0	0	0	0	4
	Rate	36.9	-	-	-	-	-	-	-	262.0
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	1	0	0	0	0	0	0	0	1
	Rate	18.8	-	-	-	-	-	-	-	150.4
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	4	0	0	0	0	0	3	1	0
	Rate	36.9	-	-	-	-	-	248.8	88.7	-
Brain (191)	No.	2	0	0	0	0	0	2	0	0
	Rate	18.4	-	-	-	-	-	165.8	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-

1981

HARRISON

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	55 362.7	0 -	0 -	0 -	1 48.1	1 59.5	4 258.7	19 1204.8	30 1264.8
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	19 125.3	0 -	0 -	0 -	0 -	1 59.5	0 -	5 317.1	13 548.1
Stomach (151)	No. Rate	1 6.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 42.2
Colon and Rectum (153 - 154) Male	No. Rate	5 67.8	0 -	0 -	0 -	0 -	0 -	0 -	2 266.0	3 305.2
Female	No. Rate	5 64.2	0 -	0 -	0 -	0 -	1 114.7	0 -	1 121.2	3 216.0
Liver (155)	No. Rate	2 13.2	0 -	0 -	0 -	0 -	0 -	0 -	1 63.4	1 42.2
Pancreas (157)	No. Rate	5 33.0	0 -	0 -	0 -	0 -	0 -	0 -	1 63.4	4 168.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	10 65.9	0 -	0 -	0 -	0 -	0 -	1 64.7	4 253.6	5 210.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	8 108.5	0 -	0 -	0 -	0 -	0 -	1 131.2	2 266.0	5 508.6
Female	No. Rate	2 25.7	0 -	0 -	0 -	0 -	0 -	0 -	2 242.4	0 -
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	6 39.6	0 -	0 -	0 -	0 -	0 -	2 129.4	2 126.8	2 84.3
Bone & Articular Cartilage (170)	No. Rate	1 6.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 42.2
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, Female (174)	No. Rate	5 64.2	0 -	0 -	0 -	0 -	0 -	2 255.1	2 242.4	1 72.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	6 39.6	0 -	0 -	0 -	0 -	0 -	1 64.7	2 126.8	3 126.5
Uterus (179, 182)	No. Rate	1 12.8	0 -	0 -	0 -	0 -	0 -	1 127.6	0 -	0 -
Cervix (180)	No. Rate	2 25.7	0 -	0 -	0 -	0 -	0 -	0 -	1 121.2	1 72.0
Prostate (185)	No. Rate	1 13.6	0 -	0 -	0 -	0 -	0 -	0 -	1 133.0	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	5 33.0	0 -	0 -	0 -	0 -	0 -	0 -	3 190.2	2 84.3
Brain (191)	No. Rate	1 6.6	0 -	0 -	0 -	0 -	0 -	0 -	1 63.4	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	9 59.3	0 -	0 -	0 -	1 48.1	0 -	0 -	3 190.2	5 210.8
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	2 13.2	0 -	0 -	0 -	1 48.1	0 -	0 -	0 -	1 42.2

1981

JESSAMINE

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	36 137.7	0 -	0 -	1 18.1	0 -	0 -	6 272.2	8 438.4	21 1021.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	9 34.4	0 -	0 -	0 -	0 -	0 -	1 45.4	3 164.4	5 243.2
Stomach (151)	No. Rate	1 3.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 48.6
Colon and Rectum (153 - 154) Male	No. Rate	1 7.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 112.5
Female	No. Rate	1 7.5	0 -	0 -	0 -	0 -	0 -	0 -	1 106.0	0 -
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	2 7.6	0 -	0 -	0 -	0 -	0 -	0 -	1 54.8	1 48.6
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	13 49.7	0 -	0 -	0 -	0 -	0 -	4 181.5	3 164.4	6 291.8
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	8 62.3	0 -	0 -	0 -	0 -	0 -	1 90.8	2 226.8	5 562.4
Female	No. Rate	5 37.6	0 -	0 -	0 -	0 -	0 -	3 272.0	1 106.0	1 85.7
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	5 19.1	0 -	0 -	1 18.1	0 -	0 -	0 -	0 -	4 194.6
Bone & Articular Cartilage (170)	No. Rate	1 3.8	0 -	0 -	1 18.1	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 3.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 48.6
Breast, female (174)	No. Rate	2 15.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 171.4
GENITOURINARY ORGANS (179 - 189)	No. Rate	4 15.3	0 -	0 -	0 -	0 -	0 -	1 45.4	1 54.8	2 97.3
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	3 23.4	0 -	0 -	0 -	0 -	0 -	0 -	1 113.4	2 225.0
Bladder (188)	No. Rate	1 3.8	0 -	0 -	0 -	0 -	0 -	1 45.4	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 7.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 97.3
Brain (191)	No. Rate	3 11.5	0 -	0 -	0 -	0 -	0 -	0 -	1 54.8	2 97.3
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	3 11.5	0 -	0 -	0 -	0 -	0 -	0 -	1 54.8	2 97.3
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 3.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 48.6

1981

LINCOLN

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	38 199.4	0 -	0 -	0 -	0 -	0 -	3 159.3	7 367.1	28 1124.9
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	7 36.7	0 -	0 -	0 -	0 -	0 -	1 53.1	1 52.4	5 200.9
Stomach (151)	No. Rate	1 5.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 40.2
Colon and Rectum (153 - 154) Male	No. Rate	2 21.1	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 172.6
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	1 5.2	0 -	0 -	0 -	0 -	0 -	1 53.1	0 -	0 -
Pancreas (157)	No. Rate	2 10.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 80.4
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	12 63.0	0 -	0 -	0 -	0 -	0 -	0 -	5 262.2	7 281.2
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	9 95.1	0 -	0 -	0 -	0 -	0 -	0 -	3 339.4	6 517.7
Female	No. Rate	3 31.3	0 -	0 -	0 -	0 -	0 -	0 -	2 195.5	1 75.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 15.7	0 -	0 -	0 -	0 -	0 -	1 53.1	0 -	2 80.4
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 31.3	0 -	0 -	0 -	0 -	0 -	1 104.8	0 -	2 150.4
GENITOURINARY ORGANS (179 - 189)	No. Rate	8 42.0	0 -	0 -	0 -	0 -	0 -	0 -	1 52.4	7 281.2
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 10.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 75.2
Prostate (185)	No. Rate	5 52.8	0 -	0 -	0 -	0 -	0 -	0 -	1 113.1	4 345.1
Bladder (188)	No. Rate	2 10.5	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 80.4
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 15.7	0 -	0 -	0 -	0 -	0 -	1 53.1	0 -	2 80.4
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	5 26.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	5 200.9
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	1 5.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 40.2
Leukemia (204 - 208)	No. Rate	3 15.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 120.5

1981

MADISON

SELECTED CANCER DEATHS

		AGE GROUPS								
ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	68 127.5	0 -	0 -	1 6.1	0 -	1 18.8	6 137.9	19 499.5	41 850.6
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	2 3.7	0 -	0 -	0 -	0 -	0 -	0 -	1 26.3	1 20.7
DIGESTIVE ORGANS (150 - 159)	No. Rate	15 28.1	0 -	0 -	0 -	0 -	0 -	0 -	4 105.2	11 228.2
Stomach (151)	No. Rate	3 5.6	0 -	0 -	0 -	0 -	0 -	0 -	1 26.3	2 41.5
Colon and Rectum (153 - 154) Male	No. Rate	3 11.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 155.0
Female	No. Rate	3 10.7	0 -	0 -	0 -	0 -	0 -	0 -	1 50.1	2 69.3
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	3 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 62.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	17 31.9	0 -	0 -	0 -	0 -	0 -	2 46.0	8 210.3	7 145.2
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	10 39.6	0 -	0 -	0 -	0 -	0 -	0 -	7 387.0	3 155.0
Female	No. Rate	7 24.9	0 -	0 -	0 -	0 -	0 -	2 87.9	1 50.1	4 138.6
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	7 13.1	0 -	0 -	1 6.1	0 -	0 -	2 46.0	0 -	4 83.0
Bone & Articular Cartilage (170)	No. Rate	2 3.7	0 -	0 -	1 6.1	0 -	0 -	1 23.0	0 -	0 -
Skin (172 - 173)	No. Rate	1 1.9	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 20.7
Breast, female (174)	No. Rate	4 14.2	0 -	0 -	0 -	0 -	0 -	1 43.9	0 -	3 104.0
GENITOURINARY ORGANS (179 - 189)	No. Rate	11 20.6	0 -	0 -	0 -	0 -	0 -	0 -	1 26.3	10 207.5
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	4 15.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 206.7
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	9 16.9	0 -	0 -	0 -	0 -	1 18.8	2 46.0	2 52.6	4 83.0
Brain (191)	No. Rate	4 7.5	0 -	0 -	0 -	0 -	0 -	1 23.0	1 26.3	2 41.5
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	7 13.1	0 -	0 -	0 -	0 -	0 -	0 -	3 78.9	4 83.0
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	2 3.7	0 -	0 -	0 -	0 -	0 -	0 -	2 52.6	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	4 7.5	0 -	0 -	0 -	0 -	0 -	0 -	1 26.3	3 62.2

1981

MERCER

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	32 168.3	0 -	0 -	0 -	0 -	1 44.9	3 150.1	9 455.9	19 762.4
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	8 42.1	0 -	0 -	0 -	0 -	0 -	0 -	3 152.0	5 200.6
Stomach (151)	No. Rate	3 15.8	0 -	0 -	0 -	0 -	0 -	0 -	1 50.7	2 80.3
Colon and Rectum (153 - 154) Male	No. Rate	2 21.9	0 -	0 -	0 -	0 -	0 -	0 -	1 105.3	1 97.5
Female	No. Rate	2 20.2	0 -	0 -	0 -	0 -	0 -	0 -	1 97.7	1 68.2
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	11 57.9	0 -	0 -	0 -	0 -	0 -	2 100.1	4 202.6	5 200.6
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	8 87.6	0 -	0 -	0 -	0 -	0 -	1 102.9	3 315.8	4 389.9
Female	No. Rate	3 30.4	0 -	0 -	0 -	0 -	0 -	1 97.4	1 97.7	1 68.2
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 15.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 120.4
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	3 30.4	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 204.6
GENITOURINARY ORGANS (179 - 189)	No. Rate	7 36.8	0 -	0 -	0 -	0 -	1 44.9	0 -	1 50.7	5 200.6
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	2 21.9	0 -	0 -	0 -	0 -	0 -	0 -	1 105.3	1 97.5
Bladder (188)	No. Rate	3 15.8	0 -	0 -	0 -	0 -	0 -	0 -	0 -	3 120.4
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	2 10.5	0 -	0 -	0 -	0 -	0 -	1 50.0	0 -	1 40.1
Brain (191)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 5.3	0 -	0 -	0 -	0 -	0 -	0 -	1 50.7	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 5.3	0 -	0 -	0 -	0 -	0 -	0 -	1 50.7	0 -

1981

NICHOLAS

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No.	18	0	0	1	0	1	0	3	13
	Rate	251.5	-	-	87.6	-	127.7	-	406.0	1238.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
DIGESTIVE ORGANS (150 - 159)	No.	6	0	0	0	0	0	0	1	5
	Rate	83.8	-	-	-	-	-	-	135.3	476.2
Stomach (151)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Colon and Rectum (153 - 154) Male	No.	2	0	0	0	0	0	0	0	2
	Rate	57.8	-	-	-	-	-	-	-	447.4
Female	No.	3	0	0	0	0	0	0	1	2
	Rate	81.2	-	-	-	-	-	-	253.8	331.7
Liver (155)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Pancreas (157)	No.	1	0	0	0	0	0	0	0	1
	Rate	14.0	-	-	-	-	-	-	-	95.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No.	4	0	0	0	0	1	0	1	2
	Rate	55.9	-	-	-	-	127.7	-	135.3	190.5
Larynx (161)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Trachea, Bronchus, Lungs (162) Male	No.	1	0	0	0	0	0	0	0	1
	Rate	28.9	-	-	-	-	-	-	-	223.7
Female	No.	3	0	0	0	0	1	0	1	1
	Rate	81.2	-	-	-	-	247.5	-	253.8	165.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No.	2	0	0	0	0	0	0	0	2
	Rate	27.9	-	-	-	-	-	-	-	190.5
Bone & Articular Cartilage (170)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Skin (172 - 173)	No.	1	0	0	0	0	0	0	0	1
	Rate	14.0	-	-	-	-	-	-	-	95.2
Breast, female (174)	No.	1	0	0	0	0	0	0	0	1
	Rate	27.1	-	-	-	-	-	-	-	165.8
GENITOURINARY ORGANS (179 - 189)	No.	2	0	0	0	0	0	0	0	2
	Rate	27.9	-	-	-	-	-	-	-	190.5
Uterus (179, 182)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Cervix (180)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Prostate (185)	No.	1	0	0	0	0	0	0	0	1
	Rate	28.9	-	-	-	-	-	-	-	223.7
Bladder (188)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
OTHER UNSPECIFIED SITES (190 - 199)	No.	2	0	0	0	0	0	0	1	1
	Rate	27.9	-	-	-	-	-	-	135.3	95.2
Brain (191)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Thyroid (193)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No.	2	0	0	1	0	0	0	0	1
	Rate	27.9	-	-	87.6	-	-	-	-	95.2
Lymphosarcoma & Reticulosarcoma (200)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Hodgkin's Disease (201)	No.	0	0	0	0	0	0	0	0	0
	Rate	-	-	-	-	-	-	-	-	-
Leukemia (204 - 208)	No.	1	0	0	1	0	0	0	0	0
	Rate	14.0	-	-	87.6	-	-	-	-	-

1981

POWELL

SELECTED CANCER DEATHS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		AGE GROUPS								
		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	14 126.1	0 -	0 -	0 -	0 -	1 75.6	1 105.9	4 484.8	8 717.5
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	4 36.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	4 358.7
Stomach (151)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 89.7
Colon and Rectum (153 - 154) Male	No. Rate	1 18.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 195.3
Female	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Liver (155)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 89.7
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	3 27.0	0 -	0 -	0 -	0 -	0 -	0 -	2 242.4	1 89.7
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	1 18.0	0 -	0 -	0 -	0 -	0 -	0 -	1 251.3	0 -
Female	No. Rate	2 36.0	0 -	0 -	0 -	0 -	0 -	0 -	1 234.2	1 165.8
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	3 27.0	0 -	0 -	0 -	0 -	0 -	1 105.9	1 121.2	1 89.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	1 105.9	0 -	0 -
Breast, female (174)	No. Rate	1 18.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 165.8
GENITOURINARY ORGANS (179 - 189)	No. Rate	2 18.0	0 -	0 -	0 -	0 -	1 75.6	0 -	0 -	1 89.7
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	1 18.0	0 -	0 -	0 -	0 -	1 150.2	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	1 121.2	0 -
Brain (191)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	1 121.2	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 89.7
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 9.0	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 89.7

1981

SCOTT

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	34 155.9	0 -	0 -	0 -	1 29.0	0 -	2 96.0	8 448.7	23 993.1
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	9 41.3	0 -	0 -	0 -	0 -	0 -	1 48.0	2 112.2	6 259.1
Stomach (151)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Colon and Rectum (153 - 154) Male	No. Rate	3 28.1	0 -	0 -	0 -	0 -	0 -	0 -	1 120.0	2 205.3
Female	No. Rate	2 17.9	0 -	0 -	0 -	0 -	0 -	1 95.0	0 -	1 74.5
Liver (155)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 43.2
Pancreas (157)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 43.2
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	9 41.3	0 -	0 -	0 -	0 -	0 -	1 48.0	3 168.3	5 215.9
Larynx (161)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 43.2
Trachea, Bronchus, Lungs (162) Male	No. Rate	6 56.2	0 -	0 -	0 -	0 -	0 -	0 -	3 360.1	3 308.0
Female	No. Rate	2 17.9	0 -	0 -	0 -	0 -	0 -	1 95.0	0 -	1 74.5
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	2 9.2	0 -	0 -	0 -	0 -	0 -	0 -	1 56.1	1 43.2
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	2 17.9	0 -	0 -	0 -	0 -	0 -	0 -	1 105.3	1 74.5
GENITOURINARY ORGANS (179 - 189)	No. Rate	7 32.1	0 -	0 -	0 -	1 29.0	0 -	0 -	0 -	6 259.1
Uterus (179, 182)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	2 18.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 205.3
Bladder (188)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 43.2
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 13.8	0 -	0 -	0 -	0 -	0 -	0 -	1 56.1	2 86.4
Brain (191)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	1 56.1	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	4 18.3	0 -	0 -	0 -	0 -	0 -	0 -	1 56.1	3 129.5
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	2 9.2	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 86.4
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	1 4.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 43.2

1981

WOODFORD

SELECTED CANCER DEATHS

AGE GROUPS

ORGAN SYSTEM OR SITE WITH ICD-9 CODES		TOTAL	UNDER 5	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 & OVER
TOTAL MALIGNANT NEOPLASMS (140 - 208)	No. Rate	25 140.6	0 -	0 -	0 -	0 -	1 41.4	4 233.9	6 400.8	14 803.2
LIP, ORAL CAVITY, PHARYNX (140 - 149)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
DIGESTIVE ORGANS (150 - 159)	No. Rate	6 33.7	0 -	0 -	0 -	0 -	0 -	1 58.5	2 133.6	3 172.1
Stomach (151)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	1 66.8	0 -
Colon and Rectum (153 - 154) Male	No. Rate	1 11.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 141.0
Female	No. Rate	3 32.5	0 -	0 -	0 -	0 -	0 -	1 115.5	0 -	2 193.4
Liver (155)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Pancreas (157)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
RESPIRATORY & INTRATHORACIC (160 - 165)	No. Rate	5 28.1	0 -	0 -	0 -	0 -	0 -	0 -	1 66.8	4 229.5
Larynx (161)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Trachea, Bronchus, Lungs (162) Male	No. Rate	3 35.1	0 -	0 -	0 -	0 -	0 -	0 -	1 136.4	2 282.1
Female	No. Rate	2 21.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 193.4
BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170 - 175)	No. Rate	4 22.5	0 -	0 -	0 -	0 -	0 -	1 58.5	1 66.8	2 114.7
Bone & Articular Cartilage (170)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Skin (172 - 173)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Breast, female (174)	No. Rate	4 43.3	0 -	0 -	0 -	0 -	0 -	1 115.5	1 130.9	2 193.4
GENITOURINARY ORGANS (179 - 189)	No. Rate	5 28.1	0 -	0 -	0 -	0 -	0 -	1 58.5	0 -	4 229.5
Uterus (179, 182)	No. Rate	2 21.7	0 -	0 -	0 -	0 -	0 -	0 -	0 -	2 193.4
Cervix (180)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Prostate (185)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Bladder (188)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	0 -	0 -	1 57.4
OTHER UNSPECIFIED SITES (190 - 199)	No. Rate	3 16.9	0 -	0 -	0 -	0 -	1 41.4	0 -	1 66.8	1 57.4
Brain (191)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	1 41.4	0 -	0 -	0 -
Thyroid (193)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
LYMPHATIC & HEMATOPOIETIC TISSUE (200 - 208)	No. Rate	2 11.2	0 -	0 -	0 -	0 -	0 -	1 58.5	1 66.8	0 -
Lymphosarcoma & Reticulosarcoma (200)	No. Rate	1 5.6	0 -	0 -	0 -	0 -	0 -	1 58.5	0 -	0 -
Hodgkin's Disease (201)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -
Leukemia (204 - 208)	No. Rate	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -	0 -

SECTION IV

1981

TOPICAL

VITAL STATISTICS

1981

OCCURRENCE BIRTHS BY RACE

	Total	Rate	Rank	White	Rate	Nonwhite	Rate		Total	Rate	Rank	White	Rate	Nonwhite	Rate
DISTRICT 1	2,829	15.7		2,572	15.2	257	22.0	DISTRICT 9	1,250	18.8		1,227	19.0	23	11.9
Ballard	-	-	110.5	-	-	-	-	Bath	2	0.2	84.5	2	0.2	-	-
Calloway	620	20.6	22	589	20.3	31	29.1	Menifee	-	-	110.5	-	-	-	-
Carlisle	1	0.2	84.5	1	0.2	-	-	Montgomery	312	15.6	35	296	15.6	16	14.7
Fulton	56	6.2	56	50	6.7	6	4.0	Morgan	247	20.4	23	246	20.4	1	21.7
Graves	233	6.8	54.5	184	5.7	49	30.8	Rowan	689	36.2	1	683	36.6	6	15.3
Hickman	-	-	110.5	-	-	-	-	DISTRICT 10	1,630	11.6		1,605	11.5	25	15.8
McCracken	1,898	31.0	4	1,727	31.5	171	26.6	Boyd	1,375	24.8	11.5	1,351	24.9	24	19.1
Marshall	21	0.8	76	21	0.8	-	-	Carter	2	0.1	93	2	0.1	-	-
DISTRICT 2	3,918	19.1		2,929	16.6	989	34.9	Elliott	1	0.1	93	1	0.1	-	-
Caldwell	228	16.9	33	193	15.3	35	40.9	Greenup	-	-	110.5	-	-	-	-
Christian	2,169	32.4	2	1,492	31.4	677	35.1	Lawrence	252	17.8	29	251	17.9	1	16.7
Crittenden	64	7.0	52.5	62	7.0	2	22.5	DISTRICT 11	3,031	16.7		3,000	16.6	31	33.8
Hopkins	1,132	24.5	14	882	20.6	250	75.4	Floyd	937	19.2	26	931	19.2	6	19.9
Livingston	14	1.5	74.5	14	1.5	-	-	Johnson	191	7.8	48.5	189	7.8	2	27.4
Lyon	-	-	110.5	-	-	-	-	Magoffin	1	0.1	93	1	0.1	-	-
Muhlenberg	281	8.7	45	261	8.6	20	11.6	Martin	-	-	110.5	-	-	-	-
Todd	5	0.4	78.5	5	0.5	-	-	Pike	1,902	23.4	15	1,879	23.3	23	46.7
Trigg	25	2.7	69	20	2.4	5	4.2	DISTRICT 12	1,583	11.8		1,558	11.7	25	18.0
DISTRICT 3	3,288	16.5		3,096	16.5	192	16.3	Breathitt	-	-	110.5	-	-	-	-
Daviess	2,176	25.3	10	2,081	25.3	95	24.8	Knott	74	4.1	64	74	4.2	-	-
Hancock	-	-	110.5	-	-	-	-	Lee	1	0.1	93	1	0.1	-	-
Henderson	1,008	24.7	13	922	24.5	86	27.4	Leslie	340	22.8	18	340	22.9	-	-
McLean	2	0.2	84.5	2	0.2	-	-	Letcher	383	12.5	38.5	376	12.4	7	18.4
Ohio	40	1.8	72.5	38	1.8	2	6.7	Owsley	3	0.5	77	3	0.5	-	-
Union	61	3.4	68	52	3.6	9	2.7	Perry	780	23.1	17	762	23.0	18	25.9
Webster	1	0.1	93	1	0.1	-	-	Wolfe	2	0.3	80.5	2	0.3	-	-
DISTRICT 4	3,231	14.9		2,962	14.6	269	18.4	DISTRICT 13	3,226	14.2		3,167	14.2	59	12.8
Allen	75	5.3	59	69	4.9	6	32.3	Bell	799	23.3	16	783	23.5	16	16.4
Barren	899	26.4	9	849	26.3	50	28.6	Clay	390	17.1	32	385	17.2	5	12.7
Butler	2	0.2	84.5	2	0.2	-	-	Harlan	720	17.2	31	689	17.3	31	14.7
Edmonson	-	-	110.5	-	-	-	-	Jackson	-	-	110.5	-	-	-	-
Hart	58	3.8	66	53	3.7	5	4.0	Knox	350	11.6	40	347	11.6	3	7.7
Logan	249	10.3	41	203	9.3	46	20.4	Laurel	335	8.6	46.5	331	8.6	4	10.2
Metcalfe	4	0.4	78.5	4	0.4	-	-	Rockcastle	71	5.1	60	71	5.1	-	-
Monroe	49	4.0	65	46	3.8	3	8.0	Whitley	561	16.8	34	561	16.9	-	-
Simpson	115	7.8	48.5	88	6.8	27	14.8	DISTRICT 14	2,268	13.3		2,223	13.3	45	11.1
Warren	1,780	24.8	11.5	1,648	25.2	132	20.4	Adair	66	4.3	62.5	64	4.4	2	3.6
DISTRICT 5	3,474	16.0		2,951	15.0	523	25.1	Casey	101	6.8	54.5	101	6.8	-	-
Breckinridge	215	12.8	37	201	12.4	14	22.0	Clinton	127	13.6	36	126	13.5	1	52.6
Grayson	76	3.6	67	76	3.7	-	-	Cumberland	39	5.4	58	39	5.7	-	-
Hardin	2,546	28.6	5	2,110	27.8	436	33.4	Green	84	7.6	51	78	7.3	6	15.7
Larue	-	-	110.5	-	-	-	-	McCreary	33	2.1	71	33	2.1	-	-
Marion	398	22.2	19	356	21.6	42	29.3	Pulaski	1,270	27.7	7	1,262	28.0	8	11.9
Meade	2	0.1	93	1	0.0	1	0.5	Russell	21	1.5	74.5	21	1.5	-	-
Nelson	237	8.6	46.5	207	8.0	30	16.5	Taylor	450	21.2	20	425	21.3	25	21.1
Washington	-	-	110.5	-	-	-	-	Wayne	77	4.5	61	74	4.5	3	7.3
DISTRICT 6	13,957	17.4		11,449	16.7	2,508	20.8	DISTRICT 15	9,673	17.7		8,724	17.6	949	18.7
Bullitt	1	0.0	99.5	1	0.0	-	-	Anderson	1	0.1	93	1	0.1	-	-
Henry	-	-	110.5	-	-	-	-	Bourbon	2	0.1	93	2	0.1	-	-
Jefferson	13,911	20.3	24	11,417	20.0	2,494	21.6	Boyle	785	31.3	3	743	32.8	42	17.6
Oldham	1	0.0	99.5	1	0.0	-	-	Clark	355	12.5	38.5	339	12.8	16	8.7
Shelby	43	1.8	72.5	30	1.5	13	4.9	Estill	128	8.8	44	128	8.8	-	-
Spencer	-	-	110.5	-	-	-	-	Fayette	5,822	28.5	6	5,080	29.1	742	25.1
Trimble	1	0.2	84.5	-	-	1	142.9	Franklin	839	20.1	25	750	19.6	89	24.5
DISTRICT 7	4,054	12.9		3,933	12.8	121	17.9	Garrard	47	4.3	62.5	45	4.4	2	3.4
Boone	7	0.2	84.5	7	0.2	-	-	Harrison	317	20.9	21	312	21.3	5	10.2
Campbell	1,444	17.3	30	1,410	17.1	34	30.9	Jessamine	3	0.1	93	3	0.1	-	-
Carroll	95	10.2	42	94	10.3	1	5.4	Lincoln	-	-	110.5	-	-	-	-
Gallatin	-	-	110.5	-	-	-	-	Madison	974	18.3	27.5	947	19.0	27	7.4
Grant	1	0.1	93	1	0.1	-	-	Mercer	178	9.4	43	163	9.0	15	17.2
Kenton	2,506	18.3	27.5	2,420	18.3	86	18.9	Nicholas	55	7.7	50	54	7.7	1	7.4
Owen	-	-	110.5	-	-	-	-	Powell	3	0.3	80.5	3	0.3	-	-
Pendleton	1	0.1	93	1	0.1	-	-	Scott	55	2.5	70	54	2.7	1	0.6
DISTRICT 8	568	10.4		528	10.0	40	23.1	Woodford	109	6.1	57	100	6.1	9	6.4
Bracken	-	-	110.5	-	-	-	-	KENTUCKY	57,980	15.8		51,924	15.4	6,056	21.5
Fleming	86	7.0	52.5	84	7.0	2	8.4								
Lewis	-	-	110.5	-	-	-	-								
Mason	482	27.1	8	444	27.1	38	27.6								
Robertson	-	-	110.5	-	-	-	-								

1981

OCCURRENCE BIRTHS BY LEGITIMACY, RACE AND SEX

	LEGITIMATE								ILLEGITIMATE							
	WHITE				NONWHITE				WHITE				NONWHITE			
	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE
DISTRICT 1	1,225	15.1	1,161	13.2	55	10.1	65	10.4	86	1.1	100	1.1	72	13.3	65	10.4
Ballard	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calloway	277	19.9	276	18.3	11	20.6	14	26.3	17	1.2	19	1.3	6	11.2	-	-
Carlisle	1	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fulton	29	8.5	16	4.0	1	1.5	3	3.6	2	0.6	3	0.7	-	-	2	2.4
Graves	75	4.8	69	4.1	10	13.9	8	9.2	18	1.2	22	1.3	13	18.1	18	20.6
Hickman	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
McCracken	831	32.0	794	27.5	33	11.1	40	11.6	47	1.8	55	1.9	53	17.8	45	13.1
Marshall	12	1.0	6	0.5	-	-	-	-	2	0.2	1	0.1	-	-	-	-
DISTRICT 2	1,386	15.7	1,319	14.9	361	23.9	325	24.5	114	1.3	110	1.2	144	9.6	159	12.0
Caldwell	104	17.3	74	11.2	2	5.1	2	4.3	8	1.3	7	1.1	17	43.0	14	30.4
Christian	751	29.9	687	30.6	303	28.2	276	32.2	24	1.0	30	1.3	44	4.1	54	6.3
Crittenden	30	6.8	25	5.3	1	30.3	-	-	3	0.7	4	0.8	1	30.3	-	-
Hopkins	390	18.9	382	17.2	44	28.5	42	23.7	60	2.9	50	2.3	77	49.9	87	49.1
Livingston	4	0.9	5	1.1	-	-	-	-	-	-	5	1.1	-	-	-	-
Lyon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Muallenberg	97	6.5	137	8.8	10	11.2	5	6.1	15	1.0	12	0.8	3	3.4	2	2.4
Todd	3	0.6	1	0.2	-	-	-	-	1	0.2	-	-	-	-	-	-
Trigg	7	1.7	8	1.9	1	1.9	-	-	3	0.7	2	0.5	2	3.7	2	3.0
DISTRICT 3	1,414	15.6	1,386	14.4	48	7.8	46	8.2	159	1.8	137	1.4	53	8.6	45	8.0
Davies	973	24.7	929	21.8	25	14.1	19	9.2	91	2.3	88	2.1	23	12.9	28	13.6
Hancock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Henderson	407	22.2	414	21.4	21	14.2	23	13.8	59	3.2	42	2.2	27	18.3	15	9.0
McLean	-	-	1	0.2	-	-	-	-	-	-	1	0.2	-	-	-	-
Ohio	18	1.7	17	1.5	1	7.4	1	6.1	1	0.1	2	0.2	-	-	-	-
Union	15	2.1	25	3.4	1	0.4	3	2.7	8	1.1	4	0.5	3	1.3	2	1.8
Webster	1	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT 4	1,390	14.1	1,315	12.6	52	7.3	73	9.7	121	1.2	136	1.3	73	10.3	71	9.4
Allen	28	4.1	27	3.8	-	-	3	29.7	8	1.2	6	0.8	2	23.5	1	9.9
Barren	414	26.6	368	22.0	12	14.5	14	15.2	32	2.1	35	2.1	10	12.1	14	15.2
Butler	1	0.2	1	0.2	-	-	-	-	-	-	-	-	-	-	-	-
Edmonson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hart	27	3.9	23	3.2	-	-	-	-	2	0.3	1	0.1	4	6.6	1	1.6
Logan	97	9.1	79	7.1	6	5.7	8	6.6	13	1.2	14	1.2	16	15.3	16	13.3
Metcalfe	-	-	4	0.9	-	-	-	-	-	-	-	-	-	-	-	-
Monroe	15	2.6	25	4.1	-	-	-	-	3	0.5	3	0.5	-	-	3	17.2
Simpson	34	5.5	41	6.2	2	2.3	4	4.2	8	1.3	5	0.8	13	14.8	8	8.4
Warren	774	24.5	747	22.1	32	10.3	44	13.1	55	1.7	72	2.1	28	9.0	28	8.4
DISTRICT 5	1,391	13.6	1,308	13.9	186	15.2	205	24.0	140	1.4	112	1.2	71	5.8	61	7.1
Breckinridge	93	11.5	83	10.2	4	12.4	4	12.7	16	2.0	9	1.1	5	15.5	1	3.2
Grayson	32	3.1	30	2.9	-	-	-	-	5	0.5	9	0.9	-	-	-	-
Hardin	1,008	23.7	961	28.9	171	20.0	192	42.5	76	1.8	65	2.0	39	4.6	34	7.5
Larue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	157	19.5	158	18.8	6	8.8	7	9.3	23	2.9	18	2.1	14	20.6	15	19.9
Meade	-	-	-	-	1	1.0	-	-	1	0.1	-	-	-	-	-	-
Nelson	101	8.0	76	5.8	4	4.6	2	2.1	19	1.5	11	0.8	13	15.1	11	11.5
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT 6	5,160	15.7	4,872	13.8	485	8.6	491	7.6	733	2.2	684	1.9	765	13.6	767	11.9
Bullitt	1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Henry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jefferson	5,143	18.9	4,865	16.4	482	9.0	487	7.9	729	2.7	680	2.3	763	14.3	762	12.3
Oldham	1	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shelby	15	1.5	7	0.7	2	1.5	4	3.0	4	0.4	4	0.4	2	1.5	5	3.7
Spencer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimble	-	-	-	-	1	333.3	-	-	-	-	-	-	-	-	-	-
DISTRICT 7	1,665	11.2	1,650	10.4	32	10.0	28	7.9	333	2.2	285	1.8	33	10.3	28	7.9
Boone	1	0.0	1	0.0	-	-	-	-	3	0.1	2	0.1	-	-	-	-
Campbell	592	15.1	572	13.3	7	12.8	9	16.3	122	3.1	124	2.9	13	23.8	5	9.1
Carroll	39	8.8	46	9.9	1	11.1	-	-	4	0.9	5	1.1	-	-	-	-
Gallatin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grant	-	-	1	0.1	-	-	-	-	-	-	-	-	-	-	-	-
Kenton	1,033	16.3	1,029	14.9	24	11.3	19	7.8	204	3.2	154	2.2	20	9.4	23	9.5
Owen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pendleton	-	-	1	0.2	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT 8	242	9.3	219	8.1	9	11.2	3	3.2	31	1.2	36	1.3	12	15.0	16	17.2
Bracken	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fleming	40	6.7	37	6.0	1	9.4	-	-	5	0.8	2	0.3	1	9.4	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mason	202	25.6	182	21.4	8	12.3	3	4.1	26	3.3	34	4.0	11	16.9	16	22.0
Robertson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

LEGITIMATE

ILLEGITIMATE

	WHITE				NONWHITE				WHITE				NONWHITE			
	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE
DISTRICT 9	556	17.6	521	15.9	9	9.1	6	6.4	80	2.5	70	2.1	3	3.0	5	5.3
Bath	1	0.2	1	0.2	-	-	-	-	-	-	-	-	-	-	-	-
Menifee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Montgomery	137	14.8	121	12.4	4	8.0	6	10.1	17	1.8	21	2.2	2	4.0	4	6.7
Morgan	100	16.6	118	19.6	1	26.3	-	-	15	2.5	13	2.2	-	-	-	-
Rowan	318	35.4	281	29.0	4	16.9	-	-	48	5.3	36	3.7	1	4.2	1	6.4
DISTRICT 10	758	11.1	661	9.3	8	8.8	7	10.3	106	1.6	80	1.1	5	5.5	5	7.4
Boyd	645	24.6	565	20.1	8	10.5	7	14.2	86	3.3	55	2.0	4	5.2	5	10.2
Carter	2	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elliott	-	-	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
Greenup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lawrence	111	16.0	95	13.3	-	-	-	-	20	2.9	25	3.5	1	40.0	-	-
DISTRICT 11	1,379	15.4	1,342	14.7	16	39.4	13	25.5	148	1.7	131	1.4	2	4.9	-	-
Floyd	395	16.5	437	17.9	3	23.4	3	17.3	57	2.4	42	1.7	-	-	-	-
Johnson	88	7.3	73	5.9	-	-	1	26.3	16	1.3	12	1.0	1	28.6	-	-
Magoffin	-	-	1	0.1	-	-	-	-	-	-	-	-	-	-	-	-
Martin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pike	896	22.5	831	20.4	13	59.6	9	32.8	75	1.9	77	1.9	1	4.6	-	-
DISTRICT 12	684	10.4	652	9.7	10	14.8	9	12.7	113	1.7	109	1.6	4	5.9	2	2.8
Breathitt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knott	31	3.5	38	4.3	-	-	-	-	2	0.2	3	0.3	-	-	-	-
Lee	-	-	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
Leslie	139	18.6	143	19.3	-	-	-	-	31	4.2	27	3.6	-	-	-	-
Letcher	166	11.1	163	10.6	3	16.7	3	14.9	27	1.8	20	1.3	1	5.6	-	-
Owsley	1	0.3	1	0.4	-	-	-	-	-	-	1	0.4	-	-	-	-
Perry	346	21.2	306	18.2	7	20.7	6	16.8	52	3.2	58	3.5	3	8.9	2	5.6
Wolfe	1	0.3	-	-	-	-	-	-	1	0.3	-	-	-	-	-	-
DISTRICT 13	1,373	12.6	1,372	12.1	10	4.6	8	3.3	222	2.0	200	1.8	19	8.7	22	9.0
Bell	324	20.0	340	19.8	3	6.7	3	5.7	61	3.8	58	3.4	6	13.4	4	7.6
Clay	171	15.3	157	14.1	1	5.3	2	9.6	36	3.2	21	1.9	-	-	2	9.6
Harlan	295	15.2	306	15.0	4	4.0	1	0.9	43	2.2	45	2.2	11	11.0	15	13.5
Jackson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox	142	9.8	136	8.8	1	5.5	-	-	36	2.5	33	2.1	1	5.5	1	4.8
Laurel	145	7.6	146	7.5	1	4.8	2	10.8	26	1.4	14	0.7	1	4.8	-	-
Rockcastle	24	3.4	33	4.7	-	-	-	-	5	0.7	9	1.3	-	-	-	-
Whitley	272	17.0	254	14.8	-	-	-	-	15	0.9	20	1.2	-	-	-	-
DISTRICT 14	1,047	12.8	966	11.3	11	5.4	11	5.5	112	1.4	98	1.1	9	4.4	14	7.0
Adair	24	3.3	29	3.9	1	3.7	-	-	5	0.7	6	0.8	-	-	1	3.3
Casey	39	5.4	43	5.7	-	-	-	-	8	1.1	11	1.5	-	-	-	-
Clinton	55	12.2	60	12.5	-	-	1	83.3	6	1.3	5	1.0	-	-	-	-
Cumberland	18	5.4	15	4.2	-	-	-	-	3	0.9	3	0.8	-	-	-	-
Green	42	8.0	29	5.3	-	-	2	10.5	4	0.8	3	0.6	1	5.2	3	15.8
McCreary	12	1.6	14	1.8	-	-	-	-	3	0.4	4	0.5	-	-	-	-
Pulaski	594	27.0	553	23.9	2	6.1	2	5.8	65	3.0	50	2.2	1	3.1	3	8.7
Russell	10	1.5	10	1.4	-	-	-	-	-	-	1	0.1	-	-	-	-
Taylor	214	22.1	187	18.2	6	10.6	5	8.1	15	1.5	9	0.9	7	12.4	7	11.3
Wayne	39	4.8	26	3.1	2	9.0	1	5.3	3	0.4	6	0.7	-	-	-	-
DISTRICT 15	3,923	16.3	3,787	14.8	203	8.4	185	6.9	545	2.3	469	1.8	293	12.2	268	10.0
Anderson	-	-	1	0.2	-	-	-	-	-	-	-	-	-	-	-	-
Bourbon	-	-	-	-	-	-	-	-	1	0.1	1	0.1	-	-	-	-
Boyle	330	30.2	344	29.3	5	4.4	13	10.3	40	3.7	29	2.5	14	12.4	10	7.9
Clark	147	11.4	138	10.2	4	4.7	1	1.0	24	1.9	30	2.2	8	9.4	3	3.1
Estill	49	7.0	58	7.8	-	-	-	-	12	1.7	9	1.2	-	-	-	-
Fayette	2,326	27.5	2,166	24.1	154	11.1	136	8.7	331	3.9	257	2.9	239	17.3	213	13.5
Franklin	323	17.6	328	16.5	28	15.5	21	11.5	50	2.7	49	2.5	17	9.4	23	12.6
Garrard	15	3.0	23	4.4	1	3.6	-	-	3	0.6	4	0.8	-	-	1	3.1
Harrison	143	20.0	141	18.7	-	-	4	15.5	16	2.2	12	1.6	-	-	1	3.9
Jessamine	1	0.1	2	0.2	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	414	17.6	439	16.8	4	2.3	3	1.6	40	1.7	54	2.1	9	5.2	11	5.8
Mercer	76	8.7	63	6.7	2	5.0	4	8.6	10	1.1	14	1.5	4	9.9	5	10.7
Nicholas	21	6.2	18	5.0	1	14.9	-	-	8	2.4	7	1.9	-	-	-	-
Powell	1	0.2	2	0.4	-	-	-	-	-	-	-	-	-	-	-	-
Scott	23	2.3	23	2.2	-	-	1	1.2	5	0.5	3	0.3	-	-	-	-
Woodford	54	6.9	41	4.8	4	6.0	2	2.7	5	0.6	-	-	2	3.0	1	1.3
KENTUCKY	23,593	14.3	22,531	13.0	1,495	10.9	1,475	10.2	3,043	1.8	2,757	1.6	1,558	11.3	1,528	10.6

1981

RESIDENT BIRTHS BY MOTHER'S AGE GROUP

TOTALS BY AGE OF MOTHER

	10 - 14	15 - 19	20 - 29	30 - 39	40 & Over	Unknown	Total	Rate	Rank
DISTRICT 1	4	392	1,656	334	6	1	2,392	13.3	
Ballard	-	16	77	13	-	-	106	12.0	115
Calloway	1	41	238	59	-	-	339	11.3	118.5
Carlisle	-	14	62	10	-	-	86	15.7	37
Fulton	-	32	79	11	2	1	125	13.9	82
Graves	1	80	302	59	2	-	444	13.0	100.5
Hickman	-	17	49	7	-	-	73	12.0	115
McCracken	2	152	625	132	2	-	913	14.9	54.5
Marshall	-	40	224	43	-	-	307	12.0	115
DISTRICT 2	20	709	2,344	477	31	1	3,582	17.5	
Caldwell	-	46	115	33	1	-	195	14.5	68.5
Christian	3	312	1,095	199	15	1	1,625	24.3	1
Crittenden	-	20	76	27	4	-	127	13.8	85
Hopkins	6	144	478	88	2	-	718	15.5	42
Livingston	-	18	85	17	1	-	121	13.1	97.5
Lyon	1	6	22	4	-	-	33	5.1	120
Muhlenberg	6	105	295	67	6	-	479	14.9	54.5
Todd	3	36	109	24	1	-	173	14.6	65
Trigg	1	22	69	18	1	-	111	11.8	117
DISTRICT 3	11	614	2,162	412	18	-	3,217	16.2	
Daviess	7	233	1,006	189	7	-	1,442	16.8	21
Hancock	-	34	85	20	1	-	140	18.1	9
Henderson	-	134	453	80	6	-	673	16.5	26
McLean	-	31	92	29	-	-	152	15.1	50
Ohio	1	64	196	36	1	-	298	13.7	87.5
Union	3	59	182	39	3	-	286	16.0	32.5
Webster	-	59	148	19	-	-	226	15.2	49
DISTRICT 4	18	622	2,062	511	27	1	3,241	14.9	
Allen	6	45	121	33	3	-	208	14.7	60.5
Barron	2	94	317	69	7	-	489	14.4	70
Butler	2	29	109	22	4	-	166	15.0	51
Edmonson	-	32	82	21	1	-	136	13.7	87.5
Hart	2	50	136	33	2	-	223	14.5	68.5
Logan	2	68	230	38	4	-	342	14.2	74.5
Metcalfe	1	33	76	21	-	-	131	13.8	85
Monroe	-	38	106	36	-	-	180	14.6	65
Simpson	1	57	132	28	1	-	219	14.9	54.5
Warren	2	176	753	210	5	1	1,147	16.0	32.5
DISTRICT 5	7	749	2,694	530	20	1	4,001	18.4	
Breckinridge	1	47	168	41	2	-	259	15.4	45
Grayson	-	72	188	43	3	-	306	14.7	60.5
Hardin	5	330	1,383	231	7	1	1,957	22.0	2
Larue	-	29	95	21	-	-	145	12.2	111.5
Marion	-	56	202	60	3	-	321	17.9	10.5
Meade	-	89	213	31	2	-	335	14.7	60.5
Nelson	1	90	337	76	2	-	506	18.3	7.5
Washington	-	36	108	27	1	-	172	16.0	32.5
DISTRICT 6	46	2,115	7,891	2,143	47	5	12,247	15.2	
Bullitt	1	131	398	102	2	-	634	14.6	65
Henry	1	22	93	28	-	-	144	11.3	118.5
Jefferson	43	1,810	6,858	1,837	40	4	10,592	15.5	42
Oldham	-	46	229	106	3	1	385	13.9	82
Shelby	1	67	205	57	2	-	332	14.2	74.5
Spencer	-	21	54	4	-	-	79	13.3	94
Trimble	-	18	54	9	-	-	81	13.0	100.5
DISTRICT 7	15	854	3,511	955	35	-	5,370	17.1	
Boone	2	104	545	195	5	-	851	18.6	5
Campbell	7	223	936	242	12	-	1,420	17.0	18.5
Carroll	-	42	101	26	1	-	170	18.3	7.5
Gallatin	-	10	41	8	-	-	59	12.2	111.5
Grant	-	35	136	37	-	-	208	15.6	39.5
Kenton	5	373	1,598	412	15	-	2,403	17.5	14
Owen	1	34	64	15	1	-	115	12.9	102
Pendleton	-	33	90	20	1	-	144	13.1	97.5
DISTRICT 8	1	191	500	91	6	-	789	14.4	
Bracken	-	19	65	10	1	-	95	12.3	108
Fleming	-	42	107	28	3	-	180	14.6	65
Lewis	1	62	143	16	-	-	222	15.3	47.5
Mason	-	64	164	34	2	-	264	14.9	54.5
Robertson	-	4	21	3	-	-	28	12.4	106

TOTALS BY AGE OF MOTHER

	<u>10 - 14</u>	<u>15 - 19</u>	<u>20 - 29</u>	<u>30 - 39</u>	<u>40 & Over</u>	<u>Unknown</u>	<u>Total</u>	<u>Rate</u>	<u>Rank</u>
DISTRICT 9	4	207	598	150	10	-	969	14.6	
Bath	-	32	86	19	2	-	139	13.9	82
Menifee	-	23	40	11	2	-	76	14.9	54.5
Montgomery	-	65	171	46	1	-	283	14.1	78.5
Morgan	3	40	122	36	2	-	203	16.8	21
Rowan	1	47	179	38	3	-	268	14.1	78.5
DISTRICT 10	6	399	1,350	308	19	-	2,082	14.8	
Boyd	-	124	525	111	7	-	767	13.8	85
Carter	2	97	274	56	1	-	430	17.2	16
Elliott	2	27	51	14	5	-	99	14.3	71.5
Greenup	-	101	347	102	3	-	553	14.1	78.5
Lawrence	2	50	153	25	3	-	233	16.5	26
DISTRICT 11	13	699	1,790	371	22	-	2,895	15.9	
Floyd	4	194	432	94	5	-	729	14.9	54.5
Johnson	2	87	231	63	6	-	389	15.9	35
Magoffin	-	77	163	35	5	-	280	20.7	3
Martin	1	56	160	31	1	-	249	17.9	10.5
Pike	6	285	804	148	5	-	1,248	15.4	45
DISTRICT 12	14	576	1,320	270	22	-	2,202	16.4	
Breathitt	4	73	150	35	-	-	262	15.4	45
Knott	2	79	175	35	1	-	292	16.3	29.5
Lee	-	27	74	19	2	-	122	15.7	37
Leslie	2	65	140	22	5	-	234	15.7	37
Letcher	1	130	303	65	3	-	502	16.4	28
Owsley	2	23	35	10	-	-	70	12.3	108
Perry	3	143	367	69	6	-	588	17.4	15
Wolfe	-	36	76	15	5	-	132	19.7	4
DISTRICT 13	13	951	2,200	507	31	-	3,702	16.3	
Bell	4	136	310	71	4	-	525	15.3	47.5
Clay	3	103	235	55	6	-	402	17.7	12
Harlan	3	183	442	84	3	-	715	17.1	17
Jackson	1	50	110	33	4	-	198	16.5	26.5
Knox	1	141	281	69	2	-	494	16.3	29.5
Laurel	1	158	418	105	5	-	687	17.6	13
Rockcastle	-	46	115	27	2	-	190	13.6	89.5
Whitley	-	134	289	63	5	-	491	14.7	60.5
DISTRICT 14	10	548	1,500	343	19	-	2,420	14.1	
Adair	-	44	117	30	1	-	192	12.6	105
Casey	1	70	144	35	2	-	252	17.0	18.5
Clinton	-	25	78	20	2	-	125	13.4	91.5
Cumberland	1	21	51	19	1	-	93	12.8	103.5
Green	-	30	90	15	-	-	135	12.2	111.5
McCreary	4	68	151	35	2	-	260	16.6	23.5
Pulaski	2	145	413	81	5	-	646	14.1	78.5
Russell	1	45	114	25	2	-	187	13.6	89.5
Taylor	-	46	186	43	3	-	278	13.1	97.5
Wayne	1	54	156	40	1	-	252	14.8	58
DISTRICT 15	28	1,401	5,251	1,369	50	3	8,102	14.8	
Anderson	-	26	137	19	1	-	183	14.6	65
Bourbon	2	48	166	41	1	1	259	13.3	94
Boyle	2	65	182	56	-	-	305	12.2	111.5
Clark	-	105	256	75	2	-	438	15.5	42
Estill	1	64	133	31	3	-	232	16.0	32.5
Fayette	9	462	2,082	615	21	-	3,189	15.6	39.5
Franklin	6	98	368	120	3	-	595	14.2	74.5
Garrard	-	28	95	21	1	-	145	13.4	91.5
Harrison	1	40	174	35	2	-	252	16.6	23.5
Jessamine	-	68	339	71	2	-	480	18.4	6
Lincoln	-	59	160	27	4	-	250	13.1	97.5
Madison	-	135	458	84	4	2	683	12.8	103.5
Mercer	-	51	177	43	-	-	271	14.3	71.5
Nicholas	-	18	51	17	2	-	88	12.3	108
Powell	2	41	115	27	1	-	186	16.8	21
Scott	2	57	200	49	1	-	309	14.2	74.5
Woodford	3	36	158	38	2	-	237	13.3	94
KENTUCKY	210	11,027	36,829	8,771	363	12	57,212	15.6	

1981

RESIDENT BIRTHS BY LEGITIMACY, RACE AND SEX

	LEGITIMATE								ILLEGITIMATE							
	WHITE				NONWHITE				WHITE				NONWHITE			
	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE
DISTRICT 1	1,008	12.5	967	11.0	45	8.3	53	8.5	78	1.0	96	1.1	73	13.5	73	11.7
Ballard	41	10.0	50	11.4	-	-	1	5.7	2	0.5	10	2.3	-	-	2	11.4
Calloway	149	10.7	155	10.3	8	15.0	6	11.3	10	0.7	9	0.6	2	3.7	-	-
Carlisle	41	15.4	38	13.7	-	-	-	-	3	1.1	4	1.4	-	-	-	-
Fulton	47	13.7	33	8.2	4	5.9	6	7.2	5	1.5	7	1.7	9	13.3	14	16.7
Graves	202	12.9	163	9.7	8	11.1	11	12.6	17	1.1	18	1.1	10	13.9	15	17.2
Hickman	38	14.6	23	8.1	2	6.6	1	3.0	2	0.8	3	1.1	2	6.6	2	6.0
McCracken	350	13.5	354	12.2	23	7.7	27	7.8	31	1.1	38	1.3	50	16.8	40	11.6
Marshall	140	11.1	151	11.6	-	-	1	27.8	8	0.6	7	0.5	-	-	-	-
DISTRICT 2	1,331	15.1	1,211	13.7	290	19.2	259	19.5	109	1.2	104	1.2	131	8.7	147	11.1
Caldwell	90	14.9	75	11.4	2	5.1	1	2.2	5	0.8	8	1.2	8	20.3	6	13.0
Christian	477	19.0	436	19.4	244	22.7	215	25.1	44	1.8	34	1.5	76	7.1	99	11.5
Crittenden	61	13.9	52	11.0	1	30.3	-	-	2	0.5	9	1.9	2	60.6	-	-
Hopkins	308	14.9	280	12.6	16	10.4	20	11.3	23	1.1	27	1.2	23	14.9	21	11.9
Livingston	66	14.4	48	10.4	-	-	-	-	5	1.1	2	0.4	-	-	-	-
Lyon	18	5.3	10	3.6	-	-	-	-	2	0.6	-	-	1	3.8	2	23.8
Muhlenberg	194	13.0	214	13.7	19	21.3	8	9.7	19	1.3	17	1.1	4	4.5	4	4.9
Todd	80	15.7	57	10.8	4	6.0	11	13.6	3	0.6	4	0.8	6	9.0	8	9.9
Trigg	37	9.1	39	9.4	4	7.5	4	6.1	6	1.5	3	0.7	11	20.6	7	10.6
DISTRICT 3	1,344	14.8	1,371	14.2	49	8.0	45	8.0	162	1.8	140	1.5	59	9.6	47	8.3
Davies	616	15.6	627	14.7	21	11.8	17	8.3	57	1.4	56	1.3	22	12.4	26	12.6
Hancock	63	16.4	60	15.9	3	52.6	-	-	5	1.3	9	2.4	-	-	-	-
Henderson	258	14.1	275	14.2	16	10.9	14	8.4	44	2.4	32	1.7	20	13.6	14	8.4
McLean	64	13.0	69	13.5	1	25.0	-	-	6	1.2	12	2.4	-	-	-	-
Ohio	140	13.3	124	11.3	1	7.4	1	6.1	20	1.9	12	1.1	-	-	-	-
Union	107	15.2	122	16.5	4	1.8	9	8.1	18	2.6	13	1.8	10	4.4	3	2.7
Webster	96	14.3	94	13.0	3	7.7	4	7.7	12	1.8	6	0.8	7	18.0	4	7.7
DISTRICT 4	1,395	14.2	1,319	12.7	49	6.9	72	9.5	124	1.3	138	1.3	74	10.4	70	9.3
Allen	77	11.3	100	14.1	2	23.5	5	49.5	11	1.6	10	1.4	2	23.5	1	9.9
Barren	230	14.8	202	12.1	4	4.8	9	9.8	17	1.1	15	0.9	5	6.1	7	7.6
Butler	72	13.2	78	14.1	1	25.6	-	-	7	1.3	7	1.3	-	-	1	32.3
Edmonson	70	14.5	56	11.3	-	-	-	-	6	1.2	4	0.8	-	-	-	-
Hart	106	15.3	80	11.1	5	8.3	3	4.7	6	0.9	9	1.2	9	15.0	5	7.8
Logan	151	14.1	121	10.8	6	5.7	7	5.8	11	1.0	16	1.4	14	13.3	16	13.3
Metcalfe	58	12.7	60	12.9	-	-	-	-	8	1.8	4	0.9	-	-	1	7.2
Monroe	71	12.2	89	14.4	1	5.0	4	23.0	4	0.7	7	1.1	-	-	4	23.0
Simpson	90	14.5	74	11.1	1	1.1	8	8.4	10	1.6	9	1.4	16	18.2	11	11.6
Warren	470	14.9	459	13.6	29	9.3	36	10.7	44	1.4	57	1.7	28	9.0	24	7.2
DISTRICT 5	1,629	15.9	1,523	16.2	198	16.1	219	25.6	157	1.5	128	1.4	80	6.5	67	7.8
Breckinridge	113	14.0	108	13.2	3	9.3	7	22.3	12	1.5	9	1.1	5	15.5	2	6.4
Grayson	126	12.2	143	13.7	1	18.5	-	-	17	1.6	17	1.6	1	18.5	1	14.7
Hardin	738	17.3	704	21.2	159	18.6	175	38.8	63	1.5	53	1.6	34	4.0	31	6.9
Larue	77	13.8	52	9.0	-	-	1	3.4	6	1.1	3	0.5	3	11.2	3	10.1
Marion	140	17.4	124	14.7	3	4.4	4	5.3	17	2.1	14	1.7	10	14.7	9	12.0
Meade	149	14.0	127	12.5	19	19.3	20	18.4	10	0.9	7	0.7	3	3.1	-	-
Nelson	216	17.2	191	14.5	12	13.9	8	8.4	27	2.1	20	1.5	18	20.9	14	14.6
Washington	70	14.8	74	15.0	1	1.9	4	7.0	5	1.1	5	1.0	6	11.2	7	12.2
DISTRICT 6	4,363	13.2	4,172	11.8	461	8.2	455	7.1	667	2.0	630	1.8	744	13.2	755	11.7
Bullitt	278	12.9	287	13.3	1	6.8	4	20.9	33	1.5	29	1.3	-	-	2	10.5
Henry	58	9.7	62	10.2	2	5.9	1	2.8	9	1.5	7	1.2	3	8.8	2	5.6
Jefferson	3,634	13.3	3,471	11.7	439	8.2	437	7.0	588	2.2	556	1.9	731	13.7	736	11.9
Oldham	183	13.2	158	12.7	10	8.9	5	12.5	13	0.9	14	1.1	-	-	2	5.0
Shelby	150	14.9	117	11.0	7	5.3	8	6.0	13	1.3	15	1.4	10	7.6	12	8.9
Spencer	31	10.6	35	12.3	1	12.7	-	-	9	3.1	2	0.7	-	-	1	11.9
Trimble	29	9.3	42	13.4	1	33.3	-	-	2	0.6	7	2.2	-	-	-	-
DISTRICT 7	2,267	15.3	2,258	14.2	37	11.5	32	9.0	376	2.5	326	2.1	38	11.8	36	10.2
Boone	394	17.6	366	15.9	7	32.3	4	17.2	39	1.7	38	1.6	-	-	5	12.9
Campbell	602	15.4	594	13.8	7	12.8	6	10.9	101	2.6	96	2.2	10	18.3	4	7.2
Carroll	69	15.6	69	14.8	2	22.2	-	-	13	2.9	17	3.6	-	-	-	-
Gallatin	34	14.2	20	8.6	-	-	-	-	4	1.7	1	0.4	-	-	-	-
Grant	87	13.4	89	13.2	1	40.0	1	33.3	13	2.0	17	2.5	-	-	-	-
Kenton	982	15.5	994	14.4	18	8.5	20	8.2	188	3.0	145	2.1	28	13.2	28	11.5
Owen	42	9.8	55	12.5	1	8.3	1	10.0	9	2.1	6	1.4	-	-	1	10.0
Pendleton	57	10.4	71	12.9	1	43.5	-	-	9	1.6	6	1.1	-	-	-	-
DISTRICT 8	357	13.7	315	11.7	8	10.0	5	5.4	46	1.8	30	1.1	12	15.0	16	17.2
Bracken	40	10.7	43	10.9	-	-	1	25.6	6	1.6	5	1.3	-	-	-	-
Fleming	84	14.1	78	12.7	1	9.4	-	-	12	2.0	4	0.7	1	9.4	-	-
Lewis	110	15.1	81	11.3	-	-	1	33.3	18	2.5	11	1.5	-	-	1	33.3
Mason	109	13.8	102	12.0	7	10.8	3	4.1	9	1.1	8	0.9	11	16.9	15	20.6
Robertson	14	12.4	11	9.7	-	-	-	-	1	0.9	2	1.8	-	-	-	-

LEGITIMATE

ILLEGITIMATE

	WHITE				NONWHITE				WHITE				NONWHITE			
	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE	MALE	RATE	FEMALE	RATE
DISTRICT 9	421	13.3	419	12.8	9	9.1	6	6.4	52	1.6	53	1.6	3	3.0	6	6.4
Bath	56	11.6	67	13.7	-	-	2	11.6	8	1.7	5	1.0	-	-	1	5.8
Menifee	33	12.7	31	12.6	-	-	-	-	2	0.8	10	4.1	-	-	-	-
Montgomery	125	13.5	111	11.4	4	8.0	4	6.7	17	1.8	15	1.5	3	6.0	4	6.7
Morgan	85	14.1	96	15.9	1	26.3	-	-	12	2.0	9	1.5	-	-	-	-
Rowan	122	13.6	114	11.8	4	16.9	-	-	13	1.4	14	1.4	-	-	1	6.4
DISTRICT 10	974	14.3	883	12.4	10	11.0	6	8.8	112	1.6	87	1.2	4	4.4	6	8.8
Boyd	362	13.8	312	11.1	8	10.5	3	6.1	46	1.8	28	1.0	3	3.9	5	10.2
Carter	200	16.3	175	13.8	-	-	-	-	32	2.6	22	1.7	-	-	1	40.0
Elliott	48	13.8	40	11.7	-	-	-	-	2	0.6	9	2.6	-	-	-	-
Greenup	257	13.4	253	12.8	1	9.4	3	23.4	20	1.0	18	0.9	1	9.4	-	-
Lawrence	107	15.4	103	14.4	1	40.0	-	-	12	1.7	10	1.4	-	-	-	-
DISTRICT 11	1,344	15.0	1,264	13.8	11	27.1	7	13.7	144	1.6	123	1.3	2	4.9	-	-
Floyd	321	13.4	339	13.9	1	7.8	3	17.3	39	1.6	26	1.1	-	-	-	-
Johnson	180	15.0	167	13.5	1	28.6	1	26.3	28	2.3	12	1.0	-	-	-	-
Magoffin	134	19.8	113	16.8	-	-	-	-	18	2.7	15	2.2	-	-	-	-
Martin	101	14.6	124	17.8	-	-	1	83.3	9	1.3	12	1.7	2	125.0	-	-
Pike	608	13.3	521	12.8	9	41.3	2	7.3	50	1.3	58	1.4	-	-	-	-
DISTRICT 12	975	14.8	920	13.7	12	17.8	11	15.5	150	2.3	128	1.9	4	5.9	2	2.8
Breathitt	127	15.2	94	11.0	-	-	-	-	18	2.2	23	2.7	-	-	-	-
Knott	132	14.7	132	14.9	3	43.5	1	13.9	8	0.9	16	1.8	-	-	-	-
Lee	60	15.7	48	12.4	-	-	-	-	6	1.6	8	2.1	-	-	-	-
Leslie	91	12.2	106	14.3	-	-	-	-	19	2.5	18	2.4	-	-	-	-
Letcher	216	14.5	221	14.4	3	16.7	5	24.9	33	2.2	23	1.5	1	5.6	-	-
Owsley	28	9.8	28	9.9	-	-	-	-	12	4.2	2	0.7	-	-	-	-
Perry	265	16.3	233	13.9	6	17.8	5	14.0	41	2.5	33	2.0	3	8.9	2	5.6
Wolfe	56	16.6	58	17.5	-	-	-	-	13	3.8	5	1.5	-	-	-	-
DISTRICT 13	1,590	14.5	1,590	14.0	10	4.6	9	3.7	245	2.2	219	1.9	17	7.8	22	9.0
Bell	210	13.0	224	13.1	2	4.5	4	7.6	41	2.5	37	2.2	3	6.7	4	7.6
Clay	170	15.2	164	14.7	1	5.3	1	4.8	37	3.3	27	2.4	-	-	2	9.6
Harian	292	15.1	301	14.7	4	4.0	1	0.9	46	2.4	45	2.2	11	11.0	15	13.5
Jackson	99	16.5	81	13.6	-	-	-	-	10	1.7	8	1.3	-	-	-	-
Knox	219	15.1	198	12.9	1	5.5	-	-	33	2.3	40	2.6	2	10.9	1	4.8
Laurel	295	15.4	327	16.8	1	4.8	3	16.1	41	2.1	19	1.0	1	4.8	-	-
Rockcastle	81	11.6	86	12.4	-	-	-	-	12	1.7	11	1.6	-	-	-	-
Whitley	224	14.0	209	12.2	1	7.9	-	-	25	1.6	32	1.9	-	-	-	-
DISTRICT 14	1,122	13.8	1,021	11.9	13	6.3	10	5.0	117	1.4	111	1.3	10	4.9	16	8.0
Adair	91	12.7	83	11.0	-	-	1	3.5	5	0.7	7	0.9	-	-	5	17.7
Casey	116	15.9	105	14.0	-	-	-	-	14	1.9	17	2.3	-	-	-	-
Clinton	62	13.7	54	11.3	1	142.9	-	-	3	0.7	5	1.0	-	-	-	-
Cumberland	29	8.7	46	12.9	2	10.9	1	4.7	7	2.1	7	2.0	-	-	1	4.7
Green	72	13.8	52	9.6	-	-	3	15.8	4	0.8	2	0.4	1	5.2	1	5.3
McCreary	110	14.5	114	14.6	-	-	-	-	20	2.6	16	2.1	-	-	-	-
Pulaski	311	14.2	264	11.4	1	3.1	1	2.9	33	1.5	32	1.4	2	6.1	2	5.8
Russell	84	12.7	89	12.7	1	16.7	-	-	16	0.9	7	1.0	-	-	-	-
Taylor	124	12.8	115	11.2	6	10.6	3	4.8	9	0.9	8	0.8	7	12.4	6	9.7
Wayne	123	15.0	99	11.7	2	9.0	1	5.3	16	2.0	10	1.2	-	-	1	5.3
DISTRICT 15	3,198	13.3	3,138	12.3	204	8.5	182	6.8	446	1.9	398	1.6	281	11.7	255	9.5
Anderson	79	13.4	77	12.5	-	-	5	20.0	10	1.7	10	1.6	1	4.1	1	4.0
Bourbon	107	12.5	105	11.9	3	3.3	2	1.9	14	1.6	6	0.7	13	14.1	9	8.5
Boyle	116	10.6	117	10.0	4	3.5	8	6.4	22	2.0	16	1.4	13	11.5	9	7.1
Clark	191	14.8	166	12.2	10	11.7	4	4.1	25	1.9	26	1.9	11	12.9	5	5.1
Estill	81	11.5	121	16.2	-	-	-	-	10	1.4	20	2.7	-	-	-	-
Fayette	1,193	14.1	1,069	11.9	126	9.1	106	6.7	179	2.1	140	1.6	202	14.6	174	11.1
Franklin	213	11.6	227	11.4	33	18.2	20	11.0	35	1.9	35	1.8	13	7.2	19	10.4
Garrard	60	11.9	68	13.1	1	3.6	-	-	6	1.2	6	1.2	3	10.9	1	3.9
Harrison	110	15.4	111	14.7	-	-	5	19.4	12	1.7	12	1.6	1	4.3	1	3.9
Jessamine	218	17.8	207	16.3	5	8.5	8	12.9	20	1.6	14	1.1	2	3.4	6	9.7
Lincoln	96	10.6	114	12.4	1	2.4	4	10.4	22	2.4	11	1.2	1	2.4	1	2.6
Madison	289	12.3	294	11.2	6	3.4	4	2.1	24	1.0	44	1.7	10	5.7	12	6.3
Mercer	119	13.6	110	11.7	3	7.4	6	12.9	8	0.9	14	1.5	5	12.4	6	12.9
Nicholas	40	11.8	39	10.8	1	14.9	-	-	-	1.2	4	1.1	-	-	-	-
Powell	74	13.5	80	14.6	-	-	-	-	18	3.3	14	2.6	-	-	-	-
Scott	125	12.6	129	12.5	4	5.2	5	6.1	23	2.3	15	1.5	3	3.9	5	6.1
Woodford	87	11.0	104	12.3	7	10.5	5	6.7	14	1.8	11	1.3	3	4.5	6	8.0
KENTUCKY	23,318	14.1	22,371	12.9	1,406	10.2	1,371	9.5	2,985	1.8	2,711	1.6	1,532	11.1	1,518	10.5

1981

RESIDENT STILLBIRTHS BY LEGITIMACY AND RACE

TOTAL STILLBIRTHS								ILLEGITIMATE STILLBIRTHS					
TOTAL				WHITE				TOTAL		WHITE		NONWHITE	
NO.	RATE	RANK		NO.	RATE	NO.	RATE	NO.	RATE	NO.	RATE	NO.	RATE
DISTRICT 1	25	10.4		21	9.8	4	16.4	5	15.6	4	23.0	1	6.8
Ballard	2	18.9	20	2	19.4	-	-	1	71.4	1	83.3	-	-
Calloway	2	5.9	84.5	2	6.2	-	-	-	-	-	-	-	-
Carlisle	2	23.3	7	2	23.3	-	-	-	-	-	-	-	-
Fulton	6	48.0	1	6	65.2	-	-	2	57.1	2	166.7	-	-
Graves	5	11.3	50	2	5.0	3	68.2	1	16.7	-	-	-	-
Hickman	-	-	110.5	-	-	-	-	-	-	-	-	1	40.0
McCracken	4	4.4	92	3	3.9	1	7.1	1	6.3	1	14.5	-	-
Marshall	4	13.0	34	4	13.1	-	-	-	-	-	-	-	-
DISTRICT 2	34	9.5		26	9.4	8	9.7	6	12.2	3	14.1	3	10.8
Caldwell	1	5.1	88.5	-	-	1	58.8	1	37.0	-	-	1	71.4
Christian	15	9.2	61	11	11.1	4	6.3	1	4.0	1	12.8	-	-
Crittenden	2	15.7	24	2	16.1	-	-	-	-	-	-	-	-
Hopkins	5	7.0	80	5	7.8	-	-	2	21.3	2	40.0	-	-
Livingston	-	-	110.5	-	-	-	-	-	-	-	-	-	-
Lyon	1	30.3	4	-	-	-	-	-	-	-	-	-	-
Muhlenberg	6	12.5	38	4	9.0	1	333.3	1	200.0	-	-	1	333.3
Todd	4	23.1	8	4	27.8	-	-	1	22.7	-	-	1	125.0
Trigg	-	-	110.5	-	-	-	-	-	-	-	-	-	-
DISTRICT 3	34	10.6		34	11.3	-	-	4	9.8	4	13.2	-	-
Daviess	12	8.3	63	12	8.8	-	-	2	12.4	2	17.7	-	-
Hancock	3	21.4	11.5	3	21.9	-	-	1	71.4	1	71.4	-	-
Henderson	7	10.4	54	7	11.5	-	-	-	-	-	-	-	-
McLean	3	19.7	18	3	19.9	-	-	-	-	-	-	-	-
Ohio	4	13.4	31	4	13.5	-	-	-	-	-	-	-	-
Union	2	7.0	80	2	7.7	-	-	-	-	-	-	-	-
Webster	3	13.3	32	3	14.4	-	-	1	34.5	1	55.6	-	-
DISTRICT 4	33	10.2		28	9.4	5	18.9	7	17.2	2	7.6	5	34.7
Allen	-	-	110.5	-	-	-	-	-	-	-	-	-	-
Barren	7	14.3	29	7	15.1	-	-	1	22.7	1	31.2	-	-
Butler	1	6.0	82.5	1	6.1	-	-	-	-	-	-	-	-
Edmonson	2	14.7	28	2	14.7	-	-	-	-	-	-	-	-
Hart	2	9.0	62	2	10.0	-	-	-	-	-	-	-	-
Logan	4	11.7	45	4	13.4	-	-	-	-	-	-	-	-
Metcalfe	1	7.6	71.5	1	7.7	-	-	-	-	-	-	-	-
Monroe	1	5.6	86	1	5.8	-	-	-	-	-	-	-	-
Simpson	4	18.3	21	2	10.9	2	55.6	2	43.5	-	-	2	74.1
Warren	11	9.6	60	8	7.8	3	25.6	4	26.1	1	9.9	3	57.7
DISTRICT 5	32	8.0		24	7.0	8	14.2	6	13.9	3	10.5	3	20.4
Breckinridge	1	3.9	99	1	4.1	-	-	-	-	-	-	-	-
Grayson	4	13.1	33	4	13.2	-	-	1	27.8	1	29.4	-	-
Hardin	15	7.7	69.5	11	7.1	4	10.0	4	22.1	2	17.2	2	30.8
Larue	-	-	110.5	-	-	-	-	-	-	-	-	-	-
Marion	-	-	110.5	-	-	-	-	-	-	-	-	-	-
Meade	4	11.9	43.5	1	3.4	3	71.4	-	-	-	-	-	-
Nelson	6	11.9	43.5	5	11.0	1	19.2	1	12.7	-	-	1	31.2
Washington	2	11.6	46	2	13.0	-	-	-	-	-	-	-	-
DISTRICT 6	151	12.3		105	10.7	45	19.0	53	19.0	19	14.6	34	22.7
Bullitt	8	12.6	37	8	12.8	-	-	2	31.2	2	32.3	-	-
Henry	4	27.8	5	4	29.4	-	-	-	-	-	-	-	-
Jefferson	128	12.1	40	83	10.1	45	19.2	50	19.1	17	14.9	33	22.5
Oldham	3	7.8	68	3	8.2	-	-	-	-	-	-	-	-
Shelby	4	12.0	41.5	3	10.2	1	27.0	1	20.0	-	-	1	45.5
Spencer	1	12.7	36	1	13.0	-	-	-	-	-	-	-	-
Trimble	3	37.0	3	3	37.5	-	-	-	-	-	-	-	-
DISTRICT 7	42	7.8		41	7.8	1	7.0	13	16.8	13	18.5	-	-
Boone	11	12.9	35	11	13.1	-	-	5	62.5	5	64.9	-	-
Campbell	10	7.0	80	10	7.2	-	-	3	14.2	3	15.2	-	-
Carroll	1	5.9	84.5	-	-	1	500.0	-	-	-	-	-	-
Gallatin	1	16.9	22	1	16.9	-	-	-	-	-	-	-	-
Grant	1	4.8	90	1	4.9	-	-	-	-	-	-	-	-
Kenton	10	4.2	94.5	10	4.3	-	-	-	-	-	-	-	-
Owen	5	43.5	2	5	44.6	-	-	4	10.3	4	12.0	-	-
Pendleton	3	20.8	14.5	3	21.0	-	-	1	66.7	1	66.7	-	-
DISTRICT 8	5	6.3		3	4.0	2	48.8	1	9.6	-	-	1	35.7
Bracken	-	-	110.5	-	-	-	-	-	-	-	-	-	-
Fleming	2	11.1	51	1	5.6	1	500.0	-	-	-	-	-	-
Lewis	1	4.5	91	-	-	1	500.0	1	33.3	-	-	1	1000.0
Mason	2	7.6	71.5	2	8.8	-	-	-	-	-	-	-	-
Robertson	-	-	110.5	-	-	-	-	-	-	-	-	-	-

	TOTAL STILLBIRTHS						ILLEGITIMATE STILLBIRTHS							
	TOTAL			WHITE		NONWHITE		TOTAL			WHITE		NONWHITE	
	NO.	RATE	RANK	NO.	RATE	NO.	RATE	NO.	RATE	NO.	RATE	NO.	RATE	
DISTRICT 9	8	8.3		8	8.5	-	-	1	8.8	1	9.5	-	-	
Bath	1	7.2	76.5	1	7.4	-	-	-	-	-	-	-	-	
Menifee	2	26.3	6	2	26.3	-	-	-	-	-	-	-	-	
Montgomery	2	7.1	78	2	7.5	-	-	1	25.6	1	31.2	-	-	
Morgan	3	14.8	27	3	14.9	-	-	-	-	-	-	-	-	
Rowan	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
DISTRICT 10	10	4.8		10	4.9	-	-	1	4.8	1	5.0	-	-	
Boyd	4	5.2	87	4	5.3	-	-	-	-	-	-	-	-	
Carter	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
Elliott	2	20.2	17	2	20.2	-	-	-	-	-	-	-	-	
Greenup	4	7.2	76.5	4	7.3	-	-	1	25.6	1	26.3	-	-	
Lawrence	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
DISTRICT 11	39	13.5		38	13.2	1	50.0	5	18.6	5	18.7	-	-	
Floyd	9	12.3	39	9	12.4	-	-	-	-	-	-	-	-	
Johnson	4	10.3	55.5	4	10.3	-	-	3	75.0	3	75.0	-	-	
Magoffin	6	21.4	11.5	6	21.4	-	-	1	30.3	1	30.3	-	-	
Martin	1	4.0	97	1	4.1	-	-	-	-	-	-	-	-	
Pike	19	15.2	26	18	14.6	1	90.9	1	9.3	1	9.3	-	-	
DISTRICT 12	17	7.7		15	6.9	2	69.0	5	17.6	3	10.8	2	333.3	
Breathitt	4	15.3	25	4	15.3	-	-	1	24.4	1	24.4	-	-	
Knott	6	20.5	16	5	17.4	1	250.0	2	83.3	1	41.7	1	-	
Lee	1	8.2	64	1	8.2	-	-	-	-	-	-	-	-	
Leslie	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
Letcher	3	6.0	82.5	3	6.1	-	-	-	-	-	-	-	-	
Owsley	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
Perry	3	5.1	88.5	2	3.5	1	62.5	2	25.3	1	13.5	1	200.0	
Wolfe	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
DISTRICT 13	26	7.0		26	7.1	-	-	5	9.9	5	10.8	-	-	
Bell	6	11.4	48	6	11.7	-	-	2	23.5	2	25.6	-	-	
Clay	4	10.0	59	4	10.1	-	-	1	15.2	1	15.6	-	-	
Harlan	3	4.2	94.5	3	4.4	-	-	-	-	-	-	-	-	
Jackson	2	10.1	57.5	2	10.1	-	-	-	-	-	-	-	-	
Knox	2	4.0	97	2	4.1	-	-	1	13.2	1	13.7	-	-	
Laurel	5	7.3	74.5	5	7.3	-	-	1	16.4	1	16.7	-	-	
Rockcastle	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
Whitley	4	8.1	65	4	8.2	-	-	-	-	-	-	-	-	
DISTRICT 14	16	6.6		15	6.3	1	20.4	5	19.7	4	17.5	1	38.5	
Adair	4	20.8	14.5	4	21.5	-	-	-	-	-	-	-	-	
Casey	2	7.9	67	1	4.0	1	-	1	32.3	-	-	1	-	
Clinton	1	8.0	66	1	8.1	-	-	-	-	-	-	-	-	
Cumberland	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
Green	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
McCreary	1	3.8	100	1	3.8	-	-	-	-	-	-	-	-	
Pulaski	5	7.7	69.5	5	7.8	-	-	-	-	-	-	-	-	
Russell	-	-	110.5	-	-	-	-	2	29.0	2	30.8	-	-	
Taylor	3	10.8	53	3	11.7	-	-	-	-	-	-	-	-	
Wayne	-	-	110.5	-	-	-	-	2	66.7	2	117.6	-	-	
DISTRICT 15	91	11.2		78	10.9	13	14.1	20	14.5	11	13.0	9	16.8	
Anderson	2	10.9	52	2	11.4	-	-	-	-	-	-	-	-	
Bourbon	5	19.3	19	4	17.2	1	37.0	2	47.6	1	50.0	1	45.5	
Boyle	-	-	110.5	-	-	-	-	-	-	-	-	-	-	
Clark	5	11.4	48	4	9.8	1	33.3	2	29.9	1	19.6	1	62.5	
Estill	1	4.3	93	1	4.3	-	-	-	-	-	-	-	-	
Fayette	33	10.3	55.5	26	10.1	7	11.5	6	8.6	2	6.3	4	10.6	
Franklin	6	10.1	57.5	5	9.8	1	11.8	-	-	-	-	-	-	
Garrard	2	13.8	30	2	14.3	-	-	-	-	-	-	-	-	
Harrison	1	4.0	97	1	4.1	-	-	-	-	-	-	-	-	
Jessamine	11	22.9	9	8	17.4	3	142.9	4	95.2	1	29.4	3	375.0	
Lincoln	3	12.0	41.5	3	12.3	-	-	1	28.6	1	30.3	-	-	
Madison	5	7.3	74.5	5	7.7	-	-	-	-	-	-	-	-	
Mercer	2	7.4	73	2	8.0	-	-	1	30.3	1	45.5	-	-	
Nicholas	1	11.4	48	1	11.5	-	-	-	-	-	-	-	-	
Powell	4	21.5	10	4	21.5	-	-	2	62.5	2	62.5	-	-	
Scott	5	16.2	23	5	17.1	-	-	-	-	-	-	-	-	
Woodford	5	21.1	13	5	23.1	-	-	2	58.8	2	80.0	-	-	
KENTUCKY	563	9.8		472	9.2	91	15.6	137	15.7	78	13.7	59	19.3	

1981

RESIDENT DEATHS BY RACE

	TOTAL			WHITE			NONWHITE		
	NO.	RATE	RANK	NO.	RATE	RANK	NO.	RATE	RANK
DISTRICT 1	2,044	11.3		1,924	11.4		120	10.3	
Ballard	122	13.9	4	115	13.6	4	7	20.9	13
Calloway	283	9.4	67.5	277	9.6	60.5	6	5.6	87
Carlisle	60	10.9	26.5	60	11.0	24	-	-	107.5
Fulton	135	15.0	2	116	15.6	1	19	12.5	36
Graves	424	12.5	7	409	12.6	7	15	9.4	55
Hickman	78	12.9	6	70	12.9	6	8	12.6	34.5
McCracken	711	11.6	13	646	11.8	11	65	10.1	51
Marshall	231	9.0	80	231	9.0	78	-	-	107.5
DISTRICT 2	2,058	10.0		1,814	10.3		244	8.6	
Caldwell	152	11.3	17	145	11.5	14.5	7	8.2	69.5
Christian	499	7.5	107.5	370	7.8	98	129	6.7	83.5
Crittenden	141	15.3	1	136	14.9	2	5	56.2	2
Hopkins	518	11.2	20	469	10.9	27	49	14.8	25
Livingston	87	9.4	67.5	86	9.4	65	1	27.8	7
Lyon	78	12.0	9	74	12.1	9	4	11.5	40.5
Muhlenberg	348	10.8	29	336	11.0	24	12	7.0	82
Todd	132	11.1	22.5	111	10.7	29	21	14.2	27.5
Trigg	103	11.0	24	87	10.6	31.5	16	13.4	32.5
DISTRICT 3	2,012	10.1		1,913	10.2		99	8.4	
Daviess	795	9.2	75	762	9.3	69.5	33	8.6	64.5
Hancock	55	7.1	109.5	54	7.1	108	1	8.0	72.5
Henderson	408	10.0	48	377	10.0	49	31	9.9	53
McLean	124	12.3	8	124	12.4	8	-	-	107.5
Ohio	255	11.7	11.5	251	11.7	13	4	13.4	32.5
Union	170	9.5	63	157	10.9	27	13	3.9	88
Webster	205	13.8	5	188	13.5	5	17	18.7	14
DISTRICT 4	2,048	9.4		1,898	9.4		150	10.2	
Allen	154	10.9	26.5	152	10.9	27	2	10.8	46
Barren	333	9.8	55.5	313	9.7	57	20	11.4	42
Butler	132	11.9	10	130	11.8	11	2	28.6	6
Edmonson	81	8.1	92	81	8.3	89	-	-	107.5
Hart	161	10.5	34	147	10.4	37	14	11.3	43
Logan	250	10.4	36	222	10.1	45	28	12.4	37
Metcalfe	88	9.3	72	87	9.5	62	1	3.5	90
Monroe	145	11.7	11.5	141	11.8	11	4	10.7	47
Simpson	146	10.0	48	125	9.7	57	21	11.5	40.5
Warren	558	7.8	98.5	500	7.6	102	58	9.0	59
DISTRICT 5	1,555	7.1		1,458	7.4		97	4.7	
Breckinridge	172	10.2	41	166	10.2	43	6	9.4	55
Grayson	222	10.6	31.5	220	10.6	31.5	2	16.4	21.5
Hardin	450	5.1	119	418	5.5	118.5	32	2.4	93.5
Larue	108	9.1	78	103	9.1	74	5	8.8	61.5
Marion	158	8.8	82.5	146	8.9	81	12	8.4	67
Meade	129	5.6	117	124	6.0	117	5	2.4	93.5
Nelson	209	7.6	103.5	193	7.5	105	16	8.8	61.5
Washington	107	9.9	51.5	88	9.1	74	19	17.1	16.5
DISTRICT 6	7,261	9.0		6,141	9.0		1,120	9.3	
Bullitt	238	5.5	118	235	5.5	118.5	3	8.8	61.5
Henry	144	11.3	17	137	11.4	16	7	10.1	51
Jefferson	6,419	9.4	67.5	5,345	9.4	65	1,074	9.3	57
Oldham	119	4.3	120	109	4.1	120	10	6.6	85
Shelby	235	10.1	44	213	10.3	41	22	8.3	68
Spencer	56	9.4	67.5	52	9.0	78	4	24.5	8
Trimble	50	8.0	95	50	8.0	94.5	-	-	107.5
DISTRICT 7	2,951	9.4		2,871	9.4		80	11.9	
Boone	292	6.4	115.5	289	6.4	114	3	6.7	83.5
Campbell	843	10.1	44	831	10.1	45	12	10.9	45
Carroll	106	11.4	15	102	11.2	18.5	4	21.5	11
Gallatin	37	7.6	103.5	36	7.6	102	1	7.5	79
Grant	131	9.8	55.5	131	9.9	52	-	-	107.5
Kenton	1,349	9.8	55.5	1,295	9.8	53.5	54	11.9	39
Owen	90	10.1	44	87	10.0	49	3	13.6	31
Pendleton	103	9.4	67.5	100	9.1	74	3	58.8	1
DISTRICT 8	517	9.5		501	9.5		16	9.2	
Bracken	82	10.6	31.5	80	10.4	37	2	31.2	5
Fleming	131	10.6	31.5	128	10.6	31.5	3	12.6	34.5
Lewis	120	8.3	89.5	120	8.3	89	-	-	107.5
Mason	158	8.9	81	147	9.0	78	11	8.0	72.5
Robertson	26	11.5	14	26	11.5	14.5	-	-	107.5

	TOTAL			WHITE			NONWHITE		
	NO.	RATE	RANK	NO.	RATE	RANK	NO.	RATE	RANK
DISTRICT 9	589	8.9		575	8.9		14	7.3	
Bath	113	11.3	17	108	11.1	21	5	15.2	24
Menifee	51	10.0	48	51	10.1	45	-	-	107.5
Montgomery	153	7.6	103.5	144	7.6	102	9	8.2	69.5
Morgan	136	11.2	20	136	11.3	17	-	-	107.5
Rowan	136	7.1	109.5	136	7.3	107	-	-	107.5
DISTRICT 10	1,312	9.3		1,300	9.3		12	7.6	
Boyd	569	10.2	41	561	10.3	41	8	6.4	86
Carter	214	8.5	86	214	8.6	86	-	-	107.5
Elliott	65	9.4	67.5	65	9.4	65	-	-	107.5
Greenup	327	8.4	87.5	323	8.3	89	4	17.1	16.5
Lawrence	137	9.7	59.5	137	9.7	57	-	-	107.5
DISTRICT 11	1,428	7.9		1,418	7.8		10	10.9	
Floyd	391	8.0	95	386	8.0	94.5	5	16.6	20
Johnson	215	8.8	82.5	215	8.8	83	-	-	107.5
Magoffin	103	7.6	103.5	103	7.6	102	-	-	107.5
Martin	89	6.4	115.5	88	6.3	115.5	1	35.7	4
Pike	630	7.8	98.5	626	7.8	98	4	8.1	71
DISTRICT 12	1,116	8.3		1,104	8.3		12	8.7	
Breathitt	148	8.7	84.5	148	8.7	84.5	-	-	107.5
Knott	125	7.0	111	122	6.9	110	3	21.3	12
Lee	77	9.9	51.5	77	10.0	49	-	-	107.5
Leslie	96	6.5	114	96	6.5	113	-	-	107.5
Letcher	247	8.0	95	244	8.1	93	3	7.9	75
Owsley	48	8.4	87.5	48	8.4	87	-	-	107.5
Perry	308	9.1	78	302	9.1	74	6	8.6	64.5
Wolfe	67	10.0	48	67	10.0	49	-	-	107.5
DISTRICT 13	2,108	9.3		2,073	9.3		35	7.6	
Bell	351	10.2	41	342	10.3	41	9	9.2	58
Clay	172	7.6	103.5	169	7.6	102	3	7.6	78
Harlan	430	10.3	38.5	412	10.4	37	18	8.5	66
Jackson	120	10.0	48	120	10.0	49	-	-	107.5
Knox	281	9.3	72	278	9.3	69.5	3	7.7	77
Laurel	318	8.2	91	317	8.2	91.5	1	2.5	92
Rockcastle	146	10.4	36	146	10.5	34	-	-	107.5
Whitley	290	8.7	84.5	289	8.7	84.5	1	3.4	91
DISTRICT 14	1,642	9.6		1,596	9.6		46	11.3	
Adair	138	9.1	78	130	8.9	81	8	14.5	26
Casey	157	10.6	31.5	157	10.6	31.5	-	-	107.5
Clinton	102	10.9	26.5	102	11.0	24	-	-	107.5
Cumberland	76	10.4	36	72	10.4	37	4	10.1	51
Green	114	10.3	38.5	111	10.4	37	3	7.9	75
McCreary	144	9.2	75	143	9.3	69.5	1	3.7	89
Pulaski	449	9.8	55.5	438	9.7	57	11	16.4	21.5
Russell	131	9.6	61	130	9.6	60.5	1	7.9	75
Taylor	170	8.0	95	157	7.9	96	13	11.0	44
Wayne	161	9.5	63	156	9.4	65	5	12.2	38
DISTRICT 15	4,619	8.4		4,108	8.3		511	10.1	
Anderson	115	9.2	75	108	8.9	81	7	14.1	29
Bourbon	216	11.1	22.5	195	11.2	18.5	21	10.6	48
Boyle	245	9.8	55.5	211	9.3	69.5	34	14.2	27.5
Clark	217	7.7	100	186	7.0	109	31	16.9	18
Estill	141	9.7	59.5	140	9.7	57	1	38.5	3
Fayette	1,561	7.6	103.5	1,300	7.4	106	261	8.8	61.5
Franklin	387	9.3	72	360	9.4	65	27	7.4	80
Garrard	103	9.5	63	93	9.1	74	10	16.8	19
Harrison	224	14.8	3	213	14.5	3	11	22.4	10
Jessamine	177	6.8	112	156	6.3	115.5	21	17.4	15
Lincoln	214	11.2	20	203	11.1	21	11	13.9	30
Madison	352	6.6	113	326	6.6	112	26	7.1	81
Mercer	186	9.8	55.5	177	9.8	53.5	9	10.3	49
Nicholas	78	10.9	26.5	78	11.1	21	-	-	107.5
Powell	89	8.0	95	86	7.8	98	3	22.9	9
Scott	181	8.3	89.5	166	8.2	91.5	15	9.4	55
Woodford	133	7.5	107.5	110	6.7	111	23	16.2	23
KENTUCKY	33,260	9.1		30,694	9.1		2,566	9.1	

1981

RESIDENT DEATHS: BIRTH-RELATED AND INFANT DEATHS

	MATERNAL			NEONATAL			UNDER 1 WEEK			PERINATAL			INFANT DEATHS		
	NO.	RATE		NO.	RATE	RANK	NO.	RATE	RANK	NO.	RATE	RANK	NO.	RATE	RANK
DISTRICT 1	1	4.2		7	2.9		6	2.5		31	12.8		17	7.1	
Ballard	-	-		1	9.4	43	1	9.4	34	3	27.8	15	1	9.4	81
Calloway	1	29.5		2	5.9	70.5	2	5.9	62.5	4	11.7	87	2	5.9	98
Carlisle	-	-		-	-	107.5	-	-	105	2	22.7	26.5	-	-	113.5
Fulton	-	-		-	-	107.5	-	-	105	6	45.8	2	1	8.0	89.5
Graves	-	-		2	4.5	82	1	2.3	83.5	6	13.4	77	5	11.3	64
Hickman	-	-		-	-	107.5	-	-	105	-	-	116	-	-	113.5
McCracken	-	-		1	1.1	94	1	1.1	89	5	5.5	107.5	5	5.5	100
Marshall	-	-		1	3.3	89	1	3.3	81	5	16.1	61.5	3	9.8	78
DISTRICT 2	-	-		23	6.4		17	4.7		51	14.1		38	10.6	
Caldwell	-	-		-	-	107.5	-	-	105	1	3.1	109	2	10.3	73
Christian	-	-		14	8.6	47.5	11	6.8	54.5	26	15.9	64.5	20	12.3	54.5
Crittenden	-	-		2	15.7	13	1	7.9	45.5	3	23.3	24	3	23.6	7
Hopkins	-	-		2	2.8	90	1	1.4	88	6	8.3	100	6	8.4	87
Livingston	-	-		-	-	107.5	-	-	105	-	-	116	-	-	113.5
Lyon	-	-		-	-	107.5	-	-	105	1	29.4	10	-	-	113.5
Muhlenberg	-	-		5	10.4	34	4	8.4	41	10	20.6	38	7	14.6	38.5
Todd	-	-		-	-	107.5	-	-	105	4	22.6	28	-	-	113.5
Trigg	-	-		-	-	107.5	-	-	105	-	-	116	-	-	113.5
DISTRICT 3	-	-		17	5.3		16	5.0		50	15.4		25	7.8	
Daviess	-	-		7	4.9	78	7	4.9	69	19	13.1	79	12	8.3	88
Hancock	-	-		-	-	107.5	-	-	105	3	21.0	34.5	-	-	113.5
Henderson	-	-		4	5.9	70.5	3	4.5	72.5	10	14.7	71	7	10.4	70.5
McLean	-	-		2	13.2	21	2	13.2	14	5	32.3	7	2	13.2	47
Ohio	-	-		2	6.7	65	2	6.7	56	6	19.9	44	2	6.7	95
Union	-	-		-	-	107.5	-	-	105	2	6.9	104	-	-	113.5
Webster	-	-		2	8.8	45.5	2	8.8	37.5	5	21.8	30.5	2	8.8	85
DISTRICT 4	1	3.1		23	7.1		17	5.2		50	15.3		34	10.5	
Allen	-	-		-	-	107.5	-	-	105	-	-	116	2	9.6	79.5
Barren	-	-		1	2.0	92.5	1	2.0	85.5	8	16.1	61.5	2	4.1	105
Butler	-	-		1	6.0	67	1	6.0	60.5	2	12.0	85	2	2.0	56
Edmonson	-	-		2	14.7	18	1	7.4	49	3	21.7	32	2	14.7	37
Hart	-	-		3	13.5	20	3	13.5	13	5	22.2	29	4	17.9	18
Logan	-	-		3	8.8	45.5	3	8.8	37.5	7	20.2	41	4	11.7	61
Metcalfe	-	-		3	22.9	3	2	15.3	9	3	22.7	26.5	4	30.5	2
Monroe	-	-		1	5.6	74	-	-	105	1	5.5	107.5	2	11.1	65.5
Simpson	-	-		1	4.6	80.5	-	-	105	4	17.9	50	1	4.6	102
Warren	1	8.7		8	7.0	62	6	5.2	67.5	17	14.7	71	11	9.6	79.5
DISTRICT 5	1	2.5		42	10.5		37	9.2		69	17.1		56	14.0	
Breckinridge	-	-		4	15.4	15.5	3	11.6	21.5	4	15.4	68	5	19.3	13
Grayson	-	-		3	9.8	39	2	6.5	58	5	19.4	45	4	13.1	48
Hardin	1	5.1		22	11.2	31	22	11.2	25	37	18.8	46	31	15.8	29
Larue	-	-		2	13.8	19	2	13.8	12	2	13.8	75	2	13.8	45
Marion	-	-		5	15.6	14	3	9.3	35	3	9.3	95	6	18.7	14.5
Meade	-	-		2	6.0	67	2	6.0	60.5	6	17.7	52	2	6.0	97
Nelson	-	-		3	5.9	70.5	3	5.9	62.5	9	17.6	53.5	5	9.9	77
Washington	-	-		1	5.8	73	-	-	105	2	11.5	93	1	5.8	99
DISTRICT 6	1	0.8		117	9.6		102	8.3		253	20.4		156	12.7	
Bullitt	-	-		6	9.5	41.5	6	9.5	32.5	14	21.8	30.5	8	12.6	52
Henry	-	-		-	-	107.5	-	-	105	4	27.0	17	1	6.9	93
Jefferson	1	0.9		101	9.5	41.5	87	8.2	42	215	20.1	42	134	12.7	50.5
Oldham	-	-		4	10.4	34	4	10.4	27.5	7	18.0	49	6	15.6	30
Shelby	-	-		6	18.1	8	5	15.1	10	9	26.8	18	6	18.1	16
Spencer	-	-		-	-	107.5	-	-	105	1	12.5	83	-	-	113.5
Trimble	-	-		-	-	107.5	-	-	105	3	35.7	5	1	12.3	54.5
DISTRICT 7	-	-		44	8.2		34	6.3		76	14.0		71	13.2	
Boone	-	-		6	7.1	61	3	3.5	79.5	14	16.2	59	10	11.8	60
Campbell	-	-		11	7.7	54	9	6.3	59	19	13.3	78	18	12.7	50.5
Carroll	-	-		1	5.9	70.5	-	-	105	1	5.8	106	3	7.6	19
Gallatin	-	-		-	-	107.5	-	-	105	1	16.7	56	-	-	113.5
Grant	-	-		2	9.6	40	1	4.8	70	2	9.6	94	3	14.4	40.5
Kenton	-	-		24	10.0	38	21	8.7	39	31	12.8	81.5	36	15.0	35
Owen	-	-		-	-	107.5	-	-	105	5	41.7	3	-	-	113.5
Pendleton	-	-		-	-	107.5	-	-	105	3	20.4	39.5	1	6.9	93
DISTRICT 8	-	-		6	7.3		4	5.1		9	11.3		9	11.4	
Bracken	-	-		-	-	107.5	-	-	105	-	-	116	1	10.5	69
Fleming	-	-		3	16.7	9	3	16.7	6	5	27.5	16	3	16.7	22.5
Lewis	-	-		2	9.0	44	1	4.5	72.5	2	9.0	96	4	18.0	17
Mason	-	-		1	3.8	86	-	-	105	2	7.5	102	1	3.8	106
Robertson	-	-		-	-	107.5	-	-	105	-	-	116	-	-	113.5

	M A T E R N A L			N E O N A T A L			U N D E R 1 W E E K			P E R I N A T A L			I N F A N T D E A T H S		
	N O .	R A T E		N O .	R A T E	R A N K	N O .	R A T E	R A N K	N O .	R A T E	R A N K	N O .	R A T E	R A N K
DISTRICT 9	-	-		14	14.4		14	14.4		22	22.5		17	17.5	
Bath	-	-		3	21.6	4	3	21.6	3	4	28.6	13.5	4	28.8	3
Menifee	-	-		2	26.3	2	2	26.3	2	4	51.3	1	2	26.3	5
Montgomery	-	-		1	3.5	87	1	3.5	79.5	3	10.5	92	3	10.6	68
Morgan	-	-		3	14.8	17	3	14.8	11	6	29.1	11	3	14.8	36
Rowan	-	-		5	18.7	7	5	18.7	5	5	18.7	47	5	18.7	14.5
DISTRICT 10	-	-		18	8.6		17	8.2		27	12.9		24	11.5	
Boyd	-	-		8	10.4	34	7	9.1	36	11	14.3	74	11	14.3	42.5
Carter	-	-		2	4.7	79	2	4.7	71	2	4.7	110	4	9.3	82
Elliott	-	-		2	20.2	5	2	20.2	4	4	39.6	4	2	20.2	11
Greenup	-	-		4	7.2	59.5	4	7.2	51.5	8	14.4	73	5	9.0	84
Lawrence	-	-		2	8.6	47.5	2	8.6	40	2	8.6	97.5	2	8.6	86
DISTRICT 11	2	6.9		27	9.3		24	8.3		63	21.5		45	15.5	
Floyd	-	-		4	5.5	75.5	4	5.5	65.5	13	17.6	53.5	10	13.7	46
Johnsoa	1	25.7		5	12.9	22.5	5	12.9	15.5	9	22.9	25	6	15.4	31.5
Magoffin	-	-		-	-	107.5	-	-	105	6	21.0	34.5	2	7.1	91
Martin	-	-		3	12.0	26.5	3	12.0	18.5	4	16.0	63	8	32.1	1
Pike	1	8.0		15	12.0	26.5	12	9.6	31	31	24.5	21	19	15.2	33.5
DISTRICT 12	-	-		22	10.0		20	9.1		37	16.7		32	14.5	
Breathitt	-	-		3	11.5	28.5	3	11.5	23.5	7	26.3	19	3	11.5	62
Knott	-	-		3	10.3	36	3	10.3	29	9	30.2	9	3	10.3	73
Lee	-	-		2	16.4	10	2	16.4	7.5	3	24.4	22	2	16.4	24
Leslie	-	-		3	12.8	24	3	12.8	17	3	12.8	81.5	5	21.4	10
Letcher	-	-		3	6.0	67	2	4.0	77.5	5	9.9	93	8	15.9	28
Owsley	-	-		2	28.6	1	2	28.6	1	2	28.6	13.5	2	28.6	4
Perry	-	-		5	8.5	49	4	6.8	54.5	7	11.8	86	7	11.9	58
Wolfe	-	-		1	7.6	55	1	7.6	47	1	7.6	101	2	15.2	33.5
DISTRICT 13	-	-		22	5.9		20	5.4		46	12.3		46	12.4	
Bell	-	-		5	11.4	30	5	9.5	32.5	11	20.7	36.5	9	17.1	20
Clay	-	-		1	2.5	91	1	2.5	82	5	12.3	84	5	12.4	53
Harlan	-	-		3	4.2	85	3	4.2	76	6	8.4	99	10	14.0	44
Jackson	-	-		2	10.1	37	2	10.1	30	4	20.0	43	2	10.1	75.5
Knox	-	-		1	2.0	92.5	1	2.0	85.5	3	6.0	105	3	6.1	96
Laurel	-	-		5	7.3	58	4	5.8	64	9	13.0	80	10	14.6	38.5
Rockcastle	-	-		-	-	107.5	-	-	105	-	-	-	-	-	113.5
Whitley	-	-		4	8.1	50	4	8.1	43	8	16.2	59	7	14.3	42.5
DISTRICT 14	-	-		19	7.9		18	7.4		34	14.0		34	14.0	
Adair	-	-		1	5.2	77	1	5.2	67.5	5	25.5	20	2	10.4	70.5
Casey	-	-		2	7.9	52.5	2	7.9	45.5	4	15.7	67	3	11.9	58
Clinton	-	-		1	8.0	51	1	8.0	44	2	15.9	64.5	1	8.0	89.5
Cumberland	-	-		-	-	107.5	-	-	105	-	-	116	-	-	113.5
Green	-	-		1	7.4	56.5	1	7.4	49	1	7.4	103	3	22.2	9
McCreary	-	-		3	11.5	28.5	3	11.5	23.5	4	15.3	69	4	15.4	31.5
Pulaski	-	-		7	10.8	32	7	10.8	26	12	18.4	48	11	17.0	21
Russell	-	-		-	-	107.5	-	-	105	-	-	116	3	16.0	26.5
Taylor	-	-		2	7.2	59.5	2	7.2	51.5	5	17.8	51	4	14.4	40.5
Wayne	-	-		2	7.9	52.5	1	4.0	77.5	1	4.0	111	3	11.9	58
DISTRICT 15	-	-		62	7.7		54	6.7		145	17.7		93	11.5	
Anderson	-	-		1	5.5	75.5	1	5.5	65.5	3	16.2	59	2	10.9	67
Bourbon	-	-		4	15.4	15.5	3	11.6	21.5	8	30.3	8	6	23.2	8
Boyle	-	-		6	19.7	6	5	16.4	7.5	5	16.4	57	6	19.7	12
Clark	-	-		2	4.6	80.5	1	2.3	83.5	6	13.5	76	4	9.1	83
Estill	-	-		1	4.3	84	1	4.3	75	2	8.6	97.5	3	12.9	49
Fayette	-	-		22	6.9	63.5	21	6.6	57	54	16.8	55	33	10.3	73
Franklin	-	-		2	3.4	88	1	1.7	87	7	11.6	88.5	6	10.1	75.5
Garrard	-	-		1	6.9	63.5	1	6.9	53	3	20.4	39.5	1	6.9	93
Harrison	-	-		4	15.9	12	3	11.9	20	4	15.8	66	6	23.8	6
Jessamine	-	-		6	12.5	25	5	10.4	27.5	16	32.6	6	8	16.7	22.5
Lincoln	-	-		4	16.0	11	3	12.0	18.5	6	23.7	23	4	16.0	26.5
Madison	-	-		3	4.4	83	3	4.4	74	8	11.6	88.5	3	4.4	103
Mercer	-	-		2	7.4	56.5	2	7.4	49	4	14.7	71	3	11.1	65.5
Nicholas	-	-		-	-	107.5	-	-	105	1	11.2	91	1	11.4	63
Powell	-	-		-	-	107.5	-	-	105	4	21.1	33	1	5.4	101
Scott	-	-		4	12.9	22.5	4	12.9	15.5	9	28.7	12	5	16.2	25
Woodford	-	-		-	-	107.5	-	-	105	5	20.7	36.5	1	4.2	104
KENTUCKY	6	1.0		463	8.1		400	7.0		963	16.7		697	12.2	

1981

MARRIAGES AND DISSOLUTIONS BY RACE

MARRIAGES

DISSOLUTIONS

	TOTAL			WHITE		NONWHITE		TOTAL			WHITE		NONWHITE	
	NO.	RATE	RANK	NO.	RATE	NO.	RATE	NO.	RATE	RANK	NO.	RATE	NO.	RATE
DISTRICT 1	1,934	10.7		1,855	11.0	79	6.8	802	4.4		760	4.5	42	3.6
Ballard	70	8.0	74.5	64	7.6	6	17.9	4	0.5	100.5	4	0.5	-	-
Calloway	316	10.5	18	306	10.6	10	9.4	80	2.7	82.5	80	2.8	-	-
Carlisle	35	6.4	90	35	6.4	-	-	19	3.5	72.5	19	3.5	-	-
Fulton	107	11.9	5	93	12.5	14	9.2	-	-	114	-	-	-	-
Graves	343	10.1	25.5	335	10.3	8	5.0	114	3.3	75.5	111	3.4	3	1.9
Hickman	67	11.0	14	64	11.8	3	4.7	32	5.3	27.5	28	5.2	4	6.3
McCracken	753	12.3	3	715	13.0	38	5.9	474	7.7	2	440	8.0	34	5.3
Marshall	243	9.5	35	243	9.5	-	-	79	3.1	79.5	78	3.0	1	16.4
DISTRICT 2	1,556	7.6		1,450	8.2	106	3.7	944	4.6		823	4.7	121	4.3
Caldwell	122	9.1	49.5	118	9.4	4	4.7	-	-	114	-	-	-	-
Christian	444	6.6	88	375	7.9	69	3.6	465	7.0	7	367	7.7	98	5.1
Crittenden	95	10.3	20.5	95	10.4	-	-	39	4.2	54	39	4.3	-	-
Hopkins	374	8.1	72.5	361	8.4	13	3.9	229	5.0	37	214	5.0	15	4.5
Livingston	72	7.8	76	72	7.8	-	-	41	4.4	50	41	4.5	-	-
Lyon	61	9.4	38	58	9.4	3	8.6	12	1.8	91.5	12	2.0	-	-
Muhlenberg	285	8.8	55.5	275	9.0	10	5.8	77	2.4	87	75	2.5	2	1.2
Todd	58	4.9	104	57	5.5	1	0.7	30	2.5	85.5	29	2.8	1	0.7
Trigg	45	4.8	105.5	39	4.8	6	5.0	51	5.4	25	46	5.6	5	4.2
DISTRICT 3	1,971	9.9		1,909	10.2	62	5.3	840	4.2		825	4.4	15	1.3
Daviess	836	9.7	30.5	816	9.9	20	5.2	565	6.6	11.5	552	6.7	13	3.4
Hancock	80	10.3	20.5	80	10.5	-	-	18	2.3	88	18	2.4	-	-
Henderson	456	11.2	10	427	11.3	29	9.2	22	0.5	100.5	20	0.5	2	0.6
McLean	94	9.3	42.5	93	9.3	1	13.0	21	2.1	89.5	21	2.1	-	-
Ohio	201	9.2	46.5	199	9.3	2	6.7	90	4.1	57	90	4.2	-	-
Union	165	9.3	42.5	158	10.9	7	2.1	65	3.6	71	65	4.5	-	-
Webster	139	9.4	38	136	9.8	3	3.3	59	4.0	60.5	59	4.2	-	-
DISTRICT 4	918	4.2		880	4.3	38	2.6	658	3.0		640	3.2	18	1.2
Allen	77	5.5	99.5	73	5.2	4	21.5	70	5.0	37	69	4.9	1	5.4
Barren	294	8.6	60	280	8.7	14	8.0	208	6.1	13.5	202	6.3	6	3.4
Butler	98	8.9	54	96	8.7	2	28.6	57	5.2	31	57	5.2	-	-
Edmonson	58	5.8	95.5	58	5.9	-	-	-	-	114	-	-	-	-
Hart	-	-	116	-	-	-	-	78	5.1	34	77	5.4	-	0.8
Logan	156	6.5	89	153	7.0	3	1.3	-	-	114	-	-	-	-
Metcalfe	52	5.5	99.5	52	5.7	-	-	44	4.6	44.5	44	4.8	-	-
Monroe	50	4.0	107	47	3.9	3	8.0	-	-	114	-	-	-	-
Simpson	132	9.0	52.5	120	9.3	12	6.6	108	7.4	5	101	7.9	7	3.8
Warren	1	0.0	111	1	0.0	-	-	93	1.3	93	90	1.4	3	0.5
DISTRICT 5	2,034	9.3		1,855	9.4	179	8.6	1,069	4.9		1,007	5.1	62	3.0
Breckinridge	-	-	116	-	-	-	-	62	3.7	68.5	62	3.8	-	-
Grayson	212	10.2	23	212	10.2	-	-	5	0.2	106	5	0.2	-	-
Hardin	1,054	11.9	5	889	11.7	165	12.6	668	7.5	4	618	8.1	50	3.8
Larue	109	9.1	49.5	106	9.3	3	5.3	37	3.1	79.5	37	3.3	-	-
Marion	133	7.4	79	132	8.0	1	0.7	72	4.0	60.5	69	4.2	3	2.1
Meade	189	8.3	69	189	9.1	-	-	61	2.7	82.5	60	2.9	1	0.5
Nelson	244	8.8	55.5	235	9.1	9	4.9	123	4.5	47	119	4.6	4	2.2
Washington	93	8.6	60	92	9.5	1	0.9	41	3.8	65.5	37	3.8	4	3.6
DISTRICT 6	7,912	9.8		7,061	10.3	851	7.0	5,078	6.3		4,535	6.6	543	4.5
Bullitt	363	8.4	66	363	8.4	-	-	198	4.6	44.5	198	4.6	-	-
Henry	129	10.1	25.5	127	10.5	2	2.9	57	4.5	47	57	4.7	-	-
Jefferson	6,873	10.0	27.5	6,047	10.6	826	7.2	4,521	6.6	11.5	3,981	7.0	540	4.7
Oldham	228	8.2	71	215	8.2	13	8.5	130	4.7	42	128	4.9	2	1.3
Shelby	211	9.0	52.5	204	9.9	7	2.6	113	4.8	40	112	5.4	1	0.4
Spencer	51	8.6	60	48	8.3	3	18.4	26	4.4	50	26	4.5	-	-
Trimble	57	9.1	49.5	57	9.1	-	-	33	5.3	27.5	33	5.3	-	-
DISTRICT 7	4,479	14.3		4,218	13.7	261	38.7	566	1.8		563	1.8	3	0.4
Boone	508	11.1	12	504	11.1	4	8.9	83	1.8	91.5	83	1.8	-	-
Campbell	1,917	23.0	1	1,746	21.2	171	155.6	309	3.7	68.5	307	3.7	2	1.8
Carroll	127	13.7	2	124	13.7	3	16.1	48	5.2	31	48	5.3	-	-
Gallatin	36	7.4	79	36	7.6	-	-	20	4.1	57	20	4.2	-	-
Grant	146	11.0	14	146	11.0	-	-	5	0.4	103	5	0.4	-	-
Kenton	1,557	11.4	7.5	1,475	11.1	82	18.0	31	0.2	106	30	0.2	1	0.2
Owen	74	8.3	69	73	8.4	1	4.5	34	3.8	65.5	34	3.9	-	-
Pendleton	114	10.4	19	114	10.4	-	-	36	3.3	75.5	36	3.3	-	-
DISTRICT 8	516	9.4		506	9.6	10	5.8	167	3.1		159	3.0	8	4.6
Bracken	77	10.0	27.5	77	10.0	-	-	20	2.6	84	20	2.6	-	-
Fleming	105	8.5	63	104	8.6	1	4.2	41	3.3	75.5	41	3.4	-	-
Lewis	132	9.1	49.5	130	9.0	2	4.3	9	0.6	98	9	0.6	-	-
Mason	202	11.4	7.5	195	11.9	7	5.1	97	5.5	22.5	89	5.4	8	5.8
Robertson	-	-	11.6	-	-	-	-	-	-	114	-	-	-	-

MARRIAGES

DISSOLUTIONS

	TOTAL			WHITE		NONWHITE		TOTAL			WHITE		NONWHITE	
	NO.	RATE	RANK	NO.	RATE	NO.	RATE	NO.	RATE	RANK	NO.	RATE	NO.	RATE
DISTRICT 9	546	8.2		537	8.3	9	4.7	370	5.6		363	5.6	7	3.6
Bath	60	6.0	93	60	6.2	-	-	42	4.2	54	42	4.3	-	-
Menifee	20	3.9	108	20	4.0	-	-	19	3.7	68.5	19	3.8	-	-
Montgomery	224	11.2	10	215	11.3	9	8.2	139	6.9	8.5	133	7.0	6	5.5
Morgan	115	9.5	35	115	9.5	-	-	54	4.5	47	54	4.5	-	-
Rowan	127	6.7	86.5	127	6.8	-	-	116	6.1	13.5	115	6.2	1	2.6
DISTRICT 10	994	7.1		983	7.1	11	6.9	586	4.2		581	4.2	5	3.2
Boyd	518	9.3	42.5	509	9.4	9	7.2	400	7.2	6	395	7.3	5	4.0
Carter	-	-	116	-	-	-	-	97	3.9	63.5	97	3.9	-	-
Elliott	47	6.8	85	47	6.8	-	-	3	0.4	103	3	0.4	-	-
Greenup	429	11.0	14	427	11.0	2	8.5	24	0.6	98	24	0.6	-	-
Lawrence	-	-	116	-	-	-	-	62	4.4	50	62	4.4	-	-
DISTRICT 11	1,006	5.5		1,002	5.5	4	4.4	714	3.9		713	3.9	1	1.1
Floyd	265	5.4	102	264	5.4	1	3.3	41	0.8	95	40	0.8	1	3.3
Johnson	182	7.4	79	182	7.5	-	-	137	5.6	19.5	137	5.6	-	-
Magoffin	90	6.7	86.5	90	6.7	-	-	-	-	114	-	-	-	-
Martin	-	-	116	-	-	-	-	46	3.3	75.5	46	3.3	-	-
Pike	469	5.8	95.5	466	5.8	3	6.1	490	6.0	15	490	6.1	-	-
DISTRICT 12	634	4.7		631	4.7	3	2.2	428	3.2		427	3.2	1	0.7
Breathitt	156	9.2	46.5	156	9.2	-	-	12	0.7	96	12	0.7	-	-
Knott	14	0.8	109	14	0.8	-	-	-	-	114	-	-	-	-
Lee	55	7.1	83.5	55	7.1	-	-	27	3.5	72.5	27	3.5	-	-
Leslie	79	5.3	103	79	5.3	-	-	-	-	114	-	-	-	-
Letcher	-	-	116	-	-	-	-	155	5.1	34	154	5.1	1	2.6
Oswley	56	9.8	29	56	9.8	-	-	23	4.0	60.5	23	4.0	-	-
Perry	212	6.3	91	209	6.3	3	4.3	194	5.7	17.5	194	5.9	-	-
Wolfe	62	9.3	42.5	62	9.3	-	-	17	2.5	85.5	17	2.5	-	-
DISTRICT 13	1,414	6.2		1,403	6.3	11	2.4	835	3.7		826	3.7	9	2.0
Bell	190	5.5	99.5	188	5.6	2	2.0	171	5.0	37	167	5.0	4	4.1
Clay	232	10.2	23	229	10.2	3	7.6	97	4.3	52	97	4.3	-	-
Harlan	309	7.4	79	305	7.7	4	1.9	198	4.7	42	194	4.9	4	1.9
Jackson	3	0.3	110	3	0.3	-	-	47	3.9	63.5	47	3.9	-	-
Knox	223	7.4	79	222	7.4	1	2.6	64	2.1	89.5	63	2.1	1	2.6
Laurel	340	8.7	57.5	339	8.8	1	2.5	200	5.1	34	200	5.2	-	-
Rockcastle	117	8.4	66	117	8.4	-	-	58	4.2	54	58	4.2	-	-
Whitley	-	-	116	-	-	-	-	-	-	114	-	-	-	-
DISTRICT 14	1,202	7.0		1,193	7.1	9	2.2	525	3.1		514	3.1	11	2.7
Adair	108	7.1	83.5	106	7.2	2	3.6	84	5.5	22.5	81	5.5	3	5.4
Casey	-	-	116	-	-	-	-	3	0.2	106	3	0.2	-	-
Clinton	52	5.6	97	52	5.6	-	-	-	-	114	-	-	-	-
Cumberland	35	4.8	105.5	35	5.1	-	-	-	-	114	-	-	-	-
Green	96	8.7	57.5	96	9.0	-	-	44	4.0	60.5	44	4.1	-	-
McCreary	114	7.3	82	114	7.4	-	-	88	5.6	19.5	88	5.7	-	-
Pulaski	365	8.0	74.5	365	8.1	-	-	26	0.6	98	26	0.6	-	-
Russell	128	9.3	42.5	128	9.4	-	-	72	5.3	27.5	72	5.3	-	-
Taylor	198	9.3	42.5	192	9.6	6	3.1	161	7.6	3	156	7.8	5	4.2
Wayne	106	6.2	92	105	6.3	1	2.4	47	2.8	81	44	2.6	3	7.3
DISTRICT 15	5,101	9.3		4,789	9.6	312	6.1	3,089	5.6		2,944	5.9	145	2.9
Anderson	107	8.5	63	107	8.9	-	-	51	4.1	57	51	4.2	-	-
Bourbon	164	8.5	63	149	8.5	15	7.6	92	4.7	42	89	5.1	3	1.5
Boyle	209	8.3	69	194	8.6	15	6.3	80	3.2	78	75	3.3	5	2.1
Clark	289	10.2	23	279	10.5	10	5.6	162	5.7	17.5	159	6.0	3	1.6
Estill	137	9.5	35	137	9.5	-	-	53	3.7	68.5	53	3.7	-	-
Fayette	1,968	9.6	32.5	1,780	10.2	188	6.4	1,411	6.9	8.5	1,291	7.4	120	4.1
Franklin	445	10.6	16.5	424	11.1	21	5.8	340	8.1	1	340	8.9	-	-
Garrard	91	8.4	66	89	8.7	2	3.4	58	5.3	27.5	57	5.6	1	1.7
Harrison	147	9.7	30.5	143	9.7	4	8.2	103	6.8	10	103	7.0	-	-
Jessamine	143	5.5	99.5	141	5.7	2	1.7	135	5.2	31	131	5.3	4	3.3
Lincoln	113	5.9	94	110	6.0	3	3.8	23	1.2	94	23	1.3	-	-
Madison	500	9.4	38	481	9.7	19	5.2	294	5.5	22.5	287	5.8	7	1.9
Mercer	154	8.1	72.5	153	8.4	1	1.1	111	5.8	16	110	6.1	1	1.1
Nicholas	69	9.6	32.5	67	9.5	2	14.7	3	0.4	103	3	0.4	-	-
Powell	132	11.9	5	131	11.9	1	7.6	54	4.9	39	54	4.9	-	-
Scott	244	11.2	10	222	11.0	22	13.9	119	5.5	22.5	118	5.8	1	0.6
Woodford	189	10.6	16.5	182	11.1	7	4.9	-	-	114	-	-	-	-
KENTUCKY	32,217	8.8		30,272	9.0	1,945	6.9	16,671	4.6		15,680	4.6	991	3.5